

Oh My Zsh

Commands

tab

Open the current directory in a new tab

tabs

Create a new tab in the current directory

take

Create a new directory and switch to it; will create intermediate directories as required

x or extract

Extract an archive

extract -r

Extract and remove original archive file

ESC ESC

Puts sudo in front of the current command, or the last one if the command line is empty.

zsh_stats

Get list of top twenty commands

upgrade_oh_my_zsh

exec zsh

Apply changes made to .zshrc

ofd

Open the current directory in a Finder window

pfd

Return the path of the frontmost Finder window

pfs

Return the current Finder selection

cdf

cd to the current Finder directory

pushdf

pushd to the current Finder directory

man-preview

Open a specified man page in Preview app

showfiles

Show hidden files

hidefiles

Hide the hidden files

Aliases

alias

List all aliases

alias -L

Print each alias in the form of calls to alias

alias -g

list or define global aliases

—

sudo

brews

brew list -1

bubc

brew upgrade && brew cleanup

bubo

brew update && brew outdated

bubu

bubo && bubc

h

history

hsi

hs -i

l

ls -lah

la

ls -lAh

ll

ls -lh

ls

ls -G

lsa

ls -lah

please

sudo

po

popd

pu

pushd

ql

qlmanage -p

quicklook

qlmanage -p

Directories

wd <warp point>

Warp directory

wd add <point>

Add warp point to current working directory

wd ..

Warp back to the previous directory

wd show

List warp points to current directory

wd list

List all warp points

..

cd ..

...

cd ../..

....

cd ../../..

.....

cd ../../../../..

/

cd /

~

cd ~

md

mkdir -p

rd

rmdir

d

dirs -v (lists last used directories)

lwd

Jump to last working directory (automatically called for new shells)

Searches

sp

Startpage

ddg

Duckduckgo

ecosia

github

Via Duckduckgo

image map news

wiki youtube

Plugins

copyfile
dirhistory
extract
forklift
history

last-working-dir
osx
per-directory-history (ctrl-g)
shrink-path
sudo
wd
web-search

Patrick O'Donovan
github.com/nauvane