


Verification of WSL Installation




```
Microsoft Windows [Version 10.0.26200.9457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\navan>wsl --status
Default Distribution: Ubuntu
Default Version: 2
WSL1 is not supported with your current machine configuration.
Please enable the "Windows Subsystem for Linux" optional component to use WSL1.

C:\Users\navan>
```


Verification for gcc version



```
navaneeth@Navaneeth: ~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

navaneeth@Navaneeth:~$ |
```

Gcc Program



```
GNU nano 8.7.1 process.c *
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <sys/wait.h>

int main() {
    char command[100];

    printf("Enter a Linux command: ");
    fgets(command, sizeof(command), stdin);

    command[strlen(command)] = '\0';

    pid_t pid = fork();

    if (pid < 0) {
        printf("Fork failed!\n");
        return 1;
    }
    else if (pid == 0) {
        printf("\nChild Process\n");
        printf("Child PID : %d\n", getpid());
        printf("Parent PID: %d\n", getppid());

        execvp(command, command, NULL);

        printf("Command execution failed!\n");
        exit(1);
    }
    else {
        printf("\nParent Process\n");
        printf("Parent PID : %d\n", getpid());
        printf("Child PID : %d\n", pid);


        wait(NULL);

        printf("\nChild process completed.\n");
    }

    return 0;
}
```

Help Write Out Where Is Cut Execute Location
Exit Read File Replace Paste Justify Go To Line

Output:



```
navaneeth@Navaneeth: ~$ nano process.c
navaneeth@Navaneeth: ~$ gcc process.c -o process
navaneeth@Navaneeth: ~$ ./process
Enter a Linux command: pwd

Parent Process
Parent PID : 623
Child PID : 624

Child Process
Child PID : 624
Parent PID: 623
/home/navaneeth

Child process completed.
navaneeth@Navaneeth: ~$ |
```

Simple commands

Topic 2: Directory Management			
10	ls	List files and directories	ls
11	ls -l	Display detailed file information	ls -l
12	ls -a	Display all files including hidden files	ls -a
13	cd	Change the current directory	cd Documents
14	cd ..	Move to the parent directory	cd ..
15	mkdir	Create a new directory	mkdir OSLab
16	rmdir	Remove an empty directory	rmdir Test
17	find	Search for files and directories	find . -name "*.c"
18	locate	Quickly locate files	locate hello.c

```
navaneeth@Navaneeth: ~  
navaneeth@Navaneeth:~$ ls  
ChildProcess      ForkProgram.c      a.out              ossp  
ChildProcess.c    MemoryList          command            process  
DoubleQuotes      MemoryList.c        command.c          process.c  
DoubleQuotes.c    OSLAB               command_executor.c process.c.save  
DoubleQuotes.c.save OSSP                commandhistory     sample.txt  
Escape            ParentChild         commandhistory.c   shell  
Escape.c          ParentChild.c       copyfile.c.save    shell.c  
Escape.c.save     Parsing             file               singlequotes  
Execute           Parsing.c           file.c             singlequotes.c  
Execute.c         ProcessParent       filecopy.c         'skill 2.c'  
ForkProgram       ProcessParent.c     hello.c  
navaneeth@Navaneeth:~$ ls -l  
total 360  
-rwxr-xr-x 1 navaneeth navaneeth 16168 Aug 24 06:28 ChildProcess  
-rw-r--r-- 1 navaneeth navaneeth 447 Aug 24 06:28 ChildProcess.c  
-rwxr-xr-x 1 navaneeth navaneeth 16136 Aug 31 03:55 DoubleQuotes  
-rw-r--r-- 1 navaneeth navaneeth 416 Aug 31 03:53 DoubleQuotes.c  
-rw-r--r-- 1 navaneeth navaneeth 417 Aug 31 04:59 DoubleQuotes.c.save  
-rwxr-xr-x 1 navaneeth navaneeth 16088 Aug 31 04:01 Escape  
-rw-r--r-- 1 navaneeth navaneeth 489 Aug 31 03:57 Escape.c  
-rw-r--r-- 1 navaneeth navaneeth 491 Aug 31 04:59 Escape.c.save  
-rwxr-xr-x 1 navaneeth navaneeth 16304 Aug 31 04:06 Execute  
-rw-r--r-- 1 navaneeth navaneeth 678 Aug 31 04:05 Execute.c  
-rwxr-xr-x 1 navaneeth navaneeth 16312 Aug 24 03:54 ForkProgram  
-rw-r--r-- 1 navaneeth navaneeth 856 Aug 24 03:49 ForkProgram.c  
-rwxr-xr-x 1 navaneeth navaneeth 16088 Aug 31 06:41 MemoryList  
-rw-r--r-- 1 navaneeth navaneeth 796 Aug 31 06:41 MemoryList.c  
drwxr-xr-x 2 navaneeth navaneeth 4096 Sep 26 17:56 OSLAB  
drwxr-xr-x 11 navaneeth navaneeth 4096 Sep 16 06:55 OSSP
```

```

navaneeth@Navaneeth:~$ ls -a
.          ChildProcess.c      MemoryList      command        process
..         Doublequotes       MemoryList.c    command.c      process.c
.bash_history Doublequotes.c      OSLAB          command_executor.c process.c.save
.bash_logout Doublequotes.c.save OSSP          commandhistory sample.txt
.bashrc     Escape             ParentChild    commandhistory.c shell
.cache      Escape.c          ParentChild.c  copyfile.c.save shell.c
.config     Escape.c.save     Parsing        file           singlequotes
.local      Execute           Parsing.c      file.c         singlequotes.c
.motd_shown Execute.c         ProcessParent  filecopy.c     'skill 2.c'
.profile    ForkProgram       ProcessParent.c hello.c
ChildProcess ForkProgram.c    a.out         ossp
navaneeth@Navaneeth:~$ cd
navaneeth@Navaneeth:~$ cd ..

```

```

navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ mkdir OSLAB
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB
navaneeth@Navaneeth:~/linux_cmds$ mkdir Test
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test
navaneeth@Navaneeth:~/linux_cmds$ touch program1.c
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test program1.c
navaneeth@Navaneeth:~/linux_cmds$ find . -name "*.c"
./program1.c
navaneeth@Navaneeth:~/linux_cmds$ find
.
./program1.c
./Test
./OSLAB
navaneeth@Navaneeth:~/linux_cmds$ |

```

Topic 3: File Management			
19	touch	Create a new empty file	touch file1.txt
20	cat	Display file contents	cat file1.txt
21	cp	Copy files or directories	cp a.txt b.txt
22	mv	Move or rename files	mv old.txt new.txt
23	rm	Delete a file	rm test.txt
24	head	Display first lines of a file	head hello.c
25	tail	Display last lines of a file	tail hello.c
26	more	View a file page by page	more file.txt
27	less	Scroll through a file	less hello.c
28	wc	Count lines, words and characters	wc hello.c
29	diff	Compare two files	diff a.txt b.txt
30	sort	Sort file contents	sort data.txt
31	uniq	Remove duplicate lines	uniq data.txt
32	grep	Search for text inside a file	grep main hello.c

```
navaneeth@Navaneeth: ~/lin x + v
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ touch file1.txt
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test file1.txt program1.c
navaneeth@Navaneeth:~/linux_cmds$ cat file1.txt
navaneeth@Navaneeth:~/linux_cmds$ echo "Hello Navaneeth" > file1.txt
navaneeth@Navaneeth:~/linux_cmds$ cp file1.txt file2.txt
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test file1.txt file2.txt program1.c
navaneeth@Navaneeth:~/linux_cmds$ mv file2.txt newfile.txt
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test file1.txt newfile.txt program1.c
navaneeth@Navaneeth:~/linux_cmds$ rm newfile.txt
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test file1.txt program1.c
navaneeth@Navaneeth:~/linux_cmds$ head program1.c
navaneeth@Navaneeth:~/linux_cmds$ tail program1.c
navaneeth@Navaneeth:~/linux_cmds$ cat > program1.c << 'EOF'
Line 1 - Linux commands
Line 2 - File management
Line 3 - touch command
Line 4 - cat command
Line 5 - cp command
Line 6 - mv command
Line 7 - rm command
Line 8 - head command
Line 9 - tail command
Line 10 - more command
Line 11 - less command
Line 12 - grep command
EOF
navaneeth@Navaneeth:~/linux_cmds$ cat program1.c
Line 1 - Linux commands
Line 2 - File management
Line 3 - touch command
Line 4 - cat command
Line 5 - cp command
Line 6 - mv command
Line 7 - rm command
Line 8 - head command
Line 9 - tail command
```

```
navaneeth@Navaneeth: ~/lin x + v
navaneeth@Navaneeth:~/linux_cmds$ tail program1.c
Line 3 - touch command
Line 4 - cat command
Line 5 - cp command
Line 6 - mv command
Line 7 - rm command
Line 8 - head command
Line 9 - tail command
Line 10 - more command
Line 11 - less command
Line 12 - grep command
navaneeth@Navaneeth:~/linux_cmds$ more program1.c
Line 1 - Linux commands
Line 2 - File management
Line 3 - touch command
Line 4 - cat command
Line 5 - cp command
Line 6 - mv command
Line 7 - rm command
Line 8 - head command
Line 9 - tail command
Line 10 - more command
Line 11 - less command
Line 12 - grep command
navaneeth@Navaneeth:~/linux_cmds$ less program1.c
navaneeth@Navaneeth:~/linux_cmds$ wc program1.c
 12  60 266 program1.c
navaneeth@Navaneeth:~/linux_cmds$ echo "Hello Linux" > file2.txt
navaneeth@Navaneeth:~/linux_cmds$ diff file1.txt file2.txt
1c1
< Hello Navaneeth
---
> Hello Linux
navaneeth@Navaneeth:~/linux_cmds$ printf "Zebra\nApple\nMango\nBanana\nOrange\n" > data.txt
navaneeth@Navaneeth:~/linux_cmds$ sort data.txt
Apple
Banana
Mango
Orange
Zebra
navaneeth@Navaneeth:~/linux_cmds$ printf "Apple\nApple\nBanana\nBanana\nMango\nOrange\nOrange\n" > data.txt
navaneeth@Navaneeth:~/linux_cmds$ uniq data.txt
Apple
Banana
Mango
Orange
navaneeth@Navaneeth:~/linux_cmds$ grep grep program1.c
Line 12 - grep command
```

Topic 4: File Editing

33	nano	Create or edit a file	nano hello.c
34	vi	Edit a file using Vim editor	vi hello.c

```
navaneeth@Navaneeth: ~/lin × + v
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ nano hello.c
navaneeth@Navaneeth:~/linux_cmds$ cat hello.c
#include <stdio.h>

int main() {
    printf("Hello World\n");
    printf("Welcome to Operating System\n");
    return 0;
}
navaneeth@Navaneeth:~/linux_cmds$ vi hello.c
[1]+  Stopped                  vi hello.c
navaneeth@Navaneeth:~/linux_cmds$ |
```

Topic 5: C Program Compilation and Execution

35	gcc	Compile a C program	gcc hello.c -o hello
36	./program	Execute the compiled program	./hello
37	which	Locate the executable of a command	which gcc
38	whereis	Locate binary, source, and manual pages	whereis gcc
39	man	Display manual pages	man gcc

```
navaneeth@Navaneeth: ~/lin × + v
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ nano hello.c
navaneeth@Navaneeth:~/linux_cmds$ gcc hello.c -o hello
navaneeth@Navaneeth:~/linux_cmds$ ls
OSLAB Test data.txt file1.txt file2.txt hello hello.c program1.c
navaneeth@Navaneeth:~/linux_cmds$ ./hello
Hello World
Welcome to Operating System
navaneeth@Navaneeth:~/linux_cmds$ which gcc
/usr/bin/gcc
navaneeth@Navaneeth:~/linux_cmds$ whereis gcc
gcc: /usr/bin/gcc /usr/lib/gcc /usr/libexec/gcc /usr/share/gcc /usr/share/man/man1/gcc.1.gz
navaneeth@Navaneeth:~/linux_cmds$ man gcc
navaneeth@Navaneeth:~/linux_cmds$ |
```

```
navaneeth@Navaneeth: ~ x + v
GCC(1) GNU GCC(1)

NAME
gcc - GNU project C and C++ compiler

SYNOPSIS
gcc [-c|-S|-E] [-std=standard]
    [-g] [-pg] [-Olevel]
    [-Wwarn...] [-Wpedantic]
    [-Idir...] [-Ldir...]
    [-Dmacro[=defn]...] [-Umacro]
    [-foption...] [-mmachine-option...]
    [-o outfile] [@file] infile...

Only the most useful options are listed here; see below for the
remainder. g++ accepts mostly the same options as gcc.

DESCRIPTION
When you invoke GCC, it normally does preprocessing, compilation,
assembly and linking. The "overall options" allow you to stop this
process at an intermediate stage. For example, the -c option says
not to run the linker. Then the output consists of object files
output by the assembler.

Other options are passed on to one or more stages of processing.
Some options control the preprocessor and others the compiler
itself. Yet other options control the assembler and linker; most of
these are not documented here, since you rarely need to use any of
them.

Most of the command-line options that you can use with GCC are
useful for C programs; when an option is only useful with another
language (usually C++), the explanation says so explicitly. If the
description for a particular option does not mention a source
language, you can use that option with all supported languages.

The usual way to run GCC is to run the executable called gcc, or
machine-gcc when cross-compiling, or machine-gcc-version to run a
specific version of GCC. When you compile C++ programs, you should
invoke GCC as g++ instead.
Manual page gcc(1) line 1 (press h for help or q to quit)
```

Topic 6: Process Management			
40	ps	Display running processes	ps
41	ps -ef	Display all running processes	ps -ef
42	top	Monitor running processes	top
43	kill	Terminate a process	kill 1234
44	kill -9	Forcefully terminate a process	kill -9 1234

```
navaneeth@Navaneeth: ~/lin x + v
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ ps
  PID TTY          TIME CMD
  843 pts/0    00:00:00 bash
  888 pts/0    00:00:00 ps
navaneeth@Navaneeth:~/linux_cmds$ ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root         1        0  0 03:31 ?           00:00:00 /sbin/init
root         2        1  0 03:31 hvc0       00:00:00 /init
root         8        2  0 03:31 hvc0       00:00:00 plan9 --control-socket 7
root        48        1  0 03:31 ?           00:00:00 /usr/lib/systemd/systemd
systemd+    80        1  0 03:31 ?           00:00:00 /usr/lib/systemd/systemd
root        87        1  0 03:31 ?           00:00:00 /usr/lib/systemd/systemd
root       148        1  0 03:31 ?           00:00:00 /bin/sh /usr/lib/systemd
root       149        1  0 03:31 ?           00:00:00 /usr/sbin/cron -f -P
message+   150        1  0 03:31 ?           00:00:00 @dbus-daemon --system --
root       157        1  0 03:31 ?           00:00:00 /usr/bin/python3 /usr/bi
root       171        1  0 03:31 ?           00:00:00 /usr/lib/systemd/systemd
root       179        1  0 03:31 ?           00:00:00 /usr/libexec/wsl-pro-ser
syslog     185        1  0 03:31 ?           00:00:00 /usr/sbin/rsyslogd -n -i
_chrony    233       148  0 03:31 ?           00:00:00 /usr/sbin/chronyd -n -F
root       239        1  0 03:31 ?           00:00:00 /usr/bin/python3 /usr/sh
root       249        1  0 03:31 tty1       00:00:00 /usr/sbin/agetty --nores
_chrony    254       233  0 03:31 ?           00:00:00 /usr/sbin/chronyd -n -F
root       323        2  0 03:31 ?           00:00:00 login -- navaneeth
navanee+   376        1  0 03:31 ?           00:00:00 /usr/lib/systemd/systemd
navanee+   378       376  0 03:31 ?           00:00:00 (sd-pam)
navanee+   406       323  0 03:31 pts/1      00:00:00 -bash
root       835        2  0 03:41 ?           00:00:00 /init
root       836       835  0 03:41 ?           00:00:00 /init
navanee+   843       836  0 03:41 pts/0      00:00:00 -bash
navanee+   898       843  0 03:42 pts/0      00:00:00 ps -ef
navaneeth@Navaneeth:~/linux_cmds$ top
top - 03:42:50 up 11 min, 1 user, load average: 0.05, 0.03, 0.00
Tasks: 24 total, 1 running, 23 sleeping, 0 stopped, 0 zombie
%Cpu(s):  0.0 us,  0.1 sy,  0.0 ni, 99.8 id,  0.1 wa,  0.0 hi,  0.0 si,  0.0 st
MiB Mem : 7762.6 total, 7195.0 free, 536.5 used, 182.1 buff/cache
MiB Swap: 2048.0 total, 2048.0 free,  0.0 used. 7226.1 avail Mem

   PID USER      PR  NI   VIRT   RES   SHR  S  %CPU  %MEM    TIME+  COMMAND
    1 root        20   0   24208  15368 11608  S   0.3   0.2   0:00.59  systemd
   48 root        19  -1   50396  16748 15476  S   0.3   0.2   0:00.18  systemd-journal
    2 root        20   0    3180    2208  2072  S   0.0   0.0   0:00.01  init-systemd(Ub
    8 root        20   0    3180    2048   1940  S   0.0   0.0   0:00.00  init
   80 systemd+   20   0   22540  14620 12000  S   0.0   0.2   0:00.07  systemd-resolve
   87 root        20   0   35244  12280  9188  S   0.0   0.2   0:00.54  systemd-udev
  148 root        20   0    2888    1948  1820  S   0.0   0.0   0:00.03  chronyd-starter
  149 root        20   0    4472    3092  2840  S   0.0   0.0   0:00.00  cron
  150 message+   20   0    8824    5400  4724  S   0.0   0.1   0:00.05  dbus-daemon
```

```
navaneeth@Navaneeth:~/linux_cmds$ kill 1234
-bash: kill: (1234) - No such process
navaneeth@Navaneeth:~/linux_cmds$ kill 185
-bash: kill: (185) - Operation not permitted
navaneeth@Navaneeth:~/linux_cmds$ sleep 300 &
[1] 943
navaneeth@Navaneeth:~/linux_cmds$ ps
  PID TTY          TIME CMD
  843 pts/0    00:00:00 bash
  943 pts/0    00:00:00 sleep
  953 pts/0    00:00:00 ps
navaneeth@Navaneeth:~/linux_cmds$ kill 843
navaneeth@Navaneeth:~/linux_cmds$ ps
  PID TTY          TIME CMD
  843 pts/0    00:00:00 bash
  943 pts/0    00:00:00 sleep
  974 pts/0    00:00:00 ps
navaneeth@Navaneeth:~/linux_cmds$ |
```

Topic 7: Job Control

45	jobs	Display background jobs	jobs
46	bg	Resume a job in the background	bg %1
47	fg	Bring a job to the foreground	fg %1
48	&	Run a process in the background	./hello &

```
navaneeth@Navaneeth: ~/lin x + v
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ sleep 300 &
[1] 1039
navaneeth@Navaneeth:~/linux_cmds$ sleep 300
^Z
[2]+  Stopped                  sleep 300
navaneeth@Navaneeth:~/linux_cmds$ bg %2
[2]+ sleep 300 &
navaneeth@Navaneeth:~/linux_cmds$ jobs
[1]-  Running                  sleep 300 &
[2]+  Running                  sleep 300 &
navaneeth@Navaneeth:~/linux_cmds$ ./hello &
[3] 1080
Hello World
Welcome to Operating System
[3]+  Done                    ./hello
```

Topic 8: File Permissions and Links

49	chmod	Change file permissions	chmod +x script.sh
50	chmod 755	Set read, write, and execute permissions	chmod 755 script.sh
51	ln	Create a hard link	ln file1 file2
52	ln -s	Create a symbolic link	ln -s file1 shortcut

```

navaneeth@Navaneeth: ~/lin
navaneeth@Navaneeth:~$ cd linux_cmds
navaneeth@Navaneeth:~/linux_cmds$ touch script.sh
navaneeth@Navaneeth:~/linux_cmds$ chmod +x script.sh
navaneeth@Navaneeth:~/linux_cmds$ ls -l script.sh
-rwxr-xr-x 1 navaneeth navaneeth 0 Sep 27 03:50 script.sh
navaneeth@Navaneeth:~/linux_cmds$ chmod 755 script.sh
navaneeth@Navaneeth:~/linux_cmds$ ls -l script.sh
-rwxr-xr-x 1 navaneeth navaneeth 0 Sep 27 03:50 script.sh
navaneeth@Navaneeth:~/linux_cmds$ echo "Hello Navaneeth" > file1.txt
navaneeth@Navaneeth:~/linux_cmds$ ln file1.txt file2.txt
ln: failed to create hard link 'file1.txt' => 'file2.txt': Already exists
navaneeth@Navaneeth:~/linux_cmds$ ls -li file1.txt file2.txt
48204 -rw-r--r-- 1 navaneeth navaneeth 16 Sep 27 03:51 file1.txt
48184 -rw-r--r-- 1 navaneeth navaneeth 12 Sep 26 18:33 file2.txt
navaneeth@Navaneeth:~/linux_cmds$ ln -s file1.txt shortcut
navaneeth@Navaneeth:~/linux_cmds$ ls -l shortcut
lrwxrwxrwx 1 navaneeth navaneeth 9 Sep 27 03:51 shortcut -> file1.txt
navaneeth@Navaneeth:~/linux_cmds$ cat shortcut
Hello Navaneeth
navaneeth@Navaneeth:~/linux_cmds$

```

Topic 9: Disk and Memory Information

53	df -h	Display disk space usage	df -h
54	du -sh	Display directory size	du -sh .
55	free -h	Display memory usage (Linux)	free -h

```

navaneeth@Navaneeth:~/linux_cmds$ df -h
Filesystem      Size  Used Avail Use% Mounted on
none            3.8G   0    3.8G   0% /usr/lib/modules/6.18.33.2-microsoft-standard-WSL2
none            3.8G  4.0K   3.8G   1% /mnt/wsl
drivers          159G  135G   24G   85% /usr/lib/wsl/drivers
/dev/sdd        1007G  2.2G  954G   1% /
none            3.8G  40K   3.8G   1% /mnt/wslg
none            3.8G   0    3.8G   0% /usr/lib/wsl/lib
rootfs          3.8G  2.8M   3.8G   1% /init
none            3.8G  516K   3.8G   1% /run
none            3.8G   0    3.8G   0% /run/lock
none            3.8G   0    3.8G   0% /run/shm
none            3.8G  80K   3.8G   1% /mnt/wslg/versions.txt
none            3.8G  80K   3.8G   1% /mnt/wslg/doc
C:\             159G  135G   24G   85% /mnt/c
D:\             159G  442M  159G   1% /mnt/d
E:\             159G   99M  159G   1% /mnt/e
none            1.0M   0    1.0M   0% /run/credentials/systemd-journald.service
tmpfs           3.8G   0    3.8G   0% /tmp
none            1.0M   0    1.0M   0% /run/credentials/systemd-resolved.service
none            1.0M   0    1.0M   0% /run/credentials/getty@tty1.service
tmpfs           777M  12K  777M   1% /run/user/1000
navaneeth@Navaneeth:~/linux_cmds$ du -sh .
48K
navaneeth@Navaneeth:~/linux_cmds$ free -h
              total        used        free      shared  buff/cache   available
Mem:           7.6Gi         533Mi        7.0Gi         3.5Mi        225Mi        7.1Gi
Swap:          2.0Gi           0B         2.0Gi
navaneeth@Navaneeth:~/linux_cmds$

```



```

nap/bin
DBUS_SESSION_BUS_ADDRESS=unix:path=/run/user/1000/bus
HOSTTYPE=x86_64
PULSE_SERVER=unix:/mnt/wslg/PulseServer
OLDPWD=/home/navaneeth
_=usr/bin/env
navaneeth@Navaneeth:~/linux_cmds$ export PATH=$PATH:.
navaneeth@Navaneeth:~/linux_cmds$ echo $PATH
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/usr/lib/wsl/lib:/mnt/c/Program Files/WindowsApps/MicrosoftCorporationII.WindowsSubsystemForLinux_2.7.11.0_x64__8wekyb3d8bbwe:/mnt/c/Program Files/Common Files/Oracle/Java/javapath:/mnt/c/Program Files (x86)/Common Files/Oracle/Java/javapath:/mnt/c/windows/system32:/mnt/c/windows:/mnt/c/windows/System32/Wbem:/mnt/c/windows/System32/WindowsPowerShell/v1.0:/mnt/c/windows/System32/OpenSSH:/mnt/c/Users/navan/Downloads/gcc-15.1.0-gdb-16.3.90.20250511-binutils-2.44-mingw-w64-v12.0.0-ucrt/bin:/mnt/c/Program Files/Java/jre1.8.0_461/bin:/mnt/c/Users/navan/Git/cmd:/mnt/c/Program Files/nodejs:/mnt/c/Program Files/PuTTY:/mnt/c/Users/navan/AppData/Local/Programs/Python/Python314/Scripts:/mnt/c/Users/navan/AppData/Local/Programs/Python/Python314:/mnt/c/Users/navan/.local/bin:/mnt/c/Program Files/Java/jre1.8.0_461/bin:/mnt/c/Users/navan/AppData/Local/Programs/Microsoft VS Code/bin:/mnt/c/Users/navan/AppData/Local/Programs/Antigravity IDE/bin:/mnt/c/Users/navan/AppData/Roaming/npm:/snap/bin:
navaneeth@Navaneeth:~/linux_cmds$ alias ll='ls -l'
navaneeth@Navaneeth:~/linux_cmds$ ll
total 44
drwxr-xr-x 2 navaneeth navaneeth 4096 Sep 26 18:12 OSLAB
drwxr-xr-x 2 navaneeth navaneeth 4096 Sep 26 18:12 Test
-rw-r--r-- 1 navaneeth navaneeth 46 Sep 26 18:34 data.txt
-rw-r--r-- 1 navaneeth navaneeth 16 Sep 27 03:51 file1.txt
-rw-r--r-- 1 navaneeth navaneeth 12 Sep 26 18:33 file2.txt
-rwxr-xr-x 1 navaneeth navaneeth 15952 Sep 27 03:39 hello
-rw-r--r-- 1 navaneeth navaneeth 123 Sep 27 03:39 hello.c
-rw-r--r-- 1 navaneeth navaneeth 266 Sep 26 18:32 program1.c
-rwxr-xr-x 1 navaneeth navaneeth 0 Sep 27 03:50 script.sh
lrwxrwxrwx 1 navaneeth navaneeth 9 Sep 27 03:51 shortcut -> file1.txt
navaneeth@Navaneeth:~/linux_cmds$ ls -l
total 44
drwxr-xr-x 2 navaneeth navaneeth 4096 Sep 26 18:12 OSLAB
drwxr-xr-x 2 navaneeth navaneeth 4096 Sep 26 18:12 Test
-rw-r--r-- 1 navaneeth navaneeth 46 Sep 26 18:34 data.txt
-rw-r--r-- 1 navaneeth navaneeth 16 Sep 27 03:51 file1.txt
-rw-r--r-- 1 navaneeth navaneeth 12 Sep 26 18:33 file2.txt
-rwxr-xr-x 1 navaneeth navaneeth 15952 Sep 27 03:39 hello
-rw-r--r-- 1 navaneeth navaneeth 123 Sep 27 03:39 hello.c
-rw-r--r-- 1 navaneeth navaneeth 266 Sep 26 18:32 program1.c
-rwxr-xr-x 1 navaneeth navaneeth 0 Sep 27 03:50 script.sh
lrwxrwxrwx 1 navaneeth navaneeth 9 Sep 27 03:51 shortcut -> file1.txt
navaneeth@Navaneeth:~/linux_cmds$ |

```