Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Sunday, 27 October 2024, 10:00 AM
Duration	57 days 7 hours
Question 1 Correct Marked out of 3.00 P Flag question	Goki recently had a breakup, so he wants to have some more friends in his life. Goki has N people who he can be friends with, so he decides to choose among them according to their skills set Yi(1<=i<=n). He wants atleast X skills in his friends. Help Goki find his friends.  INPUT  First line contains a single integer X - denoting the minimum skill required to be Goki's friend. Next line contains one integer Y - denoting the skill of the person
	OUTPUT  Print if he can be friend with Goki. 'YES' (without quotes) if he can be friends with Goki else 'NO' (without quotes).
	CONSTRAINTS
	1<=N<=1000000 1<=X,Y<=1000000
	SAMPLE INPUT 1
	100 110
	SAMPLE OUTPUT 1
	YES
	SAMPLE INPUT 2

```
1 #include<stdio.h>
2 - int main(){
    int X,Y;
   scanf("%d%d",&x,&Y);
    if(X<=Y)
   printf("YES");
    else
   (printf("NO");
11
12
   return 0;
13
```

Input	Expected	Got	
100 110	YES	YES	~
100	NO	NO	~

Passed all tests! <

Before the outbreak of corona virus to the world, a meeting happened in a room in Wuhan. A person who attended that meeting had COVID-Question 2 19 and no one in the room knew about it! So everyone started shaking hands with everyone else in the room as a gesture of respect and after Correct meeting unfortunately everyone got infected! Given the fact that any two persons shake hand exactly once, Can you tell the total count of Marked out of handshakes happened in that meeting? Say no to shakehands. Regularly wash your hands. Stay Safe. 5.00 P Flag question Input Format Read an integer N, the total number of people attended that meeting. **Output Format** Print the number of handshakes. Constraints 0 < N < 106 SAMPLE INPUT 1 SAMPLE OUTPUT 0 SAMPLE INPUT 2 2 SAMPLE OUTPUT 2 Explanation Case 1: The lonely board member shakes no hands, hence 0. Case 2: There are 2 board members, 1 handshake takes place. Answer: (penalty regime: 0 %) #include<stdio.h> 2 - int main(){

int N:




	Input	Expected	Got	
~	1	Ð	9	~
~	2	1	1	~

Question 3	In our school days, all of us have enjoyed the Games period. Raghav loves to play cricket and is Captain of his team. He always wanted to win
Correct	all cricket matches. But only one last Games period is left in school now. After that he will pass out from school. So, this match is very
Marked out of 7.00	important to him. He does not want to lose it. So he has done a lot of planning to make sure his teams wins. He is worried about only one opponent - Jatin, who is very good batsman. Raghav has figured out 3 types of bowling techniques, that could be most beneficial for
P Flag question	dismissing Jatin. He has given points to each of the 3 techniques. You need to tell him which is the maximum point value, so that Raghav can select best technique. 3 numbers are given in input. Output the maximum of these numbers.
	Input:
	Three space separated integers.
	Output:
	Maximum integer value
	SAMPLE INPUT
	861
	SAMPLE OUTPUT
	8
	Explanation Out of given numbers, 8 is maximum.

Answer: (penalty regime: 0 %)

Explanation Out of given numbers, o is maximum.

## Answer: (penalty regime: 0 %)



	Input	Expected	Got	
~	81 26 15	81	81	~

Passed all tests! ✓