AURELIA – FINE ART PHOTOGRAPHY SHOWCASE

A RESPONSIVE PHOTOGRAPHY GALLERY WEBSITE USING HTML, CSS AND JAVASCRIPT

CS23531 - MINI-PROJECT REPORT

Submitted by

NAVASHAKTHI E (241001149)

in partial fulfillment for the award of the degree of

BACHELOR OF TECHNOLOGY
IN
INFORMATION TECHNOLOGY



DEPARTMENT OF INFORMATION TECHNOLOGY
RAJALAKSHMI ENGINEERING COLLEGE

NOVEMBER 2026

BONAFIDE CERTIFICATE

Certified that this project report titled **AURELIA – FINE ART PHOTOGRAPHY SHOWCASE: A RESPONSIVE PHOTOGRAPHY GALLERY WEBSITE USING HTML, CSS AND JAVASCRIPT** is the bonafide work of **NAVASHAKTHI E (241001149)**, who carried out the work during the Mini-Project under supervision. Certified further that, based on the task given by the training organisation, the project was completed under their supervision.

SIGNATURE OF THE CLASS IN-CHARGE

SIGNATURE OF THE REVIEWER

SIGNATURE OF THE HOD

Dr. P. Neelaveni
Head of the Department
Department of Information Technology
Rajalakshmi Engineering College

Submitted to Project Viva Voce Examination held on _____

ACKNOWLEDGEMENT

First, we thank the almighty God for the successful completion of the project. Our sincere thanks to our chairman Mr. S. Meganathan, B.E., F.I.E., for his sincere endeavor in educating us in his premier institution. We would like to express our deep gratitude to our beloved Chairperson Dr. Thangam Meganathan, for her enthusiastic motivation which inspired us a lot in completing this project and Vice-Chairman Mr. Abhay Shankar Meganathan, B.E., M.S., for providing us with the requisite infrastructure.

We also express our sincere gratitude to our college principal, Dr. S. N. Murugesan, M.E., Ph.D., for his kind support and facilities to complete our work on time. We extend heartfelt gratitude to Dr. P. Neelaveni, Professor and Head of the Department of Information Technology, for her guidance and encouragement throughout the work.

We extend our thanks to our project guide, faculty members, parents, and friends for their direct and indirect involvement in the successful completion of this project, for their encouragement and support.

NAVASHAKTHI E

TABLE OF CONTENTS

S.NO	CONTENTS	PAGE NO
—	Abstract	5
1	Introduction	5
2	Literature Review and Background Study	5
3	System Requirements	6
4	System Design and Methodology	7
5	Technology Stack	9
6	Implementation	10
7	Results and Discussion	14
8	Challenges and Issues Faced	16
9	Testing	18
—	Appendix A — Markup Excerpts (index.html)	19
—	Appendix B — Design Tokens and Responsive Rules (style.css)	20
—	Appendix C — Interaction Logic (script.js)	21
10	Conclusion and Future Scope	21
11	References	22
12	System Usage / Use Case Description	22
13	User Manual — Running the Application	23
14	Glossary of Terms	24
—	SDG Mapping	24

Abstract

AURELIA is a responsive, single-page fine art photography showcase that presents a fictional photographer's portfolio, a searchable and filterable gallery of 18 photographs, a full-screen lightbox with story, print-pricing and camera-gear tabs, and an acquisition inquiry form. The project shows how a polished, interactive and accessible gallery experience can be delivered with only the core web technologies — HTML5, CSS3 and vanilla JavaScript — with no framework, no build step, no backend and no database. The site is organised into six parts (Home, Gallery, About, Exhibitions, Inquire and Footer) and adapts to desktop, tablet and mobile screens.

The application was developed in three stages. In the first stage, the information architecture and visual identity were defined: a near-black and gold palette expressed as CSS custom properties, paired with Cormorant Garamond and Plus Jakarta Sans typefaces. In the second stage, the gallery was implemented as a data-driven module: one photographs array of 18 objects drives the gallery cards, five category filters with live counts, a live text search, the lightbox, the print-size selector and the inquiry pre-fill. In the third stage, interaction details were added — keyboard and touch-swipe navigation, a favourites system persisted in localStorage, toast notifications and field-level validation of the inquiry form.

The finished site (index.html 722 lines, style.css 2,284 lines and script.js 1,284 lines) was checked with 22 automated browser checks in Chromium. Twenty-one behaved as expected; one check exposed a real defect — a horizontal overflow at a 390 px viewport caused by the inquiry form — which is documented together with other known limitations, such as inquiries not being transmitted to a server, and recommended improvements.

1. Introduction

A photographer's website is often the first — and sometimes the only — gallery a prospective collector visits. Visitors want to see the work at high quality, understand the story and technique behind each image, know which sizes and editions are available and what they cost, and make contact without friction. Social-media feeds compress images and hide this context, and generic portfolio templates give the artist little control over presentation and sales.

AURELIA – Fine Art Photography Showcase addresses this need with a purpose-built front-end website for a fictional fine-art photographer, Julian Vance, whose studio is placed in Zürich. The site combines brand storytelling (hero, About and Exhibitions sections) with practical tools: a category-filtered and searchable gallery, a lightbox that opens each photograph with its story, expedition notes, three limited-edition print sizes with prices, and camera EXIF details, and an inquiry form that is pre-filled when the visitor chooses to acquire a print.

The project deliberately restricts itself to the fundamental web platform. All gallery content is rendered in the browser from a JavaScript array, layout is handled with CSS Grid and Flexbox, and interactivity is written in plain JavaScript using features such as CSS custom properties, event delegation, localStorage and touch events. This keeps the project lightweight, easy to understand and easy to deploy — it runs by opening index.html — and makes it a good demonstration of web fundamentals. Attention was also paid to quality attributes: keyboard-operable controls, ARIA roles and labels, visible focus outlines, responsive layout and safe, validated form input. This report documents the background, requirements, design, implementation, results, testing, challenges and future scope of the system.

2. Literature Review and Background Study

2.1 Online Portfolios and Art Sales

For photographers and artists, an online presence is now a basic business requirement. Collectors commonly discover work online, compare editions and prices, and enquire directly. A dedicated website lets the artist control image quality, narrative and pricing, and avoid platform commissions. Large high-quality images, a clear description of each work, transparent edition and price

information and an obvious call to action are consistently recommended as the core elements of an effective art portfolio.

2.2 Responsive Web Design

Responsive web design, introduced by Ethan Marcotte in 2010, combines fluid grids, flexible images and CSS media queries so that one code base adapts to any screen size. CSS Grid and Flexbox make these layouts simpler and more robust than earlier float-based layouts. AURELIA follows this approach: the gallery uses an auto-fill grid (minimum 350 px per column) that collapses to a single column on phones, and two breakpoints (1080 px and 768 px) reorganise the About section, footer, lightbox panel and navigation.

2.3 Client-Side Rendering with the DOM

The Document Object Model (DOM) represents an HTML page as a tree of objects that JavaScript can read and modify. Rendering content from a data structure rather than hand-writing repeated markup makes pages easier to maintain, because one change to the data is reflected everywhere it is used. In AURELIA a single photographs array drives the gallery cards, the category counts, the search, the lightbox and the print selector. Event delegation — one listener on a parent element handling clicks for many dynamically created children — avoids re-attaching listeners after each re-render.

2.4 Image Presentation and the Lightbox Pattern

A lightbox displays a selected image in a layer above the page, dimming the background and offering next/previous navigation, zoom and close controls. Good implementations support keyboard (Escape and arrow keys) and touch (swipe) input, show a loading indicator for large files and prevent the page behind from scrolling. Using a small thumbnail in the grid and loading the large image only on demand reduces initial page weight, which is the approach used here.

2.5 Web Accessibility

The Web Content Accessibility Guidelines (WCAG) 2.2 define how to make content perceivable, operable, understandable and robust. Practical techniques include semantic landmarks, text alternatives for images, labelled controls, visible keyboard focus, ARIA roles for dialogs and tabs, and live regions for dynamic updates. AURELIA applies several of these techniques (Section 6.8) and records the ones still missing, such as focus trapping inside the lightbox.

2.6 Form Validation and User Experience

Good form design validates input at the right moment, explains problems in plain language next to the field and avoids losing the user’s data. Browser validation can be supplemented by custom rules. AURELIA validates name, e-mail and message when the inquiry form is submitted, and reduces typing by pre-filling the artwork, print size and message when a visitor chooses a print.

2.7 Summary

The study shows that (i) an art portfolio must combine strong image presentation with practical sales information, (ii) a responsive, data-driven, standards-based front end can deliver this without heavy frameworks, and (iii) accessibility and careful validation are part of the user experience rather than optional extras. These conclusions shaped the design decisions in the following chapters.

3. System Requirements

3.1 Hardware Requirements

- Any desktop, laptop, tablet or smartphone able to run a current web browser; no special hardware is needed
- Approximately 4 GB RAM and a standard display for comfortable development and testing

- Internet connectivity is required to load the Google Fonts and the Unsplash photographs (see 3.3)

3.2 Software Requirements

- A current version of Google Chrome, Microsoft Edge or Mozilla Firefox (CSS custom properties, CSS Grid, backdrop-filter, localStorage and touch events are used)
- A text or code editor for development, for example Visual Studio Code
- Optional: a simple local web server (such as python -m http.server); the site also runs directly from the file system
- Playwright with Chromium — used in this report to run the automated browser checks

3.3 External Resources Used

- Google Fonts — Cormorant Garamond (headings) and Plus Jakarta Sans (body text), with Georgia and system fonts as fallbacks
- Unsplash — the 18 gallery photographs (a 700 px thumbnail and a 1600 px full image per work), the hero background and the About portrait; all are loaded from the Unsplash CDN
- Inline SVG — logo mark, icons and social buttons; no icon library is used
- Browser localStorage — stores the visitor's favourites under the key aurelia_favorites

3.4 Functional Requirements

- Display a hero section with the studio name, tagline, key statistics and calls to action
- Show 18 photographs in five categories (Nature, Wildlife, Travel, Architecture, Portraits) with live category counts
- Allow visitors to filter by category and search by title, location, camera, lens, description or story, and combine both
- Open any photograph in a lightbox with three tabs — The Story, Sizes & Pricing and Camera Gear — plus zoom, like, next/previous and thumbnail navigation
- Let the visitor select a print size and acquire it, pre-filling the inquiry form
- Provide an inquiry form with validation and a confirmation message; show the artist profile, honours and contact details

3.5 Non-Functional Requirements

- Responsive — usable from 320 px phone screens to large desktop monitors
- Accessible — keyboard operable, labelled controls, ARIA roles and live regions, visible focus
- Portable — runs without installation or build tools as three plain files
- Performant — thumbnails in the grid use lazy loading; full-size images load only when the lightbox opens

4. System Design and Methodology

4.1 Overview of the Development Approach

The website was developed iteratively in three stages: (1) page structure and visual identity, (2) the data-driven gallery, filters and lightbox, and (3) print selection, favourites and the inquiry form, followed by polishing for responsiveness and accessibility. The code is organised into three files with clear responsibilities, summarised in Table 4.1.

File	Size	Responsibility
index.html	722 lines	Semantic structure: header, hero, gallery toolbar, About, Exhibitions, inquiry form, footer, lightbox and toast containers
style.css	2,284 lines	Design tokens, layout, components, animations and the two responsive breakpoints

File	Size	Responsibility
script.js	1,284 lines	The photographs data array (18 works with stories, prints and EXIF), rendering, filters, search, lightbox, favourites, form logic and navigation

Table 4.1 — Files of the AURELIA front end

4.2 Information Architecture

The site is a single page with anchor navigation. Each section has an id referenced by the navigation bar, the footer and the call-to-action buttons.

Section	Anchor	Purpose and key content
Header / navigation	#header	Logo, five links, “Explore Works” button; becomes solid on scroll; collapses to a hamburger drawer at 768 px and below
Hero	#hero	“The Poetry of Light & Shadow” headline, two calls to action and a four-figure statistics strip (18+ works, 42 countries, 15 medals, 100% archival)
Gallery	#gallery	Category filters with counts, search box, result counter and the CSS Grid of 18 photograph cards
About	#about	Artist portrait, quotation, biography and the “Signature Medium & Craft” equipment list
Exhibitions	#exhibitions	Four honour cards (2022–2025)
Inquire	#contact	Acquisition and inquiry form with print-size and framing selectors
Footer	—	Brand text, portfolio links that activate the filters, navigation links, social icons and studio contact
Lightbox / toast	#lightboxModal, #toastContainer	Full-screen photograph viewer with tabs and thumbnails; transient notifications

Table 4.2 — Sections and anchors

4.3 Visual Design System

The visual identity is defined once as CSS custom properties on :root and reused everywhere. A dark neutral base lets the photographs carry the colour, and gold is reserved for calls to action, accents and active states.

Token	Value	Use
--bg-darkest / --bg-primary	#07080b / #0b0d12	Page background and alternating section backgrounds
--bg-secondary / --bg-card	#12151d / #171b26	Filter bar, inputs and card surfaces
--gold-primary / --gold-light	#d4af37 / #f3e5ab	Accents, tags, prices and highlighted text
--gold-gradient	135° #f7e48b → #d4af37 → #9e7d23	Primary buttons, active filter and tab
--text-primary / --text-secondary	#f4f6fa / #abb4c4	Headings and body text
--font-serif / --font-sans	Cormorant Garamond / Plus Jakarta Sans	Headings and titles / body and controls
--radius-sm … --radius-full	6 / 12 / 18 / 9999 px	Corners of inputs, cards, panels and pills

Table 4.3 — Main design tokens (style.css)

4.4 Photograph Data Model

Every photograph is a plain JavaScript object in the photographs array at the top of script.js. Because all views are generated from this array, adding or editing a work requires changing one place only.

Field	Type	Purpose
id, title, category	number, string	Identifier, display title and one of nature, wildlife, travel, architecture, portraits
location, description, alt	string	Place, one-sentence description and image alternative text
camera, lens, settings	string	EXIF data shown in the Camera Gear tab
url, thumbUrl	string	1600 px lightbox image and 700 px grid thumbnail
likes, tall	number, boolean	Base like count; tall = true uses a 3:4 card instead of 4:3
startingPrice, edition, editionsRemaining	string, string, number	Lowest price, edition size text and remaining prints
storyQuote, story, expedition	string, string, array	Quotation, narrative and four condition chips for The Story tab
prints	array of 3	Per size: size, sizeKey, name, medium, framing, price, rawPrice and popular flag

Table 4.4 — Fields of a photograph object

The shipped dataset holds 18 works: four Nature, four Wildlife, four Travel, three Architecture and three Portraits. Each has three print options (16" × 24" Collector Edition, 24" × 36" Gallery Edition and 40" × 60" Grand Masterpiece), 54 in total.

4.5 Application Flow

When the page loads, the script (wrapped in a DOMContentLoaded handler) executes the following sequence:

- Reads the favourites set from localStorage and sets the default state (filter = all, search empty, selected print = Gallery Edition)
- Calculates the category counts and renders all 18 cards into the gallery grid
- Attaches listeners: filter buttons, search box, grid (delegated card and heart clicks), lightbox controls, tabs, size pills, thumbnails, keyboard, swipe, scroll, mobile menu, footer links and the inquiry form
- On every filter or search change, re-runs renderGallery(), which refreshes the filtered list, the result counter and the empty state
- Opening a card calls openLightbox(index) on the filtered list, so next/previous and thumbnails always respect the active filter

5. Technology Stack

- **Markup:** HTML5 with semantic landmarks (header, nav, main, section, figure, figcaption, footer) and ARIA roles
- **Styling:** CSS3 with custom properties, Grid, Flexbox, transitions, keyframe animations, backdrop-filter and media queries
- **Scripting:** Vanilla JavaScript (ES6+) — template literals, arrow functions, const/let, Array methods, Set, localStorage, touch events
- **Graphics:** Inline SVG icons; photographs from Unsplash
- **Typography:** Google Fonts — Cormorant Garamond and Plus Jakarta Sans
- **Data storage:** In-memory JavaScript array for the catalogue; localStorage for favourites; no database
- **Delivery:** Static files that run from the file system or any static host
- **Verification:** Playwright with Chromium for automated browser checks
- **Development environment:** Any code editor and a modern browser with developer tools

6. Implementation

6.1 Page Structure and Styling

index.html defines the semantic structure and loads the fonts and style.css in the head and script.js at the end of the body. style.css begins with the design tokens (Section 4.3), a small reset and base typography, and then styles each component. The gallery is a CSS Grid with auto-fill columns; cards use a 4:3 aspect ratio, and works flagged tall use 3:4 for visual rhythm.

```
.gallery-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(350px, 1fr));
  gap: 2rem;
  transition: opacity var(--transition-base);
}

.gallery-card {
  position: relative;
  border-radius: var(--radius-md);
  overflow: hidden;
  background: var(--bg-card);
  border: 1px solid var(--border-subtle);
  box-shadow: var(--shadow-sm);
  transition: transform var(--transition-base), box-shadow var(--transition-base), border-color var(--
transition-base);
  cursor: pointer;
  aspect-ratio: 4 / 3;
}

/* Special aspect ratios for dynamic visual interest */
.gallery-card.featured-tall {
  aspect-ratio: 3 / 4;
}
```

Two media-query blocks (max-width 1080 px and 768 px) switch the About grid and footer to fewer columns, replace the desktop navigation by the hamburger drawer, set the gallery to a single column and reorganise the lightbox panel (Appendix B).

6.2 The Photograph Data Model

The first entry of the photographs array is shown below (the long story text is shortened with an ellipsis here only for layout; the full text is in script.js).

```
  id: 1,
  title: "Whispers of the Misty Pines",
  category: "nature",
  location: "Banff National Park, Canada",
  camera: "Sony Alpha 7R V",
  lens: "FE 24-70mm F2.8 GM II",
  settings: "1/250s • f/5.6 • ISO 100",
  description: "Low-hanging morning mist meandering through ancient pine groves in the Canadian
Rockies.",
  url: "https://images.unsplash.com/photo-1470071459604-3b5ec3a7fe05?
auto=format&fit=crop&w=1600&q=85",
  thumbUrl: "https://images.unsplash.com/photo-1470071459604-3b5ec3a7fe05?
auto=format&fit=crop&w=700&q=80",
  alt: "Foggy green alpine pine forest in Banff Canada under moody dawn skies",
  likes: 184,
  tall: false,
  startingPrice: "$450",
  edition: "Limited Edition of 25 Worldwide",
  editionsRemaining: 6,
  storyQuote: "The forest breathes when humanity is still asleep.",
  story: "We set out on foot at 3:45 AM beneath a moonless autumn sky, navigating the frostbitten
trail along Morai...
  expedition: ["🏔️ Elevation: 1,880m", "🌡️ Conditions: -3°C Frost", "⏱️ 3.5h Night Ascent", "🌲
Ancient Fir Canop...
  prints: [
    { size: '16" × 24"', sizeKey: '16x24', name: "Collector Edition", medium: "Hahnemühle Photo Rag
308gsm Cotton P...
```

```
    { size: '24" × 36"', sizeKey: '24x36', name: "Gallery Edition", medium: "Archival Pigment on
German Etching Bar...
    { size: '40" × 60"', sizeKey: '40x60', name: "Grand Masterpiece", medium: "TruLife® Acrylic Face-
Mount + Di-Bon...
  ]
},
```

6.3 Rendering, Filtering and Search

renderGallery() applies the active category and the search query in sequence, so any combination works. The query is matched against title, location, category, camera, lens, description, story and quotation. It then updates the “Showing n of 18 works” readout, shows the empty state when nothing matches and builds the card markup. Each card carries a category chip, a price badge, a favourite button and a hover overlay with location, title, story quotation and a “View Story & Prints” prompt.

```
function renderGallery() {
  // Filter by Category
  let result = photographs;
  if (currentFilter !== 'all') {
    result = result.filter(photo => photo.category.toLowerCase() === currentFilter.toLowerCase());
  }

  // Filter by Search Query
  if (searchQuery.trim() !== '') {
    const q = searchQuery.toLowerCase().trim();
    result = result.filter(photo => {
      return (
        photo.title.toLowerCase().includes(q) ||
        photo.location.toLowerCase().includes(q) ||
        photo.category.toLowerCase().includes(q) ||
        photo.camera.toLowerCase().includes(q) ||
        photo.lens.toLowerCase().includes(q) ||
        photo.description.toLowerCase().includes(q) ||
        photo.story.toLowerCase().includes(q) ||
        photo.storyQuote.toLowerCase().includes(q)
      );
    });
  }

  filteredPhotos = result;

  // Update Counter Readout
  galleryCounterReadout.innerHTML = `Showing <strong>${filteredPhotos.length}</strong> of $
{photographs.length} works`;

  // Handle Empty State
  if (filteredPhotos.length === 0) {
    galleryGrid.innerHTML = '';
    galleryEmptyState.style.display = 'block';
    return;
  }

  galleryEmptyState.style.display = 'none';
```

6.4 The Lightbox

Clicking a card (or pressing Enter or Space on it) calls openLightbox(index). The function resets zoom and the selected print, switches to the Story tab, fills the panel, renders the thumbnail strip, locks body scrolling and moves focus to the close button. The large image is preloaded with a temporary Image object while a spinner is shown; if it fails, the thumbnail is used instead.

```
function openLightbox(index) {
  if (index < 0 || index >= filteredPhotos.length) return;

  currentPhotoIndex = index;
  isZoomed = false;
  selectedPrintIndex = 1; // Default to popular 24" x 36"
```

```
  lightboxImage.classList.remove('zoomed');

  // Switch to story tab by default
  switchTab('story');

  updateLightboxContent();
  renderLightboxThumbnails();

  lightboxModal.classList.add('active');
  lightboxModal.setAttribute('aria-hidden', 'false');
  document.body.style.overflow = 'hidden';

  setTimeout(() => lightboxCloseBtn.focus(), 100);
}

function closeLightbox() {
  lightboxModal.classList.remove('active');
  lightboxModal.setAttribute('aria-hidden', 'true');
  document.body.style.overflow = '';
  isZoomed = false;
  lightboxImage.classList.remove('zoomed');
}

function switchTab(tabName) {
```

6.5 Print Sizes, Pricing and Acquisition

The Sizes & Pricing tab shows three pills (16" × 24", 24" × 36" marked “Collector Choice” and 40" × 60"). Selecting a pill updates the medium, framing, edition text, price and the label of the acquire button. “Acquire This Print” (and the quick “Inquire Print” button) calls acquirePrint(), which closes the lightbox, pre-fills the inquiry form with the artwork name, size and a ready message, scrolls to the form and shows a toast.

```
function acquirePrint(photo, printOption) {
  closeLightbox();

  // Pre-fill Form Fields
  if (selectedPrintInput && photo) {
    selectedPrintInput.value = photo.title;
  }

  if (selectedPrintSizeSelect && printOption) {
    selectedPrintSizeSelect.value = printOption.sizeKey || '24x36';
  }

  const inquiryTypeSelect = document.getElementById('inquiryType');
  if (inquiryTypeSelect) {
    inquiryTypeSelect.value = 'limited-edition';
  }

  const userMessageInput = document.getElementById('userMessage');
  if (userMessageInput && photo && printOption) {
    userMessageInput.value = `I am interested in acquiring the ${printOption.size} ${printOption.name}
of "${photo.title}" (${printOption.price}). Please provide archival certificate details and insured
shipping timeline to my location.`;
  }
```

6.6 Favourites

Each card and the lightbox have a heart button. The favourites are held in a Set, written to localStorage after every change and restored on the next visit. The displayed like count is the base value plus one when the visitor has liked the work.

```
function toggleFavorite(photoId, e) {
  if (e) e.stopPropagation();

  const photo = photographs.find(p => p.id === photoId);
  if (!photo) return;
```

```
  if (userFavorites.has(photoId)) {
    userFavorites.delete(photoId);
    showToast(`Removed "${photo.title}" from favorites`, '🤍');
  } else {
    userFavorites.add(photoId);
    showToast(`Added "${photo.title}" to favorites!`, '❤️');
  }

  localStorage.setItem('aurelia_favorites', JSON.stringify([...userFavorites]));
```

6.7 Inquiry Form and Validation

The inquiry form has name, e-mail, interest, artwork, print size, framing and message fields. On submit, name, e-mail and message are checked; each problem is written to the error span below its field. A valid submission disables the button briefly, resets the form and shows a confirmation toast.

```
// 14. Contact Form Submission & Validation
contactForm.addEventListener('submit', (e) => {
  e.preventDefault();

  const nameInput = document.getElementById('userName');
  const emailInput = document.getElementById('userEmail');
  const messageInput = document.getElementById('userMessage');
  const nameError = document.getElementById('nameError');
  const emailError = document.getElementById('emailError');
  const messageError = document.getElementById('messageError');

  let isValid = true;

  nameError.textContent = '';
  emailError.textContent = '';
  messageError.textContent = '';

  if (!nameInput.value.trim()) {
    nameError.textContent = 'Please provide your full name.';
    isValid = false;
  }

  const emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  if (!emailInput.value.trim()) {
    emailError.textContent = 'Email address is required.';
    isValid = false;
  } else if (!emailRegex.test(emailInput.value.trim())) {
    emailError.textContent = 'Please enter a valid email address.';
    isValid = false;
  }

  if (!messageInput.value.trim()) {
    messageError.textContent = 'Please tell us about your project or print inquiry.';
    isValid = false;
  }

  if (!isValid) return;
```

6.8 Accessibility Features

- Native buttons and links for controls; cards are focusable (tabindex 0, role button) and respond to Enter and Space
- aria-label on icon-only buttons, role="dialog" with aria-modal on the lightbox, role="tablist"/"tab"/"tabpanel" with aria-selected on filters and lightbox tabs
- aria-live on the result counter and the toast container; descriptive alt text for every photograph
- Visible :focus-visible outline in gold; focus moves to the close button when the lightbox opens
- Limitations recorded in Chapter 8: no focus trap, no focus restoration on close, and no reduced-motion rule

6.9 Navigation, Scroll Behaviour and Notifications

A passive scroll listener adds the scrolled class to the header after 60 px, making it a blurred dark bar. The hamburger button toggles the mobile drawer, which also closes on link click. Footer portfolio links activate the matching filter and scroll to the gallery. In the lightbox the keyboard (Escape, Left, Right) and horizontal swipes (50 px threshold) move between works. Toasts are created on demand, slide in and are removed after about 3.2 seconds.

6.10 Functional Modules

1. Content and Layout Module

- Semantic page structure, responsive grids and the design-token stylesheet; hero, About, Exhibitions and footer sections

2. Gallery Module

- photographs data array, card renderer, category filters with counts, live search, result counter and empty state

3. Lightbox and Print Module

- Preloaded full-size image, zoom, like, previous/next, thumbnail strip, Story / Sizes & Pricing / Camera Gear tabs and print-size selector

4. Inquiry Module

- Pre-fill from the selected print, field validation, simulated submission and confirmation toast

5. Navigation and Feedback Module

- Sticky header, mobile drawer, keyboard and swipe navigation, favourites persistence and toast notifications

7. Results and Discussion

7.1 Overview of the Delivered Site

The final deliverable is a complete photography showcase website of about 4,300 lines across three files — index.html (722 lines), style.css (2,284 lines) and script.js (1,284 lines). The screenshots below were captured from the running site in a desktop browser at its normal width and show the main sections as a visitor sees them.

7.2 Home Section

The hero section shows the “2026 Fine Art Collection” badge, the headline “The Poetry of Light & Shadow”, the introduction, the Explore Gallery and The Artist’s Vision buttons, and the transparent header with the gold “Explore Works” button.



Fig 7.1 — Home section with hero text and calls to action

7.3 Gallery, Filters and Search

The Gallery section shows the category filter bar with live counts — All (18), Nature (4), Wildlife (4), Travel (4), Architecture (3) and Portraits (3) — the search box and the “Showing 18 of 18 works” readout above the card grid. Each card shows its category, a starting-price badge, an edition badge and a favourite button; the card title and location sit on a gradient overlay.




Fig 7.2 — Gallery section with filters, search and photograph cards

7.4 About the Artist

The About section presents the artist portrait with a name badge and the “15+ Years of Artistic Mastery” card, a pull quotation, a short biography, the “Signature Medium & Craft” equipment panel and two calls to action.




Fig 7.3 — About section with artist profile and signature equipment

7.5 Acquisition and Inquiry Form

The Inquire section contains the form with name, e-mail, inquiry interest, artwork name, print size and edition, framing preference and message. The print size defaults to the 24" × 36" Gallery Edition, and the form is pre-filled automatically when a visitor chooses “Acquire This Print” in the lightbox.




Fig 7.4 — Acquisition and inquiry form

7.6 Lightbox and Mobile Behaviour

The automated checks (Chapter 9) confirmed that clicking the first card opens the lightbox on “Whispers of the Misty Pines”, that the Right and Left arrow keys move between works, that choosing the 40" × 60" pill changes the price from $850 to $1,750, and that “Acquire This Print” pre-fills the form with the artwork, size and message. At 390 px the gallery becomes a single column and the hamburger drawer opens and closes correctly; one defect — a horizontal overflow caused by the inquiry form — was found (Section 8.3).

7.7 Summary of Results

Aspect	Target	Observed
Gallery size	18 works in five categories	4 Nature, 4 Wildlife, 4 Travel, 3 Architecture, 3 Portraits
Filtering and search	Category, text search and both together	All combinations worked; empty state shown for no match
Lightbox	Story, pricing and gear tabs with navigation	Opens, zooms, navigates by keyboard and closes with Escape
Print pricing	3 sizes per work	54 print options; price updates on size selection
Favourites	Persist between visits	Stored in localStorage and restored after reload
Inquiry form	Validate and pre-fill	3 validation messages; pre-fill from the lightbox works
Responsive breakpoints	Desktop, tablet, phone	1080 px and 768 px; single-column gallery at 390 px
JavaScript errors	None	No uncaught page errors during the test run
Mobile overflow	No horizontal scroll	Overflow of 47 px at 390 px (inquiry form selects)
Offline behaviour	Usable without internet	Not met: photographs and fonts load from external servers

Table 7.1 — Summary of results

8. Challenges and Issues Faced

Building the site raised two kinds of challenge: technical problems that were solved in the implementation, and defects or inconsistencies found during review that remain as recommendations for the next iteration.

8.1 Technical Problems Solved

Combining filter and search

- The category filter and the live search had to work together without stale state. Resolution: both are stored as variables (currentFilter, searchQuery) and applied together inside a single renderGallery() function that also updates the counter and the empty state.

Heavy full-size images

- Loading 1600 px images for all 18 works would slow the page. Resolution: the grid uses 700 px thumbnails with lazy loading; the large image is preloaded only when the lightbox shows it, with a spinner and a fallback to the thumbnail if loading fails.

Navigation that respects the active filter

- Next/previous and the thumbnail strip must move through the filtered works only. Resolution: the lightbox works on the filteredPhotos array and wraps around with modulo arithmetic.

Background scrolling behind the lightbox

- Resolution: body overflow is set to hidden while the lightbox is open and restored on close; Escape, backdrop click and the close button all close it.

Remembering favourites

- Resolution: favourites are kept in a Set that is saved to localStorage after every change and read back at start-up.

8.2 Overlapping Badges on Gallery Cards

- Fig 7.2 shows that the category chip and the price/edition badges are both positioned at the top-left corner of the card, so the chip overlaps the “From $…” badge. The cause is that .card-category-chip has its own absolute position (top 1.1 rem, left 1.1 rem) although it is also rendered inside .card-top-badges.

Recommendation: remove the absolute position from .card-category-chip so it flows inside the flex container of .card-top-badges.

8.3 Horizontal Overflow on Phones

- At a 390 px viewport the document is 437 px wide. The grid columns of the inquiry form (.form-row) are still two-column at that width in the rendered layout, and the long option texts of the print-size and framing selects widen the .form-group boxes beyond the screen.

Recommendation: add min-width: 0 to .form-group and set max-width: 100% on the select elements, and keep the single-column rule for .form-row below 768 px.

8.4 Confusing Edition Badge

- The card badge is built as “Ltd. (1/n)” using editionsRemaining, which reads like “print 1 of n” rather than “n prints left”. For Whispers of the Misty Pines it shows “Ltd. (1/6)” although the edition is 25 and 6 remain.

Recommendation: show “6 of 25 left”, using the edition size already present in the data.

8.5 Contact Heading Alignment

- The contact header carries the class text-center, but only .section-header.text-center has a rule, so the “Bring Gallery Quality into Your Space” heading is left-aligned (Fig 7.4) while the other section headings are centred.

Recommendation: add a .contact-header.text-center { text-align: center; } rule or reuse the section-header class.

8.6 Dependence on External Images and Fonts

- All photographs, the hero background and the About portrait come from Unsplash, and the fonts come from Google Fonts. Without internet access the grid shows empty cards, and the Unsplash portrait is a placeholder that does not depict the fictional artist.

Recommendation: store the images locally with width variants (srcset) and add a styled placeholder for failed images.

8.7 No Server-Side Storage or E-mail

- The inquiry form is validated and a success toast is shown after a 900 ms timeout, but nothing is stored or sent because the project has no backend. Likes are also only stored in the visitor's browser, so the base like counts never change.

Recommendation: label the site as a demonstration or connect the form to a serverless function or form-handling service.

8.8 Accessibility and Content Notes

- The lightbox does not trap focus, does not return focus to the opened card when it closes, and the hero Ken Burns animation has no prefers-reduced-motion rule. Cards are rendered with innerHTML from the developer-written array, which is safe now but would require escaping if the data came from users.
- The photographer, awards, exhibitions, prices and quotations are fictional sample content created for the project and do not describe real people or events.

9. Testing

The site was tested with 22 automated checks written with Playwright and run in Chromium against the local files. Network requests to external servers were blocked, so the checks exercise the page logic rather than image loading. Desktop checks used a 1366 × 800 viewport and the mobile checks used 390 × 844. The results are summarised below.

No.	Test case	Expected outcome	Result	Status
1	Load page	18 cards, no JS errors	18 cards, 0 errors	**Pass**
2	Category filters	4/4/4/3/3 and All 18	{'nature': 4, 'wildlife': 4, 'travel': 4, 'architecture': 3, 'portraits': 3, 'all': 18}	**Pass**
3	Search "Norway"	1 result (Celestial Aurora Borealis)	1	**Pass**
4	Search with no match	Empty state shown	Empty state visible	**Pass**
5	Reset filters	18 cards restored	18	**Pass**
6	Search + category combined	Hasselblad in Architecture = 1	1	**Pass**
7	Open lightbox	Lightbox opens on first photo	Opened on "Whispers of the Misty Pines"	**Pass**
8	Keyboard navigation	Right moves to photo 2, Left returns	Celestial Aurora Borealis / Whispers of the Misty Pines	**Pass**
9	Sizes & Pricing tab	Default 24x36 price shown	$850 USD	**Pass**
10	Select 40x60 size	Price updates to $1,750 USD	$1,750 USD	**Pass**
11	Camera Gear tab	EXIF shows Sony Alpha 7R V	Sony Alpha 7R V	**Pass**
12	Zoom toggle	Image gets zoomed class	zoomed class added	**Pass**
13	Acquire This Print	Form pre-filled with artwork, size and message	Whispers of the Misty Pines / 40x60	**Pass**
14	Close with Escape	Lightbox closes	Lightbox closed	**Pass**
15	Favourite a photo	ID saved in localStorage	localStorage = [2]	**Pass**
16	Reload after favouriting	Favourite persists	1 favourite restored	**Pass**
17	Empty inquiry form	Three error messages	3 messages	**Pass**

No.	Test case	Expected outcome	Result	Status
18	Invalid e-mail	Valid-address message	Please enter a valid email address.	**Pass**
19	Valid inquiry	Success toast, form reset	1 toast, name=""	**Pass**
20	Mobile menu (390 px)	Hamburger shows; drawer opens and closes	Hamburger visible; opened; closed after link click	**Pass**
21	Horizontal overflow (390 px)	No horizontal scrollbar	Page 437 px wide at 390 px viewport	**Fail (defect)**
22	Mobile gallery grid	Single column	1 column	**Pass**

Table 9.1 — Automated browser checks

Twenty-one of the 22 checks passed. Check 21 failed and exposed the real defect described in Section 8.3. Cross-browser testing on Firefox and Safari, automated accessibility audits, image-loading tests with the network on and user-acceptance testing are listed under future work.

Appendix A — Markup Excerpts (index.html)

Category filter toolbar

```
<div class="category-filters" role="tablist" aria-label="Filter gallery by category">
  <button type="button" class="filter-btn active" data-filter="all" role="tab" aria-selected="true"
id="filter-all">
    All <span class="filter-count" id="count-all">(18)</span>
  </button>
  <button type="button" class="filter-btn" data-filter="nature" role="tab" aria-selected="false"
id="filter-nature">
    Nature <span class="filter-count" id="count-nature">(4)</span>
  </button>
  <button type="button" class="filter-btn" data-filter="wildlife" role="tab" aria-selected="false"
id="filter-wildlife">
    Wildlife <span class="filter-count" id="count-wildlife">(4)</span>
  </button>
  <button type="button" class="filter-btn" data-filter="travel" role="tab" aria-selected="false"
id="filter-travel">
    Travel <span class="filter-count" id="count-travel">(4)</span>
  </button>
  <button type="button" class="filter-btn" data-filter="architecture" role="tab" aria-selected="false"
id="filter-architecture">
    Architecture <span class="filter-count" id="count-architecture">(3)</span>
  </button>
  <button type="button" class="filter-btn" data-filter="portraits" role="tab" aria-selected="false"
id="filter-portraits">
    Portraits <span class="filter-count" id="count-portraits">(3)</span>
  </button>
</div>

<!-- Secondary Toolbar: Search & Count readout -->
<div class="gallery-search-wrap">
  <div class="search-input-box">
    <svg width="18" height="18" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2"
class="search-icon">
      <circle cx="11" cy="11" r="8"></circle>
      <line x1="21" y1="21" x2="16.65" y2="16.65"></line>
    </svg>
    <input type="text" id="gallerySearch" placeholder="Search title, location, camera..." aria-
label="Search photographs">
    <button type="button" id="clearSearchBtn" class="clear-search-btn" aria-label="Clear search query"
style="display: none;">&times;</button>
  </div>
  <div class="gallery-counter-readout" id="galleryCounterReadout" aria-live="polite">
    Showing <strong>18</strong> of 18 works
  </div>
```

Inquiry form (first rows)

```
<form class="contact-form" id="contactForm" novalidate>
  <div class="form-row">
    <div class="form-group">
      <label for="userName">Your Full Name</label>
      <input type="text" id="userName" name="name" required placeholder="e.g. Eleanor Vance">
      <span class="field-error" id="nameError"></span>
    </div>
    <div class="form-group">
      <label for="userEmail">Email Address</label>
      <input type="email" id="userEmail" name="email" required placeholder="e.g.
eleanor@artcollector.com">
      <span class="field-error" id="emailError"></span>
    </div>
  </div>

  <div class="form-row">
    <div class="form-group">
      <label for="inquiryType">Inquiry Interest</label>
      <select id="inquiryType" name="inquiry">
        <option value="limited-edition">Acquire Limited Edition Archival Print</option>
        <option value="commercial">Commercial / Editorial Commission</option>
        <option value="gallery">Gallery Exhibition / Curation</option>
        <option value="private">Private Portrait Session</option>
        <option value="other">Other Inquiry</option>
      </select>
    </div>
    <div class="form-group">
      <label for="selectedPrint">Artwork Name (Optional)</label>
      <input type="text" id="selectedPrint" name="artwork" placeholder="e.g. The Monarch's Gaze">
    </div>
  </div>

  <div class="form-row">
```

Appendix B — Design Tokens and Responsive Rules (style.css)

Design tokens (excerpt)

```
:root {
  /* Color Palette */
  --bg-darkest: #07080b;
  --bg-primary: #0b0d12;
  --bg-secondary: #12151d;
  --bg-card: #171b26;
  --bg-card-hover: #1e2433;
  --bg-elevated: #232b3d;
  --bg-glass: rgba(18, 21, 29, 0.75);
  --bg-glass-strong: rgba(11, 13, 18, 0.88);

  /* Gold Accents */
  --gold-primary: #d4af37;
  --gold-light: #f3e5ab;
  --gold-bright: #ffe066;
  --gold-muted: #aa8c2c;
  --gold-dark: #7a631c;
  --gold-glow: rgba(212, 175, 55, 0.28);
  --gold-glow-soft: rgba(212, 175, 55, 0.12);
  --gold-gradient: linear-gradient(135deg, #f7e48b 0%, #d4af37 50%, #9e7d23 100%);
  ...
}
```

Responsive rules

```
@media (max-width: 1080px) {
  .about-grid {
    grid-template-columns: 1fr;
    gap: 3.5rem;
  }
  .about-img {
    height: 420px;
```

```
  }
  .footer-grid {
    grid-template-columns: 1fr 1fr;
    gap: 2.5rem;
  }
}

@media (max-width: 768px) {
  .site-header {
    padding: 1rem 0;
  }
  .main-nav {
    display: none;
  }
  .header-cta {
    display: none;
  }
  .mobile-toggle {
    display: flex;
  }
```

Appendix C — Interaction Logic (script.js)

Keyboard shortcuts and touch swipe

```
// 9. Global Keyboard Shortcuts (Esc, Left Arrow, Right Arrow)
window.addEventListener('keydown', (e) => {
  if (!lightboxModal.classList.contains('active')) return;

  if (e.key === 'Escape') {
    closeLightbox();
  } else if (e.key === 'ArrowRight') {
    showNextPhoto();
  } else if (e.key === 'ArrowLeft') {
    showPrevPhoto();
  }
});

// 10. Mobile Touch Swipe for Lightbox
let touchStartX = 0;
let touchEndX = 0;

lightboxModal.addEventListener('touchstart', (e) => {
  touchStartX = e.changedTouches[0].screenX;
}, { passive: true });

lightboxModal.addEventListener('touchend', (e) => {
  touchEndX = e.changedTouches[0].screenX;
  handleSwipe();
}, { passive: true });

function handleSwipe() {
  const swipeDistance = touchEndX - touchStartX;
  const threshold = 50;
  if (swipeDistance > threshold) {
    showPrevPhoto();
  } else if (swipeDistance < -threshold) {
    showNextPhoto();
  }
}
```

10. Conclusion and Future Scope

10.1 Conclusion

AURELIA demonstrates that a complete, attractive and interactive fine-art photography showcase can be built with only HTML, CSS and JavaScript. The data-driven gallery, combined filter and search, lightbox with story, pricing and equipment tabs, favourites and pre-filled inquiry form work together as a coherent experience, and 21 of the 22 verification checks passed, with the remaining

check pointing to a specific, fixable layout defect on phones. The use of design tokens, a single data array and small, well-named functions keeps the code easy to read and modify.

The project also gave practical experience with semantic HTML, responsive layout, the DOM and event delegation, localStorage, touch and keyboard events and form validation, and showed the value of testing and visually reviewing a finished product — the badge overlap and the mobile overflow were found only through review and testing.

10.2 Known Limitations

- Inquiries are validated and confirmed on screen but are not transmitted, stored or e-mailed, because there is no backend
- Photographs, the hero image, the portrait and the fonts require an internet connection
- The category chip overlaps the price badge on gallery cards; the edition badge text is misleading; the contact heading is not centred
- The inquiry form causes horizontal overflow on a 390 px screen
- The lightbox has no focus trap or focus restoration and the hero animation ignores reduced-motion settings
- Testing was automated for Chromium only; Firefox, Safari and screen-reader testing have not been carried out

10.3 Future Enhancements

- Fix the defects in Chapter 8 and add a styled placeholder for images that fail to load
- Connect the inquiry form to a backend or serverless function with e-mail confirmation and an online checkout or payment link
- Store the images locally in responsive sizes (srcset) with modern formats such as WebP or AVIF
- Add deep links per photograph, sharing buttons, sorting by price and a favourites-only view
- Add a focus trap, focus restoration and prefers-reduced-motion support; run axe and Lighthouse audits in a continuous-integration workflow

11. References

- MDN Web Docs — HTML, CSS and JavaScript reference, Mozilla. https://developer.mozilla.org
- W3C — Web Content Accessibility Guidelines (WCAG) 2.2. https://www.w3.org/TR/WCAG22/
- W3C WAI — WAI-ARIA Authoring Practices Guide (dialog and tabs patterns). https://www.w3.org/WAI/ARIA/apg/
- W3C — CSS Grid Layout and CSS Flexible Box Layout Modules. https://www.w3.org/TR/css-grid-1/ and https://www.w3.org/TR/css-flexbox-1/
- Marcotte, E. — “Responsive Web Design”, A List Apart, May 2010.
- Google Fonts — Cormorant Garamond and Plus Jakarta Sans typefaces. https://fonts.google.com
- Unsplash — free photographs used for the gallery, hero and About sections. https://unsplash.com
- Playwright documentation — browser automation and testing. https://playwright.dev

12. System Usage / Use Case Description

The system has two actors: the Visitor, who browses the work and sends an inquiry, and the Studio, who would receive the inquiry (in this project the submission is simulated in the browser). Every interaction runs in the browser.

Use Case	Description
Browse gallery	Visitor scrolls to the Gallery section and views cards with image, category, starting price, edition badge, location and title.
Filter and search	Visitor selects a category and/or types a keyword; the grid, counts and result counter update immediately and an empty state appears when nothing matches.
View photograph	Visitor opens a card; the lightbox shows the large image with the story, print sizes and prices, or camera EXIF, and can zoom, like and move to other works.
Choose a print	Visitor selects a print size, reviews medium, framing and price, and selects Acquire This Print; the inquiry form is pre-filled.
Send inquiry	Visitor completes name, e-mail and message; the system validates the fields and shows a confirmation toast.
Save favourites	Visitor taps the heart on a card or in the lightbox; the choice is kept in the browser between visits.
Navigate	Visitor uses the header links, the Explore buttons, the footer portfolio links or the mobile drawer.

Table 12.1 — Use cases

12.1 Comparison with Traditional Methods

Criterion	Printed portfolio / social feed	AURELIA website
Image quality	Fixed print size or compressed feed image	1600 px lightbox image with zoom
Context	Short caption	Story, expedition conditions and EXIF per work
Pricing and editions	Ask the artist	Three sizes with medium, framing, price and edition
Finding work	Scroll or ask	Category filters and keyword search
Enquiry	Direct message or e-mail	Pre-filled inquiry form (not yet transmitted)
Cost and infrastructure	Printing, platform fees	Static files; no server required

Table 12.2 — Comparison with traditional methods

13. User Manual — Running the Application

Step 1: Prepare the files

Place index.html, style.css and script.js in one folder. Any current version of Chrome, Edge or Firefox may be used, and an internet connection is needed to load the photographs and fonts.

Step 2: Project structure

```
aurelia/
  index.html     main page
  style.css      all styles
  script.js      photograph data and interactions
```

Step 3: Open the site

Double-click index.html. Optionally serve the folder locally:

```
cd aurelia
python -m http.server 8000
# then open http://localhost:8000
```

Step 4: Use the site

- Use the header links or Explore buttons to move between sections; on a phone, tap the hamburger icon

- In Visual Narratives in Focus, choose a category or type in the search box; select a card to open the lightbox
- In the lightbox use the arrows, the keyboard (Left, Right, Escape), swipe or the thumbnail strip; use the tabs for the story, prices and camera details
- Select a print size and choose Acquire This Print to jump to the pre-filled form; complete name, e-mail and message, then select Send Inquiry

Step 5: Customise

- Edit the photographs array at the top of script.js to change works, stories, prints and prices
- Change colours and fonts through the custom properties at the top of style.css
- Replace the Unsplash URLs (url and thumbUrl) with the photographer's own image files

14. Glossary of Terms

Term	Definition
HTML5	Current version of the HyperText Markup Language, used to structure the page with semantic elements
CSS3 / Custom Properties	Style language; custom properties (variables such as --gold-primary) store design tokens for reuse
CSS Grid / Flexbox	Layout systems used for the gallery grid, forms and navigation rows
Responsive design	Approach in which one page adapts its layout to different screen sizes
DOM	Document Object Model — the tree of page elements that scripts can read and change
Event delegation	Handling many elements' events with one listener on a parent element
Lightbox	Full-screen layer that shows one image above the page with navigation controls
EXIF	Camera metadata such as body, lens, shutter speed, aperture and ISO
localStorage	Browser storage that keeps small amounts of data between visits
ARIA	Accessible Rich Internet Applications attributes that expose roles and states to assistive technology
WCAG	Web Content Accessibility Guidelines published by the W3C

SDG Mapping

Project Title: AURELIA – FINE ART PHOTOGRAPHY SHOWCASE: A RESPONSIVE PHOTOGRAPHY GALLERY WEBSITE USING HTML, CSS AND JAVASCRIPT

SDG (No. & Theme)	Activity addressing SDG Theme
SDG 8 – Decent Work and Economic Growth	Gives an independent artist a low-cost online presence with a browsable catalogue, transparent print pricing and an inquiry form, without paid platforms or backend infrastructure, supporting creative livelihoods.
SDG 9 – Industry, Innovation and Infrastructure	Demonstrates lightweight digital adoption: a static, dependency-free front end that needs no server and is maintained by editing a single data array.
SDG 10 – Reduced Inequalities	Keyboard-operable controls, ARIA roles and labels, alternative text, visible focus and a responsive layout allow visitors with different abilities and devices to use the site.
SDG 15 – Life on Land	Showcases nature and wildlife photography and its expedition stories, raising awareness of fragile habitats and species.