

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 1 of 45

0 answered correctly

How can you provide more details to explain the purpose of the activities in a workflow?

☒ By adding activity Annotations.

☐ By using a Comment Out activity.

☒ By using the Comment activity.

Submit

1h 29m 48s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 2 of 45

1 answered correctly

What type of argument can you define to pass data and retrieve the modified value from an invoked workflow?

☐ In

☐ In/Out.

☒ Out.

Submit

1h 28m 49s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 3 of 45

1 answered correctly

How can you identify a column in a DataTable?

☒ By using the column name.

☐ By using the row index.

☐ By using the column default value.

☒ By using the column index.

Submit

1h 28m 24s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 4 of 45

2 answered correctly

Which of the following types of variables can be defined in UiPath Studio?

☒ GenericValue.


☒ DataTable

☒ Number.

Submit

1h 24m 8s

Show/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz


Question 5 of 452 answered correctly

Why is renaming activities considered to be one of the best practices?

- ☒ In case of an exception, to be able to find its source activity
- ☒ To be able to understand the process logic without expanding each sequence or invoked workflow.
- ☒ To easily understand the high-level business logic from a workflow.

Submit

1h 23m 34sShow/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz


Question 6 of 453 answered correctly

Can you store a Selector in a variable?

- ☐ No
- ☐ Yes, in a UIElement variable.
- ☒ Yes, in a String variable.

Submit

1h 23m 18sShow/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 7 of 454 answered correctly

What type of Output variable do all Get Mail activities return? (POP3, IMAP, Outlook, Exchange)


☐ MailMessage

☒ List <MailMessage>

☐ List <GenericValue>

Submit

1h 21m 8sShow/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 8 of 455 answered correctly

You need to collect employees data and send it by email as an Excel file. What type of workflow is the most suitable for the final part, which adds the file attachment, formats the email, and sends it?

☐ Flowchart

☐ Directed Acyclic Graph (DAG)

☐ State Machine

☒ Sequence

Submit

1h 19m 49sShow/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 9 of 45

6 answered correctly

At the end of the execution of Workflow1, which retrieves some items from a database, is the database connection closed automatically?

☐ Yes, the connection is closed after 30 seconds.

☒ The connection has to be closed using a Disconnect activity.

☐ Only the database admin can decide this aspect.

Submit

1h 18m 40s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 10 of 45

7 answered correctly

What can be used to debug a workflow?

☒ Breakpoints

☒ Highlighting activities.

☒ The Slow Step option.

Submit

1h 17m 28s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 11 of 45

8 answered correctly

What is the best practice to stop an ongoing job in Orchestrator?

☐ The process can only stop on its own.

☒ By cancelling it and using a Should Stop activity inside the workflow.

☐ By terminating it.

Submit

1h 17m 3s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 12 of 45

9 answered correctly

Which of the statuses below can a transaction have? Select all the options that apply.

☒ New

☐ Pending

☒ In progress

☒ Successful

☒ Abandoned

☒ Failed

☒ Retried

☒ Deleted

Submit

1h 14m 29s

Show/Hide Timer

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 14 of 45

11 answered correctly

The best way of managing variable values within a workflow, so that they can be shared on different robots and environments is:

- ☐ Using json config files.
- ☐ Using excel config files
- ☒ Using assets defined in Orchestrator.

[Submit](#)

1h 5m 26s

[Show/Hide Timer](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 13 of 45

10 answered correctly


What types of assets can be stored in Orchestrator?

- ☐ Array, Databable, Bool, String
- ☒ Bool, String, Integer, Credential
- ☐ Integer, Password, GenericValue, String

[Submit](#)

1h 5m 30s

[Show/Hide Timer](#)

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz


Question 14 of 4511 answered correctly

The best way of managing variable values within a workflow, so that they can be shared on different robots and environments is:

- ☐ Using json config files.
- ☐ Using excel config files
- ☒ Using assets defined in Orchestrator.

Submit

1h 5m 26s>Show/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 15 of 4512 answered correctly


What status does a job have when a schedule is triggered in Orchestrator, but there are no available robots to execute it?

- ☐ In progress
- ☒ Pending
- ☐ New

Submit

1h 2m 21s>Show/Hide Timer



UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 16 of 4513 answered correctly

What happens if the result of a transaction is not set?


☐ It is automatically set to Successful after 24 hours

☐ It is automatically set to Failed after 24 hours

☒ The status is "In Progress" for 24 hours, and then it switches to Abandoned

Submit

1h 1m 58sShow/Hide Timer

UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 17 of 4514 answered correctly

Which of the following statements related to Orchestrator are true?

☒ Robots can be assigned to multiple environments.

☐ A robot can execute many different jobs at the same time.

☒ A robot can execute many different jobs one after the other.

Submit

1h 1m 36sShow/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 18 of 45

15 answered correctly

What is the relation between environments and provisioned robots?

☒ One robot can be assigned to multiple environments.

☐ One robot can be assigned to a single environment only.

☒ An environment can contain multiple robots.

☐ An environment can contain a single robot only.

Submit

1h 1m 15s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 19 of 45

16 answered correctly

What is the best way of restricting the access of a person to a limited number of pages in Orchestrator?

☐ That option does not exist. Everyone is able to see everything

☐ By changing the rights of the Administrator to the desired state.

☒ By creating a different account and role for that person. When creating a new role, restrictions can be applied.

Submit

1h 0m 46s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 20 of 45

17 answered correctly

Is it possible to reprocess a transaction in a Queue after its failure due to an application exception?

☐ No, transactions cannot be processed again if they fail.

☒ Yes, if the Auto-Retry property of the Queue is enabled.

☐ Only transactions that failed due to a business exception can be reprocessed.

☒ Yes, it can be retried manually on the Transactions page.

Submit

0h 59m 47s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 21 of 45

18 answered correctly

Which one of the statements below regarding the GetAppCredentials workflow included in UIPath Robotic Enterprise Framework is true?

☐ It first requests the credential from user.

☐ It first tries to fetch a credential from the Windows Credential Manager.

☒ It first tries to fetch a credential from Orchestrator.

Submit

0h 59m 8s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 22 of 45

19 answered correctly

Which of the following are considered best practices?

☒ Start your new sequence with a short annotation meant to explain the purpose of the workflow.

☒ Include a Should Stop activity at the end of the workflow.

☐ Think about the exceptions that might occur during the execution of the process.

Submit

0h 54m 15s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 23 of 45

19 answered correctly

What is the best way to select a row with a certain value from a column in Excel?

☐ Use a Read Range activity to retrieve the contents of the Excel file, and then use a For Each activity loop to iterate through the data and identify the element.

☒ Use a Read Range Activity to retrieve the contents of the Excel file, and then use a Select method to identify the desired row.

☐ Use the Find functionality from Excel.

Submit

0h 52m 41s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 24 of 45

20 answered correctly

In UiPath Robotic Enterprise Framework, the value of MaxRetryNumber in the Config.xlsx file should be set to a number greater than 0 to enable the retry mechanism in the following cases:

☒ Get data from spreadsheets, databases, email, web API.

☐ Do not work with UiPath Orchestrator queues

☒ Get data from UiPath Orchestrator queues with Auto Retry disabled.

Submit

0h 51m 6s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 25 of 45

20 answered correctly

When requesting a work item from Orchestrator Queues using the Get Transaction Item activity, you need to specify the following:

☒ The name of the Queue which contains that specific work item


☐ The name of the Queue and the number of items to be retrieved

☐ The name of the Queue, the number of items, and a filtering expression

Submit

0h 47m 46s

Show/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz


Question 26 of 4521 answered correctly

If a large item collection is processed using For Each, which activity enables you to efficiently exit the loop after a specific moment?

- ☐ No activity can be used. Instead, you have to create a Boolean variable based on which the For Each loop is broken
- ☒ The "Break" activity is the most suitable in For Each
- ☐ A While loop should be used instead of For Each

Submit

0h 47m 21sShow/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 27 of 4522 answered correctly

How can you pass data between workflows?

- ☒ By using arguments.
- ☐ By using variables.
- ☐ By using a pipe.

Submit

0h 47m 4sShow/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

Online Quiz

[Home](#) / [Online Quiz](#)

Question 28 of 45

23 answered correctly

In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Process Transaction state of the Main workflow, which state is executed next?

☐ Get Transaction Data

☐ Init

☒ End Process

Submit

0h 46m 40s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

Online Quiz

[Home](#) / [Online Quiz](#)

Question 28 of 45

23 answered correctly

In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Process Transaction state of the Main workflow, which state is executed next?

☐ Get Transaction Data


☐ Init

☒ End Process

Submit

0h 46m 3s

Show/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 29 of 4523 answered correctly

Where should you store the environment settings that are prone to changes?


☒ In Orchestrator, as assets

☒ Inside config files (.xml, .json, .xlsx, etc.)

☐ Directly inside the workflows, as hard coded values

Submit

0h 44m 7sShow/Hide Timer

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 30 of 4524 answered correctly

Which is considered to be one of the best practices regarding the process finalization?

☒ Leave the used applications open, so that a person can inspect the result

☐ Leave the application in its initial state, so that we can execute the process again

☐ Restart the machine, so that any potential problem can be fixed

Submit

0h 42m 59sShow/Hide Timer

Correct answer: option 2



UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 31 of 45

24 answered correctly

What is the best way of scraping a large, selectable text in a Citrix environment?

☐ Use a Get Full Text activity.

☐ Use the Microsoft OCR engine.

☐ Use the Google OCR engine.

☒ Select the entire text and copy it with the Copy Selected Text activity.

Submit

0h 42m 22s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 32 of 45

25 answered correctly

While automating an installation wizard, a pop-up window may or may not appear. What can you use to close the window without stopping the workflow?

☐ Use a Click activity inside a Try Catch activity.

☒ Use a Click activity with the ContinueOnError property set to True.

☒ Use a Click activity and set its TimeoutMS property to 30.

Submit

0h 38m 49s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 33 of 45

25 answered correctly

In the UiPath Robotic Enterprise Framework template, in the Main workflow, the State Machine includes the following states:

☒ Init state

☒ Get transaction data state

☒ Process Transaction State

☐ Set Transaction State

☒ End Process State

Submit

0h 38m 26s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 34 of 45

26 answered correctly

How should exceptions be handled? Select all the options that apply.

☒ By using Try Catch activities inside the workflow for unexpected application exceptions.

☒ By validating data using conditional blocks for business exceptions.

☐ UiPath handles exceptions by default

Submit

0h 37m 56s

Show/Hide Timer

# Online Quiz

[Home](#) / [Online Quiz](#)

Question 35 of 45

27 answered correctly

Where should credentials be stored? Select all the options that apply.

- ☐ In Windows Credential Store.
- ☒ In Orchestrator, as assets.
- ☒ Directly inside the workflows, as variables.

Submit

0h 37m 23s

Show/Hide Timer

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 36 of 45

27 answered correctly

In the UiPath Robotic Enterprise Framework template, to enable the retry mechanism without using Queues, what should the value of MaxRetryNumber be set to?

- ☐ 0
- ☒ Any value greater than 0
- ☐ Any value greater than 2

Submit

0h 37m 6s

Show/Hide Timer

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 37 of 45

28 answered correctly

In UiPath Robotic Enterprise Framework, what are the transitions of the Init state?

- ☒ In the case of Success, the transition is to the Get Transaction Data state.
- ☐ In the case of System Error, the transition is to the Init state.
- ☐ In the case of Success, the transition is to the Process Transaction state.
- ☒ In the case of System Error, the transition is to the End Process state.

Submit

0h 36m 39s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 38 of 45

29 answered correctly

In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Init state of the Main workflow, which state is executed next?

☐ Get Transaction Data

☐ Init

☒ End Process

Submit

0h 36m 18s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 39 of 45

30 answered correctly

Downloading a report from a web application takes a variable amount of time, but a pop-up window is shown when the download is finished. What should you do to check whether the file has been fully downloaded before continuing the process?

☒ Use the On Element Appear activity and indicate the download pop-up window

☐ Use the Element Exist activity and indicate the download pop-up window

☐ Set the WaitForReady property to Complete

Submit

0h 32m 17s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 40 of 45

31 answered correctly

In a Try Catch activity, how many times is the Finally section executed if no error occurs in the Try section?

☒ Once

☐ The Finally section is executed only when the Catch section is executed.

☐ Zero

Submit

0h 31m 51s

Show/Hide Timer

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 41 of 45

32 answered correctly

In which workflow in the UiPath Robotic Enterprise Framework template is the TransactionNumber global variable incremented by default?

☐ Process workflow


☒ SetTransactionStatus workflow

☐ GetTransactionData workflow

Submit

0h 31m 24s

Show/Hide Timer

UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 42 of 4533 answered correctly

What are the functions of the Outline panel?


☒ It shows the structure of the workflow

☒ It shows the execution result of the workflow

☐ If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow

Submit

0h 30m 48sShow/Hide Timer

UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

## Online Quiz

Home / Online Quiz

Question 43 of 4533 answered correctly

In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

☐ We check if the previous transaction has been completed

☐ We check if a kill signal was sent from Orchestrator

☒ We check if a stop signal was sent from Orchestrator

Submit

0h 30m 31sShow/Hide Timer

# Online Quiz

[Home](#) / [Online Quiz](#)

Question 44 of 45

34 answered correctly

Which of the following are considered best practices? Select all the options that apply.

☐ Keeping environment settings hard coded inside workflows.

☒ Breaking the process into smaller workflows.

☒ Reusing workflows across different projects.

Submit

0h 30m 4s

Show/Hide Timer



UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Question 45 of 45

35 answered correctly

Which of the following statements are true? Select all the options that apply.

☐ You cannot use a recorder in a Citrix environment

☒ The recorder is used to create a skeleton for the UI automation

☒ The Desktop recorder generates partial selectors

Submit

0h 29m 38s

Show/Hide Timer

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

## Online Quiz

[Home](#) / [Online Quiz](#)

Congratulations! You have passed the Online Quiz!

Details on the type of questions you've had (and how you handled them) can be found below.

Quiz Summary - 36 correct questions out of 45 (80%)

Advanced Certification - Foundation Questions	8 correct questions out of 10	80%
Advanced Certification - Orchestrator Questions	10 correct questions out of 10	100%
Advanced Certification - Advanced Training Questions	18 correct questions out of 25	72%

End Quiz