Question 2 of 45   1 answered correctly

Which activity provides the easiest way to loop through all the rows in a DataTable?

- ○ While
- ○ For Each
- ○ Do While
- ◉ For Each Row
- ○ Repeat Until

Submit

1h 29m 0s   Show/Hide Timer

Question 1 of 45   0 answered correctly

You need to collect employees data and send it by email as an Excel file. What type of workflow is the most suitable for the final part, which adds the file attachment, formats the email, and sends it?

- ○ Flowchart
- ○ Directed Acyclic Graph (DAG)
- ○ State Machine
- ◉ Sequence

Submit

1h 29m 44s   Show/Hide Timer

Question 3 of 45   2 answered correctly

At the end of the execution of Workflow1, which retrieves some items from a database, is the database connection closed automatically?

○ Yes, the connection is closed after 30 seconds.

○ The connection has to be closed using a Disconnect activity.

● Only the database admin can decide this aspect.

Submit

1h 26m 21s   Show/Hide Timer

Question 4 of 45   2 answered correctly

How can you dynamically change parts of a selector?

○ You cannot have dynamic components in a selector.

● By using variables to replace the dynamic parts

○ By adding parameters from the Properties tab.

Submit

1h 25m 48s   Show/Hide Timer

Question 5 of 45   3 answered correctly

Is it possible to write to a text file without using the Write Text File activity?

☐ No

☐ Yes, using the Invoke Method activity

☑ Yes, with the Invoke Power Shell activity

Submit

1h 21m 50s   Show/Hide Timer

Question 6 of 45   3 answered correctly

What is the safest way to close an application?

○ By sending the Alt + F4 hotkeys

○ By using the Close Application activity

● By using the Process Name property of the Kill Process Activity

Submit

1h 21m 18s   Show/Hide Timer

Question 7 of 45   3 answered correctly

Which emails are deleted if you use Get IMAP Mail Messages with the DeleteMessages property set to true?

○ The ones in the list that is retrieved by the Get IMAP Mail Messages activity.

○ Only the emails that were marked as previously read.

○ There is no DeleteMessages property for the Get IMAP Mail Message activity. This option is available only for Get Exchange Mail Message.

Submit

1h 15m 42s   Show/Hide Timer

Question 8 of 45   4 answered correctly

Consider three GenericValue variables, var1 with the default value of "3 apples", var2 with the default value of "5 mangos", and the result, which is the output of an Assign Activity with the var1 + var2 expression. What is the value of the resulting vari

○ Null

○ "8 fruits"

○ 8

○ Error: "Input string was not in a correct format"

○ "3 apples5 mangos"

Submit

1h 14m 49s   Show/Hide Timer

Question 9 of 45   4 answered correctly

How can you identify a column in a DataTable?

☑ By using the column name.

☐ By using the row index.

☐ By using the column default value.

☑ By using the column index.

Submit

1h 14m 30s   Show/Hide Timer

Question 11 of 45   5 answered correctly

"Add Assets" in Orchestrator has the following option:

☑ Value Per Robot

☐ Value Per Environment

☐ Value Per Process

☑ Single Value

Submit

1h 11m 53s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 12 of 45	6 answered correctly

Where can the logging level of a robot be changed from?

- ☑ The robot settings, which are accessed via the UiPath Robot icon in the System tray.
- ☑ Orchestrator, in the Edit Robot section, the Settings tab.
- ☐ You can not change the logging level.

Submit

1h 2m 58s	Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 13 of 45	7 answered correctly

One of the actions below is not required when starting processes with UiPath Orchestrator.

- ○ Registering robots to Orchestrator
- ○ Publishing projects from UiPath Studio
- ● Creating an environment containing the robot
- ○ Creating a queue in Orchestrator
- ○ Creating a process with the published package and environment
- ○ Starting a job, which is the execution of the process

Submit

0h 59m 55s	Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 14 of 45	7 answered correctly

What robots can be selected when you start a job from Orchestrator?

- ○ Any robot provisioned in Orchestrator.
- ● Any robot you have access to according to your role permissions.
- ○ Any robot in the same environment as the process to be executed.

Submit

0h 59m 26s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 15 of 45	7 answered correctly

What happens if you try to end the execution of a job by clicking the Stop/Cancel button in UiPath Orchestrator?

- ○ The execution process is killed.
- ○ The execution is not impacted if no Should Stop activity has been included in the workflow in Studio.
- ● The job state is changed to Canceled/Stopped, even if no Should Stop activity was used.

Submit

0h 54m 38s   Show/Hide Timer

Online Quiz

Question 16 of 45   7 answered correctly

The best way of managing variable values within a workflow, so that they can be shared on different robots and environments is:

○ Using Json config files.

○ Using excel config files

◉ Using assets defined in Orchestrator.

Submit

0h 53m 57s   Show/Hide Timer

Online Quiz

Question 18 of 45   9 answered correctly

Is it possible to reprocess a transaction in a Queue after its failure due to an application exception?

☐ No, transactions cannot be processed again if they fail.

☑ Yes, if the Auto-Retry property of the Queue is enabled.

☐ Only transactions that failed due to a business exception can be reprocessed.

☑ Yes, it can be retried manually on the Transactions page.

Submit

0h 41m 31s   Show/Hide Timer

Online Quiz

Question 19 of 45	10 answered correctly

What is the relation between environments and provisioned robots?

- ☑ One robot can be assigned to multiple environments.
- ☐ One robot can be assigned to a single environment only.
- ☑ An environment can contain multiple robots.
- ☐ An environment can contain a single robot only.

Submit

0h 41m 6s   Show/Hide Timer

Online Quiz

Question 20 of 45	11 answered correctly

What is the best practice to stop an ongoing job in Orchestrator?

- ○ The process can only stop on its own.
- ● By cancelling it and using a Should Stop activity inside the workflow.
- ○ By terminating it.

Submit

0h 40m 8s   Show/Hide Timer

Online Quiz

Question 21 of 45	12 answered correctly

In the UiPath Robotic Enterprise Framework template, what should be the outcome of the Process Transaction state of the Main workflow when the application loops back to the Get Transaction Item state?

☐ Success

☑ Business rule exception

☑ Application exception

Submit

0h 37m 52s · · · Show/Hide Timer

Online Quiz

Question 22 of 45	12 answered correctly

Which of the following are considered best practices? Select all the options that apply.

☐ Keeping environment settings hard coded inside workflows.

☑ Breaking the process into smaller workflows.

☑ Reusing workflows across different projects.

Submit

0h 37m 20s · · · Show/Hide Timer

Online Quiz

Question 23 of 45	13 answered correctly

What layout should be used for UI navigation and data processing?

- ◯ Flowchart
- ◯ Sequence
- ◉ State Machine

[Submit]

0h 36m 54s	Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 25 of 45	14 answered correctly

Which of the following are required to have efficient execution of automation projects?

- ☑ Proper exception handling
- ☑ Recovery abilities
- ☑ Effective logging mechanisms

Submit

0h 35m 27s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 24 of 45	13 answered correctly

What is the difference between a Click activity whose SimulateClick property is checked and another one with the same property unchecked?

- ○ The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action.
- ● The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with the flag set does not move the mouse cursor.
- ○ There is no difference - both can be used in same scenarios.

Submit

0h 35m 55s   Show/Hide Timer

Online Quiz

Question 26 of 45	15 answered correctly

In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

- ○ We check if the previous transaction has been completed
- ● We check if a kill signal was sent from Orchestrator
- ○ We check if a stop signal was sent from Orchestrator

Submit

0h 31m 39s	Show/Hide Timer

Online Quiz

Question 27 of 45   15 answered correctly

In the UiPath Robotic Enterprise Framework template, where can the GetAppCredentials workflow retrieve credentials from?

- ☑ Orchestrator Asset
- ☐ Windows Credential Manager
- ☑ User dialog

Submit

0h 31m 9s   Show/Hide Timer

Online Quiz

Question 28 of 45   15 answered correctly

Which is the best way to navigate to a specific page in a web browser?

- ◉ Use the Navigate To activity inside an Attach Browser container
- ○ Use the Type Into activity inside an Attach Browser container
- ○ Use a Type Into activity with a full selector

Submit

0h 30m 34s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 29 of 45	16 answered correctly

What happens in the Init state of the Main workflow, in the UiPath Robotic Enterprise Framework template?

- ○ The robot reads the configuration file and initializes all the required applications.
- ○ The transaction items are extracted from the Queue.
- ○ The robot checks if the previous transaction is complete and then starts the next one.

Submit

0h 30m 10s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 30 of 45	17 answered correctly

Where should you store the environment settings that are prone to changes?

- ☐ In Orchestrator, as assets
- ☑ Inside config files (.xml, .json, .xlsx, etc.)
- ☐ Directly inside the workflows, as hard coded values

Submit

0h 29m 54s   Show/Hide Timer

UiPath Certification Platform

Online Quiz

Home / Online Quiz

Question 31 of 45	17 answered correctly

The return value of the Get Transaction Item activity is of the following type:

- ○ Object
- ○ String
- ○ QueueItem
- ◉ List<QueueItem>

Submit

0h 29m 29s

Show/Hide Timer

UiPath Certification Platform

Online Quiz

Home / Online Quiz

Question 32 of 45	17 answered correctly

In the UiPath Robotic Enterprise Framework template, in the Main workflow, the State Machine includes the following states:

- ☑ Init state
- ☑ Get transaction data state
- ☑ Process Transaction State
- ☐ Set Transaction State
- ☑ End Process State

Submit

0h 28m 55s

Show/Hide Timer

UiPath Certification Platform

Online Quiz

Question 33 of 45	18 answered correctly

How should a UiPath developer handle frequent changes in the project files?

- ○ By creating daily backups of the files
- ● By using a source control solution, such as SVN, TFS, etc.
- ○ Old versions of the project files are not relevant

Submit

0h 28m 10s   Show/Hide Timer

UiPath Certification Platform

Online Quiz

Question 34 of 45	19 answered correctly

Which of the following are considered best practices?

- ☑ Start your new sequence with a short annotation meant to explain the purpose of the workflow.
- ☑ Include a Should Stop activity at the end of the workflow.
- ☑ Think about the exceptions that might occur during the execution of the process.

Submit

0h 27m 47s   Show/Hide Timer

UiPath Certification Platform   Validate diploma   Contact Us   Home   Log Out

Online Quiz

Home / Online Quiz

Question 35 of 45	19 answered correctly

After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to:

○ Click Import Arguments, and then bind the arguments to the local variables or to some default values

◉ Click Edit Arguments, and then bind the arguments to the local variables or to some default values

Submit

0h 27m 16s   Show/Hide Timer

UiPath Certification Platform   Validate diploma   Contact Us   Home   Log Out

Online Quiz

Home / Online Quiz

Question 37 of 45	20 answered correctly

When should the Simulate Type/Click property be used?

○ Whenever supported by the target application

◉ Only when background automation is required

○ Only for testing purposes

Submit

0h 26m 38s   Show/Hide Timer

Online Quiz

Question 38 of 45   20 answered correctly

What are the functions of the Outline panel?

☐ It shows the structure of the workflow

☑ It shows the execution result of the workflow

☑ If the Activities are properly named, it can be used to search and select specific Activities used inside the workflow

Submit

0h 25m 52s   Show/Hide Timer

Online Quiz

Question 39 of 45   20 answered correctly

In a Try Catch activity, how many times is the Finally section executed if no error occurs in the Try section?

◉ Once

○ The Finally section is executed only when the Catch section is executed.

○ Zero

Submit

0h 25m 33s   Show/Hide Timer

Online Quiz

Question 40 of 45	21 answered correctly

If a large item collection is processed using For Each, which activity enables you to efficiently exit the loop after a specific moment?

- ○ No activity can be used. Instead, you have to create a Boolean variable based on which the For Each loop is broken
- ● The 'Break' activity is the most suitable in For Each
- ○ A While loop should be used instead of For Each

Submit

0h 24m 51s   Show/Hide Timer

Online Quiz

Question 41 of 45	22 answered correctly

The String.Format("Input = {0} and Output = {0}", "1","2") expression returns the following:

- ○ Input = {0} and Output = {0}.
- ○ Input = 1 and Output = 2.
- ○ Input = 1 and Output = 1.
- ○ Input = {1} and Output = {2}.
- ● An error.

Submit

0h 24m 26s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 42 of 45	22 answered correctly

Which statement about the UiPath Robotic Enterprise Framework template is false?

- ○ The framework is meant to be a template that helps the user design processes.
- ● The framework can be used only if you get the input data from the UiPath server queues.
- ○ The framework has a robust exception handling scheme and event logging.

Submit

0h 23m 51s   Show/Hide Timer

Online Quiz

Home / Online Quiz

Question 43 of 45	23 answered correctly

When should an Attended Robot be used? Select the option that applies.

- ● When the processing of some input data relies on human decision.
- ○ When a workflow needs to be modified and corrected.
- ○ When the process might be interrupted by exceptions and errors.

Submit

0h 23m 20s   Show/Hide Timer

Online Quiz

Question 44 of 45	24 answered correctly

What is the best way of scraping a large, selectable text in a Citrix environment?

○ Use a Get Full Text activity.

○ Use the Microsoft OCR engine.

○ Use the Google OCR engine.

⦿ Select the entire text and copy it with the Copy Selected Text activity.

Submit

0h 23m 0s   Show/Hide Timer

Online Quiz

Question 45 of 45	25 answered correctly

What can the UiPath Robotic Enterprise Framework template be used as?

⦿ The starting point for every automation project

○ A complete library for front office robots

○ A consumer of a queue in Orchestrator

Submit

0h 22m 32s   Show/Hide Timer