

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 1 of 45

0 answered correctly

Consider three GenericValue variables, var1 with the default value of "3 apples", var2 with the default value of "5 mangos", and the result, which is the output of an Assign Activity with the var1 + var2 expression. What is the value of the resulting vari

☐ Null

☐ "8 fruits"

☐ 8

☐ Error: "Input string was not in a correct format"

☒ "3 apples5 mangos"

Submit

1h 29m 48s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 2 of 45

1 answered correctly

What direction can the arguments of a workflow have?

☒ In arguments

☐ Out arguments

☐ In/Out arguments

Submit

1h 28m 3s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 3 of 45

1 answered correctly

What is the slowest method of reading text?

☐ Native

☐ FullText.

☒ OCR

Submit

1h 19m 24s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 4 of 45

2 answered correctly

At the end of the execution of Workflow1, which retrieves some items from a database, is the database connection closed automatically?

☒ Yes, the connection is closed after 30 seconds.

☐ The connection has to be closed using a Disconnect activity.

☐ Only the database admin can decide this aspect.

Submit

1h 18m 18s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 5 of 452 answered correctly

How does the Anchor Base activity work?

- ☐ It searches for an UIElement at a fixed anchor position.
- ☐ It searches for an UIElement using a relative coordinate position.
- ☒ It searches for an UIElement by using another UIElement as anchor.

Submit

1h 17m 45s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 6 of 453 answered correctly

Which is the best way to delete unreferenced variables?

- ☐ Delete them one by one from the Variables panel. UIPath Studio performs the workflow validation in real time, therefore you can see which variable is being used.
- ☒ You can manage your variables from the Design panel > Manage Variables > Remove Unreferenced.
- ☐ The unreferenced variables do not utilise memory, therefore you do not have to delete them.

Submit

1h 14m 44s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 7 of 45

4 answered correctly

How can you provide more details to explain the purpose of the activities in a workflow?

☒ By adding activity Annotations.

☐ By using a Comment Out activity.

☒ By using the Comment activity.

Submit

1h 12m 56s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 8 of 45

5 answered correctly

Which statements are true regarding the Write Line and the Log Message activities?

☒ By using a Log Message activity, you can set different levels of tracing.

☒ Write Line is just a Log Message set on Trace.


☒ By using any of them, you generate traces in the Output panel and also in the log files.

Submit

1h 11m 12s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

[Validate diploma](#) [Contact Us](#) [Home](#) [Log Out](#)

[Home](#) / [Online Quiz](#)

Question 9 of 456 answered correctly


What is the robot able to do when the Full Text scraping method is used?

- ☒ Get font information (size, colour).
- ☒ Get hidden information.
- ☒ Get editable text.
- ☒ Get the entire visible text.

Submit

1h 7m 40s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#) [Contact Us](#) [Home](#) [Log Out](#)

[Home](#) / [Online Quiz](#)

Question 10 of 456 answered correctly


Is it possible to write to a text file without using the Write Text File activity?

- ☐ No
- ☒ Yes, using the Invoke Method activity
- ☒ Yes, with the Invoke Power Shell activity

Submit

1h 7m 11s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 11 of 457 answered correctly


What happens when a new version of a package is published?

- ☒ The processes using the package are automatically updated to the latest version
- ☐ The processes have to be updated in order for the robots to run the latest version of the package
- ☐ The old version of the package is overwritten

Submit

1h 6m 38sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 12 of 457 answered correctly


What is the relation between environments and provisioned robots?

- ☒ One robot can be assigned to multiple environments.
- ☐ One robot can be assigned to a single environment only.
- ☒ An environment can contain multiple robots.
- ☐ An environment can contain a single robot only.

Submit

1h 6m 6sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 13 of 458 answered correctly


What happens if you try to end the execution of a job by clicking the Kill/Terminate button in Uipath Orchestrator?

- ☐ The execution process is killed.
- ☒ The execution is not impacted if no Should Stop activity has been included in the workflow in Studio.
- ☒ The job state is changed to Canceled/Stopped, even if no Should Stop activity was used.

Submit

1h 2m 50sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 14 of 458 answered correctly



What robots can be selected when you start a job from Orchestrator?

- ☐ Any robot provisioned in Orchestrator.
- ☐ Any robot you have access to according to your role permissions.
- ☒ Any robot in the same environment as the process to be executed.

Submit

1h 2m 25sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems





UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 17 of 45

10 answered correctly

Which of the following statements related to Orchestrator are true?

☒ Robots can be assigned to multiple environments.

☐ A robot can execute many different jobs at the same time.

☒ A robot can execute many different jobs one after the other.

Submit

0h 57m 48s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 18 of 45

11 answered correctly

One of the actions below is not required when starting processes with UiPath Orchestrator.

☐ Registering robots to Orchestrator

☒ Publishing projects from UiPath Studio

☐ Creating an environment containing the robot

☐ Creating a queue in Orchestrator

☐ Creating a process with the published package and environment

☐ Starting a job, which is the execution of the process

Submit

0h 56m 14s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 19 of 45

11 answered correctly

What robot state is displayed on the Robots page while a job is being executed?

☒ Busy

☐ Running

☐ Pending

Submit

0h 55m 34s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 20 of 45

12 answered correctly

Where can the logging level of a robot be changed from?

☒ The robot settings, which are accessed via the UiPath Robot icon in the System tray.

☒ Orchestrator, in the Edit Robot section, the Settings tab.


☐ You can not change the logging level.

Submit

0h 53m 54s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 21 of 4513 answered correctly


How can you improve a selector?

- ☒ By replacing the dynamic parts of an attribute with wildcards.
- ☒ By adding the absolute position of the elements to the selector.
- ☒ By using intermediate containers for a better matching of the UI element.

Submit

0h 50m 0s>Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 22 of 4513 answered correctly

What happens in the Init state of the Main workflow, in the UiPath Robotic Enterprise Framework template?

- ☒ The robot reads the configuration file and initializes all the required applications.
- ☐ The transaction items are extracted from the Queue.
- ☐ The robot checks if the previous transaction is complete and then starts the next one.

Submit

0h 49m 40s>Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 23 of 45

14 answered correctly

This is a reliable selector for a dynamic web page: webctrl idx='144' tag='IMG/

☒ True

☐ False

Submit

0h 49m 15s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 24 of 45

14 answered correctly

In the UiPath Robotic Enterprise Framework template, in the Get Transaction Data state of the Main workflow, what happens before the next transaction item is retrieved?

☐ We check if the previous transaction has been completed

☐ We check if a kill signal was sent from Orchestrator

☒ We check if a stop signal was sent from Orchestrator

Submit

0h 48m 44s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 25 of 4515 answered correctly

What layout should be used for UI navigation and data processing?

☐ Flowchart

☒ Sequence

☐ State Machine

Submit

0h 46m 25s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 26 of 4516 answered correctly

Which one of the statements below regarding the GetAppCredentials workflow included in UIPath Robotic Enterprise Framework is true?

☒ It first requests the credential from user.


☐ It first tries to fetch a credential from the Windows Credential Manager.

☐ It first tries to fetch a credential from Orchestrator

Submit

0h 45m 56s>Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 27 of 4516 answered correctly

Which of the following are required to have efficient execution of automation projects?

☒ Proper exception handling


☒ Recovery abilities

☒ Effective logging mechanisms

Submit

0h 45m 36sShow/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 28 of 4517 answered correctly

In which workflow in the UiPath Robotic Enterprise Framework template is the TransactionNumber global variable incremented by default?

☐ Process workflow

☐ SetTransactionStatus workflow

☒ GetTransactionData workflow

Submit

0h 45m 4sShow/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 29 of 45

17 answered correctly

In the UiPath Robotic Enterprise Framework template, what happens if the processing of a transaction item fails with an Application Exception or a System Error?

☐ The process executes the End Process state

☒ All used applications are closed and then re-initialized.

☒ The execution of the transaction item is retried if the MaxRetryNumber config value is greater than 0.

Submit

0h 40m 33s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 30 of 45

18 answered correctly

When should the Simulate Type/Click property be used?

☒ Whenever supported by the target application

☐ Only when background automation is required

☐ Only for testing purposes

Submit

0h 39m 50s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 31 of 45

19 answered correctly

In the UiPath Robotic Enterprise Framework template, if a System Error is encountered in the Init state of the Main workflow, which state is executed next?

☐ Get Transaction Data

☐ Init

☒ End Process

Submit

0h 35m 48s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 32 of 45

20 answered correctly

What is the difference between a Click activity whose SimulateClick property is checked and another one with the same property unchecked?

☐ The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action.

☒ The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with the flag set does not move the mouse cursor.

☐ There is no difference - both can be used in same scenarios.


Submit

0h 31m 58s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems



UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 33 of 4521 answered correctly


Which of the following are considered best practices?

- ☒ Removing unreferenced variables.
- ☒ Deleting disabled code.
- ☐ Leaving target applications opened.

Submit

0h 31m 35sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 34 of 4522 answered correctly

In UiPath Robotic Enterprise Framework, the value of MaxRetryNumber in the Config.xlsx file should be set to a number greater than 0 to enable the retry mechanism in the following cases:

- ☒ Get data from spreadsheets, databases, email, web API.
- ☐ Do not work with UiPath Orchestrator queues.
- ☐ Get data from UiPath Orchestrator queues with Auto Retry disabled.

Submit

0h 28m 0sShow/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 35 of 45

22 answered correctly

After adding an Invoke Workflow File activity and selecting the workflow to invoke, you need to:

☐ Click Import Arguments, and then bind the arguments to the local variables or to some default values

☒ Click Edit Arguments, and then bind the arguments to the local variables or to some default values

Submit

0h 26m 59s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 36 of 45

22 answered correctly

You want to build a Dispatcher process to populate an Orchestrator Queue for parallel processing on multiple robots. Which activity should you use to add a queue item for each work item?

☒ Add Queue Item

☐ Get Transaction Item


☐ Add Transaction Item

Submit

0h 25m 50s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

[Home](#) / [Online Quiz](#)

Question 37 of 4523 answered correctly


How should a UiPath developer handle frequent changes in the project files?

- ☐ By creating daily backups of the files
- ☒ By using a source control solution, such as SVN, TFS, etc.
- ☐ Old versions of the project files are not relevant

Submit

0h 25m 12s>Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath Certification Platform

Validate diplomaContact UsHomeLog Out

[Home](#) / [Online Quiz](#)

Question 38 of 4524 answered correctly

One of the steps in your process is to authenticate on a web application. How can you check if the login succeeded or not?

- ☐ Place the login activities inside a Try-Catch block. An exception is thrown in case a login problem occurs.
- ☒ Use an Element Exist activity to check whether the login succeeded by searching for an element that is only displayed in that case.
- ☐ Check the return value of the Login activity.

Submit

0h 23m 10s>Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#) [Contact Us](#) [Home](#) [Log Out](#)

[Home](#) / [Online Quiz](#)

Question 39 of 45

25 answered correctly

How can you pass data between workflows?

☒ By using arguments.

☐ By using variables.

☐ By using a pipe.

Submit

0h 22m 47s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#) [Contact Us](#) [Home](#) [Log Out](#)

[Home](#) / [Online Quiz](#)

Question 40 of 45

26 answered correctly

How should exceptions be handled? Select all the options that apply.

☒ By using Try Catch activities inside the workflow for unexpected application exceptions.

☒ By validating data using conditional blocks for business exceptions.


☐ UIPath handles exceptions by default.

Submit

0h 21m 28s

Show/Hide Timer

Copyright © 2017-2018 UIPath Systems

UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 41 of 4527 answered correctly


In a Try Catch activity, how many times is the Finally section executed if no error occurs in the Try section?

- ☒ Once
- ☐ The Finally section is executed only when the Catch section is executed.
- ☐ Zero

Submit

0h 20m 58sShow/Hide Timer

Copyright © 2017-2018 UiPath Systems

UiPath Certification Platform

Validate diplomaContact UsHomeLog Out

Home / Online Quiz

Question 42 of 4528 answered correctly

The String.Format("Input = {0} and Output = {0}", "1","2") expression returns the following:

- ☐ Input = {0} and Output = {0}.
- ☐ Input = 1 and Output = 2.
- ☐ Input = 1 and Output = 1.
- ☒ Input = {1} and Output = {2}.
- ☐ An error.

Submit

0h 18m 18sShow/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 43 of 45

28 answered correctly

In the UiPath Robotic Enterprise Framework template, to enable the retry mechanism without using Queues, what should the value of MaxRetryNumber be set to?

☐ 0

☒ Any value greater than 0

☐ Any value greater than 2

Submit

0h 17m 41s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems



Question 44 of 45

29 answered correctly

In UiPath Robotic Enterprise Framework, what are the transitions of the Init state?

- ☒ In the case of Success, the transition is to the Get Transaction Data state.
- ☐ In the case of System Error, the transition is to the Init state.
- ☐ In the case of Success, the transition is to the Process Transaction state.
- ☒ In the case of System Error, the transition is to the End Process state.

[Submit](#)

0h 15m 16s

[Show/Hide Timer](#)

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Question 44 of 45

29 answered correctly

In UiPath Robotic Enterprise Framework, what are the transitions of the Init state?

☒ In the case of Success, the transition is to the Get Transaction Data state.

☐ In the case of System Error, the transition is to the Init state.

☐ In the case of Success, the transition is to the Process Transaction state.

☒ In the case of System Error, the transition is to the End Process state.

Submit

0h 15m 16s

Show/Hide Timer

Copyright © 2017-2018 UiPath Systems

UIPath

UIPath Certification Platform

[Validate diploma](#)[Contact Us](#)[Home](#)[Log Out](#)

[Home](#) / [Online Quiz](#)

Failed! Unfortunately you did not pass the Online Quiz.

Details on the type of questions you've had (and how you handled them) can be found below.

Quiz Summary - 31 correct questions out of 45 (69%)

Advanced Certification - Foundation Questions	7 correct questions out of 10	70%
Advanced Certification - Orchestrator Questions	6 correct questions out of 10	60%
Advanced Certification - Advanced Training Questions	18 correct questions out of 25	72%

End Quiz

Copyright © 2017-2018 UiPath Systems