

servicefinder_db

Data Dictionary

Server: SF-API
Author: Administrator
Date: 2025-03-30 00:50:48
Version: 1.0



Table of Contents

1. Introduction	1
2. Server: Localhost Mysql 8 (MySQL)	2
2.1. Database: servicefinder_db	2
2.1.1. Tables	2
2.1.1.1. Table: bookings	2
2.1.1.2. Table: bookingshistory	3
2.1.1.3. Table: cartitems	4
2.1.1.4. Table: categories	5
2.1.1.5. Table: category_services	5
2.1.1.6. Table: faqs	5
2.1.1.7. Table: gallery	6
2.1.1.8. Table: integrations	6
2.1.1.9. Table: locations	7
2.1.1.10. Table: loyaltypoints	8
2.1.1.11. Table: notifications	8
2.1.1.12. Table: offers	9
2.1.1.13. Table: paymentgateways	9
2.1.1.14. Table: reviews	10
2.1.1.15. Table: serviceproviders	10
2.1.1.16. Table: serviceproviderssocialmedia	11
2.1.1.17. Table: services	12
2.1.1.18. Table: msgateways	13
2.1.1.19. Table: socialmediaplatforms	13
2.1.1.20. Table: subcategories	14
2.1.1.21. Table: subcategory_services	14
2.1.1.22. Table: userbookmarks	15
2.1.1.23. Table: users	15

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
Localhost Mysql 8 (MySQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

2. Server: Localhost Mysql 8 (MySQL)

Version: MySQL 8.0

1 database is listed below.

2.1. Database: servicefinder_db

Database objects to be listed: 23 tables

2.1.1. Tables

2.1.1.1. Table: bookings

Fields

Pos	Name	Type	Not Null	Others
1	BookingID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	ServiceProviderID	int		Index: ServiceProviderID
4	ServiceID	int		Index: ServiceID
5	Date	date	✓	
6	Time	time	✓	
7	Status	enum	✓	
8	TotalPrice	decimal(10, 2)	✓	
9	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
10	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID
ServiceProviderID	NORMAL	BTREE	ServiceProviderID
ServiceID	NORMAL	BTREE	ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
------	--------	------------------	-------------------	-----------	-----------

bookings_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT
bookings_ibfk_2	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT
bookings_ibfk_3	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.2. Table: bookingshistory

Fields

Pos	Name	Type	Not Null	Others
1	BookingHistoryID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	ServiceProviderID	int		Index: ServiceProviderID
4	ServiceID	int		Index: ServiceID
5	Date	date	✓	
6	Time	time	✓	
7	Status	enum	✓	
8	TotalPrice	decimal(10,2)	✓	
9	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
10	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID
ServiceProviderID	NORMAL	BTREE	ServiceProviderID
ServiceID	NORMAL	BTREE	ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
bookingshistory_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT

bookingshistory_ibfk_2	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT
bookingshistory_ibfk_3	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.3. Table: cartitems

Fields

Pos	Name	Type	Not Null	Others
1	CartItemID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	ServiceProviderID	int		Index: ServiceProviderID UserID
4	ServiceID	int		Index: ServiceID UserID
5	Quantity	int	✓	Default: 1
6	TotalPrice	decimal(10,2)	✓	
7	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
8	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
ServiceProviderID	NORMAL	BTREE	ServiceProviderID
ServiceID	NORMAL	BTREE	ServiceID
UserID	NORMAL	BTREE	UserID, ServiceProviderID, ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
cartitems_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT
cartitems_ibfk_2	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT
cartitems_ibfk_3	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.4. Table: categories

Fields

Pos	Name	Type	Not Null	Others
1	CategoryID 	int Auto Increment	✓	
2	Name	varchar(50)	✓	
3	Description	text		

2.1.1.5. Table: category_services

Fields

Pos	Name	Type	Not Null	Others
1	CategoryID 	int	✓	Index: CategoryID
2	ServiceID 	int	✓	Index: ServiceID

Indexes

Name	Type	Method	Fields
CategoryID	NORMAL	BTREE	CategoryID
ServiceID	NORMAL	BTREE	ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
category_services_ibfk_1	CategoryID	servicefinder_db.categories	CategoryID	RESTRICT	RESTRICT
category_services_ibfk_2	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.6. Table: faqs

Fields

Pos	Name	Type	Not Null	Others
1	FAQID 	int Auto Increment	✓	
2	Question	varchar(255)	✓	
3	Answer	text	✓	

4	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
5	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

2.1.1.7. Table: gallery

Fields

Pos	Name	Type	Not Null	Others
1	GalleryID 	int Auto Increment	✓	
2	ServiceProviderID	int		Index: ServiceProviderID
3	ImageURL	varchar(255)	✓	
4	Description	text		
5	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
6	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
ServiceProviderID	NORMAL	BTREE	ServiceProviderID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
gallery_ibfk_1	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT

2.1.1.8. Table: integrations

Fields

Pos	Name	Type	Not Null	Others
1	IntegrationID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	ServiceProviderID	int		Index: ServiceProviderID
4	GoogleCalendar	tinyint(1)	✓	

5	SocialMedia	tinyint(1)	✓	
6	Chat	tinyint(1)	✓	
7	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
8	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID
ServiceProviderID	NORMAL	BTREE	ServiceProviderID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
integrations_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT
integrations_ibfk_2	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT

2.1.1.9. Table: locations

Fields

Pos	Name	Type	Not Null	Others
1	LocationID 	int Auto Increment	✓	
2	Name	varchar(100)	✓	
3	Address	varchar(255)	✓	
4	City	varchar(100)		
5	Country	varchar(100)		
6	Latitude	decimal(10, 8)		
7	Longitude	decimal(11, 8)		

2.1.1.10. Table: loyaltypoints

Fields

Pos	Name	Type	Not Null	Others
1	UserID 	int	✓	
2	Points	int	✓	Default: 0
3	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
4	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
loyaltypoints_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT

2.1.1.11. Table: notifications

Fields

Pos	Name	Type	Not Null	Others
1	NotificationID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	Message	text	✓	
4	Type	enum	✓	
5	Status	enum	✓	Default: 'Unread'
6	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
7	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
notifications_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT

2.1.1.12. Table: offers

Fields

Pos	Name	Type	Not Null	Others
1	OfferID 	int Auto Increment	✓	
2	ServiceProviderID	int		Index: ServiceProviderID
3	Title	varchar(100)	✓	
4	Description	text		
5	Discount	decimal(4, 2)	✓	
6	ExpiryDate	date		
7	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
8	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
ServiceProviderID	NORMAL	BTREE	ServiceProviderID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
offers_ibfk_1	ServicePr oviderID	servicefinder_db.servi ceproviders	ServiceProviderID	RESTRICT	RESTRICT

2.1.1.13. Table: paymentgateways

Fields

Pos	Name	Type	Not Null	Others
1	GatewayID 	int Auto Increment	✓	
2	Name	varchar(50)	✓	Index: Name
3	Description	text		
4	APIKey	varchar(255)		
5	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
6	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
Name	UNIQUE	BTREE	Name

2.1.1.14. Table: reviews

Fields

Pos	Name	Type	Not Null	Others
1	ReviewID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	ServiceProviderID	int		Index: ServiceProviderID
4	Rating	tinyint	✓	
5	Comment	text		
6	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
7	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID
ServiceProviderID	NORMAL	BTREE	ServiceProviderID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
reviews_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT
reviews_ibfk_2	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT

2.1.1.15. Table: serviceproviders

Fields

Pos	Name	Type	Not Null	Others
1	ServiceProviderID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	BusinessName	varchar(100)	✓	
4	WorkingHours	time		
5	Holidays	text		
6	StaffAvailability	int		
7	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
8	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP
9	isAvailable	tinyint(1)		
10	isActive	tinyint(1)		

Indexes

Name	Type	Method	Fields
UserID	UNIQUE	BTREE	UserID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
serviceproviders_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT

2.1.1.16. Table: serviceprovidersocialmedia

Fields

Pos	Name	Type	Not Null	Others
1	ServiceProviderID 	int	✓	
2	PlatformID 	int	✓	Index: PlatformID
3	Link	varchar(255)		

Indexes

Name	Type	Method	Fields
PlatformID	NORMAL	BTREE	PlatformID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
serviceprovidersocialmedia_ibfk_1	ServiceProviderID	servicefinder_db.serviceproviders	ServiceProviderID	RESTRICT	RESTRICT
serviceprovidersocialmedia_ibfk_2	PlatformID	servicefinder_db.socialmediaplatforms	PlatformID	RESTRICT	RESTRICT

2.1.1.17. Table: services

Fields

Pos	Name	Type	Not Null	Others
1	ServiceID 	int Auto Increment	✓	
2	UserID	int		Index: UserID
3	Name	varchar(100)	✓	
4	CategoryID	int	✓	Index: services_ibfk_1
5	SubcategoryID	int		Index: services_ibfk_2
6	Description	text		
7	Price	decimal(10,2)	✓	
8	EstimatedTime	int		
9	ReminderTime	time		
10	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
11	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP
12	isActive	tinyint(1)		
13	isAvailable	tinyint(1)		

Indexes

Name	Type	Method	Fields
UserID	NORMAL	BTREE	UserID
services_ibfk_1	NORMAL	BTREE	CategoryID
services_ibfk_2	NORMAL	BTREE	SubcategoryID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
services_ibfk_1	CategoryID	servicefinder_db.categories	CategoryID	RESTRICT	RESTRICT
services_ibfk_2	SubcategoryID	servicefinder_db.subcategories	SubcategoryID	RESTRICT	RESTRICT

2.1.1.18. Table: msggateways

Fields

Pos	Name	Type	Not Null	Others
1	GatewayID 	int Auto Increment	✓	
2	Name	varchar(50)	✓	Index: Name
3	Description	text		
4	APIKey	varchar(255)		
5	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
6	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
Name	UNIQUE	BTREE	Name

2.1.1.19. Table: socialmediaplatforms

Fields

Pos	Name	Type	Not Null	Others
1	PlatformID 	int Auto Increment	✓	
2	Name	varchar(50)	✓	Index: Name
3	Description	text		

Indexes

Name	Type	Method	Fields
Name	UNIQUE	BTREE	Name

2.1.1.20. Table: subcategories

Fields

Pos	Name	Type	Not Null	Others
1	SubcategoryID 	int Auto Increment	✓	
2	CategoryID	int	✓	Index: CategoryID
3	Name	varchar(50)	✓	
4	Description	text		

Indexes

Name	Type	Method	Fields
CategoryID	NORMAL	BTREE	CategoryID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
subcategories_ibfk_1	CategoryID	servicefinder_db.categories	CategoryID	RESTRICT	RESTRICT

2.1.1.21. Table: subcategory_services

Fields

Pos	Name	Type	Not Null	Others
1	SubcategoryID 	int	✓	Index: SubcategoryID
2	ServiceID 	int	✓	Index: ServiceID

Indexes

Name	Type	Method	Fields
SubcategoryID	NORMAL	BTREE	SubcategoryID
ServiceID	NORMAL	BTREE	ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
subcategory_services_ibfk_1	SubcategoryID	servicefinder_db.subcategories	SubcategoryID	RESTRICT	RESTRICT
subcategory_services_ibfk_2	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.22. Table: userbookmarks

Fields

Pos	Name	Type	Not Null	Others
1	UserID 	int	✓	
2	ServiceID 	int	✓	Index: ServiceID

Indexes

Name	Type	Method	Fields
ServiceID	NORMAL	BTREE	ServiceID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
userbookmarks_ibfk_1	UserID	servicefinder_db.users	UserID	RESTRICT	RESTRICT
userbookmarks_ibfk_2	ServiceID	servicefinder_db.services	ServiceID	RESTRICT	RESTRICT

2.1.1.23. Table: users

Fields

Pos	Name	Type	Not Null	Others
1	UserID 	int	✓	
2	Username	varchar(50)	✓	Index: Username
3	Email	varchar(100)	✓	Index: Email
4	PasswordHash	varchar(255)	✓	
5	FirstName	varchar(50)		
6	LastName	varchar(50)		
7	Role	enum	✓	
8	CreatedAt	timestamp		Default: CURRENT_TIMESTAMP
9	UpdatedAt	timestamp		Default: CURRENT_TIMESTAMP

Indexes

Name	Type	Method	Fields
Username	UNIQUE	BTREE	Username
Email	UNIQUE	BTREE	Email