

Hexalyte Internal

# Service Finder

## Data Dictionary

Server: HexaGlobal Cloud  
Author: Administrator  
Date: 2025-02-02 18:13:21  
Version: 1.0

## Table of Contents

---

|                                                    |    |
|----------------------------------------------------|----|
| 1. Introduction .....                              | 1  |
| 2. Server: Localhost Mysql 8 (MySQL) .....         | 2  |
| 2.1. Database: servicefinder_db .....              | 2  |
| 2.1.1. Tables .....                                | 2  |
| 2.1.1.1. Table: bookings .....                     | 2  |
| 2.1.1.2. Table: bookingshistory .....              | 3  |
| 2.1.1.3. Table: cartitems .....                    | 4  |
| 2.1.1.4. Table: categories .....                   | 5  |
| 2.1.1.5. Table: faqs .....                         | 5  |
| 2.1.1.6. Table: gallery .....                      | 5  |
| 2.1.1.7. Table: integrations .....                 | 6  |
| 2.1.1.8. Table: locations .....                    | 6  |
| 2.1.1.9. Table: loyaltypoints .....                | 7  |
| 2.1.1.10. Table: notifications .....               | 7  |
| 2.1.1.11. Table: offers .....                      | 8  |
| 2.1.1.12. Table: paymentgateways .....             | 9  |
| 2.1.1.13. Table: reviews .....                     | 9  |
| 2.1.1.14. Table: servicecategories .....           | 10 |
| 2.1.1.15. Table: serviceproviders .....            | 10 |
| 2.1.1.16. Table: serviceproviderssocialmedia ..... | 11 |
| 2.1.1.17. Table: services .....                    | 12 |
| 2.1.1.18. Table: msgateways .....                  | 12 |
| 2.1.1.19. Table: socialmediaplatforms .....        | 13 |
| 2.1.1.20. Table: userbookmarks .....               | 13 |
| 2.1.1.21. Table: users .....                       | 14 |

## 1. Introduction

---

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:

Localhost Mysql 8 (MySQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

## 2. Server: Localhost Mysql 8 (MySQL)

Version: MySQL 8.0

1 database is listed below.

### 2.1. Database: servicefinder\_db

Database objects to be listed: 21 tables

#### 2.1.1. Tables

##### 2.1.1.1. Table: bookings

###### Fields

| Pos | Name                                                                                        | Type                  | Not Null | Others                     |
|-----|---------------------------------------------------------------------------------------------|-----------------------|----------|----------------------------|
| 1   | BookingID  | int<br>Auto Increment | ✓        |                            |
| 2   | UserID                                                                                      | int                   |          | Index: UserID              |
| 3   | ServiceProviderID                                                                           | int                   |          | Index: ServiceProviderID   |
| 4   | ServiceID                                                                                   | int                   |          | Index: ServiceID           |
| 5   | Date                                                                                        | date                  | ✓        |                            |
| 6   | Time                                                                                        | time                  | ✓        |                            |
| 7   | Status                                                                                      | enum                  | ✓        |                            |
| 8   | TotalPrice                                                                                  | decimal(10, 2)        | ✓        |                            |
| 9   | CreatedAt                                                                                   | timestamp             |          | Default: CURRENT_TIMESTAMP |
| 10  | UpdatedAt                                                                                   | timestamp             |          | Default: CURRENT_TIMESTAMP |

###### Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| UserID            | NORMAL | BTREE  | UserID            |
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |
| ServiceID         | NORMAL | BTREE  | ServiceID         |

###### Foreign Keys

| Name | Fields | Referenced Table | Referenced Fields | On Delete | On Update |
|------|--------|------------------|-------------------|-----------|-----------|
|------|--------|------------------|-------------------|-----------|-----------|

|                 |                   |                                   |                   |          |          |
|-----------------|-------------------|-----------------------------------|-------------------|----------|----------|
| bookings_ibfk_1 | UserID            | servicefinder_db.users            | UserID            | RESTRICT | RESTRICT |
| bookings_ibfk_2 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT | RESTRICT |
| bookings_ibfk_3 | ServiceID         | servicefinder_db.services         | ServiceID         | RESTRICT | RESTRICT |

### 2.1.1.2. Table: bookingshistory

#### Fields

| Pos | Name                                                                                               | Type                                  | Not Null | Others                                   |
|-----|----------------------------------------------------------------------------------------------------|---------------------------------------|----------|------------------------------------------|
| 1   | BookingHistoryID  | int<br><a href="#">Auto Increment</a> | ✓        |                                          |
| 2   | UserID                                                                                             | int                                   |          | Index: <a href="#">UserID</a>            |
| 3   | ServiceProviderID                                                                                  | int                                   |          | Index: <a href="#">ServiceProviderID</a> |
| 4   | ServiceID                                                                                          | int                                   |          | Index: <a href="#">ServiceID</a>         |
| 5   | Date                                                                                               | date                                  | ✓        |                                          |
| 6   | Time                                                                                               | time                                  | ✓        |                                          |
| 7   | Status                                                                                             | enum                                  | ✓        |                                          |
| 8   | TotalPrice                                                                                         | decimal(10,2)                         | ✓        |                                          |
| 9   | CreatedAt                                                                                          | timestamp                             |          | Default: CURRENT_TIMESTAMP               |
| 10  | UpdatedAt                                                                                          | timestamp                             |          | Default: CURRENT_TIMESTAMP               |

#### Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| UserID            | NORMAL | BTREE  | UserID            |
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |
| ServiceID         | NORMAL | BTREE  | ServiceID         |

#### Foreign Keys

| Name                   | Fields | Referenced Table       | Referenced Fields | On Delete | On Update |
|------------------------|--------|------------------------|-------------------|-----------|-----------|
| bookingshistory_ibfk_1 | UserID | servicefinder_db.users | UserID            | RESTRICT  | RESTRICT  |

|                        |                   |                                   |                   |          |          |
|------------------------|-------------------|-----------------------------------|-------------------|----------|----------|
| bookingshistory_ibfk_2 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT | RESTRICT |
| bookingshistory_ibfk_3 | ServiceID         | servicefinder_db.services         | ServiceID         | RESTRICT | RESTRICT |

### 2.1.1.3. Table: cartitems

#### Fields

| Pos | Name                                                                                         | Type                  | Not Null | Others                             |
|-----|----------------------------------------------------------------------------------------------|-----------------------|----------|------------------------------------|
| 1   | CartItemID  | int<br>Auto Increment | ✓        |                                    |
| 2   | UserID                                                                                       | int                   |          | Index: UserID                      |
| 3   | ServiceProviderID                                                                            | int                   |          | Index: ServiceProviderID<br>UserID |
| 4   | ServiceID                                                                                    | int                   |          | Index: ServiceID UserID            |
| 5   | Quantity                                                                                     | int                   | ✓        | Default: 1                         |
| 6   | TotalPrice                                                                                   | decimal(10,2)         | ✓        |                                    |
| 7   | CreatedAt                                                                                    | timestamp             |          | Default: CURRENT_TIMESTAMP         |
| 8   | UpdatedAt                                                                                    | timestamp             |          | Default: CURRENT_TIMESTAMP         |

#### Indexes

| Name              | Type   | Method | Fields                               |
|-------------------|--------|--------|--------------------------------------|
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID                    |
| ServiceID         | NORMAL | BTREE  | ServiceID                            |
| UserID            | NORMAL | BTREE  | UserID, ServiceProviderID, ServiceID |

#### Foreign Keys

| Name             | Fields            | Referenced Table                  | Referenced Fields | On Delete | On Update |
|------------------|-------------------|-----------------------------------|-------------------|-----------|-----------|
| cartitems_ibfk_1 | UserID            | servicefinder_db.users            | UserID            | RESTRICT  | RESTRICT  |
| cartitems_ibfk_2 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT  | RESTRICT  |
| cartitems_ibfk_3 | ServiceID         | servicefinder_db.services         | ServiceID         | RESTRICT  | RESTRICT  |

### 2.1.1.4. Table: categories

#### Fields

| Pos | Name                                                                                         | Type                               | Not Null | Others |
|-----|----------------------------------------------------------------------------------------------|------------------------------------|----------|--------|
| 1   | CategoryID  | int<br><span>Auto Increment</span> | ✓        |        |
| 2   | Name                                                                                         | varchar(50)                        | ✓        |        |
| 3   | Description                                                                                  | text                               |          |        |

### 2.1.1.5. Table: faqs

#### Fields

| Pos | Name                                                                                    | Type                               | Not Null | Others                     |
|-----|-----------------------------------------------------------------------------------------|------------------------------------|----------|----------------------------|
| 1   | FAQID  | int<br><span>Auto Increment</span> | ✓        |                            |
| 2   | Question                                                                                | varchar(255)                       | ✓        |                            |
| 3   | Answer                                                                                  | text                               | ✓        |                            |
| 4   | CreatedAt                                                                               | timestamp                          |          | Default: CURRENT_TIMESTAMP |
| 5   | UpdatedAt                                                                               | timestamp                          |          | Default: CURRENT_TIMESTAMP |

### 2.1.1.6. Table: gallery

#### Fields

| Pos | Name                                                                                          | Type                               | Not Null | Others                                |
|-----|-----------------------------------------------------------------------------------------------|------------------------------------|----------|---------------------------------------|
| 1   | GalleryID  | int<br><span>Auto Increment</span> | ✓        |                                       |
| 2   | ServiceProviderID                                                                             | int                                |          | Index: <span>ServiceProviderID</span> |
| 3   | ImageURL                                                                                      | varchar(255)                       | ✓        |                                       |
| 4   | Description                                                                                   | text                               |          |                                       |
| 5   | CreatedAt                                                                                     | timestamp                          |          | Default: CURRENT_TIMESTAMP            |
| 6   | UpdatedAt                                                                                     | timestamp                          |          | Default: CURRENT_TIMESTAMP            |

#### Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |

## Foreign Keys

| Name           | Fields            | Referenced Table                  | Referenced Fields | On Delete | On Update |
|----------------|-------------------|-----------------------------------|-------------------|-----------|-----------|
| gallery_ibfk_1 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT  | RESTRICT  |

### 2.1.1.7. Table: integrations

#### Fields

| Pos | Name                                                                                            | Type                                  | Not Null | Others                                   |
|-----|-------------------------------------------------------------------------------------------------|---------------------------------------|----------|------------------------------------------|
| 1   | IntegrationID  | int<br><a href="#">Auto Increment</a> | ✓        |                                          |
| 2   | UserID                                                                                          | int                                   |          | Index: <a href="#">UserID</a>            |
| 3   | ServiceProviderID                                                                               | int                                   |          | Index: <a href="#">ServiceProviderID</a> |
| 4   | GoogleCalendar                                                                                  | tinyint(1)                            | ✓        |                                          |
| 5   | SocialMedia                                                                                     | tinyint(1)                            | ✓        |                                          |
| 6   | Chat                                                                                            | tinyint(1)                            | ✓        |                                          |
| 7   | CreatedAt                                                                                       | timestamp                             |          | Default: CURRENT_TIMESTAMP               |
| 8   | UpdatedAt                                                                                       | timestamp                             |          | Default: CURRENT_TIMESTAMP               |

#### Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| UserID            | NORMAL | BTREE  | UserID            |
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |

## Foreign Keys

| Name                | Fields            | Referenced Table                  | Referenced Fields | On Delete | On Update |
|---------------------|-------------------|-----------------------------------|-------------------|-----------|-----------|
| integrations_ibfk_1 | UserID            | servicefinder_db.users            | UserID            | RESTRICT  | RESTRICT  |
| integrations_ibfk_2 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT  | RESTRICT  |

### 2.1.1.8. Table: locations

## Fields

| Pos | Name                                                                                         | Type                                  | Not Null | Others |
|-----|----------------------------------------------------------------------------------------------|---------------------------------------|----------|--------|
| 1   | LocationID  | int<br><a href="#">Auto Increment</a> | ✓        |        |
| 2   | Name                                                                                         | varchar(100)                          | ✓        |        |
| 3   | Address                                                                                      | varchar(255)                          | ✓        |        |
| 4   | City                                                                                         | varchar(100)                          |          |        |
| 5   | Country                                                                                      | varchar(100)                          |          |        |
| 6   | Latitude                                                                                     | decimal(10, 8)                        |          |        |
| 7   | Longitude                                                                                    | decimal(11, 8)                        |          |        |

## 2.1.1.9. Table: loyaltypoints

## Fields

| Pos | Name                                                                                       | Type      | Not Null | Others                     |
|-----|--------------------------------------------------------------------------------------------|-----------|----------|----------------------------|
| 1   | UserID  | int       | ✓        |                            |
| 2   | Points                                                                                     | int       | ✓        | Default: 0                 |
| 3   | CreatedAt                                                                                  | timestamp |          | Default: CURRENT_TIMESTAMP |
| 4   | UpdatedAt                                                                                  | timestamp |          | Default: CURRENT_TIMESTAMP |

## Foreign Keys

| Name                 | Fields | Referenced Table       | Referenced Fields | On Delete | On Update |
|----------------------|--------|------------------------|-------------------|-----------|-----------|
| loyaltypoints_ibfk_1 | UserID | servicefinder_db.users | UserID            | RESTRICT  | RESTRICT  |

## 2.1.1.10. Table: notifications

## Fields

| Pos | Name                                                                                               | Type                                  | Not Null | Others                        |
|-----|----------------------------------------------------------------------------------------------------|---------------------------------------|----------|-------------------------------|
| 1   | NotificationID  | int<br><a href="#">Auto Increment</a> | ✓        |                               |
| 2   | UserID                                                                                             | int                                   |          | Index: <a href="#">UserID</a> |
| 3   | Message                                                                                            | text                                  | ✓        |                               |

|   |           |           |   |                            |
|---|-----------|-----------|---|----------------------------|
| 4 | Type      | enum      | ✓ |                            |
| 5 | Status    | enum      | ✓ | Default: 'Unread'          |
| 6 | CreatedAt | timestamp |   | Default: CURRENT_TIMESTAMP |
| 7 | UpdatedAt | timestamp |   | Default: CURRENT_TIMESTAMP |

## Indexes

| Name   | Type   | Method | Fields |
|--------|--------|--------|--------|
| UserID | NORMAL | BTREE  | UserID |

## Foreign Keys

| Name                 | Fields | Referenced Table       | Referenced Fields | On Delete | On Update |
|----------------------|--------|------------------------|-------------------|-----------|-----------|
| notifications_ibfk_1 | UserID | servicefinder_db.users | UserID            | RESTRICT  | RESTRICT  |

### 2.1.1.11. Table: offers

#### Fields

| Pos | Name                                                                                        | Type                                  | Not Null | Others                                   |
|-----|---------------------------------------------------------------------------------------------|---------------------------------------|----------|------------------------------------------|
| 1   | OfferID  | int<br><a href="#">Auto Increment</a> | ✓        |                                          |
| 2   | ServiceProviderID                                                                           | int                                   |          | Index: <a href="#">ServiceProviderID</a> |
| 3   | Title                                                                                       | varchar(100)                          | ✓        |                                          |
| 4   | Description                                                                                 | text                                  |          |                                          |
| 5   | Discount                                                                                    | decimal(4, 2)                         | ✓        |                                          |
| 6   | ExpiryDate                                                                                  | date                                  |          |                                          |
| 7   | CreatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP               |
| 8   | UpdatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP               |

## Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |

## Foreign Keys

| Name          | Fields            | Referenced Table                  | Referenced Fields | On Delete | On Update |
|---------------|-------------------|-----------------------------------|-------------------|-----------|-----------|
| offers_ibfk_1 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT  | RESTRICT  |

## 2.1.1.12. Table: paymentgateways

## Fields

| Pos | Name                                                                                        | Type                                  | Not Null | Others                      |
|-----|---------------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------|
| 1   | GatewayID  | int<br><a href="#">Auto Increment</a> | ✓        |                             |
| 2   | Name                                                                                        | varchar(50)                           | ✓        | Index: <a href="#">Name</a> |
| 3   | Description                                                                                 | text                                  |          |                             |
| 4   | APIKey                                                                                      | varchar(255)                          |          |                             |
| 5   | CreatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP  |
| 6   | UpdatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP  |

## Indexes

| Name | Type   | Method | Fields |
|------|--------|--------|--------|
| Name | UNIQUE | BTREE  | Name   |

## 2.1.1.13. Table: reviews

## Fields

| Pos | Name                                                                                         | Type                                  | Not Null | Others                                   |
|-----|----------------------------------------------------------------------------------------------|---------------------------------------|----------|------------------------------------------|
| 1   | ReviewID  | int<br><a href="#">Auto Increment</a> | ✓        |                                          |
| 2   | UserID                                                                                       | int                                   |          | Index: <a href="#">UserID</a>            |
| 3   | ServiceProviderID                                                                            | int                                   |          | Index: <a href="#">ServiceProviderID</a> |
| 4   | Rating                                                                                       | tinyint                               | ✓        |                                          |
| 5   | Comment                                                                                      | text                                  |          |                                          |
| 6   | CreatedAt                                                                                    | timestamp                             |          | Default: CURRENT_TIMESTAMP               |
| 7   | UpdatedAt                                                                                    | timestamp                             |          | Default: CURRENT_TIMESTAMP               |

## Indexes

| Name              | Type   | Method | Fields            |
|-------------------|--------|--------|-------------------|
| UserID            | NORMAL | BTREE  | UserID            |
| ServiceProviderID | NORMAL | BTREE  | ServiceProviderID |

## Foreign Keys

| Name           | Fields            | Referenced Table                  | Referenced Fields | On Delete | On Update |
|----------------|-------------------|-----------------------------------|-------------------|-----------|-----------|
| reviews_ibfk_1 | UserID            | servicefinder_db.users            | UserID            | RESTRICT  | RESTRICT  |
| reviews_ibfk_2 | ServiceProviderID | servicefinder_db.serviceproviders | ServiceProviderID | RESTRICT  | RESTRICT  |

## 2.1.1.14. Table: servicecategories

## Fields

| Pos | Name                                                                                           | Type | Not Null | Others            |
|-----|------------------------------------------------------------------------------------------------|------|----------|-------------------|
| 1   | ServiceID   | int  | ✓        |                   |
| 2   | CategoryID  | int  | ✓        | Index: CategoryID |

## Indexes

| Name       | Type   | Method | Fields     |
|------------|--------|--------|------------|
| CategoryID | NORMAL | BTREE  | CategoryID |

## Foreign Keys

| Name                     | Fields     | Referenced Table            | Referenced Fields | On Delete | On Update |
|--------------------------|------------|-----------------------------|-------------------|-----------|-----------|
| servicecategories_ibfk_1 | ServiceID  | servicefinder_db.services   | ServiceID         | RESTRICT  | RESTRICT  |
| servicecategories_ibfk_2 | CategoryID | servicefinder_db.categories | CategoryID        | RESTRICT  | RESTRICT  |

## 2.1.1.15. Table: serviceproviders

## Fields

| Pos | Name                                                                                                | Type                                  | Not Null | Others                        |
|-----|-----------------------------------------------------------------------------------------------------|---------------------------------------|----------|-------------------------------|
| 1   | ServiceProviderID  | int<br><a href="#">Auto Increment</a> | ✓        |                               |
| 2   | UserID                                                                                              | int                                   |          | Index: <a href="#">UserID</a> |
| 3   | BusinessName                                                                                        | varchar(100)                          | ✓        |                               |
| 4   | WorkingHours                                                                                        | time                                  |          |                               |
| 5   | Holidays                                                                                            | text                                  |          |                               |
| 6   | StaffAvailability                                                                                   | text                                  |          |                               |
| 7   | CreatedAt                                                                                           | timestamp                             |          | Default: CURRENT_TIMESTAMP    |
| 8   | UpdatedAt                                                                                           | timestamp                             |          | Default: CURRENT_TIMESTAMP    |

## Indexes

| Name   | Type   | Method | Fields |
|--------|--------|--------|--------|
| UserID | UNIQUE | BTREE  | UserID |

## Foreign Keys

| Name                    | Fields | Referenced Table       | Referenced Fields | On Delete | On Update |
|-------------------------|--------|------------------------|-------------------|-----------|-----------|
| serviceproviders_ibfk_1 | UserID | servicefinder_db.users | UserID            | RESTRICT  | RESTRICT  |

## 2.1.1.16. Table: serviceprovidersocialmedia

## Fields

| Pos | Name                                                                                                  | Type         | Not Null | Others                            |
|-----|-------------------------------------------------------------------------------------------------------|--------------|----------|-----------------------------------|
| 1   | ServiceProviderID  | int          | ✓        |                                   |
| 2   | PlatformID         | int          | ✓        | Index: <a href="#">PlatformID</a> |
| 3   | Link                                                                                                  | varchar(255) |          |                                   |

## Indexes

| Name       | Type   | Method | Fields     |
|------------|--------|--------|------------|
| PlatformID | NORMAL | BTREE  | PlatformID |

## Foreign Keys

| Name                              | Fields            | Referenced Table                      | Referenced Fields | On Delete | On Update |
|-----------------------------------|-------------------|---------------------------------------|-------------------|-----------|-----------|
| serviceprovidersocialmedia_ibfk_1 | ServiceProviderID | servicefinder_db.serviceproviders     | ServiceProviderID | RESTRICT  | RESTRICT  |
| serviceprovidersocialmedia_ibfk_2 | PlatformID        | servicefinder_db.socialmediaplatforms | PlatformID        | RESTRICT  | RESTRICT  |

### 2.1.1.17. Table: services

#### Fields

| Pos | Name                                                                                        | Type                                  | Not Null | Others                        |
|-----|---------------------------------------------------------------------------------------------|---------------------------------------|----------|-------------------------------|
| 1   | ServiceID  | int<br><a href="#">Auto Increment</a> | ✓        |                               |
| 2   | UserID                                                                                      | int                                   |          | Index: <a href="#">UserID</a> |
| 3   | Name                                                                                        | varchar(100)                          | ✓        |                               |
| 4   | Description                                                                                 | text                                  |          |                               |
| 5   | Price                                                                                       | decimal(10,2)                         | ✓        |                               |
| 6   | EstimatedTime                                                                               | int                                   |          |                               |
| 7   | ReminderTime                                                                                | time                                  |          |                               |
| 8   | CreatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP    |
| 9   | UpdatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP    |

#### Indexes

| Name   | Type   | Method | Fields |
|--------|--------|--------|--------|
| UserID | NORMAL | BTREE  | UserID |

## Foreign Keys

| Name            | Fields | Referenced Table       | Referenced Fields | On Delete | On Update |
|-----------------|--------|------------------------|-------------------|-----------|-----------|
| services_ibfk_1 | UserID | servicefinder_db.users | UserID            | RESTRICT  | RESTRICT  |

### 2.1.1.18. Table: msggateways

## Fields

| Pos | Name                                                                                        | Type                                  | Not Null | Others                      |
|-----|---------------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------|
| 1   | GatewayID  | int<br><a href="#">Auto Increment</a> | ✓        |                             |
| 2   | Name                                                                                        | varchar(50)                           | ✓        | Index: <a href="#">Name</a> |
| 3   | Description                                                                                 | text                                  |          |                             |
| 4   | APIKey                                                                                      | varchar(255)                          |          |                             |
| 5   | CreatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP  |
| 6   | UpdatedAt                                                                                   | timestamp                             |          | Default: CURRENT_TIMESTAMP  |

## Indexes

| Name | Type   | Method | Fields |
|------|--------|--------|--------|
| Name | UNIQUE | BTREE  | Name   |

## 2.1.1.19. Table: socialmediaplatforms

## Fields

| Pos | Name                                                                                           | Type                                  | Not Null | Others                      |
|-----|------------------------------------------------------------------------------------------------|---------------------------------------|----------|-----------------------------|
| 1   | PlatformID  | int<br><a href="#">Auto Increment</a> | ✓        |                             |
| 2   | Name                                                                                           | varchar(50)                           | ✓        | Index: <a href="#">Name</a> |
| 3   | Description                                                                                    | text                                  |          |                             |

## Indexes

| Name | Type   | Method | Fields |
|------|--------|--------|--------|
| Name | UNIQUE | BTREE  | Name   |

## 2.1.1.20. Table: userbookmarks

## Fields

| Pos | Name                                                                                          | Type | Not Null | Others                           |
|-----|-----------------------------------------------------------------------------------------------|------|----------|----------------------------------|
| 1   | UserID     | int  | ✓        |                                  |
| 2   | ServiceID  | int  | ✓        | Index: <a href="#">ServiceID</a> |

## Indexes

| Name      | Type   | Method | Fields    |
|-----------|--------|--------|-----------|
| ServiceID | NORMAL | BTREE  | ServiceID |

## Foreign Keys

| Name                 | Fields    | Referenced Table          | Referenced Fields | On Delete | On Update |
|----------------------|-----------|---------------------------|-------------------|-----------|-----------|
| userbookmarks_ibfk_1 | UserID    | servicefinder_db.users    | UserID            | RESTRICT  | RESTRICT  |
| userbookmarks_ibfk_2 | ServiceID | servicefinder_db.services | ServiceID         | RESTRICT  | RESTRICT  |

### 2.1.1.21. Table: users

#### Fields

| Pos | Name                                                                                      | Type         | Not Null | Others                     |
|-----|-------------------------------------------------------------------------------------------|--------------|----------|----------------------------|
| 1   | UserID  | int          | ✓        |                            |
| 2   | Username                                                                                  | varchar(50)  | ✓        | Index: Username            |
| 3   | Email                                                                                     | varchar(100) | ✓        | Index: Email               |
| 4   | PasswordHash                                                                              | varchar(255) | ✓        |                            |
| 5   | FirstName                                                                                 | varchar(50)  |          |                            |
| 6   | LastName                                                                                  | varchar(50)  |          |                            |
| 7   | Role                                                                                      | enum         | ✓        |                            |
| 8   | CreatedAt                                                                                 | timestamp    |          | Default: CURRENT_TIMESTAMP |
| 9   | UpdatedAt                                                                                 | timestamp    |          | Default: CURRENT_TIMESTAMP |

## Indexes

| Name     | Type   | Method | Fields   |
|----------|--------|--------|----------|
| Username | UNIQUE | BTREE  | Username |
| Email    | UNIQUE | BTREE  | Email    |