FAHR- ESB Attendance Integration System Design Document

● Version 2.0 ● February 12, 2025

Federal Authority for Government Human Resource
ESB Integration

United Arab Emirates

الهيئة الاتحادية للموارد البشرية الحكومية

Federal Authority For Government Human Resources

Revision History

Version	Author	Date	Change Description
1.0	Shruti Agarwal	22/07/2019	Initial Creation
1.0	Mohammad Abuelhaija	25/07/2019	Reviewd
1.1	Shruti Agarwal	09/08/2022	Added new request type for getEmployee details service
2.0	Shruti Agarwal	12/02/2025	New request type: EMPLOYEE_INFO_ACTIVE EMPLOYEE_INFO_PAGEWISE EMPLOYEE_INFO_PAGEWISE_ACTIVE New operation: GetImage

Table of Contents

REVISION HISTORY **2**

TABLE OF CONTENTS **3**

INTRODUCTION **4**

ASSUMPTIONS **5**

DEFINITIONS **6**

1 DESCRIPTION **7**

1.1 Interface Overview **7**

1.2 Data Transfer **7**

1.3 Transactions **9**

1.4 Web Service Contract **9**

1.4.1 FAHR Attendance Service Overview 10
1.4.2 Communication Protocol 10
1.4.3 WS Message exchange pattern (MEP) 11
1.4.4 Web Service Operations 12

Introduction

Federal authority for human resources (FAHR) has a vision to innovative government human capital that leads the UAE to global leadership by enhancing the competitiveness of the UAE government through achieving career harmony for the Federal Government Human Capital, and by supporting them in increasing their capacity and maximizing their efficiencies, in addition to optimizing the use of systems and to continuously develop innovative solutions to serve them.

Values

- Loyalty and Allegiance
- Integrity and professionalism
- Leadership and team spirit
- Determination and perseverance
- Participation and cooperation

Strategic Objectives

- Develop and implement an integrated legislative system for the management of the Federal Government human capital.
- Promote and develop the Federal Government human capital to achieve global leadership.
- Create a happy and motivating work environment for the Federal Government human capital.
- Ensure all administrative services adhere to the quality, efficiency and transparency standards.
- Establish a culture of innovation in the work environment and embed it as an institutional function.

This interface control document defines the technical details that allow any External Authority to integrate with the Federal Authority for human resources (FAHR) in order to provide FAHR with all employee time and attendance details.

It specifies interface requirements that the Ministries/Authority must meet, describes the concept of operations for the interface, defines the message structure and protocols that govern the interchange of data, and identifies the communication paths along which the data will flow.

Assumptions

This document is based on the following assumptions:

No.	Description
1	The integration will be implementing between Ministries/Authority and FAHR ESB.
2	The integration/communication will be done through SOAP messages by using web service approach only.

Definitions

No.	Term	Definition
1.	FAHR	Federal Authority for Government Human Resources
2.	ESB	Enterprise Service Bus
3.	SOAP	Simple Object Access Protocol
4.	API	Application programming Interface
5.	IIB	IBM Integration Bus

1 Description

This section describes the interface details between Ministries/Authority and FAHR ESB.

1.1 Interface Overview

This section illustrates the interfaces and the data exchanged between the interfaces. In particular, this section briefly summarizes each system with special emphasis on the functionality related to the interface.

The integration shall be SOA integration by using web service technology

1.2 Data Transfer

In this integration, we will implement the IBM Integration Bus (IIB) as an implementation of service oriented architecture (SOA), both integrated systems will be totally separated, and the integration is going to use a standard way of integration which is web service technique.



Web Service integration stack

1- An integration middleware is required from Ministries/Authority in order to manage all the integration touch points with the ESB.
2- The integration middleware shall push data to FAHR ESB as per the Schedule Frequency/Real Time as per agreement between both managements.
3- The IIB shall do the following tasks internally:
    a. Extract the message.
    b. Authentication.
    c. Authorization.
    d. Data type validation.
    e. Audit Trail & Message Logging.
    f. Data virtualization.
    g. Format the input request as per Bayanati Web Services and invoke

4- IIB Web services will call Bayanati API to save Request details and Return results as per request
5- Data saved in Bayanati system can be accessed by employee's or HR's to process further.

1.3 Transactions

NA

1.4 Web Service Contract

A Web service contract is essentially a collection of metadata that describes various Aspects of an underlying software program, including:

- The purpose and function of its operations
- The messages that need to be exchanged in order to engage the operations
- Data models used to define the structure of the messages (and associated validation.
- Rules used to ensure the integrity of data passed to and from the messages
- Set of conditions under which the operations are provided
- Information about how and where the service can be accessed

1.4.1 FAHR Attendance Service Overview

	1	Data Owner	FAHR
	2	Service Provider	Federal Authority for human resources by using FAHR ESB
	3	Native Service	Bayanati System
	4	Virtual Service on ESB	No
Functional	5	Name of the Service	• FAHRAttendanceService
	6	Purpose of the Service	This service allows Ministries/Authority's Employees to track their Attendance using Self Service Screens in Bayanati
	7	Business information exposed via this service	NA
	8	Type of Service	Government to Government (G2G)
	9	Service Domain	• Employee time and attendance details
	11	Consumers of this Service	• Ministries/Authority
	12	Unique Identifier used to identify information of this service.	NA
Technical	13	Backend system	Bayanati Database.
	14	Technology stack used for creating the service	IBM Integration Bus (IIB) & Oracle SOA
General	15	General remarks about the service	

1.4.2 Communication Protocol

In order to use this service, you need to communicate with FAHR ESB using SOAP XML over HTTPS

Protocol	Port
Https	443

HTTP 1.1 MUST to be used when an DSC is communicating with FAHR ESB.
One of the most important features that HTTP 1.1 supports is persistent connections which mean that you can have more than one request/response on the same HTTP connection; it will avoid client re-authentication for every request.

In HTTP 1.0 you had to open a new connection for each request/response pair, and after each response the connection would be closed. This will lead to some big efficiency problems because of TCP Slow start.

HTTP 1.1 has a lot more features; you can find them **here** for more details.

The following diagram depicts the persistency difference between HTTP 1.0 and HTTP 1.1.



1.4.3 WS Message exchange pattern (MEP)

The web services follow the simple MEP which called Synchronous style (Request-Reply MEP), where the caller will call a service through the integration bus, the request will be blocked until it gets served, and returns the response back



Figure: Operation interaction flow

1.4.3.1 Web Service Message Encoding

Message encoding is UTF-8; the caller should use this encoding when they use the web service operations.

1.4.4 Web Service Operations

1.4.4.1 FAHRAttendanceService

This web service has only one operation

1.4.4.1.1 FAHRAttendanceService

Title	Description
URL	**Test URL:** https://esbdev.fahr.gov.ae/services/FAHRAttendanceservice?wsdl **Production URL:** https://esb.bayanati.gov.ae/services/FAHRAttendanceservice?wsdl Authentication will be shared with the entity.
Operation Name	FAHRAttendance

What (Brief Description)	Allows Ministries/Authority Employees to track their Attendance using Self Service Screens in Bayanati.
Service Code	44
When (Touch Point Integration)	• Scheduled / Live transactions as per agreement
Actors	• Ministries/Authority
Pattern	Request/Response
Business Rules	
Coverage of this information	• Attendance

1.4.4.1.1.1 FAHRAttendanceServiceRequest

No	Item	Data Type	Length	Attributes	Description
1	**EAIHeader**	Request message Header, it contains the meta data of the request			
1.1	ServiceId	Number	50	Mandatory	Default Value: 44
1.2	ExternalAuthorityCode	String	50	Mandatory	ExternalAuthorityCode Will be shared by FAHR
1.3	TransactionRefNo	String	50	Mandatory	Unique Reference Number for the Transaction
1.4	TransactionSubtype	String	50	Optional	Default Value: C
1.5	Notes	String	150	Optional	General Notes
2	**EAIBody**		Request message Body, this contains Request Parameters		

2.2	IdentificationKey	String	50	Mandatory	Authentication code. Ex: If Entity code is 05 then value is ad$121@b05
2.4	AttendanceDataList		Attendance Data		
2.4.1	**AttendanceData**			**Optional**	
2.4.1.1	AttendanceTimeID	String	50	Mandatory	Unique number for each record
2.4.1.2	EntityCode	String	50	Mandatory	Entity code will be shared by FAHR team
2.4.1.3	EntityName	String	50	Mandatory	Ministry or Authority Name (Arabic)
2.4.1.4	EmployeeNumber	String	50	Mandatory	Bayanati Employee Number in case of Employee. For Outsource Employee, it can be local system number.
2.4.1.5	EmployeeName	String	50	Mandatory	Employee Name
2.4.1.6	MDate	String	50	Mandatory	Date of Entry
2.4.1.7	InTime	String	50	Optional	Employee In Time (First entry on specific day)
2.4.1.8	Delay	String	50	Optional	Delay in Entry
2.4.1.9	OutTime	String	50	Optional	Employee Out Time (Last Entry on specific day)
2.4.1.10	EarlyOut	String	50	Optional	Early Out duration
2.4.1.11	Duration	String	50	Optional	Total Duration on specific day (considering all Exit Permits, mid-day Punch outs etc..)
2.4.1.12	OutDuration	String	50	Optional	Out Duration
2.4.1.13	Status	String	50	Optional	Attendance Status Code. Keep it blank/null in case of Normal.

					A - Absent H – Holiday L - Leave P - Permission R - Rest Day/Weekend
2.4.1.14	Remark	String	50	Optional	Comments. Ex: Incase of Permission, can be reason if available or the exit type or leave type like Annual, Sick etc...
2.4.1.15	PRMLVSCode	String	50	Optional	Bayanati Leave Type Code / ID
2.4.1.16	EmployeeType	String	50	Mandatory	Employee Type. Ex: EMPLOYEE or OUTSOURCE, EMPLOYEE for Bayanati employees and OUTSOURCE for outsourced employees.
2.4.1.17	EmployeeDept	String	50	Optional	Applicable for Outsource employees for which Department information is not available in Bayanati system.
2.4.1.18	Extra1	String	50	Optional	Future Purpose
2.4.1.19	Extra2	String	50	Optional	Future Purpose
2.4.1.20	Extra3	String	50	Optional	Future Purpose
2.4.1.21	Extra4	String	50	Optional	Future Purpose
2.4.1.22	Extra5	String	50	Optional	Future Purpose
2.4.1.23	RecordStatus	String	50	Mandatory	Valid Values N or U or D. • N -> New (In case of New Record) • U -> Update • D -> Delete

2.4.1.24	CreationDate	DATE	50	Mandatory	Record Creation Date
2.4.1.25	LastUpdateDate	DATE	50	Optional	Last update date, by default creation date.

1.4.4.1.1.2 FAHAttendanceMessageResponse (FAHAttendanceMessageResponse Type)

No	Item	Data Type	Attributes	Description
1	FAHRAttendanceResponse	Response Message		
1.1	**ReplyMessages**	ReplyMessagesType	Optional	Result
1.1.1.1	Code	String (50)	Mandatory	Response Code
1.1.1.2	Description	String (50)	Mandatory	Description.
1.2	ResponseDate	Datetime	Mandatory	Server response datetime
1.3	ResultList	ResultListType	Optional	In case there are any failure records in the request this will give details for the failed records.

1.4.4.1.2 Web Service Security

In order to secure the Web service calls, we have the following points need to be considered:

1- To assure data integrity and to secure the web service communication, you should use the web service call over SSL using port 443 (HTTPS).

2- Regarding the WS-Security, Basic Authentication pattern (username, password) is required as minimum security level, the following snippet explains the WS-Security policy as follows:

1.4.4.1.3 Web Service Sample request


```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:fah="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/"
>
   <soapenv:Header/>
   <soapenv:Body>
      <fah:FAHRAttendanceRequest>
         <EAIHeader versionID="1.0">
            <ServiceId>44</ServiceId>
            <ExternalAuthorityCode>99</ExternalAuthorityCode>
            <TransactionRefNo>43553</TransactionRefNo>
            <TransactionSubtype>C</TransactionSubtype>
            <!--Optional:-->
            <Notes></Notes>
         </EAIHeader>
         <EAIBody>
            <Action>ad$121@b99</Action>
            <!--Optional:-->
            <AttendanceDataList>
               <!--Zero or more repetitions:-->
               <AttendanceData>
                  <AttendanceTimeID>1</AttendanceTimeID>
                  <EntityCode>99</EntityCode>
                  <EntityName>الهيئة الاتحادية للموارد البشرية
الحكومية</EntityName>
                  <EmployeeNumber>256123</EmployeeNumber>
                  <EmployeeName>ABC</EmployeeName>
                  <MDate>2019-07-14</MDate>
                  <InTime>08:00:00</InTime>
                  <Delay></Delay>
                  <OutTime>15:30:00</OutTime>
                  <EarlyOut></EarlyOut>
                  <Duration>07:30:00</Duration>
                  <OutDuration></OutDuration>
                  <Status></Status>
                  <Remark></Remark>
                  <PRMLVSCode></PRMLVSCode>
                  <EmployeeType>EMPLOYEE</EmployeeType>
                  <EmployeeDept>Bayanati</EmployeeDept>
                  <Extra1></Extra1>
                  <Extra2></Extra2>
                  <Extra3></Extra3>
                  <Extra4></Extra4>
                  <Extra5></Extra5>
                  <RecordStatus>N</RecordStatus>
                  <CreationDate>2019-07-14</CreationDate>
                  <LastUpdateDate></LastUpdateDate>
               </AttendanceData>
            </AttendanceDataList>
         </EAIBody>
      </fah:FAHRAttendanceRequest>
```

```
   </soapenv:Body>
</soapenv:Envelope>
```

1.4.4.1.4 Web Service Sample response

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
   <NS1:Body>
      <NS2:FAHRAttendanceResponse
xmlns:NS2="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/">
         <ResponseDate>2019-07-14T09:02:24.173810+04:00</ResponseDate>
         <ReplyMessage>
            <Code>0</Code>
            <Description>Total Input Records : 1; Total Successfull Records :
1; Total Error Recodrs : 0</Description>
         </ReplyMessage>
      </NS2:FAHRAttendanceResponse>
   </NS1:Body>
</NS1:Envelope>
```

1.4.4.2 GetEmployeeDetailsService

Title	Description
URL	**Test URL:** http://esbdev.fahr.gov.ae/services/FAHRAttendanceservice?wsdl **Production URL:** http://esb.bayanati.gov.ae/services/FAHRAttendanceservice?wsdl Authentication disable currently.
Operation Name	GetEmployeeDetails
What (Brief Description)	Allows Ministries/Authority to fetch the employee information, Leaves, Permissions, Holidays etc.
Service Code	45
When (Touch Point Integration)	• Scheduled / Live transactions as per agreement
Actors	• Ministries/Authority
Pattern	Request/Response

Business Rules	
Coverage of this information	• Employee details

Important Notes:

1- Timestamp format: we are using ISO-8601 format which is the XSD date time format, for Example**:** 1980-08-12**T**15:07:38.687-05:00

1.4.4.2.1.1 GetEmployeeDetailsRequest

No	Item	Data Type	Length	Attributes	Description
1	**EAIHeader**	Request message Header, it contains the meta data of the request			
1.1	ServiceId	Number	50	Mandatory	Default Value: 45
1.2	ExternalAuthorityCode	String	50	Mandatory	Will be shared by FAHR
1.3	TransactionRefNo	String	50	Mandatory	Unique Reference Number for the Transaction
1.4	TransactionSubtype	String	50	Optional	Default Value: I
1.5	Notes	String	150	Optional	General Notes
2	**EAIBody**		Request message Body, this contains Request Parameters		
2.1	EntityCode	String	50	Mandatory	Entity code will be shared by FAHR team
2.2	IdentificationKey	String	50	Mandatory	Authentication code. Ex: If Entity code is 05 then value is ad$121@b05

<table>
<tr><td>2.3</td><td>RequestType</td><td>String</td><td>50</td><td>Mandatory</td><td>Request type
<table>
<tr><th>Request Type</th><th>Description</th></tr>
<tr><td>EMPLOYEE_INFO</td><td>Employee Information</td></tr>
<tr><td>HOLIDAYS</td><td>Holidays</td></tr>
<tr><td>EMPLOYEE_LEAVES</td><td>Employee Leaves</td></tr>
<tr><td>ATTENDANCE_LOGS</td><td>Attendance Data</td></tr>
<tr><td>WFH_FRIDAY_REQUESTS</td><td>Work From Home on Friday Requests</td></tr>
<tr><td>EMPLOYEE_PERMISSIONS</td><td>Employee Permissions</td></tr>
<tr><td>WORK_FROM_HOME_ATTENDANCE</td><td>Work From Home Attendance</td></tr>
<tr><td>MANUALLY_APPROVED_ATTEND</td><td>Missing Attendance registered in Bayanati</td></tr>
<tr><td>MISSING_ENTRIES_AND_WFH</td><td>Combined Results of WFH and Missing attendance.</td></tr>
<tr><td>EMPLOYEE_PERMISSIONS</td><td>Employee Permissions</td></tr>
<tr><td>NATIONALITY</td><td>Nationality</td></tr>
<tr><td>ORGANIZATION_TYPE</td><td>Department Types</td></tr>
<tr><td>LEAVE_TYPE</td><td>Leave Types</td></tr>
<tr><td>PERMISSION_TYPE</td><td>Permission Types</td></tr>
<tr><td>RELIGION</td><td>Religion Meaning</td></tr>
<tr><td>WORK_LOCATION</td><td>Work Locations</td></tr>
<tr><td>DESIGNATION</td><td>Designation Meaning</td></tr>
<tr><td>GRADE</td><td>Grade Meaning</td></tr>
<tr><td>EMP_TA_EXCEPTION</td><td>Employee Exceptions</td></tr>
<tr><td>LEAVES_AUDIT</td><td>Leave Audit Information</td></tr>
<tr><td>PERMISSION_AUDIT</td><td>Permission Audit</td></tr>
<tr><td>ORG_HIERARCHY</td><td>Department Information</td></tr>
<tr><td>EMPLOYEE_INFO_ACTIVE</td><td>Active employee information</td></tr>
<tr><td>EMPLOYEE_INFO_PAGEWISE</td><td>Employee Information pagination</td></tr>
<tr><td>EMPLOYEE_INFO_PAGEWISE_ACTIVE</td><td>Active employee Information pagination</td></tr>
</table></td></tr>
<tr><td>2.4</td><td>Attribute1</td><td>String</td><td>50</td><td>Optional</td><td>When the request type is Pagination: Page Number
Otherwise: Employee Number.</td></tr>
<tr><td>2.5</td><td>Attribute2</td><td>String</td><td>50</td><td>Optional</td><td>Applicable for Employee Info, Leaves, Permissions, Holidays, Audit records, MISSING_ENTRIES_AND_WFH.
Last Update Date: From Date (YYYY-MM-DD)
When the request type is Pagination: Page size</td></tr>
</table>

2.6	Attribute3	String	50	Optional	Applicable for Employee Info, Leaves, Permissions, Holidays, Audit records, MISSING_ENTRIES_AND_WFH. ***If From Date not provided then by default last 30 days data will return for applicable requests*** Last Update Date: To Date (YYYY-MM-DD) When the request type is Pagination: Last Update Date

1.4.4.2.1.2 GetEmployeeDetailsResponse

No	Item	Data Type	Attributes	Description
1	GetEmployeeDetailsResponse	Response Message		
1.1	**ReplyMessages**	ReplyMessagesType	Optional	Result
1.1.1	Code	String (50)	Mandatory	Response Code
1.1.2	Description	String (50)	Mandatory	Description.
1.2	ResponseDate	Datetime	Mandatory	Server response datetime
1.3	ResultList	ResultListType	Mandatory	Based on the request type, the result set will vary.

1.4.4.2.2 Web Service Security

In order to secure the Web service calls, we have the following points need to be considered:

3- To assure data integrity and to secure the web service communication, you should use the web service call over SSL using port 443 (HTTPS).

4- Regarding the WS-Security, Basic Authentication pattern (username, password) is required as minimum security level, the following snippet explains the WS-Security policy as follows:

1.4.4.2.3 Web Service Sample request

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:fah="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/"
>
   <soapenv:Header/>
   <soapenv:Body>
      <fah:GetEmployeeDetailsRequest>
         <EAIHeader versionID="1.0">
            <ServiceId>44</ServiceId>
            <ExternalAuthorityCode>99</ExternalAuthorityCode>
            <TransactionRefNo></TransactionRefNo>
            <TransactionSubtype></TransactionSubtype>
            <!--Optional:-->
            <Notes></Notes>
         </EAIHeader>
         <EAIBody>
            <EntityCode>40</EntityCode>
            <IdentificationKey></IdentificationKey>
            <RequestType>EMPLOYEE_INFO</RequestType>
            <Attribute1>536927</Attribute1>
            <Attribute2></Attribute2>
            <Attribute3></Attribute3>
         </EAIBody>
      </fah:GetEmployeeDetailsRequest>
   </soapenv:Body>
</soapenv:Envelope>
```

1.4.4.2.4 Web Service Sample response

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
   <NS1:Body>
      <NS2:GetEmployeeDetailsResponse
xmlns:NS2="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/">
         <ResultList>
            <NS3:Row
xmlns:NS3="http://xmlns.oracle.com/apps/hxt/soaprovider/plsql/xxfahr_ti
me_attendance_ws_pkg/getemployeedetails/">
               <NS3:Column name="ENTITY_CODE"
sqltype="VARCHAR2">10</NS3:Column>
               <NS3:Column name="EMPLOYEE_NUMBER"
sqltype="VARCHAR2">536927</NS3:Column>
```

```
                <NS3:Column name="EMPLOYEE_NAME"
sqltype="VARCHAR2">سميه موسى محمد الرئيسي</NS3:Column>
                <NS3:Column name="FIRST_NAME"
sqltype="VARCHAR2">سميه</NS3:Column>
                <NS3:Column name="SECOND_NAME"
sqltype="VARCHAR2">موسى</NS3:Column>
                <NS3:Column name="THIRD_NAME"
sqltype="VARCHAR2">محمد</NS3:Column>
                <NS3:Column name="LAST_NAME"
sqltype="VARCHAR2">الرئيسي</NS3:Column>
                <NS3:Column name="FIRST_NAME_EN"
sqltype="VARCHAR2">sumaya</NS3:Column>
                <NS3:Column name="SECOND_NAME_EN"
sqltype="VARCHAR2">moosa</NS3:Column>
                <NS3:Column name="THIRD_NAME_EN"
sqltype="VARCHAR2">mohammed</NS3:Column>
                <NS3:Column name="LAST_NAME_EN"
sqltype="VARCHAR2">alraeesi</NS3:Column>
                <NS3:Column name="JOB_TITLE_AR"
sqltype="VARCHAR2">أخصائي مساعد تقنية المعلومات</NS3:Column>
                <NS3:Column name="JOB_TITLE_EN" sqltype="VARCHAR2">IT
Assistant Specialist</NS3:Column>
                <NS3:Column name="DEPARTMENT_NAME_AR"
sqltype="VARCHAR2">10/ إدارة تقنية المعلومات - قسم نظم المعلومات
الصحية</NS3:Column>
                <NS3:Column name="DEPARTMENT_NAME_EN"
sqltype="VARCHAR2">10/ إدارة تقنية المعلومات - قسم نظم المعلومات
الصحية</NS3:Column>
                <NS3:Column name="ORGANIZATION_TYPE_AR"
sqltype="VARCHAR2">قسم</NS3:Column>
                <NS3:Column name="ORGANIZATION_TYPE_EN"
sqltype="VARCHAR2">Section</NS3:Column>
                <NS3:Column name="MOTHER_NAME"
sqltype="VARCHAR2">مريم</NS3:Column>
                <NS3:Column name="ENGLISH_NAME"
sqltype="VARCHAR2">sumaya moosa mohammed alraeesi</NS3:Column>
                <NS3:Column name="NATIONALITY_ID"
sqltype="VARCHAR2">101</NS3:Column>
                <NS3:Column name="RELIGION_ID"
sqltype="VARCHAR2">9</NS3:Column>
                <NS3:Column name="MANAGER_FLAG"
sqltype="VARCHAR2">Yes</NS3:Column>
                <NS3:Column name="MANAGER_NUMBER"
sqltype="VARCHAR2">536508</NS3:Column>
                <NS3:Column name="MANAGER_NAME" sqltype="VARCHAR2"> موزه
سعيد راشد الفلاسي</NS3:Column>
                <NS3:Column name="MANAGER_NAME_EN"
sqltype="VARCHAR2">moaza saeed reshed alfalasi</NS3:Column>
                <NS3:Column name="FK_COMPANYID"
sqltype="VARCHAR2">495</NS3:Column>
                <NS3:Column name="ORGANIZATION_ID"
sqltype="VARCHAR2">27744</NS3:Column>
                <NS3:Column name="DESIGNATION_ID"
sqltype="VARCHAR2">544401</NS3:Column>
                <NS3:Column name="GRADE_ID"
sqltype="VARCHAR2">67</NS3:Column>
                <NS3:Column name="WORK_LOCATION_ID"
sqltype="NUMBER">145</NS3:Column>
```

```
                <NS3:Column name="GENDER_CODE"
sqltype="VARCHAR2">F</NS3:Column>
                <NS3:Column name="MARITAL_STATUS_CODE"
sqltype="VARCHAR2">S</NS3:Column>
                <NS3:Column name="EMAIL_ADDRESS"
sqltype="VARCHAR2">Sumaya.AlRaeesi@mohap.gov.ae</NS3:Column>
                <NS3:Column name="DATE_OF_BIRTH"
sqltype="VARCHAR2">19/11/1991</NS3:Column>
                <NS3:Column name="JOIN_DATE"
sqltype="VARCHAR2">30/09/2018</NS3:Column>
                <NS3:Column name="MOBILE_NUM"
sqltype="VARCHAR2">+971508671116</NS3:Column>
                <NS3:Column name="NATIONAL_IDENTIFIER"
sqltype="VARCHAR2">784-1991-9602831-2</NS3:Column>
                <NS3:Column xsi:nil="true" name="UNIFIED_NUMBER"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column name="EMPLOYEE_CATEGORY"
sqltype="VARCHAR2">غير محدد</NS3:Column>
                <NS3:Column xsi:nil="true" name="TERMINATION_DATE"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column name="TA_EXCEPTION_FLAG"
sqltype="VARCHAR2">N</NS3:Column>
                <NS3:Column xsi:nil="true" name="DEPARTMENT_NAME"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column xsi:nil="true" name="DESIGNATION_NAME"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column xsi:nil="true" name="GRADE_NAME"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column xsi:nil="true" name="DEGREE"
sqltype="VARCHAR2" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"/>
                <NS3:Column name="LEVEL1_ORG_ID"
sqltype="VARCHAR2">7046</NS3:Column>
                <NS3:Column name="LEVEL2_ORG_ID"
sqltype="VARCHAR2">7310</NS3:Column>
                <NS3:Column name="LEVEL3_ORG_ID"
sqltype="VARCHAR2">27744</NS3:Column>
                <NS3:Column name="LAST_UPDATE_DATE"
sqltype="VARCHAR2">05/08/2022</NS3:Column>
                <NS3:Column name="STATUS"
sqltype="VARCHAR2">A</NS3:Column>
            </NS3:Row>
         </ResultList>
         <ResponseDate>2025-03-18T12:06:00.826805+04:00</ResponseDate>
         <ReplyMessage>
            <Code>0</Code>
            <Description>SUCCESS</Description>
         </ReplyMessage>
      </NS2:GetEmployeeDetailsResponse>
   </NS1:Body>
</NS1:Envelope>
```

Other samples

Request type	Sample
MANUALLY_APPROVED_ATTEND	MANUALLY_APPROVED_ATTEND.xml
WFH_FRIDAY_REQUESTS	WFH_FRIDAY_REQUESTS.xml
WORK_FROM_HOME_ATTENDANCE	WORK_FROM_HOME_ATTENDANCE.xml
MISSING_ENTRIES_AND_WFH	MISSING_ENTRIES_AND_WFH.xml
EMPLOYEE_INFO	EMPLOYEE_INFO.xml
ATTENDANCE_LOGS	ATTENDANCE_LOGS.xml
EMPLOYEE_INFO_PAGEWISE	EMPLOYEE_INFO_PAGEWISE.xml

1.4.4.3 GetEmployeeImageService

Title	Description
URL	**Test URL: http://esbdev.fahr.gov.ae/services/FAHRAttendanceservice?wsdl**

	Production URL: http://esb.bayanati.gov.ae/services/FAHRAttendanceservice?wsdl Authentication disable currently.
Operation Name	GetEmployeeImage
What (Brief Description)	Allows Ministries/Authority to fetch the employee image
Service Code	46
When (Touch Point Integration)	• Scheduled / Live transactions as per agreement
Actors	• Ministries/Authority
Pattern	Request/Response
Business Rules	
Coverage of this information	• Employee image

Important Notes:

2- Timestamp format: we are using ISO-8601 format which is the XSD date time format, for Example: 1980-08-12**T**15:07:38.687-05:00

1.4.4.3.1.1 GetEmployeeImageRequest

No	Item	Data Type	Length	Attributes	Description
1	**EAIHeader**	Request message Header, it contains the meta data of the request			
1.1	ServiceId	Number	50	Mandatory	Default Value: 46
1.2	ExternalAuthorityCode	String	50	Mandatory	Will be shared by FAHR

1.3	TransactionRefNo	String	50	Mandatory	Unique Reference Number for the Transaction
1.4	TransactionSubtype	String	50	Optional	Default Value: I
1.5	Notes	String	150	Optional	General Notes
2	**EAIBody**		Request message Body, this contains Request Parameters		
2.1	EntityCode	String	50	Mandatory	Entity code will be shared by FAHR team
2.2	EmployeeNumber	String	50	Mandatory	Employee Number

1.4.4.3.1.2 GetEmployeeImageResponse

No	Item	Data Type	Attributes	Description
1	GetEmployeeImageResponse	Response Message		
1.1	**ReplyMessages**	ReplyMessagesType	Optional	Result
1.1.1	Code	String (50)	Mandatory	Response Code
1.1.2	Description	String (50)	Mandatory	Description.
1.2	ResponseDate	Datetime	Mandatory	Server response datetime
1.3	ResultList	ResultListType	Mandatory	Based on the request type, the result set will vary.

1.4.4.3.2 Web Service Security

In order to secure the Web service calls, we have the following points need to be considered:

5- To assure data integrity and to secure the web service communication, you should use the web service call over SSL using port 443 (HTTPS).

6- Regarding the WS-Security, Basic Authentication pattern (username, password) is required as minimum security level, the following snippet explains the WS-Security policy as follows:

1.4.4.3.3 Web Service Sample request

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:fah="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/"
>
   <soapenv:Header/>
   <soapenv:Body>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:fah="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/"
>
   <soapenv:Header/>
   <soapenv:Body>
      <fah:GetEmployeeImageRequest>
         <EAIHeader versionID="1.0">
            <ServiceId>46</ServiceId>
            <ExternalAuthorityCode>1</ExternalAuthorityCode>
            <TransactionRefNo>56h</TransactionRefNo>
            <TransactionSubtype>I</TransactionSubtype>
         </EAIHeader>
         <EntityCode>97</EntityCode>
         <EmployeeNumber>7</EmployeeNumber>
      </fah:GetEmployeeImageRequest>
   </soapenv:Body>
</soapenv:Envelope>
</soapenv:Body>
</soapenv:Envelope>
```

1.4.4.3.4 Web Service Sample response

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
   <NS1:Body>
      <NS2:GetEmployeeImageResponse
xmlns:NS2="http://esb.bayanati.gov.ae/services/FAHRAttendanceService/">

<PersonImage>R0lGODdhgAGAAfcAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAA</PersonImage>
         <ResponseDate>2025-02-12T13:31:45.644876+04:00</ResponseDate>
```

```
         <ReplyMessage>
            <Code>0</Code>
            <Description xsi:nil="true"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"/>
         </ReplyMessage>
      </NS2:GetEmployeeImageResponse>
   </NS1:Body>
</NS1:Envelope>
```