ANTZ WELFARE · ASSESSMENT ANALYTICS

# Assessment Graph Specification

How each response type is visualised — the rule developers follow, with the exact chart for every kind of assessment.

CATALOGUE
47 types · 5 domains

ISSUED
24 Jun 2026

**One decision drives everything.** When a developer adds an assessment, they choose its **response type** — what kind of data it captures. The chart is derived automatically; there is no per-assessment chart wiring.

### Numeric
A measured number with a unit → **trend line** over time.


### Scale
A bounded rating (1…max) → **bars** against the ceiling.

### List
One option from a set → **distribution** of choices.

### Text
Free-form notes → **no chart**, a notes timeline.

RENDER — EXAMPLE

**Weight · kg · last 8 readings**




RESPONSE TYPE · NUMERIC

## 01 Trend line

Use when the value is a **continuous measured number**. The story is how it moves across readings, so plot it as a line/area over time with an average reference and the latest value highlighted.

USED BY


Weight · Temperature · Heart Rate · Humidity · Food Intake · +4 more

DEVELOPER HELPER

```
{ q:'Weight', ...n('kg', 22) }
// n(unit, base[, decimals])
```

RENDER — EXAMPLE

**Body Condition Score · 1–9 · last 8 readings**




RESPONSE TYPE · SCALE

## 02 Bars vs ceiling

Use when the value is a **bounded rating** (1 to a fixed max). Each bar shows the score against the faint full-height ceiling, so "how close to ideal" reads at a glance. Latest reading is emphasised.

USED BY


Body Condition (1–9) · Activity Level (1–10) · Stress Level (1–5) · Alertness · +9 more

DEVELOPER HELPER

```
{ q:'Body Condition Score', ...s(9) }
// s(max)
```

RENDER — EXAMPLE

**Appetite · 8 readings · by option**




MOST FREQUENT · GOOD • CURRENT · GOOD

RESPONSE TYPE · LIST

## 03 Distribution

Use when the answer is **one option from a fixed set**. Values aren't numbers, so a line is meaningless — show how often each option occurred. Options are ordered **worst → best**, so longer-toward-the-best reads as healthier.

USED BY

Appetite · Social Behaviour · Mobility · Emotional State · +13 more

DEVELOPER HELPER

```
{ q:'Appetite',
...l(['Poor','Reduced','Good','Excellent']) }
// l([options]) — best value last
```

RENDER — EXAMPLE

**Veterinary Notes · observation timeline**

19 JUN · DR. R. MEHTA
*"Bright and responsive; engaged well with surroundings."*

5 JUN · DR. L. OWENS
*"Calm and settled. No abnormal findings on observation."*

22 MAY · S. PARK
*"Slight reduction in activity; monitoring over coming days."*

RESPONSE TYPE · TEXT

## 04 Notes timeline

Use for **free-form written observations**. There is nothing to plot, so the latest note is featured and the rest form a searchable, dated timeline with the recording keeper — no chart, no filter tabs.

USED BY

Veterinary Notes · Behaviour Observation · Welfare Observation · +5 more

DEVELOPER HELPER

```
{ q:'Veterinary Notes', ...t() }
// t() — no unit, no chart
```

# Catalogue index

EVERY TYPE → ITS RESPONSE TYPE → ITS GRAPH

## Physical Health

| | | |
|---|---|---|
| Weight | kg | NUMERIC |
| Temperature | °C | NUMERIC |
| Heart Rate | bpm | NUMERIC |
| Body Condition Score | 1–9 | SCALE |
| Hydration Status | 1–5 | SCALE |
| Eye Condition | 4 opt | LIST |
| Ear Condition | 4 opt | LIST |
| Oral Health | 4 opt | LIST |
| Posture | 4 opt | LIST |
| Mobility | 4 opt | LIST |
| Injury Assessment | — | TEXT |
| Veterinary Notes | — | TEXT |

## Behaviour

| | | |
|---|---|---|
| Activity Level | 1–10 | SCALE |
| Stress Behaviour | 1–5 | SCALE |
| Enrichment Response | 1–5 | SCALE |
| Social Behaviour | 4 opt | LIST |
| Feeding Behaviour | 4 opt | LIST |
| Play Behaviour | 4 opt | LIST |
| Aggression | 4 opt | LIST |
| Behaviour Observation | — | TEXT |
| Keeper Notes | — | TEXT |

## Environment

| | | |
|---|---|---|
| Ambient Temperature | °C | NUMERIC |
| Humidity | % | NUMERIC |
| Noise Level | dB | NUMERIC |
| Enclosure Cleanliness | 1–5 | SCALE |
| Habitat Condition | 1–5 | SCALE |
| Water Availability | 4 opt | LIST |
| Food Access | 4 opt | LIST |
| Lighting Condition | 4 opt | LIST |
| Environment Observation | — | TEXT |

## Mental Domain

| | | |
|---|---|---|
| Alertness | 1–5 | SCALE |
| Stress Level | 1–5 | SCALE |
| Comfort Level | 1–5 | SCALE |
| Emotional State | 4 opt | LIST |
| Curiosity | 4 opt | LIST |
| Fear Indicators | 4 opt | LIST |
| Welfare Observation | — | TEXT |
| Mental State Notes | — | TEXT |

## Nutrition

| | | |
|---|---|---|
| Food Intake | g | NUMERIC |
| Water Intake | ml | NUMERIC |
| Feeding Frequency | /day | NUMERIC |
| Nutritional Status | 1–5 | SCALE |
| Appetite | 4 opt | LIST |
| Diet Acceptance | 4 opt | LIST |
| Supplement Intake | 4 opt | LIST |
| Feeding Observation | — | TEXT |
| Nutrition Notes | — | TEXT |

## Totals · 47 types

| | | |
|---|---|---|
| NUMERIC | Trend line | 9 |
| SCALE | Bars vs ceiling | 13 |
| LIST | Distribution | 17 |
| TEXT | Notes timeline | 8 |

Time axis is always recorded sessions over **W / M / 6M / Y**. There is no per-day view — an assessment is one scheduled record, not a continuous sensor.