

APIC Dumps

V2018

Mock

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which option can be used to add built-in policies to an API?

Select one:

- a. API Manager assembly editor and XML Editor
- b. OpenAPI (Swagger 2.0 ) definition file only
- c. API Manager assembly editor only
- d. OpenAPI (Swagger 2.0) definition file and API Manager assembly editor

Feedback

Your answer is correct.

The correct answer is: OpenAPI (Swagger 2.0) definition file and API Manager assembly editor

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

what step is needed to make API's available to external parties,customers, and business vendors?

Select one:

- a. Patterning
- b. Publish
- c. Integration
- d. Subscribe

Feedback

Your answer is correct.

The correct answer is: Publish

### Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How do you restore a backed up API?

Select one:

- a. Create a new API by importing the downloaded API .yaml file.
- b. Restore the API using CLI
- c. Restore API in the Developer portal
- d. Restore API in the Assembly

Feedback

Your answer is correct.

The correct answer is: Create a new API by importing the downloaded API .yaml file.

### Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two file are valid in the OpenAPI definition?

Select one or more:

- a. YAML
- b. HTML
- c. JSON
- d. SCXML
- e. XML

Feedback

Your answer is correct.

The correct answers are: YAML, JSON

Question 5

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is needed to restore an API product?

Select one:

- a. A backed up API product from Developer Portal
- b. A product definition in the .yaml file
- c. A backed up API product that is staged in the catalog
- d. A backed up API that is staged in the catalog

Feedback

Your answer is correct.

The correct answer is: A product definition in the .yaml file

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which built-in policy can be used to secure an API JSON web Tokens?

Select one:

- a. Validate Datapower API Gateway
- b. JSON to XML
- c. Validate JWT
- d. XML to JSON

Feedback

Your answer is correct.

The correct answer is: Validate JWT

Question 7

Correct

Mark 1.00 out of 1.00

Flag question

Question text

when first testing a REST API,what needs to be done on the test set-up pane?

Select one:

- a. Import REST API definition
- b. Initiate REST API definition
- c. Make REST service online
- d. Make API online

Feedback

Your answer is correct.

The correct answer is: Make API online

Question 8

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two types of gateway configurations are supported by API Connect and Datapower?

Select one or more:

- a. SSL Gateway
- b. API Gateway
- c. HTTP Gateway
- d. Datapower Gateway (v5 Compatible)
- e. Datapower API Gateway

Feedback

Your answer is correct.

The correct answers are: Datapower API Gateway, Datapower Gateway (v5 Compatible)

Question 9

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When using the 'into,set Variable' built-in policy action, what action value will append onto an existing HTTP header?

Select one:



- a. Header
- b. Clear
- c. Set
- d. Add

Feedback

Your answer is correct.

The correct answer is: Add

Question 10

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In the design of the API, the Testable option may be enabled in which section of the design?

Select one:

- a. Lifecycle

b. Extensions

c. Properties

d. Policy Assembly

Feedback

Your answer is correct.

The correct answer is: Lifecycle

Finish review

Full set 1

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two roles can execute all actions on a Cloud Manager UI?

Select one or more:

- a. Owner
- b. Organization Manager
- c. Auditor
- d. Administrator
- e. Topology Administrator

Feedback

The correct answers are: Owner, Administrator

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The apic drafts command enables which API artifacts?

Select one:

- a. Push, pop, and route
- b. Push, pull, and clone

c. Draft, pull, and create

d. Get, pull, and route

Feedback

The correct answer is: Push, pull, and clone

Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer with an App Developer role can perform which activity while on the Developer Portal?

Select one:

a. Review API analytics for their Organization

b. Invite others to use the Developer Portal

c. Customize the Portal pages for their Organization

d. Create multiple clientIDs for the App

Feedback

The correct answer is: Create multiple clientIDs for the App

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which of these can be configured in the Native OAuth Provider definition?

Select one:

- a. Metadata
- b. Security Definitions
- c. Activity Log
- d. Categories

Feedback

The correct answer is: Metadata

Question 5

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Where is the Authentication Provider set when using an LDAP provider in the Developer Portal?

Select one:

- a. In the Developer Portal admin page
- b. IBM Cloud Manager
- c. API Manager
- d. DataPower Gateway

Feedback

The correct answer is: API Manager

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In the command `apicup certs set mgmt. encryption-secret /mgmt.-generated-certs/secret.bin`, what is the purpose of encryption no `.-secret`?

Select one:

- a. It creates a secret password generated by a CA
- b. It creates a secret password automatically generated by the management subsystem
- c. It creates a random bytes password used for field level encryption in the management database
- d. It creates a secret key using the Java `keyPairGenerator`

Feedback

The correct answer is: It creates a random bytes password used for field level encryption in the management database

Question 7

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two sections are parts of the user -defined policy YAML file?  
select two:

Select one or more:

- a. Specification
- b. Persona
- c. Security
- d. Subroutine
- e. Attach

Feedback

The correct answers are: Attach, Specification

Question 8

Correct

Mark 1.00 out of 1.00



Flag question

Question text

In which zone would a WAF be deployed for the developer portal?

Select one:

- a. Protected zone
- b. Management and Developer portal zone
- c. Public zone
- d. Gateway zone

Feedback

The correct answer is: Gateway zone

Question 9

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the purpose of customizing the user account options that are displayed in the Developer Portal?

Select one:

Select one:

- a. It is how to change what fields users of the Developer Portal see when they register to use the site, when they log in, and when they view their account profile.
- b.  
It is how to monitor user ID access and report when “illegal access” happens and lock user accounts that incorrectly attempt access that is not allowed.
- c.  
It is the short-cut to user access and ID display.
- d.  
It is used to manage user ID display and access.

Feedback

Your answer is correct.

The correct answer is: It is how to change what fields users of the Developer Portal see when they register to use the site, when they log in, and when they view their account profile.

Question 10

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What does removing a member from the Developer Portal do?

Select one:

- a. Removes the member's role and assigns them a guest role
- b. Removes the member from the Catalog
- c. Removes the member from the Consumer Organization
- d. Removes the member from Provider Organization

Feedback

Your answer is correct.

The correct answer is: Removes the member from the Consumer Organization

Question 11

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the difference between invoke and proxy policies?

Select one:

- a. Invoke supports Content- Type multipart/related and Proxy does not
- b. Invoke requires compulsory invoke url and proxy does not
- c. Invoke is used for json data while proxy is used for soap and xml
- d. Multiple invoke policies can be used but only one proxy policy can be used per assembly

Feedback

The correct answer is: Multiple invoke policies can be used but only one proxy policy can be used per assembly

Question 12

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What should be done before installing and enabling a customized theme for the Developer Portal?

Select one:

- a. Add custom JavaScript
- b. Create a Sub-theme and customize the overrides.css file
- c. Create a custom template
- d. Apply a modified content type template

Feedback

The correct answer is: Create a Sub-theme and customize the overrides.css file

Question 13

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which default API Manager UI role has the ability to manage the relationship between the provider organization and application developers?

Select one:

a. Application Manager

b.  
API Administrator

c.  
Community Manager

d.  
Organization Owner

Feedback

Your answer is correct.

The correct answer is:  
Community Manager

Question 14

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer has updated a page using Drupal, but this change is not being reflected in the Developer Portal user interface. What can be done to resolve the issue?

Select one:

- a. Clear the Drupal caches from within the Developer Portal
- b. Re-synchronize the Drupal Portal instance
- c. Republish the products
- d. Refresh the API Manager log

Feedback

The correct answer is: Clear the Drupal caches from within the Developer Portal

Question 15

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When defining a rate limit for an API, what is the effect of setting the hard limit to true?

Select one:

- a. Calls for the API will fail when the limit is exceeded
- b. Calls for the API will be individually billed when the limit is exceeded
- c. Calls for the API will experience a slower response for all operations
- d. Calls for the API will be queued when the limit is exceeded

Feedback

The correct answer is: Calls for the API will fail when the limit is exceeded

Question 16

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the result of the following API description in a plan?



apis:

-\$ref: 'file: API\_File\_poth'

-path: 'Operation\_path'

Verb: 'Operation\_path'

Rate\_limits:

Name:

Value: Operation\_Limit

Hard-limit: operation\_Limit\_Toggle

Name:

Value: Operation\_Limit

Hard-limit: operation\_Limit\_Toggle

Select one:

- a. One rate limit is enforced for an operation
- b. The most restrictive rate limit is enforced for the operation
- c. Multiple rate limits for a single operation are enforced
- d. Multiple rate limits for a set of operation are enforced

Feedback

Your answer is correct.

The correct answer is: Multiple rate limits for a single operation are enforced

Question 17

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What restrictions exist when applying security definitions to an API?

Select one:

- a. Only one API key security definition can be applied to an API.
- b. When two or more OAuth 2.0 security definitions are created, client type setting can be ignored.
- c. There are no restrictions to apply security definitions to an API.
- d. Compatible token refresh and revocation settings are not required when more than one OAuth 2.0 security definition is applied to an API.

Feedback

The correct answer is: Only one API key security definition can be applied to an API.

### Question 18

Correct

Mark 1.00 out of 1.00

Flag question

#### Question text

What is the result of running the following command?  
`apic validate --no-- extensions example.yaml`

Select one:

- a. Validates the swagger-v2.0-schema.json file
- b. Validates the assembly extension
- c. Validates the OpenAPI section of the API and section ibm-x-languages
- d. Validates the default Open section of the API without IBM extensions

#### Feedback

The correct answer is: Validates the default Open section of the API without IBM extensions

### Question 19

Correct

Mark 1.00 out of 1.00

Flag question

Question text

During the registration of an API, a certificate can be added. What is the required format for an X509 certificate ?

Select one:

- a. PEM
- b. P7C
- c. DER
- d. CER

Feedback

The correct answer is: PEM

Question 20

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the maximum number of client id/client secret pairs an application in the Developer Portal can have?

Select one:

Select one:

a. 10

b. 40

c. 20

d. 30

Feedback

The correct answer is: 20

Question 21

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A new WSDL service (SOAP proxy) API is created by importing an existing WSDL file. Which statement is true if the WSDL has multiple soap operations defined?

Select one:

- a.  
The import will fail as API Connect currently supports single SOAP operation WSDL definitions.
- b.  
Only the first soap operation will be automatically generated in designer
- c. A single path is generated with a SOAP Action HTTP Header defined as a path parameter to be used in the assembly
- d.  
Each soap operation will generate a unique path in the Designer

Feedback

Your answer is correct.

The correct answer is:

Each soap operation will generate a unique path in the Designer

Question 22

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can the API Connect environment be configured so the business unit can view API usage statistics for the purposes of internal chargebacks?

Select one:

- a. Create a consumer organization and invite the Application developers into the organization
- b. Create one application that contains all the features required and register that application as the only one to call APIs.
- c. Allow only one Applications Developer to register the Apps for API calls
- d. Let each Application Developer have an account and gather the data via the API Consumer APIs

Feedback

The correct answer is: Create a consumer organization and invite the Application developers into the organization

Question 23

Correct

Mark 1.00 out of 1.00

Flag question

Question text

To ensure that confidential data is not left displayed on the screen after a user logs off, what configuration action should be done?

Select one:

- a. Configure the Developer Portal to force the browser to refresh the page after the user logs off the Developer Portal by configuring the Ejector seat settings in the people section.
- b. Configure the Developer Portal to send messages to the Administration Team when a user does not refresh the screen so that an email may be send to the user.
- c. Configure the Developer Portal to send an email reminder to the user to refresh the screen after logging off.
- d. Configure the Developer Portal to display an alert on the browser requesting the user to refresh the browser after logging off.

Feedback

The correct answer is: Configure the Developer Portal to force the browser to refresh the page after the user logs off the Developer Portal by configuring the Ejector seat settings in the people section.

Question 24



Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API Connect component provides the ability for Developers and Product Manager to understand their API traffic patterns, latency, and consumption to make data driven insights into their API initiatives?

Select one:

- a. Cloud Manager
- b. SQL Query
- c. Analytics
- d. API Manager

Feedback

The correct answer is: Analytics

Question 25

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What two Cloud Manager user role can enable or disable access to analytics data within API Connect?

Select one or more:

- a. Owner
- b. System Author
- c. Developer
- d. Administrator
- e. Viewer

Feedback

The correct answers are: Owner, Administrator

Question 26

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two actions occur when a product superseded?  
Select two:

Select one or more:

- a. The original product is moved to the draft state
- b. The original product is moved to the deprecated state
- c. The superseding product is published
- d. The superseding product is staged
- e. The original product is moved to the retired state

Feedback

The correct answers are: The superseding product is published, The original product is moved to the deprecated state

Question 27

Incorrect

Mark 0.00 out of 1.00

Flag question

Question text

Which API initiative role sets the terms and conditions for accessing the API, such as identifying the rate limits?

Select one:

- a. API Developer
- b. API Product Manager
- c. App Developer
- d. Operations

Feedback

The correct answer is: API Product Manager

Question 28

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement regarding developer communities is true?

Select one:

- a. They are provider organizations with a particular set of products and plans
- b. They are provider organizations with a particular set of APIs and operations
- c. They are consumer organizations with a particular set of products and plans
- d. They are consumer organizations with a particular set of APIs and operations

Feedback

The correct answer is: They are consumer organizations with a particular set of products and plans

Question 29

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which stage must the product be in before taking all of the associated APIs offline?

Select one:

- a. Stop

- b. Deprecate
- c. Dissociate
- d. Retire

Feedback

The correct answer is: Deprecate

Question 30

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can the request and response payloads in a SOAP Proxy API be validated?

Select one:

- a. Set the definition in a Validate action
- b. The payload is validated automatically after importing the WSDL
- c. Set the definition in a Parse action
- d. Set the definition in a XSLT action

Feedback

The correct answer is: Set the definition in a Validate action

Question 31

Correct

Mark 1.00 out of 1.00

Flag question

Question text

During the creation of the user-defined policy, what is the naming convention requirement for the starting policy YAML file?

Select one:

- a. Name must begin with user-
- b. Name must begin with policy-
- c. Name must end in -main
- d. Name must end in -policy

Feedback

The correct answer is: Name must begin with policy-

Question 32

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API Connect tool gives alerts on the health of an API before issues occur?

Select one:

- a. AppScan
- b. API Insights and Monitor
- c. API Connect Test and Monitor
- d. API Health Manager

Feedback

The correct answer is: API Connect Test and Monitor

Question 33



Correct

Mark 1.00 out of 1.00

Flag question

Question text

A development team has come to a solution implementer to set up a new API Connect environment as soon as possible. Which API Connect deployment is the fastest to start working with?

Select one:

Select one:

- a. Public Cloud
- b. Cloud Dedicated
- c. IBM Cloud Private
- d. On-premises

Feedback

The correct answer is: Public Cloud

Question 34

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the cause of the following error during an upgrade?

```
apicup subsys install test-analytics repo-analytics.tgz
```

```
INFO [0000] preparing update
```

```
INFO [0010] Sending update packet to cluster (connected to  
testsrv0192.subnet1.example.com)
```

```
Error: failed to install the subsystem: unable to open file send stream: rpc  
error: code =Unavailable desc = all SubConns are in Transient Failure, latest  
connection error: connection error: desc = "transport: Error while dialing dial  
tcp 1.2.3.4:9178: i/o timeout"
```

Select one:

a.  
repo-management.tgz checksum error

b.  
testsrv0192.subnet1.example.com server is low on disk space

- c.  
Firewall port 9178 is closed
- d.  
Duplicate IP address 1.2.3.4

Feedback

Your answer is correct.

The correct answer is:  
Firewall port 9178 is closed

Question 35

Correct

Mark 1.00 out of 1.00

Flag question

Question text

By default, the invoke action response is saved in which variable?

Select one:

- a. Request.body
- b. Api.root
- c. Message.body

d. Env.path

Feedback

The correct answer is: Message.body

Question 36

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What check can be done if there are Developer Portal performance issues?

Select one:

- a.  
Ensure the minimum hardware requirements have been met
- b.  
Check to see if the Gateway is tuned
- c.

Ensure the Micro Gateway fine tune radio is set to 'on'

d.

Check if the web-api multiprotocol gateway (MPGW) is disabled

Feedback

Your answer is correct.

The correct answer is:

Ensure the minimum hardware requirements have been met

Question 37

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which tool is not affected by rate limits defined in plans when automatic subscriptions are enabled?

Select one:

a. Postman

b. API Portal test client

c. API Manager test client

d. API Test and Monitor client

Feedback

The correct answer is: API Manager test client

Question 38

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What information can be reset in the developer Portal?

Select one:

- a. Client Secret only
- b. OAuth token
- c. Client ID only
- d. Client ID and Client secret

Feedback

The correct answer is: Client ID and Client secret

Question 39

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two contain only API Connect built-in policies to apply preconfigured policy statements?

Select one or more:

- a. Add
- b. Activity Log
- c. Response
- d. GatewayScript
- e. Delete

Feedback

The correct answers are: Activity Log, GatewayScript

Question 40

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A dashboard has been created and becomes available in a catalog with multiple spaces. Which other two settings does this apply to as well?

Select Two:

Select one or more:

- a. Visualizations
- b. Permissions
- c. Attributes
- d. Approvals
- e. Searches

Feedback

The correct answers are: Searches, Visualizations



Question 41

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API pricing model allows for an incentive to drive innovation and further development of the capabilities of the API?

Select one:

- a. Developer Pays
- b. Indirect
- c. Developer Gets Paid
- d. For free

Feedback

The correct answer is: Developer Gets Paid

Question 42

Correct

Mark 1.00 out of 1.00

Flag question

Question text

While creating a REST proxy API definition, what two options are provided during the creation step? Select one or more:

Select one or more:

- a. From an existing APIOpen service
- b. New OpenAPI
- c. From an existing XML service
- d. From target service
- e. From an existing WSDL service(wXML proxy)

Feedback

The correct answers are: New OpenAPI, From target service

Question 43

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Assuming a user under a Provider Organization has the right role assigned, how can the user check all the Catalog subscriptions for a specific Application?

Select one:

- a. In the Cloud Manager, select the applications option and filter by the specific application name.
- b. In the CLI interface, issue the show consumer\_apps command to show all subscriptions and applications.
- c. In the API Manager, select the applications option and then expand the specific application.
- d. In the Developer Portal, create an Analytics dashboard and filter by the application set of credentials.

Feedback

The correct answer is: In the API Manager, select the applications option and then expand the specific application.

Question 44

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the purpose of using gateway extensions?

Select one:

- a. To customize the API endpoints on provider organization catalog
- b. To use custom policies in API developments
- c. To use a DataPower Gateway (v5 compatible) and DataPower API Gateway in the same availability zone
- d. To further customize the enforcement capabilities of API Gateway

Feedback

The correct answer is: To further customize the enforcement capabilities of API Gateway

Question 45

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is one feature of a multi-cloud design approach?

Select one:

- a. API Management on IBM Cloud
- b. Federated security control
- c. API Federation
- d. Hybrid entitlement and deployment

Feedback

The correct answer is: Hybrid entitlement and deployment

Question 46

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the effect of setting the API property 'x-ibm-gateway-invoke-suppress-clientid' to true?

Select one:

- a.  
The X-IBM-Client-Id HTTP header is suppressed from being send to the invoke target URL
- b.  
The X-IBM-Client-id HTTP header is no longer required
- c.  
The invoke policy sends a HTTP payload with X-IBM-Client-Id in the header
- d.  
The clientid HTTP header is encoded

Feedback

Your answer is correct.

The correct answer is:

The X-IBM-Client-Id HTTP header is suppressed from being send to the invoke target URL

Question 47

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is included in the IBM API Connect Validate policy properties?

Select one:

- a. Tittle, Definition, and Condition
- b. Tittle, Description, and Condition
- c. Tittle, Description, and Action\_type
- d. Tittle, Description, and Definition

Feedback

The correct answer is: Tittle, Description, and Definition

Question 48

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which are supported 3rd party systems where analytics data for API events can be offloaded?

Select one:

- a. Solr Engine, Kafka, and Syslog servers
- b. HTTP server, Solr Engine, and XML Engine
- c. Elasticsearch, kafka, and Syslog servers
- d. XML Engine, Firebase, and Syslog servers

Feedback

The correct answer is: Elasticsearch, kafka, and Syslog servers

Question 49

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which authentication method is used when the LDAP directory binding with User Principal Names such as john@acme.com?

Select one:



- a. Search UPN
- b. Compose DN
- c. Compose UPN
- d. Search DN

Feedback

The correct answer is: Compose UPN

Question 50

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two statements about Availability Zones are true?  
Select one or more:

Select one or more:

- a. The default Availability Zone is created during installation.
- b. An Availability Zone is only a physical set of data centers.

- c. The default Availability Zone does not include a Management service.
- d. An Availability Zone is only a logical set of data centers.
- e. An Availability Zone is a logical or physical set of data centers.

Feedback

The correct answers are: The default Availability Zone is created during installation., An Availability Zone is a logical or physical set of data centers.

Question 51

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is an alternative to restoring a Portal site from a backup file?

Select one:

- a. Re-create it from the Gateway backup
- b. Re-create it from the Developer Portal local repository
- c. Re-create it from the Management Server

d. Re-create it from the Analytics Engine

Feedback

The correct answer is: Re-create it from the Management Server

Question 52

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A travel company, AcmeAir, has separate API provider development teams for each of the following areas of their business:

Flights

Hotels

Payments

User Profiles

They have an AcmeAir corporate Catalog, with its associated corporate Developer Portal. They partition their Catalog into separate Spaces, one for each development team as seen below:

What's the impact of having spaces enabled in a Developer Portal

Select one:

- a. The consumer will be able to filter APIs by space
- b. The APIs will have a Tag with the Space name
- c. The Products will have a Tag with the Space name
- d. The Spaces are not visible on the Developer Portal

Feedback

The correct answer is: The Spaces are not visible on the Developer Portal

Question 53

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which IBM API Connect deployment option provides full cloud Management Console access?

Select one:

- a. On premises
- b. Public Cloud
- c. IBM Cloud Reserved

d. Cloud Dedicated

Feedback

The correct answer is: On premises

Question 54

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can access to the Developer Portal for a certain user be blocked?

Select one:

- a. The Role Manager can open the Role Display and select the user to be blocked.
- b. The Administrator can open the Administrator Dashboard and select the user to be blocked.
- c. The Role Manager can open the Configuration Display and select the user to be blocked.
- d. The Administrator can open the Role Display and select the user to be blocked.

## Feedback

The correct answer is: The Administrator can open the Administrator Dashboard and select the user to be blocked.

## Question 55

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

When managing the IBM API Connect Cloud using the REST interface, what parameters are required in the path to get the API object by name and version?

Select one:

- a. Only the {api-name}, since the {api-version} will be in the body of the request
- b. {api-author} and {api-version}
- c. {api-name} and {api-version}
- d. {name} and {version}

## Feedback

Your answer is correct.

The correct answer is: {api-name} and {api-version}

## Full set 2

### Question 1

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

After creating a user-defined policy, where must the policy be imported?

Select one:

- a. Into every Catalog in API Manager that require the policy to run in
- b. Into the top level Catalog in API Manager which will automatically propagate to all child catalogs
- c. Into every Space in API Manager that require the policy to run in
- d. Into all Catalogs in API Manager

Feedback

The correct answer is: Into every Catalog in API Manager that require the policy to run in

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can an additional client ID and client secret be added to an application when registering an API in the Developer Portal?

Select one:

- a. Click Add alongside Client Credentials
- b. Click Add alongside Client Registration
- c. Click Add alongside User Credentials
- d. Click Add alongside User Registration

Feedback



The correct answer is: Click Add alongside Client Credentials

### Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When using the 'switch' action, how can a developer match all the requests coming for the resource/demo/api-1?

Select one:

- a. \$operationpath ()="/demo/api-1"
- b. \$operationID ()="/demo/api-1"
- c. \$headerName ()="/demo/api-1"
- d. \$httpVerb ()="/demo/api-1"

Feedback

Your answer is correct.

The correct answer is: \$operationpath ()="/demo/api-1"

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What security option is available to configure when registering an Application on the Developers portal?

Select one:

- a. LTPA token
- b. OAuth
- c. Local User Registry
- d. LDAP

Feedback

The correct answer is: OAuth

### Question 5

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is a common reason for analytics not being displayed in the developer portal?

Select one:

- a. The portal Delegated user Registry is being used
- b. The Gateway API application domain is disabled
- c. The Analytics engine is disabled in the Developer portal
- d. The API-Manager has not been re-synchronized with the Developer portal

Feedback

The correct answer is: The portal Delegated user Registry is being used

### Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When registering a Gateway service, which is the correct definitions of the API invocation Endpoint and SNI?

Select one:

- a. The base portion of the URL that maps to the base portion of the URL for incoming API traffic
- b. For a Kubernetes environment , the API invocation Endpoint is the endpoint entered for: set gwy api-gateway gw..
- c. For an appliance, the API invocation Endpoint is the address to the API connect Gateway service.
- d. The IP address, fully-qualified host name, service, or ingress name.it is used for communication with API manager.

Feedback

The correct answer is: For a Kubernetes environment , the API invocation Endpoint is the endpoint entered for: set gwy api-gateway gw..

Question 7

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which X-ibm-Configuration extension specifies the maturity of the API?

Select one:

- a. Maturity
- b. Assemble
- c. phase
- d. Enforce

Feedback

The correct answer is: phase

Question 8

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two tasks can be performed by the consumer Organization owner in the Developer Portal?

Select one or more:

- a. Remove portal instances
- b. Setup API Tags
- c. Invite users to the portal
- d. Create portal forums
- e. Customize portal Analytics

Feedback

The correct answers are: Customize portal Analytics, Invite users to the portal

Question 9

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API Initiative role is concerned with scalability, availability, and

performance?

Select one:

- a. API Business/Product Manager
- b. API Developer
- c. Management
- d. Operations

Feedback

The correct answer is: Operations

Question 10

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When in the Developer portal, which protocol must be used with the test tool?

Select one:

- a. HTTPS
- b. SFTP
- c. HTTP
- d. FTP

Feedback

The correct answer is: HTTPS

Question 11

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is one reason that a user cannot register an account in the Developer portal?

Select one:

- a. The activation link expired
- b. They have the incorrect token
- c. The user limit has been reached



d. The user is not a developer

Feedback

The correct answer is: The activation link expired

Question 12

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Where can be consumer organizations be managed?

Select one:

a. Cloud Manager UI

b. APP connect Manager UI

c. Gateway UI

d. API Management UI

Feedback

The correct answer is: API Management UI

Question 13

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two pre-defined roles have permissions to create a forum in the Developer Portal?

Select one or more:

- a. Role Administrator
- b. Administrator
- c. Forum Administrator
- d. Forum Moderator
- e. Role Manager

Feedback

The correct answers are: Administrator, Forum Moderator

Question 14

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can an API product be configured so it is visible only to a specific consumer organization?

Select one:

- a. Set the product visibility to 'custom' and specify the desired organization
- b. Set the product visibility to 'Hidden' and specify the desired organization
- c. Set the product visibility to 'Authenticated' and specify the desired organization.
- d. Set the product visibility to 'public' and specify the desired organization

Feedback

Your answer is correct.

The correct answer is: Set the product visibility to 'custom' and specify the desired organization

Question 15

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is Shown in the image below?

Select one:

- a.  
How system of record can be exposed to external and internal customers using APIs
- b.  
How intermediary proxies, gateways, and the REST server can cache information
- c.  
The architectural components of API management platform
- d.  
The difference between a monolithic application and a microservice application

## Feedback

Your answer is correct.

The correct answer is:

How system of record can be exposed to external and internal customers using APIs

## Question 16

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

The code snippet below represent an invoke policy on IBM API Connect in an assembly flow:

-invoke: Version:2.0.0

title: get the account status

target -url:https://example .com/accounts/{id}? Status =(status}

cache-response:time-to-live

cache-putpost-response:true

Verb: POST

Timeout: 60

Compression: false

Stop-on-error: [ ]

What would happen if a connection error occurs to the target url?

Select one:

- a. The policy execution is allowed to complete and the assembly flow continues
- b. A connection error is thrown and the assembly flow stops
- c. If a catch flow is configured for the error, it is triggered to handle the error thrown
- d. The policy execution is stopped, but the assembly flow continues

Feedback

Your answer is correct.

The correct answer is: The policy execution is allowed to complete and the assembly flow continues

Question 17

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can forums be turned off in the Developer portal?

Select one:

- a. Uninstall the Forum module
- b. Remove the Editing tool
- c. Remove access to the forums for all users
- d. Edit each user's role configuration in the Developer portal

Feedback

Your answer is correct.

The correct answer is: Uninstall the Forum module

Question 18

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Using XSLT code block,a runtime variable may be defined for a user-defined policy by calling which template?

Select one:

- a. Setcontext
- b. Definevariable
- c. Servicevariable
- d. Setvariable

Feedback

The correct answer is: Setvariable

Question 19

Correct

Mark 1.00 out of 1.00

Flag question



Question text

What is the primary function of an API product in the IBM API connect Catalog?

Select one:

- a. Compose APIs for publishing
- b. Define API deployment options
- c. Define API logging options
- d. Compose APIs for staging

Feedback

The correct answer is: Compose APIs for publishing

Question 20

Correct

Mark 1.00 out of 1.00

Flag question

Question text

At which two levels can plans be applied?

Select one or more:

- a. For all APIs in the product
- b. For the same operation over all APIs within an API product
- c. For specific operations within APIs in the product
- d. For one specific API in the product only
- e. For one operation per API product only

Feedback

The correct answers are: For all APIs in the product, For specific operations within APIs in the product

Question 21

Correct

Mark 1.00 out of 1.00

Flag question

Question text

An API product has 3 plans assigned, which are:

-100 calls per second

-1,000 calls per minute

-10,000 calls per hour

If the infrastructure can handle at maximum 200 calls per second, what should be done to protect the infrastructure?

Select one:

a. Recalculate the plans to fit

b.  
Set a burst limit

c. Delete all plans that exceed the 200 calls per second

d. Set a hard limit

Feedback

Your answer is correct.

The correct answer is:  
Set a burst limit

Question 22

Correct

Mark 1.00 out of 1.00

Flag question

Question text

An administrator wants to provide secure access to Cloud Manager,API Manager,Developer portal and APIs.How can the administrator connect to non-LDAP user registries?

Select one:

- a. A remote database repository
- b. An OAuth password credentials grant
- c. TLS server profile with Mutual Auth configured
- d. An Authentication URL

Feedback

The correct answer is: An Authentication URL

Question 23

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two deployment options allow an enterprise to control the timing of updates?

Select one or more:

- a. On-Premises
- b. IBM Cloud private
- c. IBM Marketplace
- d. Cloud dedicated
- e. Public Cloud

Feedback

The correct answers are: On-Premises, IBM Cloud private

Question 24

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The image above illustrates a common API pattern when exposing existing SOAP APIs. What pattern is this?

Select one:

- a. OpenAPI Proxy
- b. WSDL Proxy
- c. REST Proxy
- d. SOAP Proxy

Feedback

The correct answer is: REST Proxy

Question 25

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the APICUP used for?

Select one:

- a. It provides a mechanism to manage security profiles and artifacts preventing private keys from being compromised
- b. It performs many installation and management tasks making maintenance of the environment easier
- c. It provides insights into how each component in the environment is running giving operations a one-stop view into the environment
- d. It performs in-depth analytics tasks enabling API owners rich insights into how their APIs are used

Feedback

The correct answer is: It performs many installation and management tasks making maintenance of the environment easier

Question 26

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What would be the result of the following curl command?

Curl -x DELETE -u userid:pw https://<mgmt

-cluster-ip>v1/portal/orgs{orgID}/apps/{applID} /subscriptions/{subID}

Select one:

- a. Delete the subscription subID
- b. Clear all the subscription objects
- c. Clear subscription objects that contain the word subID
- d. This is an invalid as the Query parameter 'confirm' is mandatory

Feedback

Your answer is correct.

The correct answer is: Delete the subscription subID

Question 27

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When applying definitions to an API, which restriction is correct ?



Select one:

- a. Only one basic security definition can be applied to an API
- b. OAuth security definitions also requires LDAP server
- c. One or more basic security definition can be applied to an API
- d. A basic security definition and OAuth security definition can be applied to an API

Feedback

The correct answer is: Only one basic security definition can be applied to an API

Question 28

Incorrect

Mark 0.00 out of 1.00

Flag question

Question text

When a member is part of a consumer organization which two roles can be assigned to them in Developer portal?

Select one or more:

- a. Contributor
- b. Application Developer
- c. Admin
- d. Editor
- e. Viewer

Feedback

The correct answers are: Viewer, Application Developer

Question 29

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two API Connect roles can delete a user registry?

Select one or more:

- a. Administrator
- b. Privileged user

- c. Auditor
- d. Gateway Manager
- e. Owner

Feedback

The correct answers are: Owner, Administrator

Question 30

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When using the Developer portal test tool, when is a sign in required?

Select one:

- a. Testing an operation interaction that requires a client ID
- b. Running a test that an ingress ID is required for the operation to complete
- c. During a test, when a cache of information must be built
- d. Invoking a procedure that issues a session ID

Feedback

The correct answer is: Testing an operation interaction that requires a client ID

Question 31

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How user-defined policies are made available to API developers?

Select one:

- a. By adding the policy into the registration application
- b. By adding the policy to Assembly
- c. By adding the policy to the API definition
- d. By adding the policy into the API Connect Catalog

Feedback

The correct answer is: By adding the policy into the API Connect Catalog

Question 32

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Where can API providers view API event data?

Select one:

- a. Developer portal user interface dashboard
- b. API Designer
- c. Analytics dashboard for a catalog in API manager
- d. In the Events dashboard on the Analytics server

Feedback

The correct answer is: Analytics dashboard for a catalog in API manager

Question 33

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can an Administrator upload a gateway server extension?

Select one:

- a. Using the developer toolkit CLI
- b. Using the DataPower administrative user interface
- c. Using the Cloud manager console
- d. Using apicup commands

Feedback

The correct answer is: Using the developer toolkit CLI

Question 34

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A solution Implementer is looking to deploy API Connect with the following requirements:

- A single-tenant gateway to avoid noisy neighbors
- A managed solution where patching is provided
- custom branding with the organization's logo
- High -Availability installation with redundant components
- Ability to use user-defined policies for custom processing

Which API connect deployment meets these requirements?

Select one:

- a.  
Public cloud
- b.  
IBM cloud private
- c.  
On-premises
- d.

Cloud Dedicated

Feedback

Your answer is correct.

The correct answer is:  
Cloud Dedicated

Question 35

Correct

Mark 1.00 out of 1.00

Flag question

Question text

what is the state when a product or API definition is not deployed and is not associated with any Catalog?

Select one:

- a. Draft
- b. Retried
- c. Staged
- d. Deprecated



Feedback

The correct answer is: Draft

Question 36

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How should a proxy API be created for a REST service?

Select one:

- a. Updating the DataPower Gateway MPGW
- b. Using the Devportal
- c. Using the API Manager
- d. Using the Cloud Management console

Feedback

The correct answer is: Using the API Manager

Question 37

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What two pieces of information are visible in the approval part of the description of the plan?

Plans:

Plan\_name:

Title: plan\_Title

Description: plan\_Description

Approval :Approval\_Toggle

Select one or more:

- a. If subscriptions to this plan are pre-approved
- b. If an approval is required to publish the product
- c. The product has been approved to be published
- d. The plan name has been approved

e. If an approval is required for each subscription

Feedback

Your answer is correct.

The correct answers are: If subscriptions to this plan are pre-approved, If an approval is required for each subscription

Question 38

Correct

Mark 1.00 out of 1.00

Flag question

Question text

When troubleshooting a portion of an assembly where only a specific condition is fulfilled, which API connect error handling construct should be used?

Select one:

- a. If construct
- b. Invoke construct
- c. Gatewayscript construct
- d. MustGather construct

Feedback

The correct answer is: If construct

Question 39

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What are the steps to view available updates to the Developer portal?

Select one:

- a. Click Reports in the administrator dashboard and then click Available update
- b. Available updates are automatically displayed in the administrator dashboard
- c. Click Configuration, then click Reports and then click Available updates
- d. Click the Configure button and then click Available updated

Feedback

The correct answer is: Click Reports in the administrator dashboard and then

click Available update

Question 40

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which feature allows partitioning catalogs into spaces?

Select one:

a. Administration

b. Split

c. Syndication

d. Categorization

Feedback

The correct answer is: Syndication

Question 41

Correct

Mark 1.00 out of 1.00

Flag question

Question text

An API developer is using a user registry to authenticate access to APIs connect. which security definition type should the developer use?

Select one:

- a. Basic authentication
- b. API key and secret authentication
- c. JWT Token
- d. LDAP authentication

Feedback

The correct answer is: Basic authentication

Question 42

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two authenticate and authorization security schemes can be used in OpenAPI?

Select one or more:

- a. OAuth 2
- b. Basic
- c. App ID
- d. IPsec
- e. CHAP

Feedback

The correct answers are: Basic, OAuth 2

Question 43

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

A Management service is configured in the Default Availability Zone during installation.

Which two statements are true regarding configuring additional management services for the different deployment options?

Select one or more:

- a. For appliance-based deployment,additional management services can be configured
- b. For appliance-based deployment ,only one management service can be configured.
- c. For container-based deployment, only one management service can be configured.
- d. For both appliance-based and container-based, additional management services can be configured.
- e. For container-based deployment, additional management services can be configured.

### Feedback

The correct answers are: For container-based deployment, only one management service can be configured., For appliance-based deployment,additional management services can be configured

### Question 44

Correct



Mark 1.00 out of 1.00

Flag question

Question text

What is the purpose of the X-ibm-configuration object in OpenAPI (swagger 2.0)?

Select one:

- a. Defines extensions that are specific to IBM API Connect
- b. Defines possible status codes
- c. Defines individual endpoints in an API
- d. Defines common data structures used in an API

Feedback

The correct answer is: Defines extensions that are specific to IBM API Connect

Question 45

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Below is a sample of a complex WSDL that contains external references to other WSDL files and references to XSD files containing XLM schema definitions at a remote endpoint

...

```
<xsd:import schemaLocation=https://services.ibm.com/consumerprofile.xsd
```

```
Namespace=http://customer.ibm.com/consumerprofile/v2.3/>
```

...

Which statement is true?

Select one:

- a. Download all the remote references and upload all the files one at a time
- b. The use of the import elements is not supported
- c. If the external reference is specified using a publicly accessible URL (http:~) upload the main WSDL file only
- d. Create a zip file with all of the files locally referenced and upload the zip file

Feedback

Your answer is correct.

The correct answer is: Create a zip file with all of the files locally referenced and upload the zip file

Question 46

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What role allows a member of the provider organization to view but not manage API Analytics?

Select one:

- a. Viewer
- b. Member
- c. Administrator
- d. Developer

Feedback

The correct answer is: Viewer

Question 47

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What organization contains the application developers that subscribe to use the APIs published to the Catalog?

Select one:

- a. Consumer organization
- b. Subscriber organization
- c. Provider organization
- d. API organization

Feedback

The correct answer is: Consumer organization

Question 48

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API tool provides automated and collaborative API testing without the need to code?

Select one:

- a. API connect Test and Monitor
- b. API Test Automation suite
- c. API Test and Validation
- d. API Test Robotic processing

Feedback

The correct answer is: API connect Test and Monitor

Question 49

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the result of issuing of the following commands on developer portal pt1\_01?

```
apicup subsys set pt1_01 site-backup-backup-host mybackuphost.com
```

```
apicup subsys set pt1_01 site-backup-backup-port 22
```

```
apicup subsys set pt1_01 site-backup-backup-auth-user mybackupauthusername
```

```
apicup subsys set pt1_01 site-backup-backup-auth-pass mybackupauthpassword
```

```
apicup subsys set pt1_01 site-backup-backup-path /site-backups
```

```
apicup subsys set pt1_01 site-backup-backup-schedule "0 2 1 **"
```

Select one:

- a. Backs up the entire ptl\_01 service and all installed sites
- b. Configures the backup certificate
- c. Sets the location and timing of backups
- d. Configures the backup server

Feedback

Your answer is correct.

The correct answer is: Sets the location and timing of backups

Question 50

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What must the analytics service be associated with in order to collect data about API usage?

Select one:

- a. Availability service
- b. Gateway service
- c. Portal service
- d. Management service

Feedback

The correct answer is: Gateway service

Question 51

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can the client secret for an Application created in the Developer portal be retrieved?

Select one:

- a. The client secret can be retrieved by clicking on the 'Forgot it' button next to the client secret field login.
- b. The client secret can be retrieved by decrypting the `/var/apim/apps.key` file on the Developer portal server.
- c. The client secret cannot be retrieved, if forgotten, it must be reset
- d. The client secret cannot be retrieved, if forgotten, the application must be deleted and a new one

Feedback

Your answer is correct.

The correct answer is: The client secret cannot be retrieved, if forgotten, it must be reset



Question 52

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How do different API provider development teams use the same catalog to publish and manage their APIs?

Select one:

- a. Partitioning the catalog into Spaces
- b. Controlling the Lifecycle stages
- c. Defining ownership of the API product
- d. Securing the APIs with different user IDs

Feedback

The correct answer is: Partitioning the catalog into Spaces

Question 53

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What does Kubernetes provide as one of the pods in the kube-system namespace?

Select one:

- a. Developer Portal instances
- b. DNS server
- c. Hooks into the Datapower Gateway
- d. Hooks into the micro Gateway

Feedback

The correct answer is: DNS server

Question 54

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What are common tasks completed by members of the provider organization?

Select one:

- a. Register new gateway services
- b. Manage products and API lifecycles
- c. Manage consumer organizations
- d. Register a new portal service

Feedback

The correct answer is: Manage products and API lifecycles

Question 55

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In which case is a user registry needed for authentication during an API call?

Select one:

- a. If the API uses two way SSL to authenticate the client application
- b. If the API is configured to use API keys in the Security Definition
- c. If the API is configured to use Basic Authentication in the security Definition.
- d. If the API is protected with a client a client credentials grant

Feedback

The correct answer is: If the API is configured to use Basic Authentication in the security Definition.

V10

Full set 1

APIC V10 Full Set 1

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Using the API Manager UI, which two pieces of information can be viewed from an application subscription?

Select one or more:

- a. The subscribing application.
- b. The Catalogs where the subscribing APIs are published.
- c. The Spaces where the subscribing APIs are published.
- d. The subscribing APIs
- e. The Consumer organization that the subscribing application belongs to.

Feedback

Your answer is correct.

The correct answers are: The subscribing application., The Consumer organization that the subscribing application belongs to.

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In the API Manager UI, what happens if a user's role is deleted?

Select one:

- a. The user's role permissions are set to default viewer, and another role with more permissions may be added to the user in the future.
- b. The user loses only that role and their account remains in API Manager, and another role may be added to the user in the future.
- c. The user's role permissions remain and are not altered until another role is added to the user in future.
- d. The user loses that role and their account is also removed, and the user account would need to be reactivated in the future.

Feedback

Your answer is correct.

The correct answer is: The user loses only that role and their account remains in API Manager, and another role may be added to the user in the future.

Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What needs to be done for the Developer Portal to show information in multiple languages?

Select one:

- a. Enable the transaction in the Developer Portal , and then translations happen automatically.
- b. Once the Developer Portal is setup in one language, create a Clone in the Portal Admin section and translate to other languages.
- c. Add x-ibm-languages to the API definition for the Developer Portal to translate the content automatically.
- d. Enable translations and create the content. Ensure the API definition is also created containing all translations by using x-ibm-languages.

Feedback

Your answer is correct.

The correct answer is: Add x-ibm-languages to the API definition for the Developer Portal to translate the content automatically.

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer needs to log onto the API Manager using the CLI.

Which API Connect parameter will list the realms?

Select one:

- a. identify-providers : list
- b. user-registry-settings : list
- c. user-registries : list
- d. client-creds : list

Feedback

Your answer is correct.

The correct answer is: identify-providers : list

Question 5

Correct



Mark 1.00 out of 1.00

Flag question

Question text

In which two places can the rate limit for an API be defined?

Select one or more:

- a. Catalog
- b. Space
- c. API definition
- d. Plan
- e. User role

Feedback

Your answer is correct.

The correct answers are: API definition, Plan

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about defining an API Property?

Select one:

- a. The name of a property has to begin with a lowercase.
- b. The property values can be encoded.
- c. Properties are defined in Catalogs.
- d. The value of a property cannot be null.

Feedback

Your answer is correct.

The correct answer is: The property values can be encoded.

Question 7

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A TLS Client profile with a keystore and a truststore has been created in the API Manager.

What additional step is required for the profile to be used?

Select one:

- a. The TLS Client profile(s), keystore, and truststore need to be exported and applied to the API Gateways as extensions
- b. Each element (Keystore, truststore, and TLS Client profile) need to be published to a Catalog.
- c. The TLS Client profile has to be enabled within a Catalog or a Space.
- d. TLS Client profiles are automatically ready to be used, once they are setup.

Feedback

Your answer is correct.

The correct answer is: The TLS Client profile has to be enabled within a Catalog or a Space.

Question 8

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is OpenAPI?

Select one:

- a. An XML-based messaging protocol for exchanging information among computers.
- b. A set of constraints for how the architecture of an Internet-scale distributed hypermedia system should behave.
- c. A query language for APIs and a runtime.
- d. A standard, programming language-agnostic interface description.

Feedback

Your answer is correct.

The correct answer is: A standard, programming language-agnostic interface description.

Question 9

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer is creating a GraphQL proxy using the From existing GraphQL service. After entering in the GraphQL server URL and schema name, the developer receives a connection error.

What should the developer do to continue with the creation of the API?

Select one:

- a. Change the entered schema name to the correct name.
- b. Click on View and correct the warnings.
- c. Upload a GraphQL schema (GQL).
- d. Upload a GraphQL schema (SDL)

Feedback

Your answer is correct.

The correct answer is: Upload a GraphQL schema (SDL)

Question 10

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which action occurs when the template customization toggle in Notification Settings is disabled and re-enabled?

Select one:

- a. A ping is sent to the configured mail trap server to test connectivity.
- b. All the default notifications are restored and overwrite any customizations of notification templates.
- c. Token reference fields for consumer and subscriber email templates are deleted
- d. Users who have opted-in for notifications will receive an auto-generated email to renew subscription.

Feedback

Your answer is correct.

The correct answer is: All the default notifications are restored and overwrite any customizations of notification templates.

Question 11

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer just completed coding a V5 compatible API definition and would like to trace the policies in the Assemble. The Test tab is disabled.

How can it be enabled?

Select one:

- a. Publish the API to another Catalog.
- b. For a V5 compatible gateway, tracing is not supported in the Test tab.
- c. Click the online slider.
- d. Add a Logging policy to the Assemble.

Feedback

Your answer is correct.

The correct answer is: For a V5 compatible gateway, tracing is not supported in the Test tab.

Question 12

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two values can be modified on a Consumer organization after creation?

Select one or more:

- a. The type (from Consumer organization to Provider organization).
- b. The title.
- c. The maximum number of apps that can be created by that organization.
- d. The ownership.
- e. The Category.

Feedback

Your answer is correct.

The correct answers are: The ownership., The title.

Question 13



Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about API Manager?

Select one:

- a. Managers the data retention of API event data
- b. Invokes the request to the backend services(s) defined in API implementation
- c. Configure analytics data offloading
- d. Managers the correction to the user registries that validates users of Provider and Consumer organizations

Feedback

Your answer is correct.

The correct answer is: Managers the correction to the user registries that validates users of Provider and Consumer organizations

#### Question 14

Correct

Mark 1.00 out of 1.00

Flag question

#### Question text

The enterprise architect has requested that common error handling be implemented in every API for the Healthcare Catalog.

What would an API developer create to support this request?

Select one:

- a. Create handlebar templates using { {error-condition} } that can be implemented on every API published to the Healthcare Catalog.
- b. Create a DataPower error rule in the multi-protocol gateway.
- c. Create a User Defined Policy that implements a catch block that can be uploaded to the Healthcare catalog.
- d. Create a global policy for the Healthcare Catalog.

#### Feedback

Your answer is correct.

The correct answer is: Create a global policy for the Healthcare Catalog.

Question 15

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which log setting includes the header info, message body, and invocation details?

Select one:

- a. Header logging
- b. Activity logging
- c. Payload logging
- d. Policy logging

Feedback

Your answer is correct.

The correct answer is: Payload logging

Question 16

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The rate-limit policy provides additional options within the assembly to set limits.

Which is an invalid source for the rate-limit?

Select one:

- a. Catalog by name
- b. Plan by name
- c. Gateway by name
- d. API by name

Feedback

Your answer is correct.

The correct answer is: API by name

### Question 17

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

Using the API Manager UI, which two operations can be performed in a developer application that have been registered in the Developer Portal?

Select one or more:

- a. List the Consumer organization that the application belongs to.
- b. Copy the client secret paired with a given client ID.
- c. Move an application subscription to a different plan.
- d. Add new client ID and client secret credentials.
- e. Move the application to a different Consumer organization.

### Feedback

Your answer is correct.

The correct answers are: Add new client ID and client secret credentials., List

the Consumer organization that the application belongs to.

Question 18

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer is planning to utilize OpenAPI v3.0.

Which statement is true?

Select one:

- a. apic validate will validate both OpenAPI v2.0. and v3.0.
- b. All Assembles policies are supported with OpenAPI v3.0.
- c. OpenAPI v3.0. is supported in a v5 compatible gateway.
- d. OpenID Connect is supported for OpenAPI v3.0.

Feedback

Your answer is correct.

The correct answer is: apic validate will validate both OpenAPI v2.0. and v3.0.

Question 19

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which policy is being used before the invoke-policy is being called?

Select one:

- a. User Security
- b. Validate JWT
- c. Validate

d. Client Security

Feedback

Your answer is correct.

The correct answer is: User Security

Question 20

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is a reason why the administrator would run apic custom-theme: create-export?

Select one:

- a. To allow migration of the themes to another Portal.
- b. To produce an exported Portal report.
- c. To backup the Portal database.
- d. To use for modifying an existing theme



## Feedback

Your answer is correct.

The correct answer is: To allow migration of the themes to another Portal.

## Question 21

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

In the Gateway extensions manifest, under the files section, which two types are valid?

Select one or more:

- a. Overwrite
- b. dp-import
- c. extension
- d. v5-compatible-policy
- e. network-configuration

## Feedback

Your answer is correct.

The correct answers are: dp-import, extension

## Question 22

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which two options can be enabled/disabled on a Space level?

Select one or more:

- a. Vanity API endpoints
- b. OAuth Providers
- c. TLS client profiles
- d. Production mode
- e. Application Lifecycle

## Feedback

Your answer is correct.

The correct answers are: OAuth Providers, TLS client profiles

## Question 23

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which statement is correct about publishing a Product that has been retired?

Select one:

- a. Deprecate the Product and then publish it again.
- b. Retiring a product pushes it back to Develop.
- c. A Product can be deprecated but not retired.
- d. A retired Product can be re-staged and then published .

## Feedback

Your answer is correct.

The correct answer is: A retired Product can be re-staged and then published .

## Question 24

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

A developer would like to test their API using an external testing utility, but has not created a new product.

Which can they get the API Base endpoint and Client ID perform the test?

Select one:

- a. Endpoints tab
- b. Source tab
- c. Assemble tab
- d. Design tab

## Feedback

Your answer is correct.

The correct answer is: Endpoints tab

## Question 25

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

How many custom roles can be created?

Select one:

- a. Unlimited.
- b. It is not possible to create custom roles and the default roles cannot be modified.
- c. One for each default role.
- d. It is not possible to create custom roles, but it is possible to modify the default roles.

## Feedback

Your answer is correct.

The correct answer is: Unlimited.

## Question 26

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which statement is correct about Set Variable policy

Select one:

- a. To clear a variable, the value must be set to null.
- b. DataPower Gateway (v5 compatible) supports the policy version 1.0.0 and 2.0.0.
- c. The Set Variable policy can be used to set, add or clear the value of a runtime variable.
- d. The allowed data types are array, string, number and boolean.

## Feedback

Your answer is correct.

The correct answer is: The Set Variable policy can be used to set, add or clear the value of a runtime variable.

## Question 27

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

An API Consumer intends to use the Consumer-API/sign-up and and then/activate.

Which response codes indicate a successful signup and activation?

Select one:

- a. 200 OK & 200 OK
- b. 200 OK & 201 Created
- c. 201 Created & 201 Created.
- d. 201 Created & 204 No Content.

## Feedback

Your answer is correct.

The correct answer is: 201 Created & 204 No Content.

## Question 28

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

Catches are used in an assembly and they have been defined for one or more of connection Error, SOAPERROR, or Operation Error.

What has to be done in addition?

Select one:

- a. Make sure a log policy is in the assembly flow for these errors.
- b. Add the same errors to "stop on error" in the invoke.
- c. Add separate catches for each of the errors.
- d. Ensure the use of DataPower API Gateway in v5 compatible mode for these to



work.

Feedback

Your answer is correct.

The correct answer is: Add the same errors to "stop on error" in the invoke.

Question 29

Partially correct

Mark 0.50 out of 1.00

Flag question

Question text

Which two additional controls does enabling spaces in a Catalog provider?

Select one or more:

- a. Membership to each Space is managed with in the Space.
- b. A collection of Consumer organizations can be created for each Space.
- c. An API Designer is provided for each Space.
- d. A distinct gateway service can be specified for each space.

e. A separate Developer Portal can be associated with each Space.

Feedback

Your answer is partially correct.

You have correctly selected 1.

The correct answers are: Membership to each Space is managed with in the Space.,  
A distinct gateway service can be specified for each space.

Question 30

Correct

Mark 1.00 out of 1.00

Flag question

Question text

As part of the onboarding process on the manager subsystem, a new user will receive an invitation.

What information does the new-user invitation contain?

Select one:

a. A code, which expires after the specified the timeout.

- b. A link, which expires after the specified the timeout.
- c. A code, which never expires.
- d. A link, which never expires.

Feedback

Your answer is correct.

The correct answer is: A link, which expires after the specified the timeout.

Question 31

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which component enforces runtime policies to secure and control API traffic?

Select one:

- a. Cloud Manager
- b. API Manager

c. Developer Portal

d. API Gateway

Feedback

Your answer is correct.

The correct answer is: API Gateway

Question 32

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer has used the Developer Portal to register an app.

If lost, how can the client secret be found?

Select one:

a. Run the retrieve secret CLI command.

b. Click the show checkbox.

c. Recover the secret using the portal admin.

d. The client secret needs to be reset.

Feedback

Your answer is correct.

The correct answer is: The client secret needs to be reset.

Question 33

Correct

Mark 1.00 out of 1.00

Flag question

Question text

If an API is secured by the Security Definition type API key, which location option is additionally available for OpenAPI 3.0 compared to OpenAPI 2.0?

Select one:

a. Cookie

b. Header

c. Query

d. Path

Feedback

Your answer is correct.

The correct answer is: Cookie

Question 34

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Put the following steps in order to extend the default enforcement capability of the Gateway server.

In IBM DataPower environment, develop configuration to be added to Gateway server.

Save enforcement objects and files as DataPower exported ZIP file.

Copy configuration ZIP file to centralized file system.

Upload the ZIP file via the Cloud Manager user interface.

Feedback

Your answer is correct.

#### Question 35

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In which scenario will a user get an error if they try to delete a Consumer organization?

Select one:

- a. If it is the only one specified in the custom visibility settings for a published Product.
- b. If it is open on the Developer Portal at the moment of the deletion.
- c. If there is more than one Consumer organization with the same name.
- d. If it is the only one in the Catalog or the Space.

Feedback

Your answer is correct.

The correct answer is: If it is the only one specified in the custom visibility settings for a published Product.

Question 36

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer with permission to create Consumer organizations is tasked with creating a new organization.

Which options are available?

Select one or more:

- a. In the Cloud Manager, choose Create Consumer organization.
- b. In the Developer Portal, choose Invite an organization owner.
- c. In the API Manager, choose Invite an organization owner.
- d. In the API Designer, choose Create organization.
- e. In the API Manager, choose Create organization.

Feedback



Your answer is correct.

The correct answers are: In the API Manager, choose Invite an organization owner., In the API Manager, choose Create organization.

Question 37

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A GraphQL API is set to use a security schema and secure the API by client ID.

Which policies need to be added?

Select one:

- a. Nothing needs to be done, the policies are added automatically.
- b. User Security
- c. Rate-limit
- d. Client Security

## Feedback

Your answer is correct.

The correct answer is: Nothing needs to be done, the policies are added automatically.

## Question 38

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

How is access to Products and Plans available on a Developer Portal controlled?

Select one:

- a. The admin of the Developer Portal can mask the visibility of the Products from certain Consumer organizations.
- b. The visibility and subscribability of a Product on the Developer Portal can be limited to a few selected Consumer organizations.
- c. A private version of the Developer Portal should be created.
- d. All Consumer organizations of a Developer Portal see all the Products available to the Portal.

## Feedback

Your answer is correct.

The correct answer is: The visibility and subscribability of a Product on the Developer Portal can be limited to a few selected Consumer organizations.

## Question 39

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which statement describes what should be done when testing rate limits using the built-in test application that is used by the API Manager and API Designer Test?

Select one:

- a. The administrator should add a test tag to each API to be included in the testing.
- b. A new test user should register to catalog that has automatic subscriptions enabled.
- c. The administration should disable warning messages that would indicate when limits are reached.

d. The administrator should deploy in a Sandbox Catalog where automatic subscriptions are not enabled.

Feedback

Your answer is correct.

The correct answer is: The administrator should deploy in a Sandbox Catalog where automatic subscriptions are not enabled.

Question 40

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about adding a SOAP API from its existing definition?

Select one:

a. Define a WSDL URI and include it the .yaml file of the API definition.

b. The .yaml file must conform to version 2.0 or version 3.0 of the OpenAPI specification

- c. Create a .zip archive of the WSDL file and .yaml file of the API definition.
- d. Import the .yaml file Containing the API definition.

Feedback

Your answer is correct.

The correct answer is: Create a .zip archive of the WSDL file and .yaml file of the API definition.

Question 41

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about user-defined policies?

Select one:

- a. A user-defined policy consists of DataPower API Gateway CLI commands that specify the intended actions all packaged in a .yaml file.
- b. User-defined policies are published to Catalogs.

- c. The patient in the assembly editor divides the list of items into categories: logic constructs, security, and transforms.
- d. User defined policies can be made available in certain Catalogs or across all catalogs in any Provider organization.

Feedback

Your answer is correct.

The correct answer is: User defined policies can be made available in certain Catalogs or across all catalogs in any Provider organization.

Question 42

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which might be the cause of an error when trying to enable Spaces in a Catalog?

Select one:

- a. There is no API Gateway allocated as default for the Spaces.
- b. The API Product needs to be enabled to be published to spaces.

- c. One or more Products have already been staged/published to the Catalog.
- d. Analytics has not been enabled to work with Spaces

Feedback

Your answer is correct.

The correct answer is: One or more Products have already been staged/published to the Catalog.

Question 43

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which file can be configured to create a customized theme for the Developer Portal?

Select one:

- a. Portal.json
- b. overrides.json

c. overrides.css

d. portal.css

Feedback

Your answer is correct.

The correct answer is: overrides.css

Question 44

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API Event Record field would indicate N/A when a client ID is not used or is invalid on the API?

Select one:

a. api\_id

b. app\_name



c. leg\_policy

d. org\_id

Feedback

Your answer is correct.

The correct answer is: app\_name

Question 45

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which of these actions is allowed?

Select one:

- a. Reusing the same Plan inside different API's.
- b. Linking the same Product and version inside different API's.
- c. Linking the same Products and version several times on the same Space.

d. Linking the same API and version inside different Products.

Feedback

Your answer is correct.

The correct answer is: Linking the same API and version inside different Products.

Question 46

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The security learn requires MFA (Multi-Factor Authentication) for Portal users from a business partner.

Select one:

- a. MFA is not supported.
- b. Configure OIDC User Registry.
- c. Configure OIDC User Registry and install MFA community module in Developer Portal site.

d. Configure Local User Registry and install MFA community module in Developer Portal site.

Feedback

Your answer is correct.

The correct answer is: Configure OIDC User Registry.

Question 47

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the benefit of multiple plans within a single Product?

Select one:

- a. Allows the admin to manage the lifecycle of the Product.
- b. Allows multiple users to subscribe to the Product.
- c. Offers similar purpose with differing levels of performance and cost.

d. Publishes the Product in multiple Catalogs.

Feedback

Your answer is correct.

The correct answer is: Offers similar purpose with differing levels of performance and cost.

Question 48

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which aspect needs to be kept in mind when a native OAuth provider needs to be customized?

Select one:

- a. There is no assembly view to edit the OAuth provider.
- b. There is no source view.
- c. Editing the source needs to be done carefully as validation is limited.

d. Customizations need to be done via extensions.

Feedback

Your answer is correct.

The correct answer is: Editing the source needs to be done carefully as validation is limited.

Question 49

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which role creates a Consumer organization, assigns a customer representative as the owner, and manages the relationship between the Provider organization and each Consumer organization?

Select one:

- a. Organization Manager
- b. API Lifecycle Manager
- c. API Manager

d. Product Manager

Feedback

Your answer is correct.

The correct answer is: Product Manager

Question 50

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How are Gateway extensions packaged to upload to the Gateways?

Select one:

- a. As .clg files
- b. As .zip files
- c. As .tar files
- d. As .war files

## Feedback

Your answer is correct.

The correct answer is: As .zip files

## Question 51

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

Which of the following statements is true regarding the hard limit: Limit\_Toggle for a Plan description?

Select one:

- a. The hard-limit: Limit\_Toggle parameter should match the Rate\_Limit set in the Product.
- b. The hard-limit: Limit\_Toggle must always be set to true or false.
- c. The hard-limit: Limit\_Toggle parameter is optional regardless of the Rate Limit setting.

d. It is not necessary to set the hard-limit: Limit\_Toggle if you have set Rate\_Limit to unlimited.

Feedback

Your answer is correct.

The correct answer is: The hard-limit: Limit\_Toggle parameter is optional regardless of the Rate Limit setting.

Question 52

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about exploring API's and Products in the Developer Portal?

Select one:

- a. An application client secret can be verified but not reset.
- b. Each operation of an API could be subscribed to different plans.
- c. The portal provides a snippet of code for the operation to be called.



d. Calls made to try/test an API are not counted against a plan.

Feedback

Your answer is correct.

The correct answer is: The portal provides a snippet of code for the operation to be called.

Question 53

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Where in the API Manager does the administrator go to configure email notifications and specify the sender name and email address?

Select one:

- a. In the Settings, Roles tab
- b. In the Settings, Onboarding tab
- c. In the Settings, Notification tab

d. In the Settings, Overview tab

Feedback

Your answer is correct.

The correct answer is: In the Settings, Notification tab

Question 54

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can an application developer create a better app using API's?

Select one:

- a. By using internal API's to get data from a third-party company as internal data is more valuable than public data.
- b. By using as few API's as possible to avoid complex apps, errors, and delays in development.
- c. By dealing with the long , arduous task as part of the partner on-boarding

process to use their API's.

d. By using multiple API's to create composite apps to get extra value.

Feedback

Your answer is correct.

The correct answer is: By using as few API's as possible to avoid complex apps, errors, and delays in development.

Question 55

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What status message is expected from a third-party OAuth provider for a token that is treated as invalid?

HTTP/1.1

Content-Type: application/json;charset=UTF-8

Cache-Control:no-store

Pragma: no-cache

```
{  
  
  "active" :false  
  
}
```

Select one:

- a. 200 OK
- b. 400 Bad Request
- c. 401 Unauthorized
- d. 403 Forbidden

Feedback

Your answer is correct.

The correct answer is: 401 Unauthorized

Question 56

Correct

Mark 1.00 out of 1.00

Flag question

Question text

By default, what occurs when the Activate API is enabled?

Select one:

- a. A Product is created in the Products tab.
- b. The API is published to the Sandbox.
- c. The API is subscribed in the Developer Portal.
- d. A notification is sent to the owner.

Feedback

Your answer is correct.

The correct answer is: The API is published to the Sandbox.

Question 57

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The DevOps team is developing scripts to deploy all APIs and Products to specific catalog.

Which CLI command parameter will allow all scripts to send multiple APIs and Products to the same sandbox Catalog?

Select one:

- a. publish : set --scope=catalog
- b. publish : set catalog
- c. publish : set --mode=catalog
- d. Config : set catalog

Feedback

Your answer is correct.

The correct answer is: Config : set catalog

Question 58

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct when testing the published API operations in the Developer Portal?

Select one:

- a. The API in the associated API Manager is called.
- b. The API in the associated Developer Portal is called.
- c. The API in the associated API Designer is called.
- d. The API in the associated Gateway server is called.

Feedback

Your answer is correct.

The correct answer is: The API in the associated Gateway server is called.

Question 59

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which component provides insight into API usage?

Select one:

- a. Developer Toolkit
- b. API Manager
- c. API Analytics
- d. Cloud Manager

Feedback

Your answer is correct.

The correct answer is: API Analytics

Question 60

Correct

Mark 1.00 out of 1.00

Flag question

Question text

If the visualizations in Developer Portal app dashboard views display no data or show data only for a time period in the past, which statement describes a possible reason?



Select one:

- a. Analytics in the Developer Portal can only be viewed as aggregated data for the last 30 days.
- b. To view current analytics, the user must provide 2Factor auth token.
- c. Access to analytics data within API Connect has been switched off.
- d. The user does not have admin authority, which is required to view analytics.

Feedback

Your answer is correct.

The correct answer is: Access to analytics data within API Connect has been switched off.

Full set 2

APIC V10 Full Set 2

Question 1

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement describes a requirement for monetizing a Product?

Select one:

- a. An administrator must have both soft and hard rates limits set for the API product.
- b. The Payment Cloud method module must be enabled in the Developer Portal.
- c. Any existing free plans for the Product must be disabled.
- d. A billing integration resource must first be configured for the Provider organization.

Feedback

Your answer is correct.

The correct answer is: A billing integration resource must first be configured for the Provider organization.

Question 2

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can a Consumer see their API usage?

Select one:

- a. The numbers of requests, for different APIs, that the Consumer's application has made are shown on their application page.
- b. The Consumer can be permitted to access the analytics on API Manager.
- c. The Consumer would need to request an API usage report from the API provider.
- d. The calling application would need to keep track of the API usage.

Feedback

Your answer is correct.

The correct answer is: The numbers of requests, for different APIs, that the Consumer's application has made are shown on their application page.

Question 3

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What are the two ways to create a new Consumer organization?

Select one or more:

- a. Invite an organization owner to create a new Consumer organization, specifying the title. All the assets will be moved to the new organization and old one will be deleted.
- b. Invite a user to be a Consumer organization owner, specifying the title.
- c. Create the Consumer organization, specifying the owner and title.
- d. Invite a user to be a Consumer organization owner. The user will specify the title.
- e. Create the Consumer organization with a specific owner. The user will specify the title.

Feedback

Your answer is correct.

The correct answers are: Invite a user to be a Consumer organization owner. The user will specify the title., Create the Consumer organization, specifying the owner and title.

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The GraphQL developer incorporated a field that should not be available for introspection or validation by the client.

How would the API developer obfuscate the field so clients will not view them?

Select one:

- a. Click the gear icon and choose Hide on the Show/Hide setting.
- b. Add the Redaction policy to the GraphQL Assemble.
- c. Choose the field in the schedule and click the delete icon.
- d. Apply the @hide directive to the GraphQL schema.

Feedback

Your answer is correct.

The correct answer is: Add the Redaction policy to the GraphQL Assemble.

### Question 5

Correct

Mark 1.00 out of 1.00

Flag question

#### Question text

Using the API Manager UI, which two pieces of information can be viewed from the subscriptions in a Product?

Select one or more:

- a. The Plan that the application is subscribed to.
- b. The Catalogs where the subscribing Product is published.
- c. The spaces where the subscribing Product is published.
- d. The Product that contains the Plan that the application is subscribed to.
- e. The subscribing APIs.

#### Feedback

Your answer is correct.

The correct answers are: The Plan that the application is subscribed to., The Product that contains the Plan that the application is subscribed to.

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which role is required to access the “Email Subscribers” wizard in the Developer Portal?

Select one:

- a. Publisher
- b. Administrator
- c. Consumer
- d. Provider

Feedback

Your answer is correct.

The correct answer is: Administrator

### Question 7

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is correct about using context variables in GatewayScript Policies?

Select one:

- a. `context.message.statuscode = '200 success'` updates the status code of the message object.
- b. All API content variables are saved in an XML tree.
- c. `context.request.statuscode = 400` updates the status code of the request object.
- d. `context.set ('my.vars.amount' , 100)` generates `{ "my.vars": { "amount": 100 } }`

Feedback

Your answer is correct.

The correct answer is: `context.message.statuscode = '200 success'` updates the status code of the message object.



Question 8

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which of these actions is allowed?

Select one:

- a. Reusing the same Plan inside different APIs
- b. Linking the same Product and version several times on the same Space
- c. Linking the same API and version inside different Products
- d. Linking the same Product and version inside different APIs

Feedback

Your answer is correct.

The correct answer is: Linking the same API and version inside different Products

Question 9

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Why would an administration run the `apic apic-config:get Portal CLI` command?

Select one:

- a. To setup notifications.
- b. To initiate backup of the Portal.
- c. To view the configured user registries, payment methods, permissions, and TLS profiles for the Portal.
- d. To restore the Portal backup.

Feedback

Your answer is correct.

The correct answer is: To view the configured user registries, payment methods, permissions, and TLS profiles for the Portal.

Question 10

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The security team will allow OIDC to be used for Portal access.

Which two OIDC provider types are available out of the box?

Select one or more:

- a. IBM Cloud
- b. Azure
- c. Facebook
- d. Github
- e. Instagram

Feedback

Your answer is correct.

The correct answers are: Github, Facebook

### Question 11

Correct

Mark 1.00 out of 1.00

Flag question

Question text

For the policy JSON to XML to work, what needs to be followed for the Datapower API Gateway?

Select one:

- a. Input for the policy needs to be parsed data.
- b. The policy needs to be configured with the corresponding schemas to perform the transformation.
- c. The service to perform the transformation needs to be configured.
- d. Nothing needs to be done the policy can directly follow the invoke policy.

Feedback

Your answer is correct.

The correct answer is: Input for the policy needs to be parsed data.

## Question 12

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In which case is the customization of a native OAuth provider not immediately ready to be used?

Select one:

- a. A logic operator is used in the assembly.
- b. Grant types are added.
- c. A policy with a reference to a TLS profile is added.
- d. One or more "Transform" policies are used in the assembly.

Feedback

Your answer is correct.

The correct answer is: A policy with a reference to a TLS profile is added.

### Question 13

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer would like to run the step debugger on the GatewayScript Policy that is part of the Assembly.

What would allow step debugging on the GatewayScript?

Select one:

- a. Enable debug checkbox in Assemble.
- b. Click the Trace in the Test tab.
- c. Add a debugger; statement.
- d. Enable step debug in the Test tab.

Feedback

Your answer is correct.

The correct answer is: Click the Trace in the Test tab.

#### Question 14

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about API Manager?

Select one:

- a. Manages the connection to the user registries that validates user of Provider and Consumer organization.
- b. Invokes the request to the backend service(s) defined in an API implementation.
- c. Configure analytics data offloading.
- d. Manages the data retention of API event data.

Feedback

Your answer is correct.

The correct answer is: Manages the connection to the user registries that

validates user of Provider and Consumer organization.

Question 15

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is OpenAPI?

Select one:

- a. An XML-based messaging protocol for exchanging information among computers.
- b. A standard, programming language-agnostic interface description.
- c. A set of constraints for how the architecture of an internal-scale distributed hypermedia system should behave.
- d. A query language for APIs and a runtime.

Feedback

Your answer is correct.

The correct answer is: A standard, programming language-agnostic interface



description.

Question 16

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which action will reload all the default notifications and overwrite any customizations of notification templates?

Select one:

- a. Renaming the customized notification template.
- b. Updating the curly brace `template_name` variable in the handlebars syntax.
- c. Transferring ownership of the customized template to another user.
- d. Disabling and re-enabling template customization toggle.

Feedback

Your answer is correct.

The correct answer is: Disabling and re-enabling template customization toggle.

Question 17

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is true when adding extra DataPower enforcement capabilities to a Gateway service?

Select one:

- a. Multiple Gateway extension .zip files may be added to the same Gateway service.
- b. More than one Gateway extension .zip file cannot be uploaded to the same Gateway service.
- c. The network route to a physical DataPower device is configured through the API Manager.
- d. The DataPower extensibility function does not allow encryption and decryption.

Feedback

Your answer is correct.

The correct answer is: More than one Gateway extension .zip file cannot be uploaded to the same Gateway service.

Question 18

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can an application developer create a better app using APIs?

Select one:

- a. By using multiple APIs to create composite apps to get extra value.
- b. By using as few APIs as possible to avoid complex apps, errors, and delays in development.
- c. By using with the long, arduous task as part of the partner on-boarding process to use their APIs.
- d. By using internal APIs to get data from a third-party company as internal data is more valuable than public data.

## Feedback

Your answer is correct.

The correct answer is: By using as few APIs as possible to avoid complex apps, errors, and delays in development.

## Question 19

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

What can be done to make sure all errors are caught within an assembly?

Select one:

- a. The errors provided cover all possible causes, and nothing needs to be done.
- b. Create an invoke that collects information on all causes from a service.
- c. Tweak the assembly with logical policies to ensure all possible cases are covered.
- d. Add a default catch.

Feedback

Your answer is correct.

The correct answer is: Add a default catch.

Question 20

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Who creates applications that use the APIs available in the Developer Portal?

Select one:

- a. A member of the Consumer organization
- b. API Developer
- c. API Lifecycle Manager
- d. A member of the Provider organization.

Feedback

Your answer is correct.

The correct answer is: A member of the Consumer organization

Question 21

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is true about the use of \$ref?

Select one:

- a. \$ref must be defined at the root level of the YAML file.
- b. GatewayScript can use \$ref instead of included files.
- c. When an API is published, the \$ref is replaced with the contents of the referenced file.
- d. Sref can only be defined in YAML files.

Feedback

Your answer is correct.

The correct answer is: When an API is published, the \$ref is replaced with the contents of the referenced file.

## Question 22

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct regarding the creation of a SOAP proxy API from an existing SOAP service?

Select one:

- a. A single .zip file that contains the WSDL file describing the SOAP service, and its dependent documents is uploaded.
- b. The WSDL file describing the SOAP service is uploaded and the dependencies are set target services.
- c. To expose a SOAP service in API Connect, it has to be mapped to a REST API.
- d. In API Connect, a SOAP API can be created only from a stand-alone WSDL.

## Feedback

Your answer is correct.

The correct answer is: A single .zip file that contains the WSDL file describing the SOAP service, and its dependent documents is uploaded.

## Question 23

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which statement is correct about migration of a subscribed external application to a new Product?

Select one:

- a. The admin of a Developer Portal can enforce the migration to a new Product.
- b. The Consumer manages migration of their subscribed application to a new Product.
- c. The Plans of the new product should be the same or less restrictive than those of the original Product.
- d. A Community Manager manages migration of a subscribed external application to



a new Product.

Feedback

Your answer is correct.

The correct answer is: The Plans of the new product should be the same or less restrictive than those of the original Product.

Question 24

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is a key requirement when creating an OpenAPI 3.0 API secured by basic authentication, API key, or OAuth?

Select one:

- a. It needs an external security service.
- b. The relevant information can only be passed in the header.
- c. The API can only be enforced by Datapower API Gateway.

d. The security-schema-name must follow a strict pattern.

Feedback

Your answer is correct.

The correct answer is: The API can only be enforced by Datapower API Gateway.

Question 25

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can a user be added that was previously removed from a Provider organization that uses a Local User Registry (LUR)?

Select one:

- a. A deleted user from a LUR cannot be added to the same registry.
- b. The user must re-activate their account by using the sign in option, not by using the sign up option.
- c. The user must re-activate their account by using the sign up option, not by using the sign in option.

d. The user must re-register using the invitation link sent by the Provider organization owner or a user with the appropriate role.

Feedback

Your answer is correct.

The correct answer is: The user must re-activate their account by using the sign in option, not by using the sign up option.

Question 26

Correct

Mark 1.00 out of 1.00

Flag question

Question text

An app developer has registered an app and has received a Client ID and secret.

Where can the developer request an additional Client ID and secret?

Select one:

- a. An additional Client ID and secret can be added on the Subscriptions tab.
- b. Use the portal admin UI to enable the multiple Client ID option.
- c. Use the app alias link on the existing app page.
- d. Only one Client ID and secret is allowed per app.

Feedback

Your answer is correct.

The correct answer is: An additional Client ID and secret can be added on the Subscriptions tab.

Question 27

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which set of APIs should be used to register users in the Developer Portal, create applications, and subscribe to APIs?

Select one:

- a. Portal Admin APIs
- b. Subscription APIs
- c. Management APIs
- d. Consumer APIs

Feedback

Your answer is correct.

The correct answer is: Consumer APIs

Question 28

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Given the API Endpoint, "https://cor.client.rtc/savings/annual/", which statement is correct with default Catalog settings?

Select one:

- a. "annual" is the name of the catalog the API is deployed to.

- b. "savings" is the name of the gateway cluster the Catalog is set to.
- c. "annual" is the name of the API being called.
- d. "savings" is the name of the Catalog the API is deployed to.

Feedback

Your answer is correct.

The correct answer is: "annual" is the name of the catalog the API is deployed to.

Question 29

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which component enforces runtime policies to secure and control API traffic?

Select one:

a. Cloud Manager

b. Developer Portal

c. API Manager

d. API Gateway

Feedback

Your answer is correct.

The correct answer is: API Gateway

Question 30

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is correct about superseding one Product with another?

Select one:

a. The Product that was superseded is in the Retired state.

b. Existing customers of the Product that was superseded are automatically migrated to the superseding product.

- c. If the access to the Superseding Product is more restrictive than the Product to be superseded, the supersede operation fails.
- d. The Product to be Superseded must be in the Staged, Retired, or Depreciated state.

Feedback

Your answer is correct.

The correct answer is: If the access to the Superseding Product is more restrictive than the Product to be superseded, the supersede operation fails.

Question 31

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which API Event Record field indicates N/A when a client ID is not used or is invalid on the API?

Select one:

a. org\_id



- b. log\_policy
- c. api\_id
- d. product\_name

Feedback

Your answer is correct.

The correct answer is: product\_name

Question 32

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is true about API properties?

Select one:

- a. A property can have a Catalog specific value.
- b. API properties are pre-defined.

- c. If Spaces are enabled, a property can have a Space specific value.
- d. Values of API properties can be Changed during runtime.

Feedback

Your answer is correct.

The correct answer is: A property can have a Catalog specific value.

Question 33

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer would like to clean up old Products on the development environment.

Which CLI command parameters can be used to find all Products?

Select one:

- a. `products:list-all --scope catalog`
- b. `catalog:get-products`

c. products:list --showall

d. products:list --realm (providerorg)

Feedback

Your answer is correct.

The correct answer is: products:list-all --scope catalog

Question 34

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which of the following is true for Products?

Select one:

- a. A Product can be published to selected communities.
- b. When a product is staged or published, it is visible for all communities.
- c. APIs become accessible when a Product is staged on the Developer Portal.

d. A selected must be published before it is staged.

Feedback

Your answer is correct.

The correct answer is: A Product can be published to selected communities.

Question 35

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How are Gateway extensions packaged to upload to the Gateways?

Select one:

a. As.cfg files

b. As.zip files

c. As.war files

d. As .tar files

## Feedback

Your answer is correct.

The correct answers are: As.cfg files, As.zip files

## Question 36

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which two image formats are supported for use in the developer portal?

Select one or more:

- a. JPG
- b. GIF
- c. PPM
- d. WebP
- e. EXIF

## Feedback

Your answer is correct.

The correct answers are: JPG, GIF

## Question 37

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which role creates a Consumer organization, assigns a customer representative as the owner, and manages the relationship between the Provider organization and each Consumer organization?

Select one:

- a. Organization Manager
- b. API Lifecycle Manager
- c. API Manager

d. Product Manager

Feedback

Your answer is correct.

The correct answer is: Product Manager

Question 38

Incorrect

Mark 0.00 out of 1.00

Flag question

Question text

Which component provides insight into API usage?

Select one:

a. Cloud Manager

b. API Analytics

c. Developer Toolkit

d. API Manager

Feedback

Your answer is incorrect.

The correct answer is: API Analytics

Question 39

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is a vanity API endpoint?

Select one:

- a. The server URL on which the API is running.
- b. The gateway endpoint at which the API is invoked.
- c. The basepath as defined in the OpenAPI definition for the API.
- d. The endpoint that is visible to the Consumer in the Developer Portal.

Feedback



Your answer is correct.

The correct answer is: The endpoint that is visible to the Consumer in the Developer Portal.

Question 40

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How many languages are available to send and personalize notification emails with?

Select one:

- a. The notifications can be sent in 15 languages. Each notification email can be personalized for each language separately.
- b. The notifications can be sent in 15 languages. Each notification email can be personalized in English only.
- c. The notifications can be sent in 15 languages. Each notification email can be personalized with the same template for all the languages.
- d. The notifications are sent In English only. Each notification email can be

personalized.

Feedback

Your answer is correct.

The correct answer is: The notifications can be sent in 15 languages. Each notification email can be personalized for each language separately.

Question 41

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Within the client security policy, the credential extraction method is set to Form.

Which statement is required in this case?

Select one:

- a. Credentials have to be gathered via a custom form.
- b. A prefix will be added to the secret-name and id at runtime.
- c. Client id and secret must be supplied via a POST request.
- d. "Stop on error" has to be active as well.

Feedback

Your answer is correct.

The correct answer is: Client id and secret must be supplied via a POST request.

Question 42

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the correct order of these activities to create and then subscribe an application to a Product?

Log in to API Manager UI.

Go to Manage Catalogs and then the Catalog to work with.  
Click on the Applications tab.  
Add an Application.  
Fill the form and create it.  
On the Applications tab, navigate to Create a subscription.  
Select the Product/Plan combination for the API and create it.

Feedback

Your answer is correct.

Question 43

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A developer has asked to modify the default global behavior of ratelimit enforcement to allow execution of the API even if the ratelimit is exceeded.

when creating the global policy yaml file which is true?

Select one:

a. At the beginning of the YAML add policy : 1.0.0.

- b. Add to the info section "full-custom: true".
- c. Ensure the version at the beginning of the YAML is the same as the version in the info section.
- d. At the beginning of the YAML add global-reflow-policy: 1.0.0.

Feedback

Your answer is correct.

The correct answer is: Add to the info section "full-custom: true".

Question 44

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which options would be selected to manage the lifecycle of a version of a Product?

Select one:

- a. Set migration target

- b. Set burst limit
- c. Set endpoint
- d. Set rate limit

Feedback

Your answer is correct.

The correct answer is: Set migration target

Question 45

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which HA concept applies for OAuth operations in a multi-node Kubernetes cluster?

Select one:

a. Quantum

b. Heartbeat

c. Quorum

d. STONITH

Feedback

Your answer is correct.

The correct answer is: Quorum

Question 46

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Given an API that executes on an API Gateway service with pre-request, post-request, and error global policies, what is the order that the different assemblies will be executed if the process fails while executing the post-request?

Pre-request global policy  
API assembly

Post-request global policy  
Error global policy

Feedback

Your answer is correct.

Question 47

Correct

Mark 1.00 out of 1.00

Flag question

Question text

How can a Consumer organization's ownership be transferred?

Select one:

- a. It is not possible to change the Consumer organization owner once created.
- b. Using the REST interface, send a PATCH request to `https://(apimserver)/consumer-org/ (org) /transfer-owner`.
- c. In the navigation pane of the API Manager UI on the Consumers tab, Click the options icon (three dots) alongside the Consumer organization to work with, then click Transfer. Select the user that will be the new owner, click confirm.



d. Using the CLI, execute the apic consumer-orgs : transfer-owner command.

Feedback

Your answer is correct.

The correct answer is: Using the CLI, execute the apic consumer-orgs : transfer-owner command.

Question 48

Correct

Mark 1.00 out of 1.00

Flag question

Question text

What is the effect of enabled Spaces for the management of Consumer (applications, subscriptions, etc.)?

Select one:

- a. There is no visible change.
- b. Only analytics is specific per Space.
- c. Subscription approvals and analytics are specific per Space.

d. Consumers, applications, subscriptions, approvals, and analytics now specific per Space.

Feedback

Your answer is correct.

The correct answer is: Consumers, applications, subscriptions, approvals, and analytics now specific per Space.

Question 49

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In what order do the following steps need to be performed, to enable CORS and restrict the pages from where the API can be called in an OpenAPI 3.0 definition?

- Open the required API for editing
- Select the Gateway tab and expand settings section
- Select and enable CORS
- Add policy
- Add allowed origins

## Feedback

Your answer is correct.

## Question 50

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

Which statement is true if the admin login has been disabled on the developer Portal?

Select one:

- a. Registered users will receive email with link to login as admin.
- b. Published APIs are hidden from all users.
- c. Admin login is still accessible by navigating to `<siteurl>/user/login?registry_url=/admin`.
- d. All users have admin authority when they login.

## Feedback

Your answer is correct.

The correct answer is: Registered users will receive email with link to login as admin.

## Question 51

Correct

Mark 1.00 out of 1.00

Flag question

Question text

In which two places can the rate limit for an API be defined?

Select one or more:

- a. API definition
- b. Space
- c. User role
- d. Catalog
- e. Plan

## Feedback

Your answer is correct.

The correct answers are: API definition, Plan

## Question 52

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

A developer is working on an API which supports the v5c-gateway and wants to also support the datapower-api-gateway.

Which statement is true about selecting a gateway?

Select one:

- a. Only one gateway type is allowed per API.
- b. Selecting multiple gateways is accomplished in the API Manager.
- c. Disabling enforce will allow multiple gateways.
- d. No changes are needed to switch gateways.

## Feedback

Your answer is correct.

The correct answer is: Only one gateway type is allowed per API.

## Question 53

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

After a developer select Secure using Client ID, what header is required when executing the API?

Select one:

- a. X-IBM-client-ID
- b. client-identification
- c. OAuth bearer token
- d. Authorization code

## Feedback

Your answer is correct.

The correct answer is: X-IBM-client-ID

## Question 54

Correct

Mark 1.00 out of 1.00

Flag question

## Question text

What occurs if the Catalog associated with the Developer Portal has two gateway services enabled, each of which is associated with different analytics services?

Select one:

- a. The Developer Portal displays one chart which combines the API stats.
- b. The Developer Portal displays Total Calls for the applications.
- c. The Developer Portal displays separate charts for each analytics service.
- d. The Developer Portal does not display analytics data.

Feedback

Your answer is correct.

The correct answer is: The Developer Portal displays Total Calls for the applications.

Question 55

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A Catalog holds some published API Products before enabling Spaces.

What are the steps that need to be done for spaces to work?

- Retire published Products.
- Remove all published Products.
- Enable Spaces.
- Republish Products
- Recreate application subscriptions.

Feedback



Your answer is correct.

Question 56

Correct

Mark 1.00 out of 1.00

Flag question

Question text

The DevOps team would like to incorporate API unit testing into the build and deploy step.

What could the API Connect Test application create to allow unit testing of their APIs?

Select one:

- a. DataPower loopbacks
- b. API Hooks
- c. Mock tests
- d. API JUnit snippets

Feedback

Your answer is correct.

The correct answer is: API Hooks

Question 57

Correct

Mark 1.00 out of 1.00

Flag question

Question text

A User registry was created in the Cloud Manager.

In order for the registry to be used on the Developer Portal, what must be completed?

Select one:

- a. On the Portal settings page, choose the User registry.
- b. On the API Manager resources page, make the User registry public.
- c. On the appropriate Catalog, configure the Onboarding setting.
- d. On the appropriate Catalog, configure the resources settings.

## Feedback

Your answer is correct.

The correct answer is: On the appropriate Catalog, configure the Onboarding setting.

## Question 58

Correct

Mark 1.00 out of 1.00

Flag question

### Question text

Which two statements about the following code snippet are true?

```
assembly-setvar udp-basic_1.0.0_set-variable_0
```

```
reset
```

```
title "set-variable"
```

```
Correlation-path "$.x-ibm-configuration.assembly.execute[0]"
```

```
variable
```

```
action set
```

```
name "param1"
```

```
type string
```

value "\$ (local.parameter.credential)"

exit

exit

Select one or more:

- a. The value to the paraml variable will be provided by the application calling an API with the policy.
- b. The policy sets a variable called paraml.
- c. It updates the pre-defined 'set-variable' policy.
- d. The value to the paraml variable will be provided by the API developer.
- e. The action type can be 'append'.

Feedback

Your answer is correct.

The correct answers are: The value to the paraml variable will be provided by the API developer., The policy sets a variable called paraml.

Question 59

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which statement is true regarding API Analytics Dashboards?

Select one:

- a. A single dashboard may be created that includes data from multiple Catalogs.
- b. A visualization should be created and saved after creating a custom dashboard.
- c. Data from multiple Catalogs cannot be visualized on a single dashboard.
- d. All users have the ability to create a custom dashboards.

Feedback

Your answer is correct.

The correct answer is: A single dashboard may be created that includes data from multiple Catalogs.

Question 60

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Which two grant types are supported for native and third-party OAuth providers?

Select one or more:

- a. Inhibit
- b. Explicit
- c. Application (client-credentials)
- d. Implicit
- e. Exhibit

Feedback

Your answer is correct.

The correct answers are: Implicit, Application (client-credentials)