

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
rat()

n
a a
v v v
e e e e
e e e e e
n n n n n n

[9]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(0,i+1):
            print(name[j],end=' ')
        print()

rat()

n
n a
n a v
n a v e
n a v e e
n a v e e n

[10]: name = 'naveen'
def rat():
    for i in range(len(name),0,-1):
        for j in range(0,i+1):
```

35°C Mostly sunny

Search

ENG IN 13:18 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[8]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(0,i+1):
            print(name[i],end=' ')
        print()

rat()

n
a a
v v v
e e e e
e e e e e
n n n n n n
```

```
[9]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(0,i+1):
            print(name[j],end=' ')
        print()

rat()

n
n a
```

35°C Mostly sunny Search 13:18 07-06-2026 ENG IN

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

IndexError: string index out of range

```
[17]: for i in range(6,0,-1):
      for j in range(0,i):
          print(chr(i+96),end=' ')
      print()

f f f f f f
e e e e e
d d d d
c c c
b b
a
```

```
[83]: name = 'naveen'
      def rat():
          for i in range(len(name)-1,0,-1):
              for j in range(0,i+1):
                  print(name[i],end=' ')
              print()

      rat()

n n n n n
e e e e e
c c c c
v v v
a a
```

```
[93]: name = 'naveen'
      def rat():
          for i in range(len(name)):
```

35°C Mostly sunny

Search

ENG IN

13:18 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[33]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(5,1,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()

n
n a
n a v
n a v e
n a v e e
n a v e e n
```

```
[42]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(5,1,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()
```

35°C Mostly sunny Search 13:17 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
n a v
n a v e
n a v e e
n a v e e n
```

```
[42]: name = 'naveen'
def rat():
    for i in range(len(name)):
        for j in range(5,i,-1):
            print('',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()

n
n a
n a v
n a v e
n a v e e
n a v e e n
```

```
[30]: name = 'naveen'
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print('',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()
```

35°C Mostly sunny Search 13:17 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
print(name[j1],end=' ')
print()

rat()

n
n a
n a v
n a v e
n a v e e
n a v e e n

[30]: name = 'naveen'
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print('',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()

n n n n n
e e e e e
e e e e
v v v
a a
n

[77]: name = 'naveen'
```

35°C Mostly sunny 13:16 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
V V V
a a
n

[77]: name = 'naveen'
      def rat():
          for i in range(5,-1,-1):
              for j in range(5,i,-1):
                  print(' ',end=' ')
              for j1 in range(0,i+1):
                  print(name[j1],end=' ')
              print()

      rat()

n a v e e n
n a v e e
n a v e
n a v
n a
n
```

```
[75]: name = 'naveen'
      def rat():
          for i in range(5,-1,-1):
              for j in range(5,i,-1):
                  print(' ',end=' ')
              for j1 in range(0,i+1):
                  print(name[j1],end=' ')
              print()
```

35°C Mostly sunny Search 13:16 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help

Trusted

JupyterLab Python 3 (ipykernel)

```
rat()

n n n n n
e e e e e
e e e e e
v v v v
a a
n
```

[76]: name = 'naveen'

```
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print('.',end=' ')
        for j1 in range(0,i+1):
            print(name[i],end=' ')
        print()

rat()

n n n n n
e e e e e
e e e e e
v v v v
a a
n
```

[75]: name = 'naveen'

```
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
```

35°C Mostly sunny

Search

ENG IN

13:16 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
n a v
n a
n

[75]: name = 'naveen'
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()

n a v e e n
n a v e e
n a v e
n a v
n a
n

[74]: name = 'naveen'.upper()
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()
```

35°C Mostly sunny Search 13:16 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
rat()

n a v e e n
n a v e e
n a v e
n a v
n a
n

[34]: name = 'naveen'
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[i],end=' ')
            print()
    rat()

n n n n n
e e e e e
e e e e
v v v v
a a
n

[74]: name = 'naveen'.upper()
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
```

35°C Mostly sunny 13:16 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[73]: name = 'naveen'.upper()
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print('.',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

    rat()

N N N N N N
E E E E E
E E E E
V V V
A A
N
```

```
[57]: name = 'python'
def nam():
    for i in range(len(name)):
        for j in range(5,i,-1):
            print('.',end='')
        for j in range(0,i+1):
            print(name[j],end=' ')
        print()

    nam()
```

35°C Mostly sunny Search 13:15 07-06-2026

Home pattern

localhost:8888/notebooks/python%2Fpattern.ipynb

Jupyter pattern Last Checkpoint: 30 minutes ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[41]: for i in range(6,0,-1):
      for j in range(6,i,-1):
          print('',end=' ')
      for k in range(0,i):
          print('*',end=' ')
      print()

*****
*****
****
***
**
*

[42]: for i in range(1,6):
      for j in range(6,i,-1):
          print('',end=' ')
      for k in range(0,i):
          print('*',end=' ')
      print()

*
**
***
****
*****

[43]: def biodata():
```

35°C Partly sunny

Search

ENG IN

16:30 03-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
NAVEEN
NAVEE
NAVE
NAV
NA
N
```

```
[41]: name = 'naveen'.upper()
def rat():
    for i in range(5,-1,-1):
        for j in range(5,i,-1):
            print(' ',end=' ')
        for j1 in range(0,i+1):
            print(name[j1],end=' ')
        print()

rat()

NAVEEN
NAVEE
NAVE
NAV
NA
N
```

```
[57]: name = 'python'
def nam():
    for i in range(len(name)):
        for j in range(5,i,-1):
            print(' ',end='')
        for j in range(0,i+1):
```

35°C Mostly sunny Search 13:15 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
o o o o o
n n n n n

[61]: num=int(input('enter the no:'))
      def lor():
          for i in range(1,num+1):
              if num % i==0:
                  print(i)

      lor()

enter the no: 20
1
2
4
5
10
20

[65]: val=lambda a,b,c,d: a if a>b and a>c and a>d else b if b>c and b>d else c if c>d else d
      val (10,20,25,27)

[65]: 27

[72]: num=[1,2,3,4,5]
      def cube():
          val=list(map(lambda a: a**3,num))
          print(val)
      cube()
```

35°C Mostly sunny Search 13:15 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
20
[65]: val=lambda a,b,c,d: a if a>b and a>c and a>d else b if b>c and b>d else c if c>d else d
      val (10,20,25,27)

[65]: 27

[72]: num=[1,2,3,4,5]
      def cube():
          val=list(map(lambda a: a**3,num))
          print(val)
      cube()

[ ]: [1, 8, 27, 64, 125]

[ ]:
```

35°C Mostly sunny Search 13:15 07-06-2026

Home x Untitled1 x +

localhost:8888/notebooks/python/Untitled1.pyrb

Jupyter Untitled1 Last Checkpoint: 4 minutes ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[10]: name = 'naveen'
def rat():
    for i in range(len(name),0,-1):
        for j in range(0,i+1):
            print(name[i],end=' ')
            print()
rat()
```

IndexError Traceback (most recent call last)
Cell In[10], line 8
4 for j in range(0,i+1):
5 print(name[i],end=' ')
6 print()
7
----> 8 rat()

Cell In[10], line 5, in rat()
2 def rat():
3 for i in range(len(name),0,-1):
4 for j in range(0,i+1):
----> 5 print(name[i],end=' ')
6 print()

IndexError: string index out of range

32°C Mostly sunny 11:59 07-06-2026