

# CIAM/SGO Automation PDF Report

03-Nov-2022, 5:36:15 pm

**Start : Nov 03, 5:10:05.674 pm**

**End : Nov 03, 5:36:14.129 pm**

**Duration : 26 m 8.455 s**

*Features*

*Scenarios*

*Steps*

*PASSED - 8*

*FAILED - 2*

*SKIPPED - 0*

*PASSED - 20*




*FAILED - 2*

*SKIPPED - 0*

*PASSED - 267*

*FAILED - 2*


*SKIPPED - 12*




| Feature   |              | Scenario |   |   |   | Step |    |   |    |
|---|--------------|----------|---|---|---|------|----|---|----|
| Name  | Duration     | T        | P | F | S | T    | P  | F | S  |
| <u>New_Bank_US05 05 Account Details Test</u>      | 58.284 s     | 1        | 1 | 0 | 0 | 9    | 9  | 0 | 0  |
| <u>New_Bank_US03 03 Forget Password Test</u>      | 4 m 4.706 s  | 3        | 3 | 0 | 0 | 28   | 28 | 0 | 0  |
| <u>New_Bank_US02 02 Login Test</u>                | 1 m 37.936 s | 2        | 2 | 0 | 0 | 18   | 18 | 0 | 0  |
| <u>New_Bank_US01 01 Open An Account Test</u>      | 2 m 43.267 s | 4        | 4 | 0 | 0 | 40   | 40 | 0 | 0  |
| <u>New_Bank_US11 11 Utilities/Pay a Bill Test</u> | 2 m 13.496 s | 2        | 2 | 0 | 0 | 22   | 22 | 0 | 0  |
| <u>New_Bank_US07 07 Preferences Test</u>          | 1 m 24.968 s | 1        | 0 | 1 | 0 | 11   | 8  | 1 | 2  |
| <u>New_Bank_US08 08 Privacy And Consent Test</u>  | 58.599 s     | 1        | 1 | 0 | 0 | 11   | 11 | 0 | 0  |
| <u>New_Bank_US06 06 Profile Items Test</u>        | 6 m 5.852 s  | 3        | 2 | 1 | 0 | 84   | 73 | 1 | 10 |
| <u>New_Bank_US04 04 Terms And Conditions Test</u> | 1 m 45.503 s | 2        | 2 | 0 | 0 | 16   | 16 | 0 | 0  |
| <u>New_Bank_US12 12 Transfer/Send Money Test</u>  | 4 m 15.193 s | 3        | 3 | 0 | 0 | 42   | 42 | 0 | 0  |

| Tag                        | Scenario |    |   |   | Feature |   |   |   |
|----------------------------|----------|----|---|---|---------|---|---|---|
| Name                       | T        | P  | F | S | T       | P | F | S |
| @US05                      | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |
| @account-details           | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |
| @new-bank                  | 22       | 20 | 2 | 0 | 10      | 8 | 2 | 0 |
| @US03                      | 3        | 3  | 0 | 0 | 1       | 1 | 0 | 0 |
| @forgot-password-valid     | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @forgot-password-invalid   | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |
| @US02                      | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @login                     | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @US01                      | 4        | 4  | 0 | 0 | 1       | 1 | 0 | 0 |
| @open-an-account-govt-id   | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @open-an-account-email-mfa | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @pay-a-bill-utilities      | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |
| @US11                      | 2        | 2  | 0 | 0 | 1       | 1 | 0 | 0 |
| @pay-a-bill-dashboard      | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |
| @preferences               | 1        | 0  | 1 | 0 | 1       | 0 | 1 | 0 |
| @US07                      | 1        | 0  | 1 | 0 | 1       | 0 | 1 | 0 |
| @privacy-and-consent       | 1        | 1  | 0 | 0 | 1       | 1 | 0 | 0 |

| Tag                                     | Scenario |   |   |   | Feature |   |   |   |
|---|----------|---|---|---|---------|---|---|---|
| Name                                    | T        | P | F | S | T       | P | F | S |
| @US08                                   | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |
| @US06                                   | 3        | 2 | 1 | 0 | 1       | 0 | 1 | 0 |
| @update-personal-information            | 2        | 1 | 1 | 0 | 1       | 0 | 1 | 0 |
| @update-email-firstname-lastname-mobile | 1        | 0 | 1 | 0 | 1       | 0 | 1 | 0 |
| @update-firstname-lastname-mobile       | 1        | 1 | 0 | 0 | 1       | 0 | 1 | 0 |
| @update-all-location-details            | 1        | 1 | 0 | 0 | 1       | 0 | 1 | 0 |
| @update-address-details                 | 1        | 1 | 0 | 0 | 1       | 0 | 1 | 0 |
| @US04                                   | 2        | 2 | 0 | 0 | 1       | 1 | 0 | 0 |
| @terms-and-condition-govt               | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |
| @terms-and-condition-email-mfa          | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |
| @US12                                   | 3        | 3 | 0 | 0 | 1       | 1 | 0 | 0 |
| @pay-a-bill-make-a-payment-valid        | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |
| @pay-a-bill-make-another-payment-valid  | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |
| @pay-a-bill-invalid                     | 1        | 1 | 0 | 0 | 1       | 1 | 0 | 0 |




| #  | Feature Name                                      | T | P | F | S | Duration     |
|----|---|---|---|---|---|--------------|
| 1  | <u>New_Bank_US05 05 Account Details Test</u>      | 1 | 1 | 0 | 0 | 58.284 s     |
| 2  | <u>New_Bank_US03 03 Forget Password Test</u>      | 3 | 3 | 0 | 0 | 4 m 4.706 s  |
| 3  | <u>New_Bank_US02 02 Login Test</u>                | 2 | 2 | 0 | 0 | 1 m 37.936 s |
| 4  | <u>New_Bank_US01 01 Open An Account Test</u>      | 4 | 4 | 0 | 0 | 2 m 43.267 s |
| 5  | <u>New_Bank_US11 11 Utilities/Pay a Bill Test</u> | 2 | 2 | 0 | 0 | 2 m 13.496 s |
| 6  | <u>New_Bank_US07 07 Preferences Test</u>          | 1 | 0 | 1 | 0 | 1 m 24.968 s |
| 7  | <u>New_Bank_US08 08 Privacy And Consent Test</u>  | 1 | 1 | 0 | 0 | 58.599 s     |
| 8  | <u>New_Bank_US06 06 Profile Items Test</u>        | 3 | 2 | 1 | 0 | 6 m 5.852 s  |
| 9  | <u>New_Bank_US04 04 Terms And Conditions Test</u> | 2 | 2 | 0 | 0 | 1 m 45.503 s |
| 10 | <u>New_Bank_US12 12 Transfer/Send Money Test</u>  | 3 | 3 | 0 | 0 | 4 m 15.193 s |




| # | Feature Name                                 | Scenario Name  | T  | P  | F | S | Duration     |
|---|--|--|----|----|---|---|--------------|
| 1 | <u>New_Bank_US05 05 Account Details Test</u> | <u>US05-01 New_Bank: Account details should be appeared as expected</u>  | 9  | 9  | 0 | 0 | 58.272 s     |
| 2 | <u>New_Bank_US03 03 Forget Password Test</u> | <u>US03-01 New_Bank: User can able to get a link to setup a new password in case user forgets password</u>             | 11 | 11 | 0 | 0 | 1 m 40.770 s |
| 3 | <u>New_Bank_US03 03 Forget Password Test</u> | <u>US03-02 New_Bank: User shouldn't able to setup a new forget password if user doesn't meet the password policy *</u> | 9  | 9  | 0 | 0 | 1 m 26.441 s |
| 4 | <u>New_Bank_US03 03 Forget Password Test</u> | <u>US03-03 New_Bank: User shouldn't able to setup a new forget password if user provides invalid recovery token</u>    | 8  | 8  | 0 | 0 | 57.383 s     |
| 5 | <u>New_Bank_US02 02 Login Test</u>           | <u>US02-01 New_Bank: Valid user should able to login the new bank application</u>                                      | 9  | 9  | 0 | 0 | 56.394 s     |
| 6 | <u>New_Bank_US02 02 Login Test</u>           | <u>US02-01 New_Bank: Valid user should able to login the new bank application</u>                                      | 9  | 9  | 0 | 0 | 41.500 s     |

\* The feature name and/or scenario name has been cropped to fit in the available space.




| #  | Feature Name                                      | Scenario Name   | T  | P  | F | S | Duration    |
|----|---|---|----|----|---|---|-------------|
| 7  | <u>New_Bank_US01 01 Open An Account Test</u>      | <u>US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should *</u>    | 9  | 9  | 0 | 0 | 33.095 s    |
| 8  | <u>New_Bank_US01 01 Open An Account Test</u>      | <u>US01-01 New_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should *</u>    | 9  | 9  | 0 | 0 | 30.700 s    |
| 9  | <u>New_Bank_US01 01 Open An Account Test</u>      | <u>US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the *</u> | 11 | 11 | 0 | 0 | 1 m 2.383 s |
| 10 | <u>New_Bank_US01 01 Open An Account Test</u>      | <u>US01-02 New_Bank: Customer should open a new account by providing email for MFA verification and then verify the *</u> | 11 | 11 | 0 | 0 | 36.957 s    |
| 11 | <u>New_Bank_US11 11 Utilities/Pay a Bill Test</u> | <u>US11-01 New_Bank: User can able to pay a bill via payment link on utilities option</u>                                 | 11 | 11 | 0 | 0 | 1 m 4.861 s |

\* The feature name and/or scenario name has been cropped to fit in the available space.



| #  | Feature Name                                      | Scenario Name  | T  | P  | F | S  | Duration     |
|----|---|--|----|----|---|----|--------------|
| 12 | <u>New_Bank_US11 11 Utilities/Pay a Bill Test</u> | <u>US011-02 New_Bank: User can able to pay a bill via payment link on dashboard</u>                      | 11 | 11 | 0 | 0  | 1 m 8.593 s  |
| 13 | <u>New_Bank_US07 07 Preferences Test</u>          | <u>US07-01 New_Bank: User completes the Preferences check</u>  | 11 | 8  | 1 | 2  | 1 m 24.967 s |
| 14 | <u>New_Bank_US08 08 Privacy And Consent Test</u>  | <u>US08-01 New_Bank: User completes the Privacy and Consent Check</u>                                    | 11 | 11 | 0 | 0  | 58.599 s     |
| 15 | <u>New_Bank_US06 06 Profile Items Test</u>        | <u>US06-01 New_Bank: User can able to update FirstName, Lastname, Email and Mobile details</u>           | 28 | 17 | 1 | 10 | 2 m 16.089 s |
| 16 | <u>New_Bank_US06 06 Profile Items Test</u>        | <u>US06-02 New_Bank: User can able to update FirstName, Lastname and Mobile details (Except Email)</u>   | 28 | 28 | 0 | 0  | 1 m 53.280 s |
| 17 | <u>New_Bank_US06 06 Profile Items Test</u>        | <u>US06-03 New_Bank: User can able to update StreetAddress, Country, State, City and ZipCode details</u> | 28 | 28 | 0 | 0  | 1 m 56.316 s |









| #  | Feature Name                                      | Scenario Name   | T  | P  | F | S | Duration     |
|----|---|---|----|----|---|---|--------------|
| 18 | <u>New_Bank_US04 04 Terms And Conditions Test</u> | <u>US04-01 New_Bank: T&amp;C link should be worked and information should be appeared as expected</u>               | 8  | 8  | 0 | 0 | 33.492 s     |
| 19 | <u>New_Bank_US04 04 Terms And Conditions Test</u> | <u>US04-02 New_Bank: T&amp;C link should be worked and information should be appeared as expected</u>               | 8  | 8  | 0 | 0 | 1 m 11.972 s |
| 20 | <u>New_Bank_US12 12 Transfer/Send Money Test</u>  | <u>US012-01 New_Bank: User can able to Transfer or send money</u>   | 13 | 13 | 0 | 0 | 1 m 9.538 s  |
| 21 | <u>New_Bank_US12 12 Transfer/Send Money Test</u>  | <u>US12-01 New_Bank: User can able to make another payment again</u>  | 18 | 18 | 0 | 0 | 2 m 4.941 s  |
| 22 | <u>New_Bank_US12 12 Transfer/Send Money Test</u>  | <u>US12-02 New_Bank: User cannot able to Transfer or send money if User doesn't provide the same PayeeAccount *</u> | 11 | 11 | 0 | 0 | 1 m 0.591 s  |

\* The feature name and/or scenario name has been cropped to fit in the available space.

## New\_Bank\_US05 05 Account Details Test

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| <b>PASSED</b>                        | DURATION - 58.284 s | Scenarios<br>Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:05.674 pm // 5:11:03.958 pm / |                     |  |   |  |   |



### US05-01 New\_Bank: Account details should be appeared as expected

|  |  |   |   |  |
|--|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 58.272 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:05.686 pm // 5:11:03.958 pm /</div>  |  |   |   |  |
| <div>New_Bank_US05 05 Account Details Test</div> |  |   |   |  |
| <div>@US05 @account-details @new-bank</div>      |  |   |   |  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"              | PASSED | 7.863 s  |
|   | User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.                |        |          |
| 2 | Given User provides access token to Deloitte security page for New Banking App                    | PASSED | 7.386 s  |
|   | User is clicked on AccessThroughEntryToken  |        |          |
|   | User has provided Access Token  |        |          |
|   | User has received the Access to Deloitte  |        |          |
| 3 | And User verifies the new bank site is accessible   | PASSED | 1.482 s  |
|   | New Bank Page has been appeared as expected   |        |          |
|   | Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/                      |        |          |
| 4 | And User waits until the login section appears for new Bank app                                   | PASSED | 19.151 s |
|   | Login Section has appeared  |        |          |
| 5 | Given User provides "newbankregistrationviaemail7" and password for new bank app - static         | PASSED | 5.230 s  |
|   | User has provided username  |        |          |
|   | User has provided password  |        |          |
|   | User has clicked on Sign-On button  |        |          |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive" | PASSED | 9.649 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified  |        |          |
| 7 | Then User verifies the account details page in all sections<br>User has landed on logged-in Dashboard screen<br>Dashboard URL has been verified<br>Account Details Section has been verified.....<br>Account Number and Branch Code have been verified.....<br>Credit Card 1 has been verified.....<br>Credit Card 2 has been verified.....<br>Credit Card 3 has been verified.....<br>Payments Section: Send Money and Pay a Bill Options have been verified.....<br>Investments Section: Invested in Mutual Funds, Stocks and CryptoCurrency have been verified..... | PASSED | 1.236 s  |
| 8 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 5.907 s  |
| 9 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.246 s  |

### New\_Bank\_US03 03 Forget Password Test

|                                      |                        |  |  |  |  |
|--------------------------------------|------------------------|--|--|--|--|
| PASSED                               | DURATION - 4 m 4.706 s | Scenarios<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 28<br>Pass - 28<br>Fail - 0<br>Skip - 0 |  |
| / 5:11:04.063 pm // 5:15:08.769 pm / |                        |  |  |  |  |



**US03-01 New\_Bank: User can able to get a link to setup a new password in case user forgets password**

|  |                                |  |   |   |
|--|--------------------------------|--|---|---|
| <b>PASSED</b>                          | <b>DURATION - 1 m 40.770 s</b> |  | <b>Steps</b><br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |  |
| / 5:11:04.065 pm // 5:12:44.835 pm /   |                                |  |   |   |
| New_Bank_US03 03 Forget Password Test  |                                |  |   |   |
| @US03 @forgot-password-valid @new-bank |                                |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.119 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.335 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.376 s  |
| 4 | <b>And User clicks on ForgetPassword link on new Bank app</b><br>User has clicked on Forget Password Link   | PASSED | 18.864 s |
| 5 | <b>Given User provides "newbankregistrationviaemail5" to forget password page and verifies the UI text information</b><br>User has switched from Welcome On Board page > Forget Password page<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte<br>User has landed on Forget Password Page<br>Forget Password Page URL has been verified<br>User has provided email to get the recovery code<br>User has clicked on submit forget password to get the recovery code | PASSED | 16.889 s |
| 6 | <b>Then User lands on setup new password page</b><br>User has landed on Setup New Password Page<br>Setup Password Page URL has been verified  | PASSED | 1.593 s  |
| 7 | <b>Given User should check inbox of "newbankregistrationviaemail5", get the OTP from Mailinator and provide the OTP to Setup Password page</b><br>User has switched from Setup New Password Page -> Mailinator site   | PASSED | 28.470 s |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | User has opened inbox for the registered email<br>User has received the Magic Link - JUST NOW<br>OTP has been received: gwaido4r<br>User has switched from Mailinator site -> Setup New Password Page<br>User has provide the Recovery code to setup new password page |        |          |
| 8  | <b>Then User provides new password, confirm password and submit the form</b><br>User has provided new Password<br>User has provided confirm new Password<br>User has clicked on Submit forget password form  | PASSED | 3.001 s  |
| 9  | <b>Then User should able to login with "automation" and land on dashboard of new Bank app "positive"</b><br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified                                      | PASSED | 11.372 s |
| 10 | <b>And User logs out from new Bank app "positive"</b><br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page   | PASSED | 6.549 s  |
| 11 | <b>Then User terminates all windows of the browser</b><br>All windows have been terminated by the User   | PASSED | 0.169 s  |


### US03-02 New\_Bank: User shouldn't able to setup a new forget password if user doesn't meet the password policy requirement

|  |  |                         |  |   |  |  |
|--|--|-------------------------|--|---|--|--|
| <b>PASSED</b>                            |  | DURATION - 1 m 26.441 s |  |  | Steps<br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |
| / 5:12:44.904 pm // 5:14:11.345 pm /     |  |                         |  |   |  |  |
| New_Bank_US03 03 Forget Password Test    |  |                         |  |   |  |  |
| @US03 @forgot-password-invalid @new-bank |  |                         |  |   |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a> on CHROME browser. | PASSED | 6.682 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken   | PASSED | 7.237 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | User has provided Access Token<br>User has received the Access to Deloitte   |        |          |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.459 s  |
| 4 | And User clicks on ForgetPassword link on new Bank app<br>User has clicked on Forget Password Link   | PASSED | 19.434 s |
| 5 | Given User provides "newbankregistrationviaemail6" to forget password page and verifies the UI text information<br>User has switched from Welcome On Board page > Forget Password page<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte<br>User has landed on Forget Password Page<br>Forget Password Page URL has been verified<br>User has provided email to get the recovery code<br>User has clicked on submit forget password to get the recovery code | PASSED | 17.320 s |
| 6 | Then User lands on setup new password page<br>User has landed on Setup New Password Page<br>Setup Password Page URL has been verified  | PASSED | 1.835 s  |
| 7 | Given User should check inbox of "newbankregistrationviaemail6", get the OTP from Mailinator and provide the OTP to Setup Password page<br>User has switched from Setup New Password Page -> Mailinator site<br>User has opened inbox for the registered email<br>User has received the Magic Link - JUST NOW<br>OTP has been received: 7q8a1pcn<br>User has switched from Mailinator site -> Setup New Password Page<br>User has provide the Recovery code to setup new password page   | PASSED | 27.893 s |
| 8 | Then User provides invalid new password, confirm password and submit the form<br>User has provided invalid new Password<br>User has provided invalid confirm new Password<br>User has clicked on Submit forget password form<br>Site isn't allowing further as User's password doesn't meet the password policy requirement  | PASSED | 4.393 s  |
| 9 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.171 s  |



**US03-03 New\_Bank: User shouldn't able to setup a new forget password if user provides invalid recovery token**





| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.624 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.397 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.464 s  |
| 4 | <b>And User clicks on ForgetPassword link on new Bank app</b><br>User has clicked on Forget Password Link   | PASSED | 18.971 s |
| 5 | <b>Given User provides "newbankregistrationviaemail7" to forget password page and verifies the UI text information</b><br>User has switched from Welcome On Board page > Forget Password page<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte<br>User has landed on Forget Password Page<br>Forget Password Page URL has been verified<br>User has provided email to get the recovery code<br>User has clicked on submit forget password to get the recovery code | PASSED | 16.667 s |
| 6 | <b>Then User lands on setup new password page</b><br>User has landed on Setup New Password Page<br>Setup Password Page URL has been verified  | PASSED | 1.576 s  |
| 7 | <b>Then User provides invalid recovery token for setup new password form</b><br>User has landed on Setup New Password Page<br>User has provide the Invalid Recovery code to setup new password page<br>User has provided valid new Password   | PASSED | 5.545 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | User has provided valid confirm new Password<br>User has clicked on Submit forget password form<br>Site isn't allowing further as user has provided the invalid recovery code |        |          |
| 8 | Then User terminates all windows of the browser<br>All windows have been terminated by the User   | PASSED | 0.114 s  |

## New\_Bank\_US02 02 Login Test

|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| PASSED                               | DURATION - 1 m 37.936 s | Scenarios<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 18<br>Pass - 18<br>Fail - 0<br>Skip - 0 |  |
| / 5:15:08.832 pm // 5:16:46.768 pm / |                         |  |   |  |   |

## US02-01 New\_Bank: Valid user should able to login the new bank application



|                                      |                     |   |  |  |
|--------------------------------------|---------------------|---|--|--|
| PASSED                               | DURATION - 56.394 s |  | Steps<br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |
| / 5:15:08.835 pm // 5:16:05.229 pm / |                     |   |  |  |
| New_Bank_US02 02 Login Test          |                     |   |  |  |
| @US02 @login @new-bank               |                     |   |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.                                 | PASSED | 6.708 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte | PASSED | 6.428 s  |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/                           | PASSED | 1.516 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.476 s |
| 5 | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button                               | PASSED | 4.941 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified | PASSED | 10.883 s |
| 7 | Then User checks the invalid login message on login screen "positive"  | PASSED | 0.005 s  |
| 8 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page        | PASSED | 6.306 s  |
| 9 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.115 s  |



### US02-01 New\_Bank: Valid user should able to login the new bank application

|                                      |  |                     |  |   |  |  |  |  |
|--------------------------------------|--|---------------------|--|---|--|--|--|--|
| PASSED                               |  | DURATION - 41.500 s |  |  | Steps<br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |  |  |
| / 5:16:05.268 pm // 5:16:46.768 pm / |  |                     |  |   |  |  |  |  |
| New_Bank_US02 02 Login Test          |  |                     |  |   |  |  |  |  |
| @US02 @login @new-bank               |  |                     |  |   |  |  |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.                                 | PASSED | 7.266 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte | PASSED | 7.170 s  |
| 3 | And User verifies the new bank site is accessible  | PASSED | 1.403 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  |        |          |
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.144 s |
| 5 | Given User provides "invaliduserid" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button | PASSED | 4.783 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "negative"<br>Skipping the Test as it falls under Negative testing                    | PASSED | 0.000 s  |
| 7 | Then User checks the invalid login message on login screen "negative"<br>Invalid Username error message has been verified  | PASSED | 1.588 s  |
| 8 | And User logs out from new Bank app "negative"<br>Skipping the Test as it falls under Negative testing   | PASSED | 0.000 s  |
| 9 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.124 s  |

### New\_Bank\_US01 01 Open An Account Test

|                                      |                         |  |  |  |  |
|--------------------------------------|-------------------------|--|--|--|--|
| PASSED                               | DURATION - 2 m 43.267 s | Scenarios<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 40<br>Pass - 40<br>Fail - 0<br>Skip - 0 |  |
| / 5:16:46.839 pm // 5:19:30.106 pm / |                         |  |  |  |  |



**US01-01 New\_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should be generated**

|  |                            |  |   |  |
|--|----------------------------|--|---|--|
| <b>PASSED</b>                            | <b>DURATION - 33.095 s</b> |  | <b>Steps</b><br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |
| / 5:16:46.840 pm // 5:17:19.935 pm /     |                            |  |   |  |
| New_Bank_US01 01 Open An Account Test    |                            |  |   |  |
| @US01 @open-an-account-govt-id @new-bank |                            |  |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.  | PASSED | 6.649 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte  | PASSED | 6.376 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  | PASSED | 1.424 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account   | PASSED | 0.548 s  |
| 5 | <b>Given User provides the account creation using "GOVT_ID" and submit</b><br>User has clicked on Sign-Up through Gov.t Issued ID Verification   | PASSED | 3.814 s  |
| 6 | <b>Given User provides the "newbankregistrationviagovtid@mailinator.com" to complete the verification "positive" and continue</b><br>Welcome On Board URL has been verified<br>User has provided the email address<br>User has clicked on T&C check box<br>User has clicked on Continue  | PASSED | 9.132 s  |
| 7 | <b>Then User completes Identity Verification for "newbankregistrationviagovtid@mailinator.com" and clicks on continue "positive"</b><br>Test Data is loaded to CSV file in this path:/Users/navepilla/IdeaProjects/main-project/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterGovtIDDData.csv<br>Verify Identity URL has been verified<br>User has clicked on Continue | PASSED | 2.704 s  |
| 8 | <b>Then User clicks waits for QR code to appear along with the secret code "positive"</b><br>QR Code Page has been verified<br>QR Code Page URL has been verified  | PASSED | 2.296 s  |

| # | Step / Hook Details                             | Status | Duration |
|---|---|--------|----------|
| 9 | Then User terminates all windows of the browser | PASSED | 0.128 s  |
|   | All windows have been terminated by the User    |        |          |



## US01-01 New\_Bank: Customer should open a new account by providing Gov.t ID and then verify the QR Code should be generated

|  |                     |  |  |   |
|--|---------------------|--|--|---|
| PASSED                                   | DURATION - 30.700 s |  | Steps<br>Total - 9<br>Pass - 9<br>Fail - 0<br>Skip - 0 |  |
| / 5:17:19.984 pm // 5:17:50.684 pm /     |                     |  |  |   |
| New_Bank_US01 01 Open An Account Test    |                     |  |  |   |
| @US01 @open-an-account-govt-id @new-bank |                     |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"                        | PASSED | 7.443 s  |
|   | User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.                          |        |          |
| 2 | Given User provides access token to Deloitte security page for New Banking App                              | PASSED | 6.409 s  |
|   | User is clicked on AccessThroughEntryToken  |        |          |
|   | User has provided Access Token  |        |          |
|   | User has received the Access to Deloitte  |        |          |
| 3 | And User verifies the new bank site is accessible   | PASSED | 1.712 s  |
|   | New Bank Page has been appeared as expected   |        |          |
|   | Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/                                |        |          |
| 4 | And User clicks on OpenAnAccount on new Bank app  | PASSED | 2.296 s  |
|   | User has clicked on Open An New Account   |        |          |
| 5 | Given User provides the account creation using "GOVT_ID" and submit   | PASSED | 1.779 s  |
|   | User has clicked on Sign-Up through Gov.t Issued ID Verification  |        |          |
| 6 | Given User provides the "pleasedude@mailinator.com" to complete the verification "negative" and continue    | PASSED | 10.917 s |
|   | Welcome On Board URL has been verified  |        |          |
|   | User has provided the email address   |        |          |
|   | User has clicked on T&C check box   |        |          |
|   | User has clicked on Continue  |        |          |
|   | pleasedude@mailinator.com has been already registered error message verified                                |        |          |
| 7 | Then User completes Identity Verification for "pleasedude@mailinator.com" and clicks on continue "negative" | PASSED | 0.001 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Skipping the Test as it falls under Negative testing                               |        |          |
| 8 | Then User clicks waits for QR code to appear along with the secret code "negative" | PASSED | 0.000 s  |
|   | Skipping the Test as it falls under Negative testing                               |        |          |
| 9 | Then User terminates all windows of the browser                                    | PASSED | 0.120 s  |
|   | All windows have been terminated by the User                                       |        |          |

## US01-02 New\_Bank: Customer should open a new account by providing email for MFA verification and then verify the user should be logged-in to the platform

|  |  |                        |  |  |  |   |
|--|--|------------------------|--|--|--|---|
| PASSED                                     |  | DURATION - 1 m 2.383 s |  |  | Steps<br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |  |
| / 5:17:50.723 pm // 5:18:53.106 pm /       |  |                        |  |  |  |   |
| New_Bank_US01 01 Open An Account Test      |  |                        |  |  |  |   |
| @US01 @open-an-account-email-mfa @new-bank |  |                        |  |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"   | PASSED | 7.429 s  |
|   | User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   |        |          |
| 2 | Given User provides access token to Deloitte security page for New Banking App   | PASSED | 6.425 s  |
|   | User is clicked on AccessThroughEntryToken   |        |          |
|   | User has provided Access Token   |        |          |
|   | User has received the Access to Deloitte   |        |          |
| 3 | And User verifies the new bank site is accessible  | PASSED | 1.394 s  |
|   | New Bank Page has been appeared as expected  |        |          |
|   | Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   |        |          |
| 4 | And User clicks on OpenAnAccount on new Bank app   | PASSED | 1.548 s  |
|   | User has clicked on Open An New Account  |        |          |
| 5 | Given User provides the account creation using "EMAIL" and submit  | PASSED | 3.247 s  |
|   | User has clicked on Sign-Up through Email MFA  |        |          |
| 6 | Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app | PASSED | 19.137 s |
|   | Registration via Email Page has been appeared as expected  |        |          |
|   | Registration via Email Page URL is verified as expected  |        |          |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | User has provided the Email address<br>User has provided the FirstName<br>User has provided the LastName<br>User has provided the Username<br>User has provided the password<br>User has provided the confirm password<br>User has enabled the T&C<br>User has clicked on Register button<br>User has landed on Select MFA page and URL has been verified as expected<br>User has skipped the MFA device registration |        |          |
| 7  | <b>Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file</b><br>Test Data is loaded to CSV file in this path:/Users/navepilla/IdeaProjects/main-project/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFAData.csv   | PASSED | 0.017 s  |
| 8  | <b>Then User should able to login with "automation" on new Bank app "positive"</b><br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Profile Option page URL is verified  | PASSED | 12.050 s |
| 9  | <b>Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app</b><br>User has landed on Profile Options page in personal details section<br>Email is appeared as expected<br>Firstname is appeared as expected<br>Lastname is appeared as expected   | PASSED | 4.663 s  |
| 10 | <b>And User logs out from new Bank app "positive"</b><br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 6.337 s  |
| 11 | <b>Then User terminates all windows of the browser</b><br>All windows have been terminated by the User  | PASSED | 0.121 s  |



**US01-02 New\_Bank: Customer should open a new account by providing email for MFA verification and then verify the user should be logged-in to the platform**

| <b>PASSED</b>                              | <b>DURATION - 36.957 s</b> | <table border="1"> <caption>Step Durations (s)</caption> <thead> <tr> <th>Step</th> <th>Duration (s)</th> </tr> </thead> <tbody> <tr><td>1</td><td>7.327</td></tr> <tr><td>2</td><td>7.383</td></tr> <tr><td>3</td><td>1.622</td></tr> <tr><td>4</td><td>0.456</td></tr> <tr><td>5</td><td>3.636</td></tr> <tr><td>6</td><td>16.394</td></tr> <tr><td>7</td><td>0</td></tr> <tr><td>8</td><td>0</td></tr> <tr><td>9</td><td>0</td></tr> <tr><td>10</td><td>0</td></tr> <tr><td>11</td><td>0</td></tr> </tbody> </table> | Step | Duration (s) | 1 | 7.327 | 2 | 7.383 | 3 | 1.622 | 4 | 0.456 | 5 | 3.636 | 6 | 16.394 | 7 | 0 | 8 | 0 | 9 | 0 | 10 | 0 | 11 | 0 | <b>Steps</b><br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 | <div>11</div> |
|--|----------------------------|---|------|--------------|---|-------|---|-------|---|-------|---|-------|---|-------|---|--------|---|---|---|---|---|---|----|---|----|---|---|---------------|
| Step                                       | Duration (s)               |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 1  | 7.327                      |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 2  | 7.383                      |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 3  | 1.622                      |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 4  | 0.456                      |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 5  | 3.636                      |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 6  | 16.394                     |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 7  | 0                          |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 8  | 0                          |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 9  | 0                          |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 10   | 0                          |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| 11   | 0                          |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| / 5:18:53.149 pm // 5:19:30.106 pm /       |                            |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| New_Bank_US01 01 Open An Account Test      |                            |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |
| @US01 @open-an-account-email-mfa @new-bank |                            |   |      |              |   |       |   |       |   |       |   |       |   |       |   |        |   |   |   |   |   |   |    |   |    |   |   |               |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.  | PASSED | 7.327 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte  | PASSED | 7.383 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  | PASSED | 1.622 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account   | PASSED | 0.456 s  |
| 5 | <b>Given User provides the account creation using "EMAIL" and submit</b><br>User has clicked on Sign-Up through Email MFA  | PASSED | 3.636 s  |
| 6 | <b>Given User provides "pleasedude@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "negative" and password for Signup page of new Bank app</b><br>Registration via Email Page has been appeared as expected<br>Registration via Email Page URL is verified as expected<br>User has provided the Email address<br>User has provided the firstname<br>User has provided the lastname<br>User has provided the Username<br>User has provided the password<br>User has provided the confirm password<br>User has enabled the T&C<br>User has clicked on Register button<br>"email: is unique but a non-unique value is provided" error message has been verified | PASSED | 16.394 s |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 7  | Then User feeds the test data of new Bank "pleasedude@mailinator.com", "automation", "automation", "negative" to csv file<br>Skipping the Test as it falls under Negative testing        | PASSED | 0.000 s  |
| 8  | Then User should able to login with "automation" on new Bank app "negative"<br>Skipping the Test as it falls under Negative testing  | PASSED | 0.000 s  |
| 9  | Then Verify the "pleasedude@mailinator.com", "automation", "automation" and "negative" of logged-in user details on new bank app<br>Skipping the Test as it falls under Negative testing | PASSED | 0.001 s  |
| 10 | And User logs out from new Bank app "negative"<br>Skipping the Test as it falls under Negative testing   | PASSED | 0.000 s  |
| 11 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.121 s  |

### New\_Bank\_US11 11 Utilities/Pay a Bill Test

|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| PASSED                               | DURATION - 2 m 13.496 s | Scenarios<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 22<br>Pass - 22<br>Fail - 0<br>Skip - 0 |  |
| / 5:19:30.165 pm // 5:21:43.661 pm / |                         |  |   |  |   |

### US11-01 New\_Bank: User can able to pay a bill via payment link on utilities option



|  |                        |   |  |   |
|--|------------------------|---|--|---|
| PASSED                                     | DURATION - 1 m 4.861 s |  | Steps<br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |  |
| / 5:19:30.167 pm // 5:20:35.028 pm /       |                        |   |  |   |
| New_Bank_US11 11 Utilities/Pay a Bill Test |                        |   |  |   |
| @pay-a-bill-utilities @US11 @new-bank      |                        |   |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser. | PASSED | 6.435 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App   | PASSED | 6.380 s  |



| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte  |        |          |
| 3  | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  | PASSED | 1.297 s  |
| 4  | And User waits until the login section appears for new Bank app<br>Login Section has appeared   | PASSED | 19.130 s |
| 5  | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button  | PASSED | 4.969 s  |
| 6  | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified  | PASSED | 10.394 s |
| 7  | And User clicks on utilities option on dashboard page of new Bank app<br>User has clicked on Utilities option link on dashboard   | PASSED | 0.260 s  |
| 8  | And User provides the details of payments like "Verizon", "My Credit Card", "500.98" and click on confirm payment<br>User has landed on Payments/Utilities page<br>Utilities page URL has been verified<br>User has selected a service provider<br>User has selected account type<br>User has provided the amount to transfer<br>User has clicked on Confirm Payment button | PASSED | 8.643 s  |
| 9  | Then User gets the verification code and verify the QR code page UI text<br>QR Code Section has been appeared<br>QR page URL has been verified<br>Verification Code has been generated. CODE:805650   | PASSED | 1.323 s  |
| 10 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page   | PASSED | 5.891 s  |
| 11 | Then User terminates all windows of the browser<br>All windows have been terminated by the User   | PASSED | 0.125 s  |



## US011-02 New\_Bank: User can able to pay a bill via payment link on dashboard

| <div>PASSED</div> <div>DURATION - 1 m 8.593 s</div> |              | <div></div> <table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>7.188</td></tr><tr><td>2</td><td>7.688</td></tr><tr><td>3</td><td>1.488</td></tr><tr><td>4</td><td>19.188</td></tr><tr><td>5</td><td>5.188</td></tr><tr><td>6</td><td>10.088</td></tr><tr><td>7</td><td>0.688</td></tr><tr><td>8</td><td>10.288</td></tr><tr><td>9</td><td>2.488</td></tr><tr><td>10</td><td>6.088</td></tr><tr><td>11</td><td>0.388</td></tr></tbody></table> | Step | Duration (s) | 1 | 7.188 | 2 | 7.688 | 3 | 1.488 | 4 | 19.188 | 5 | 5.188 | 6 | 10.088 | 7 | 0.688 | 8 | 10.288 | 9 | 2.488 | 10 | 6.088 | 11 | 0.388 | <div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> <div>11</div> |
|---|--------------|--|------|--------------|---|-------|---|-------|---|-------|---|--------|---|-------|---|--------|---|-------|---|--------|---|-------|----|-------|----|-------|---|--|
| Step  | Duration (s) |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 1   | 7.188        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 2   | 7.688        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 3   | 1.488        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 4   | 19.188       |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 5   | 5.188        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 6   | 10.088       |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 7   | 0.688        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 8   | 10.288       |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 9   | 2.488        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 10  | 6.088        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| 11  | 0.388        |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| / 5:20:35.068 pm // 5:21:43.661 pm /                |              |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| New_Bank_US11 11 Utilities/Pay a Bill Test          |              |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |
| @US11 @pay-a-bill-dashboard @new-bank               |              |  |      |              |   |       |   |       |   |       |   |        |   |       |   |        |   |       |   |        |   |       |    |       |    |       |   |  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.905 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 7.372 s  |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.379 s  |
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.188 s |
| 5 | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 5.038 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified   | PASSED | 9.853 s  |
| 7 | And User clicks on pay a bill option on dashboard page of new Bank app<br>User has clicked on Pay A Bill option link on dashboard  | PASSED | 0.460 s  |
| 8 | And User provides the details of payments like "Alliant Gas", "My Savings Account", "100" and click on confirm payment<br>User has landed on Payments/Utilities page<br>Utilities page URL has been verified<br>User has selected a service provider<br>User has selected account type | PASSED | 10.157 s |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | User has provided the amount to transfer<br>User has clicked on Confirm Payment button  |        |          |
| 9  | Then User gets the verification code and verify the QR code page UI text<br>QR Code Section has been appeared<br>QR page URL has been verified<br>Verification Code has been generated. CODE:055225                 | PASSED | 2.229 s  |
| 10 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page | PASSED | 5.872 s  |
| 11 | Then User terminates all windows of the browser<br>All windows have been terminated by the User   | PASSED | 0.117 s  |

### New\_Bank\_US07 07 Preferences Test


|                                      |                         |  |   |   |   |
|--------------------------------------|-------------------------|--|---|---|---|
| FAILED                               | DURATION - 1 m 24.968 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 11<br>Pass - 8<br>Fail - 1<br>Skip - 2 |  |
| / 5:21:43.725 pm // 5:23:08.693 pm / |                         |  |   |   |   |

### US07-01 New\_Bank: User completes the Preferences check

|                                      |  |                         |  |  |   |   |
|--------------------------------------|--|-------------------------|--|--|---|---|
| FAILED                               |  | DURATION - 1 m 24.967 s |  |  | Steps<br>Total - 11<br>Pass - 8<br>Fail - 1<br>Skip - 2 |  |
| / 5:21:43.726 pm // 5:23:08.693 pm / |  |                         |  |  |   |   |
| New_Bank_US07 07 Preferences Test    |  |                         |  |  |   |   |
| @preferences @US07 @new-bank         |  |                         |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" with CORS Unblock Plugin "BANK_PREF" | PASSED | 6.897 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.  |        |          |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte  | PASSED | 6.405 s  |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  | PASSED | 1.632 s  |
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared   | PASSED | 19.633 s |
| 5 | Given User provides "newbankregistrationviaemail17" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button  | PASSED | 4.866 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified  | PASSED | 10.218 s |
| 7 | Then User clicks on profile option on dashboard page of new Bank app<br>User has clicked on Profile option link on dashboard  | PASSED | 0.259 s  |
| 8 | Then User clicks on Preferences tab in account details of new Bank app<br>Preferences tab is appeared<br>User has clicked on Preferences Link   | PASSED | 4.065 s  |
| 9 | And User waits until the Privacy and Consent i-frame appears and validate the details for new Bank app<br>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[text()="Manage your Privacy & Consent"] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bbdfa1dd02e1bd8805c8ff85860a523<br>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29)<br>at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.<br>userWaitsUntilThePrivacyAndConsentIFrameAppearsAndValidateTheDetailsForNewBankApp(NewBankProfileOptionsScreenSD.java:543)<br>at ?.User waits until the Privacy and Consent i-frame appears and validate the details for new Bank app(file:///Users/navepilla/IdeaProjects/ | FAILED | 30.137 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | main-project/ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankPreferences.feature:16)<br>* Not displayable characters are replaced by '?'.<br>10 And User logs out from new Bank app "positive"  |         |          |
| 11 | Then User terminates all windows of the browser   | SKIPPED | 0.002 s  |
|    | AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition()<br>Above scenario has been failed. Ref: Attachment<br>PageURL: <a href="https://bank.ciam.sandbox.ciamsgo.com/profile/details#preferences">https://bank.ciam.sandbox.ciamsgo.com/profile/details#preferences</a><br>Terminated the browser as a failure noticed in above scenario   | PASSED  | 0.798 s  |
|    |    |         |          |
|    | AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition()<br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26)<br>at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37) | FAILED  | 0.008 s  |
|    | AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()<br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62  | FAILED  | 0.001 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre>(1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20) at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31)</pre>  |        |          |
|   | <p><b>AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24) at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35)</pre> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63017},</pre>   | FAILED | 0.001 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16)<br/> at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19)<br/> at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30)</p> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo...,</p>   | FAILED | 0.000 s  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)   at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17)   at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28) </pre>  |        |          |
|   | <p><b>AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition()</b></p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)   at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15)   at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26) </pre> | FAILED | 0.000 s  |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition()</b></p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>  | FAILED | 0.001 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16)<br/> at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14)<br/> at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25)</p> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</p>  | FAILED | 0.002 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre>webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)   at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12)   at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23)</pre>   |        |          |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc00:0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)   at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15)   at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26)</pre> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc00:0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</pre>   | FAILED | 0.000 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16) at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27) </pre>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition()</b></p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12) at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23) </pre> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition()</b></p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) </pre>  | FAILED | 0.001 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19)<br>at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)  |        |          |
|   | <b>AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16)<br>at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15)<br>at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26)   |        |          |
|   | <b>AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26)<br>at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37) | FAILED | 0.001 s  |
|   | <b>AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21)<br>at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)  |        |          |
|   | <b>AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22)<br>at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33) | FAILED | 0.002 s  |
|   | <b>AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)  | FAILED | 0.000 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18)<br>at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)  |        |          |
|   | <b>AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23)<br>at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34) | FAILED | 0.003 s  |
|   | <b>AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)  | FAILED | 0.001 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18)<br>at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)   |        |          |
|   | <b>AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14)<br>at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)  | FAILED | 0.001 s  |





| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15)<br>at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)   |        |          |
|   | <b>AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19)<br>at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)  | FAILED | 0.001 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)<br>at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20)<br>at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)   |        |          |
|   | <b>AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63017/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)<br>at StepDefinitions.Health.HealthLoggedInHomeScreenSD.prepareFailureEvidence(HealthLoggedInHomeScreenSD.java:26)<br>at StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition(HealthLoggedInHomeScreenSD.java:40) | FAILED | 0.000 s  |

## New\_Bank\_US08 08 Privacy And Consent Test

|                                      |                     |           |   |            |   |
|--------------------------------------|---------------------|-----------|---|------------|---|
| <b>PASSED</b>                        | DURATION - 58.599 s | Scenarios |   | Steps      |   |
| / 5:23:08.787 pm // 5:24:07.386 pm / |                     | Total - 1 |  | Total - 11 |  |
|                                      |                     | Pass - 1  |   | Pass - 11  |   |
|                                      |                     | Fail - 0  |   | Fail - 0   |   |
|                                      |                     | Skip - 0  |   | Skip - 0   |   |



## US08-01 New\_Bank: User completes the Privacy and Consent Check

|   |                                |   |   |  |
|---|--------------------------------|---|---|--|
| <div>PASSED</div>                         | <div>DURATION - 58.599 s</div> | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 5:23:08.787 pm // 5:24:07.386 pm /      |                                |   |   |  |
| New_Bank_US08 08 Privacy And Consent Test |                                |   |   |  |
| @privacy-and-consent @US08 @new-bank      |                                |   |   |  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK" with CORS Unblock Plugin "BANK_PREF"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.            | PASSED | 6.414 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte                 | PASSED | 6.449 s  |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.682 s  |
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 18.846 s |
| 5 | Given User provides "newbankregistrationviaemail17" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button                               | PASSED | 4.930 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified | PASSED | 10.314 s |
| 7 | Then User clicks on profile option on dashboard page of new Bank app<br>User has clicked on Profile option link on dashboard   | PASSED | 0.214 s  |
| 8 | Then User clicks on Privacy and Consent tab in account details of new Bank app<br>Privacy And Consent tab is appeared<br>User has clicked on PrivacyAndConsent Link  | PASSED | 3.740 s  |
| 9 | And User waits until the Privacy and Consent i-frame appears and validate the details for new Bank app<br>User has navigated to Privacy And Consent screen   | PASSED | 0.020 s  |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | Consent Management is appeared in Privacy and Consent<br>Undo Changes button is appeared in Privacy and Consent<br>Change Preferences button is appeared in Privacy and Consent                                     |        |          |
| 10 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page | PASSED | 5.853 s  |
| 11 | Then User terminates all windows of the browser<br>All windows have been terminated by the User   | PASSED | 0.115 s  |

### New\_Bank\_US06 06 Profile Items Test

|                                      |                        |  |   |   |   |
|--------------------------------------|------------------------|--|---|---|---|
| <b>FAILED</b>                        | DURATION - 6 m 5.852 s | Scenarios<br>Total - 3<br>Pass - 2<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 84<br>Pass - 73<br>Fail - 1<br>Skip - 10 |  |
| / 5:24:07.477 pm // 5:30:13.329 pm / |                        |  |   |   |   |

### US06-01 New\_Bank: User can able to update FirstName, Lastname, Email and Mobile details


|  |                         |   |   |  |
|--|-------------------------|---|---|--|
| <b>FAILED</b>  | DURATION - 2 m 16.089 s |  | Steps<br>Total - 28<br>Pass - 17<br>Fail - 1<br>Skip - 10 |  |
| / 5:24:07.478 pm // 5:26:23.567 pm /   |                         |   |   |  |
| New_Bank_US06 06 Profile Items Test  |                         |   |   |  |
| @US06 @update-personal-information @update-email-firstname-lastname-mobile @new-bank |                         |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.                                 | PASSED | 5.674 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte | PASSED | 6.538 s  |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
| 3  | And User verifies the new bank site is accessible   | PASSED | 1.612 s  |
|    | New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   |        |          |
| 4  | And User clicks on OpenAnAccount on new Bank app  | PASSED | 0.250 s  |
|    | User has clicked on Open An New Account   |        |          |
| 5  | Given User provides the account creation using "EMAIL" and submit   | PASSED | 4.037 s  |
|    | User has clicked on Sign-Up through Email MFA   |        |          |
| 6  | Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app  | PASSED | 18.769 s |
|    | Registration via Email Page has been appeared as expected<br>Registration via Email Page URL is verified as expected<br>User has provided the Email address<br>User has provided the FirstName<br>User has provided the LastName<br>User has provided the Username<br>User has provided the password<br>User has provided the confirm password<br>User has enabled the T&C<br>User has clicked on Register button<br>User has landed on Select MFA page and URL has been verified as expected<br>User has skipped the MFA device registration |        |          |
| 7  | Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file  | PASSED | 0.005 s  |
|    | Test Data is loaded to CSV file in this path:/Users/navepilla/IdeaProjects/main-project/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv   |        |          |
| 8  | Then User should able to login with "automation" on new Bank app "positive"   | PASSED | 9.544 s  |
|    | User is registered an account on new Bank app and Firstname is appeared as expected<br>Profile Option page URL is verified  |        |          |
| 9  | Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app   | PASSED | 5.769 s  |
|    | User has landed on Profile Options page in personal details section<br>Email is appeared as expected<br>Firstname is appeared as expected<br>Lastname is appeared as expected   |        |          |
| 10 | And User logs out from new Bank app "positive"  | PASSED | 5.754 s  |
|    | User has clicked on Logout arrow button   |        |          |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page   |        |          |
| 11 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 0.022 s  |
| 12 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 2.597 s  |
| 13 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 2.510 s  |
| 14 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified   | PASSED | 7.232 s  |
| 15 | And User clicks on profile option on dashboard page of new Bank app<br>User has clicked on Profile option link on dashboard  | PASSED | 0.174 s  |
| 16 | Then User updates "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" in personal details of new Bank app<br>User has landed on Profile Options page in personal details section<br>Profile Details URL has been verified<br>User has entered new email<br>User has entered new firstname<br>User has entered new lastname<br>User has entered mobile number                   | PASSED | 13.936 s |
| 17 | And User clicks on update details and confirm as NO<br>User has landed on Profile Options page in personal details section<br>Profile Details URL has been verified<br>User has clicked on UpdateYourInformationButton<br>Update Your Information Pop Up/Notification Box has been appeared<br>User has declined the Update Information details<br>User has landed again on Personal Details section as expected | PASSED | 0.600 s  |
| 18 | And User clicks on update details and confirm as YES and verifies the confirmation message<br>User has landed on Profile Options page in personal details section<br>Profile Details URL has been verified<br>User has clicked on UpdateYourInformationButton<br>Update Your Information Pop Up/Notification Box has been appeared   | FAILED | 50.157 s |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | <p>User has accepted the Update Information details</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //*[contains(text(),'Details Updated Successfully !!')] (tried for 45 second(s) with 500 milliseconds interval) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2efc62c2b5556efc64275a26809a52e1     at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)     at Utilities.WaitUtil.elementToBeLocated(WaitUtil.java:29)     at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD. userClicksOnUpdateDetailsAndConfirmAsYESAndVerifiesTheConfirmationMessage(NewBankProfileOptionsScreenSD.java:335)     at ?.User clicks on update details and confirm as YES and verifies the confirmation message(file:///Users/navepilla/IdeaProjects/main-project/ ciamsgo-cucumber-test-framework/src/test/java/Features/Banking/newUI/NewBankProfileItems.feature:28)     * Not displayable characters are replaced by '?'. </pre> |         |          |
| 19 | Then Verify the "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details on new bank app  | SKIPPED | 0.003 s  |
| 20 | And User logs out from new Bank app "positive"  | SKIPPED | 0.000 s  |
| 21 | And User verifies the new bank site is accessible   | SKIPPED | 0.001 s  |
| 22 | And User waits until the login section appears for new Bank app   | SKIPPED | 0.000 s  |
| 23 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous  | SKIPPED | 0.000 s  |
| 24 | Then User should able to login with "updatedfirstname" and land on dashboard of new Bank app "positive"   | SKIPPED | 0.000 s  |
| 25 | And User clicks on profile option on dashboard page of new Bank app   | SKIPPED | 0.000 s  |
| 26 | Then Verify the "updatedemail123@mailinator.com", "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details on new bank app  | SKIPPED | 0.000 s  |
| 27 | And User logs out from new Bank app "positive"  | SKIPPED | 0.000 s  |
| 28 | Then User terminates all windows of the browser   | SKIPPED | 0.000 s  |
|    | AFTER - StepDefinitions.NewBank.NewBankRegistrationScreenSD.testScenarioCondition()   | PASSED  | 0.853 s  |
|    | <p>Above scenario has been failed. Ref: Attachment</p> <p>PageURL: <a href="https://bank.ciam.sandbox.ciamsgo.com/profile/details">https://bank.ciam.sandbox.ciamsgo.com/profile/details</a></p> <p>Terminated the browser as a failure noticed in above scenario</p>   |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |    |        |          |
|   | <p><b>AFTER - StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.prepareFailureEvidence(NewBankProfileOptionsScreenSD.java:26)<br/> at StepDefinitions.NewBank.NewBankProfileOptionsScreenSD.testScenarioCondition(NewBankProfileOptionsScreenSD.java:37)</p> | FAILED | 0.011 s  |
|   | <p><b>AFTER - StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)</p>  | FAILED | 0.000 s  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.NewBank.NewBankWelcomeScreenSD.prepareFailureEvidence(NewBankWelcomeScreenSD.java:20)<br>at StepDefinitions.NewBank.NewBankWelcomeScreenSD.testScenarioCondition(NewBankWelcomeScreenSD.java:31)  |        |          |
|   | <b>AFTER - StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.prepareFailureEvidence(DeloitteSecurityLayerSD.java:24)<br>at StepDefinitions.CommonDefinitions.DeloitteSecurityLayerSD.testScenarioCondition(DeloitteSecurityLayerSD.java:35) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)  | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.prepareFailureEvidence(GoogleOktaLoginSD.java:16)<br>at StepDefinitions.CommonDefinitions.GoogleOktaLoginSD.testScenarioCondition(GoogleOktaLoginSD.java:27)   |        |          |
|   | <b>AFTER - StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.prepareFailureEvidence(FeedTestDataToFilesSD.java:19)<br>at StepDefinitions.CommonDefinitions.FeedTestDataToFilesSD.testScenarioCondition(FeedTestDataToFilesSD.java:30) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   | FAILED | 0.001 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.prepareFailureEvidence(FacebookOktaLoginSD.java:17)<br>at StepDefinitions.CommonDefinitions.FacebookOktaLoginSD.testScenarioCondition(FacebookOktaLoginSD.java:28)  |        |          |
|   | <b>AFTER - StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtools..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.CommonDefinitions.BrowserOperationsSD.prepareFailureEvidence(BrowserOperationsSD.java:15)<br>at StepDefinitions.CommonDefinitions.BrowserOperationsSD.testScenarioCondition(BrowserOperationsSD.java:26) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtools..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)  | FAILED | 0.002 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at StepDefinitions.Banking.BankingTransferScreenSD.prepareFailureEvidence(BankingTransferScreenSD.java:16)<br>at StepDefinitions.Banking.BankingTransferScreenSD.testScenarioCondition(BankingTransferScreenSD.java:27)   |        |          |
|   | <b>AFTER - StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingBrokerageAccountSD.prepareFailureEvidence(BankingBrokerageAccountSD.java:14)<br>at StepDefinitions.Banking.BankingBrokerageAccountSD.testScenarioCondition(BankingBrokerageAccountSD.java:25) | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingPaymentsSD.prepareFailureEvidence(BankingPaymentsSD.java:12)  | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at StepDefinitions.Banking.BankingPaymentsSD.testScenarioCondition(BankingPaymentsSD.java:23)   |        |          |
|   | <b>AFTER - StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingWelcomeScreenSD.prepareFailureEvidence(BankingWelcomeScreenSD.java:15)<br>at StepDefinitions.Banking.BankingWelcomeScreenSD.testScenarioCondition(BankingWelcomeScreenSD.java:26)      | FAILED | 0.003 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition()</b><br>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br>at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br>at StepDefinitions.Banking.BankingLoggedInScreenSD.prepareFailureEvidence(BankingLoggedInScreenSD.java:16)<br>at StepDefinitions.Banking.BankingLoggedInScreenSD.testScenarioCondition(BankingLoggedInScreenSD.java:27) | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <b>AFTER - StepDefinitions.Banking.BankTransfersSD.testScenarioCondition()</b><br><pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)     at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)     at StepDefinitions.Banking.BankTransfersSD.prepareFailureEvidence(BankTransfersSD.java:12)     at StepDefinitions.Banking.BankTransfersSD.testScenarioCondition(BankTransfersSD.java:23)</pre>   | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition()</b><br><pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)     at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)     at StepDefinitions.Banking.BankingProfileOptionsSD.prepareFailureEvidence(BankingProfileOptionsSD.java:19)     at StepDefinitions.Banking.BankingProfileOptionsSD.testScenarioCondition(BankingProfileOptionsSD.java:30)</pre> | FAILED | 0.000 s  |
|   | <b>AFTER - StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition()</b>   | FAILED | 0.000 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Banking.BankingSignUpEmailSD.prepareFailureEvidence(BankingSignUpEmailSD.java:16)<br/> at StepDefinitions.Banking.BankingSignUpEmailSD.testScenarioCondition(BankingSignUpEmailSD.java:27)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Banking.BankingLoginScreenSD.prepareFailureEvidence(BankingLoginScreenSD.java:15)<br/> at StepDefinitions.Banking.BankingLoginScreenSD.testScenarioCondition(BankingLoginScreenSD.java:26)</p> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision:</p>   | FAILED | 0.000 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Retail.RetailOctaSignInScreenSD.prepareFailureEvidence(RetailOctaSignInScreenSD.java:26)<br/> at StepDefinitions.Retail.RetailOctaSignInScreenSD.testScenarioCondition(RetailOctaSignInScreenSD.java:37)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Retail.RetailWelcomeScreenSD.prepareFailureEvidence(RetailWelcomeScreenSD.java:21)<br/> at StepDefinitions.Retail.RetailWelcomeScreenSD.testScenarioCondition(RetailWelcomeScreenSD.java:32)</p> | FAILED | 0.000 s  |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch:</p>  | FAILED | 0.000 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre>'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.prepareFailureEvidence(RetailProfileOptionsScreenSD.java:22) at StepDefinitions.Retail.RetailProfileOptionsScreenSD.testScenarioCondition(RetailProfileOptionsScreenSD.java:33)</pre>   |        |          |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Retail.RetailSignUpScreenSD.prepareFailureEvidence(RetailSignUpScreenSD.java:18) at StepDefinitions.Retail.RetailSignUpScreenSD.testScenarioCondition(RetailSignUpScreenSD.java:29)</pre> | FAILED | 0.002 s  |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc6%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]</pre>   | FAILED | 0.000 s  |



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)<br/> at StepDefinitions.Retail.RetailLoginScreenSD.prepareFailureEvidence(RetailLoginScreenSD.java:23)<br/> at StepDefinitions.Retail.RetailLoginScreenSD.testScenarioCondition(RetailLoginScreenSD.java:34)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]<br/> Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenshot(CaptureScreen.java:9)<br/> at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.prepareFailureEvidence(RetailPrivacyWebFormScreenSD.java:18)<br/> at StepDefinitions.Retail.RetailPrivacyWebFormScreenSD.testScenarioCondition(RetailPrivacyWebFormScreenSD.java:29)</p> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}]<br/> Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62</p>   | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre>(1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthConfigureRegistrationSD.prepareFailureEvidence(HealthConfigureRegistrationSD.java:14) at StepDefinitions.Health.HealthConfigureRegistrationSD.testScenarioCondition(HealthConfigureRegistrationSD.java:25)</pre>   |        |          |
|   | <p><b>AFTER - StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9) at StepDefinitions.Health.HealthWelcomeScreenSD.prepareFailureEvidence(HealthWelcomeScreenSD.java:15) at StepDefinitions.Health.HealthWelcomeScreenSD.testScenarioCondition(HealthWelcomeScreenSD.java:26)</pre> | FAILED | 0.000 s  |
|   | <p><b>AFTER - StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition()</b></p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc0000000000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129..., goog:chromeOptions: {debuggerAddress: localhost:63801},</pre>  | FAILED | 0.000 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Health.HealthRegisterScreenSD.prepareFailureEvidence(HealthRegisterScreenSD.java:19)<br/> at StepDefinitions.Health.HealthRegisterScreenSD.testScenarioCondition(HealthRegisterScreenSD.java:30)</p>  |        |          |
|   | <p><b>AFTER - StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc00:0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo..., se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)<br/> at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)<br/> at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)<br/> at StepDefinitions.Health.HealthLoginScreenSD.prepareFailureEvidence(HealthLoginScreenSD.java:20)<br/> at StepDefinitions.Health.HealthLoginScreenSD.testScenarioCondition(HealthLoginScreenSD.java:31)</p> | FAILED | 0.001 s  |
|   | <p><b>AFTER - StepDefinitions.Health.HealthLoggedInHomeScreenSD.testScenarioCondition()</b></p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'USBGONAVEPILLA1', ip: '2409:4070:4798:d5:20f9:16a2:9484:fc00:0000', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.6', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 107.0.5304.87, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: /var/folders/_r/ym2k45yj129...}, goog:chromeOptions: {debuggerAddress: localhost:63801}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:63801/devtoo...,</p>  | FAILED | 0.000 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> se:cdpVersion: 107.0.5304.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:145)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)   at Utilities.CaptureScreen.takeScreenShot(CaptureScreen.java:9)   at StepDefinitions.Health.HealthLoggedInInHomeScreenSD.prepareFailureEvidence(HealthLoggedInInHomeScreenSD.java:26)   at StepDefinitions.Health.HealthLoggedInInHomeScreenSD.testScenarioCondition(HealthLoggedInInHomeScreenSD.java:40) </pre> |        |          |

### US06-02 New\_Bank: User can able to update FirstName, Lastname and Mobile details (Except Email)

|  |  |   |   |  |
|--|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 1 m 53.280 s</div>                           |  | <div></div> | <div>Steps</div> <div>Total - 28</div> <div>Pass - 28</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 5:26:23.632 pm // 5:28:16.912 pm /   |  |   |   |  |
| New_Bank_US06 06 Profile Items Test  |  |   |   |  |
| @US06 @update-personal-information @update-firstname-lastname-mobile @new-bank |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a> on CHROME browser.       | PASSED | 6.753 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte                             | PASSED | 6.334 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a> | PASSED | 1.445 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account  | PASSED | 0.428 s  |
| 5 | <b>Given User provides the account creation using "EMAIL" and submit</b>  | PASSED | 4.234 s  |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | User has clicked on Sign-Up through Email MFA  |        |          |
| 6  | <p>Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app</p> <p>Registration via Email Page has been appeared as expected</p> <p>Registration via Email Page URL is verified as expected</p> <p>User has provided the Email address</p> <p>User has provided the FirstName</p> <p>User has provided the LastName</p> <p>User has provided the Username</p> <p>User has provided the password</p> <p>User has provided the confirm password</p> <p>User has enabled the T&amp;C</p> <p>User has clicked on Register button</p> <p>User has landed on Select MFA page and URL has been verified as expected</p> <p>User has skipped the MFA device registration</p> | PASSED | 18.234 s |
| 7  | <p>Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file</p> <p>Test Data is loaded to CSV file in this path:/Users/navepilla/IdeaProjects/main-project/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFAData.csv</p>  | PASSED | 0.002 s  |
| 8  | <p>Then User should able to login with "automation" on new Bank app "positive"</p> <p>User is registered an account on new Bank app and Firstname is appeared as expected</p> <p>Profile Option page URL is verified</p>   | PASSED | 10.234 s |
| 9  | <p>Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app</p> <p>User has landed on Profile Options page in personal details section</p> <p>Email is appeared as expected</p> <p>Firstname is appeared as expected</p> <p>Lastname is appeared as expected</p>  | PASSED | 4.680 s  |
| 10 | <p>And User logs out from new Bank app "positive"</p> <p>User has clicked on Logout arrow button</p> <p>User has clicked on Logout button</p> <p>User has successfully logged-out from the new bank app and landed on welcome page</p>   | PASSED | 6.149 s  |
| 11 | <p>And User verifies the new bank site is accessible</p> <p>New Bank Page has been appeared as expected</p> <p>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/</p>  | PASSED | 0.015 s  |
| 12 | And User waits until the login section appears for new Bank app  | PASSED | 2.929 s  |

| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | Login Section has appeared  |        |          |
| 13 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous  | PASSED | 1.827 s  |
|    | User has provided username  |        |          |
|    | User has provided password  |        |          |
|    | User has clicked on Sign-On button  |        |          |
| 14 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"   | PASSED | 6.548 s  |
|    | User is registered an account on new Bank app and Firstname is appeared as expected   |        |          |
|    | Dashboard page URL is verified  |        |          |
| 15 | And User clicks on profile option on dashboard page of new Bank app   | PASSED | 0.219 s  |
|    | User has clicked on Profile option link on dashboard  |        |          |
| 16 | Then User updates "updatedfirstname", "updatedlastname", "9090909090" in personal details of new Bank app                                 | PASSED | 10.114 s |
|    | User has landed on Profile Options page in personal details section   |        |          |
|    | Profile Details URL has been verified   |        |          |
|    | User has entered new firstname  |        |          |
|    | User has entered new lastname   |        |          |
|    | User has entered mobile number  |        |          |
| 17 | And User clicks on update details and confirm as NO   | PASSED | 1.113 s  |
|    | User has landed on Profile Options page in personal details section   |        |          |
|    | Profile Details URL has been verified   |        |          |
|    | User has clicked on UpdateYourInformationButton   |        |          |
|    | Update Your Information Pop Up/Notification Box has been appeared   |        |          |
|    | User has declined the Update Information details  |        |          |
|    | User has landed again on Personal Details section as expected   |        |          |
| 18 | And User clicks on update details and confirm as YES and verifies the confirmation message  | PASSED | 6.091 s  |
|    | User has landed on Profile Options page in personal details section   |        |          |
|    | Profile Details URL has been verified   |        |          |
|    | User has clicked on UpdateYourInformationButton   |        |          |
|    | Update Your Information Pop Up/Notification Box has been appeared   |        |          |
|    | User has accepted the Update Information details  |        |          |
|    | Details have been updated confirmation message has been verified  |        |          |
|    | User has landed again on Personal Details section as expected   |        |          |
| 19 | Then Verify the "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details except email on new bank app | PASSED | 3.071 s  |
|    | User has landed on Profile Options page in personal details section   |        |          |
|    | Firstname is appeared as expected   |        |          |
|    | Lastname is appeared as expected  |        |          |



| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | Mobile number is appeared as expected   |        |          |
| 20 | And User logs out from new Bank app "positive"  | PASSED | 4.710 s  |
|    | User has clicked on Logout arrow button   |        |          |
|    | User has clicked on Logout button   |        |          |
|    | User has successfully logged-out from the new bank app and landed on welcome page   |        |          |
| 21 | And User verifies the new bank site is accessible   | PASSED | 0.015 s  |
|    | New Bank Page has been appeared as expected   |        |          |
|    | Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  |        |          |
| 22 | And User waits until the login section appears for new Bank app   | PASSED | 2.880 s  |
|    | Login Section has appeared  |        |          |
| 23 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous  | PASSED | 1.556 s  |
|    | User has provided username  |        |          |
|    | User has provided password  |        |          |
|    | User has clicked on Sign-On button  |        |          |
| 24 | Then User should able to login with "updatedfirstname" and land on dashboard of new Bank app "positive"                                   | PASSED | 3.149 s  |
|    | User is registered an account on new Bank app and Firstname is appeared as expected   |        |          |
|    | Dashboard page URL is verified  |        |          |
| 25 | And User clicks on profile option on dashboard page of new Bank app   | PASSED | 0.162 s  |
|    | User has clicked on Profile option link on dashboard  |        |          |
| 26 | Then Verify the "updatedfirstname", "updatedlastname", "9090909090" and "positive" of logged-in user details except email on new bank app | PASSED | 4.755 s  |
|    | User has landed on Profile Options page in personal details section   |        |          |
|    | Firstname is appeared as expected   |        |          |
|    | Lastname is appeared as expected  |        |          |
|    | Mobile number is appeared as expected   |        |          |
| 27 | And User logs out from new Bank app "positive"  | PASSED | 5.500 s  |
|    | User has clicked on Logout arrow button   |        |          |
|    | User has clicked on Logout button   |        |          |
|    | User has successfully logged-out from the new bank app and landed on welcome page   |        |          |
| 28 | Then User terminates all windows of the browser   | PASSED | 0.118 s  |
|    | All windows have been terminated by the User  |        |          |

**US06-03 New\_Bank: User can able to update StreetAddress, Country, State, City and ZipCode details**



| <div>PASSED</div>  | <div>DURATION - 1 m 56.316 s</div> | <div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>7</td></tr><tr><td>2</td><td>7</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>0.5</td></tr><tr><td>5</td><td>4</td></tr><tr><td>6</td><td>18</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>9</td></tr><tr><td>9</td><td>4</td></tr><tr><td>10</td><td>5</td></tr><tr><td>11</td><td>0</td></tr><tr><td>12</td><td>3</td></tr><tr><td>13</td><td>5</td></tr><tr><td>14</td><td>4</td></tr><tr><td>15</td><td>0.5</td></tr></tbody></table></div> | Step | Duration (s) | 1 | 7 | 2 | 7 | 3 | 1 | 4 | 0.5 | 5 | 4 | 6 | 18 | 7 | 0 | 8 | 9 | 9 | 4 | 10 | 5 | 11 | 0 | 12 | 3 | 13 | 5 | 14 | 4 | 15 | 0.5 | <div>Steps</div> <div>Total - 28</div> <div>Pass - 28</div> <div>Fail - 0</div> <div>Skip - 0</div> <div><div>28</div></div> |
|--|------------------------------------|---|------|--------------|---|---|---|---|---|---|---|-----|---|---|---|----|---|---|---|---|---|---|----|---|----|---|----|---|----|---|----|---|----|-----|--|
| Step   | Duration (s)                       |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 1  | 7                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 2  | 7                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 3  | 1                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 4  | 0.5                                |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 5  | 4                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 6  | 18                                 |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 7  | 0                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 8  | 9                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 9  | 4                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 10   | 5                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 11   | 0                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 12   | 3                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 13   | 5                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 14   | 4                                  |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| 15   | 0.5                                |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| / 5:28:17.013 pm // 5:30:13.329 pm /                                 |                                    |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| New_Bank_US06 06 Profile Items Test                                  |                                    |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |
| @US06 @update-all-location-details @update-address-details @new-bank |                                    |   |      |              |   |   |   |   |   |   |   |     |   |   |   |    |   |   |   |   |   |   |    |   |    |   |    |   |    |   |    |   |    |     |  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.  | PASSED | 6.798 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte  | PASSED | 6.446 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/  | PASSED | 1.303 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account   | PASSED | 0.602 s  |
| 5 | <b>Given User provides the account creation using "EMAIL" and submit</b><br>User has clicked on Sign-Up through Email MFA  | PASSED | 4.404 s  |
| 6 | <b>Given User provides "newbankregistrationviaemail@mailinator.com", "automation", "automation", "newbankregistrationviaemail", "positive" and password for Signup page of new Bank app</b><br>Registration via Email Page has been appeared as expected<br>Registration via Email Page URL is verified as expected<br>User has provided the Email address<br>User has provided the FirstName<br>User has provided the LastName<br>User has provided the Username<br>User has provided the password<br>User has provided the confirm password<br>User has enabled the T&C<br>User has clicked on Register button<br>User has landed on Select MFA page and URL has been verified as expected<br>User has skipped the MFA device registration | PASSED | 18.092 s |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 7  | Then User feeds the test data of new Bank "newbankregistrationviaemail@mailinator.com", "automation", "automation", "positive" to csv file<br>Test Data is loaded to CSV file in this path:./Users/navepilla/IdeaProjects/main-project/ciamsgo-cucumber-test-framework/TestData/NewBankRegisterEmailMFADData.csv                   | PASSED | 0.006 s  |
| 8  | Then User should able to login with "automation" on new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Profile Option page URL is verified  | PASSED | 9.479 s  |
| 9  | Then Verify the "newbankregistrationviaemail@mailinator.com", "automation", "automation" and "positive" of logged-in user details on new bank app<br>User has landed on Profile Options page in personal details section<br>Email is appeared as expected<br>Firstname is appeared as expected<br>Lastname is appeared as expected | PASSED | 4.740 s  |
| 10 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 5.503 s  |
| 11 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 0.015 s  |
| 12 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 2.964 s  |
| 13 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 4.899 s  |
| 14 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified   | PASSED | 4.245 s  |
| 15 | And User clicks on profile option on dashboard page of new Bank app<br>User has clicked on Profile option link on dashboard  | PASSED | 0.291 s  |
| 16 | Then User updates "Mapple Street", "United States", "California", "San Jose" and "94088" address details in location section of new Bank app<br>User has landed on Profile Options page in location details section<br>Profile Details URL has been verified<br>User has entered street address                                    | PASSED | 14.652 s |



| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | User has selected Country name from the list<br>User has selected State name from the list<br>User has entered city name<br>User has entered zipcode detail  |        |          |
| 17 | <b>And User clicks on update details and confirm as NO</b><br>User has landed on Profile Options page in personal details section<br>Profile Details URL has been verified<br>User has clicked on UpdateYourInformationButton<br>Update Your Information Pop Up/Notification Box has been appeared<br>User has declined the Update Information details<br>User has landed again on Personal Details section as expected  | PASSED | 0.342 s  |
| 18 | <b>And User clicks on update details and confirm as YES and verifies the confirmation message</b><br>User has landed on Profile Options page in personal details section<br>Profile Details URL has been verified<br>User has clicked on UpdateYourInformationButton<br>Update Your Information Pop Up/Notification Box has been appeared<br>User has accepted the Update Information details<br>Details have been updated confirmation message has been verified<br>User has landed again on Personal Details section as expected | PASSED | 5.376 s  |
| 19 | <b>Then Verify the "Mapple Street", "United States", "California", "San Jose", "94088" and "positive" of address details on new bank app</b><br>User has landed on Profile Options page in personal details section<br>Street Address is appeared as expected<br>Country name is appeared as expected<br>State name is appeared as expected<br>City name is appeared as expected<br>Zipcode is appeared as expected  | PASSED | 3.085 s  |
| 20 | <b>And User logs out from new Bank app "positive"</b><br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page   | PASSED | 5.124 s  |
| 21 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a>  | PASSED | 0.017 s  |
| 22 | <b>And User waits until the login section appears for new Bank app</b><br>Login Section has appeared   | PASSED | 2.689 s  |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 23 | Given User provides "newbankregistrationviaemail" and password for new bank app - previous<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 1.349 s  |
| 24 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified   | PASSED | 4.176 s  |
| 25 | And User clicks on profile option on dashboard page of new Bank app<br>User has clicked on Profile option link on dashboard  | PASSED | 0.153 s  |
| 26 | Then Verify the "Mapple Street", "United States", "California", "San Jose", "94088" and "positive" of address details on new bank app<br>User has landed on Profile Options page in personal details section<br>Street Address is appeared as expected<br>Country name is appeared as expected<br>State name is appeared as expected<br>City name is appeared as expected<br>Zipcode is appeared as expected | PASSED | 4.678 s  |
| 27 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 4.746 s  |
| 28 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.112 s  |


### New\_Bank\_US04 04 Terms And Conditions Test

|                                      |                         |  |   |  |   |
|--------------------------------------|-------------------------|--|---|--|---|
| PASSED                               | DURATION - 1 m 45.503 s | Scenarios<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 16<br>Pass - 16<br>Fail - 0<br>Skip - 0 |  |
| / 5:30:13.393 pm // 5:31:58.896 pm / |                         |  |   |  |   |

**US04-01 New\_Bank: T&C link should be worked and information should be appeared as expected**



|  |  |                            |  |  |   |   |  |  |
|--|--|----------------------------|--|--|---|---|--|--|
| <b>PASSED</b>                              |  | <b>DURATION - 33.492 s</b> |  |  | <b>Steps</b><br>Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 |  |  |  |
| / 5:30:13.394 pm // 5:30:46.886 pm /       |  |                            |  |  |   |   |  |  |
| New_Bank_US04 04 Terms And Conditions Test |  |                            |  |  |   |   |  |  |
| @US04 @terms-and-condition-govt @new-bank  |  |                            |  |  |   |   |  |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.723 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.366 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.381 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account  | PASSED | 0.592 s  |
| 5 | <b>Given User provides the account creation using "GOVT_ID" and submit</b><br>User has clicked on Sign-Up through Gov.t Issued ID Verification  | PASSED | 3.421 s  |
| 6 | <b>And User clicks on Terms and Condition link on Welcome On Board Page</b><br>Welcome On Board URL has been verified<br>User has clicked on Terms & Conditions hyper link  | PASSED | 2.466 s  |
| 7 | <b>Then User opens Terms and Conditions page in new window, Page URL and Information should be appeared as expected</b><br>User has switched from Welcome On Board page > Terms & Condition page<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte<br>Terms & Conditions Page UI text is appeared as expected<br>T&C Page URL has been verified | PASSED | 12.412 s |
| 8 | <b>Then User terminates all windows of the browser</b><br>All windows have been terminated by the User  | PASSED | 0.119 s  |



**US04-02 New\_Bank: T&C link should be worked and information should be appeared as expected**

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <b>Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"</b><br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.772 s  |
| 2 | <b>Given User provides access token to Deloitte security page for New Banking App</b><br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.469 s  |
| 3 | <b>And User verifies the new bank site is accessible</b><br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.437 s  |
| 4 | <b>And User clicks on OpenAnAccount on new Bank app</b><br>User has clicked on Open An New Account  | PASSED | 0.594 s  |
| 5 | <b>Given User provides the account creation using "EMAIL" and submit</b><br>User has clicked on Sign-Up through Email MFA   | PASSED | 3.716 s  |
| 6 | <b>And User clicks on Terms and Condition link on Registration Welcome On Board Page</b><br>Welcome On Board URL has been verified<br>User has clicked on Terms & Conditions hyper link   | PASSED | 2.646 s  |
| 7 | <b>Then User opens Terms and Conditions page in new window, Page URL and Information should be appeared as expected</b><br>User has switched from Welcome On Board page > Terms & Condition page<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte<br>Terms & Conditions Page UI text is appeared as expected<br>T&C Page URL has been verified | PASSED | 50.221 s |
| 8 | <b>Then User terminates all windows of the browser</b><br>All windows have been terminated by the User  | PASSED | 0.110 s  |

## New\_Bank\_US12 12 Transfer/Send Money Test

|                                      |                                |  |   |  |   |
|--------------------------------------|--------------------------------|--|---|--|---|
| <b>PASSED</b>                        | <b>DURATION - 4 m 15.193 s</b> | Scenarios<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 42<br>Pass - 42<br>Fail - 0<br>Skip - 0 |  |
| / 5:31:58.936 pm // 5:36:14.129 pm / |                                |  |   |  |   |



### US012-01 New\_Bank: User can able to Transfer or send money

|   |  |   |   |  |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 1 m 9.538 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 5:31:58.936 pm // 5:33:08.474 pm /                |  |   |   |  |
| New_Bank_US12 12 Transfer/Send Money Test           |  |   |   |  |
| @US12 @pay-a-bill-make-a-payment-valid @new-bank    |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a> on CHROME browser.       | PASSED | 7.257 s  |
| 2 | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte                             | PASSED | 6.483 s  |
| 3 | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL: <a href="https://bank.ciam.sandbox.ciamsgo.com/">https://bank.ciam.sandbox.ciamsgo.com/</a> | PASSED | 1.334 s  |
| 4 | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.125 s |
| 5 | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 5.041 s  |
| 6 | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"  | PASSED | 10.038 s |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified  |        |          |
| 7  | And User clicks on transfer option on dashboard page of new Bank app<br>User has clicked on Transfer option link on dashboard  | PASSED | 0.192 s  |
| 8  | Then User clicks on make a new payment button<br>Transfer Page has been appeared<br>User has clicked on make a new payment   | PASSED | 2.039 s  |
| 9  | Given User provides the transfer details like "Automation User", "123", "123", "500", "positive" and click on continue<br>User has landed on Send Money page<br>User has provided PayeeName<br>User has provided AccountNumber<br>User has provided ConfirmAccountNumber<br>User has provided Transfer Amount<br>User has clicked on Confirm Payment | PASSED | 7.979 s  |
| 10 | Then User confirms the transaction risk<br>Transaction Risk Page has been appeared<br>User has clicked on Transaction Risk Continue Button   | PASSED | 2.224 s  |
| 11 | Then User gets the Success message for the transaction<br>Success Message has been appeared  | PASSED | 1.571 s  |
| 12 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 6.133 s  |
| 13 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.115 s  |

### US12-01 New\_Bank: User can able to make another payment again



| <div>PASSED</div>   | <div>DURATION - 2 m 4.941 s</div> | <div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.5</td></tr><tr><td>2</td><td>6.8</td></tr><tr><td>3</td><td>1.5</td></tr><tr><td>4</td><td>19.5</td></tr><tr><td>5</td><td>5.2</td></tr><tr><td>6</td><td>10.5</td></tr><tr><td>7</td><td>0.5</td></tr><tr><td>8</td><td>2.2</td></tr><tr><td>9</td><td>7.5</td></tr><tr><td>10</td><td>2.5</td></tr><tr><td>11</td><td>1.8</td></tr><tr><td>12</td><td>0.5</td></tr><tr><td>13</td><td>2.0</td></tr><tr><td>14</td><td>6.2</td></tr><tr><td>15</td><td>3.0</td></tr></tbody></table></div> | Step | Duration (s) | 1 | 6.5 | 2 | 6.8 | 3 | 1.5 | 4 | 19.5 | 5 | 5.2 | 6 | 10.5 | 7 | 0.5 | 8 | 2.2 | 9 | 7.5 | 10 | 2.5 | 11 | 1.8 | 12 | 0.5 | 13 | 2.0 | 14 | 6.2 | 15 | 3.0 | <div><div>Steps</div><div>Total - 18</div><div>Pass - 18</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div> |
|---|-----------------------------------|---|------|--------------|---|-----|---|-----|---|-----|---|------|---|-----|---|------|---|-----|---|-----|---|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|---|
| Step  | Duration (s)                      |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 1   | 6.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 2   | 6.8                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 3   | 1.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 4   | 19.5                              |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 5   | 5.2                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 6   | 10.5                              |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 7   | 0.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 8   | 2.2                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 9   | 7.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 10  | 2.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 11  | 1.8                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 12  | 0.5                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 13  | 2.0                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 14  | 6.2                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| 15  | 3.0                               |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| / 5:33:08.572 pm // 5:35:13.513 pm /                      |                                   |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| New_Bank_US12 12 Transfer/Send Money Test                 |                                   |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |
| @US12 @pay-a-bill-make-another-payment-valid<br>@new-bank |                                   |   |      |              |   |     |   |     |   |     |   |      |   |     |   |      |   |     |   |     |   |     |    |     |    |     |    |     |    |     |    |     |    |     |   |



| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 1  | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.185 s  |
| 2  | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.406 s  |
| 3  | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.386 s  |
| 4  | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.168 s |
| 5  | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 4.954 s  |
| 6  | Then User should able to login with "automation" and land on dashboard of new Bank app "positive"<br>User is registered an account on new Bank app and Firstname is appeared as expected<br>Dashboard page URL is verified   | PASSED | 10.356 s |
| 7  | And User clicks on transfer option on dashboard page of new Bank app<br>User has clicked on Transfer option link on dashboard  | PASSED | 0.291 s  |
| 8  | Then User clicks on make a new payment button<br>Transfer Page has been appeared<br>User has clicked on make a new payment   | PASSED | 1.975 s  |
| 9  | Given User provides the transfer details like "Automation User", "123123", "123123", "500", "positive" and click on continue<br>User has landed on Send Money page<br>User has provided PayeeName<br>User has provided AccountNumber<br>User has provided ConfirmAccountNumber<br>User has provided Transfer Amount<br>User has clicked on Confirm Payment | PASSED | 7.251 s  |
| 10 | Then User confirms the transaction risk<br>Transaction Risk Page has been appeared<br>User has clicked on Transaction Risk Continue Button   | PASSED | 2.243 s  |
| 11 | Then User gets the Success message for the transaction<br>Success Message has been appeared  | PASSED | 1.588 s  |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 12 | And User clicks on make another payment<br>User has clicked on make another payment  | PASSED | 0.249 s  |
| 13 | Then User clicks on make a new payment button<br>Transfer Page has been appeared<br>User has clicked on make a new payment   | PASSED | 1.837 s  |
| 14 | Given User provides the transfer details like "Automation User", "123123", "123123", "500", "positive" and click on continue<br>User has landed on Send Money page<br>User has provided PayeeName<br>User has provided AccountNumber<br>User has provided ConfirmAccountNumber<br>User has provided Transfer Amount<br>User has clicked on Confirm Payment | PASSED | 5.887 s  |
| 15 | Then User confirms the transaction risk<br>Transaction Risk Page has been appeared<br>User has clicked on Transaction Risk Continue Button   | PASSED | 2.745 s  |
| 16 | Then User gets the Success message for the transaction<br>Success Message has been appeared  | PASSED | 1.586 s  |
| 17 | And User logs out from new Bank app "positive"<br>User has clicked on Logout arrow button<br>User has clicked on Logout button<br>User has successfully logged-out from the new bank app and landed on welcome page  | PASSED | 50.696 s |
| 18 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.114 s  |

### US12-02 New\_Bank: User cannot able to Transfer or send money if User doesn't provide the same PayeeAccount Number and ConfirmPayeeAccount Number

|   |                        |  |  |   |
|---|------------------------|--|--|---|
| PASSED                                    | DURATION - 1 m 0.591 s |  | Steps<br>Total - 11<br>Pass - 11<br>Fail - 0<br>Skip - 0 |  |
| / 5:35:13.538 pm // 5:36:14.129 pm /      |                        |  |  |   |
| New_Bank_US12 12 Transfer/Send Money Test |                        |  |  |   |
| @pay-a-bill-invalid @US12 @new-bank       |                        |  |  |   |

| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
| 1  | Given Setup the Test Environment as "CHROME" and User opens the given URL "NEW_BANK"<br>User has opened the link:https://bank.ciam.sandbox.ciamsgo.com/ on CHROME browser.   | PASSED | 6.139 s  |
| 2  | Given User provides access token to Deloitte security page for New Banking App<br>User is clicked on AccessThroughEntryToken<br>User has provided Access Token<br>User has received the Access to Deloitte   | PASSED | 6.541 s  |
| 3  | And User verifies the new bank site is accessible<br>New Bank Page has been appeared as expected<br>Page URI is appeared as expected, URL:https://bank.ciam.sandbox.ciamsgo.com/   | PASSED | 1.451 s  |
| 4  | And User waits until the login section appears for new Bank app<br>Login Section has appeared  | PASSED | 19.054 s |
| 5  | Given User provides "newbankregistrationviaemail16" and password for new bank app - static<br>User has provided username<br>User has provided password<br>User has clicked on Sign-On button   | PASSED | 5.101 s  |
| 6  | Then User should able to login with "automation" and land on dashboard of new Bank app "negative"<br>Skipping the Test as it falls under Negative testing  | PASSED | 0.001 s  |
| 7  | And User clicks on transfer option on dashboard page of new Bank app<br>User has clicked on Transfer option link on dashboard  | PASSED | 11.072 s |
| 8  | Then User clicks on make a new payment button<br>Transfer Page has been appeared<br>User has clicked on make a new payment   | PASSED | 1.499 s  |
| 9  | Given User provides the transfer details like "Automation User", "123123", "123125", "500", "negative" and click on continue<br>User has landed on Send Money page<br>User has provided PayeeName<br>User has provided AccountNumber<br>User has provided different ConfirmAccountNumber<br>User has provided Transfer Amount<br>User has clicked on Confirm Payment<br>Payee Account Number and Confirm Payee Account Number should be matched verification has been done | PASSED | 9.614 s  |
| 10 | And User logs out from new Bank app "negative"<br>Skipping the Test as it falls under Negative testing   | PASSED | 0.000 s  |
| 11 | Then User terminates all windows of the browser<br>All windows have been terminated by the User  | PASSED | 0.115 s  |