

VENUSPRO — Document Module Configuration Guide

How to configure policy documents (Declarations, Certificates, Jackets, Endorsements, Cancellation notices, Invoices...) for your insurance **products** and **policies** — with field-by-field explanations and screenshots of every flow.

Audience: product/underwriting admins configuring the document set a carrier issues across the policy lifecycle.


Where: the **Documents** section of the VENUSPRO admin (sidebar → **Documents**).

1. The mental model — four building blocks

Everything in the module is one of four things. Get these straight and the rest is easy.

Block	What it is	Analogy	Where you edit it
Clause	A reusable paragraph of legal/coverage wording (insuring agreement, an exclusion, a condition, a notice). Can carry merge tokens and a condition for when it applies.	A snippet / "smart text"	Clause Library
Template	The <i>*design*</i> of one document — an ordered list of content blocks + page setup. Produces a specific document type (Declarations, COL...).	A mail-merge letterhead	Template Library → Document Builder
Package	A mapping that says <i>""when this lifecycle event happens, generate these document types, using these templates, deliver via these channels.""</i>	A rulebook	Document Packages
Instance	A generated, numbered, frozen PDF for a real policy (e.g. POL-CA-100482-DEC-0001). Created automatically when an event fires.	The printed/issued document	Customer portal (read-only)

The pipeline:



2. The Documents workspace

The sidebar **Documents** group has three screens. That's the whole configuration surface.

Screen	Purpose
Templates	Library of all document designs; create / edit / version / publish.
Clause Library	Reusable wording referenced by templates.
Packages	Which documents fire on each lifecycle event, and how they're delivered.

VENUSPRO
FORM PLATFORM

WORKSPACE

Dashboard

Form Library

CATALOG

Carriers

Products

Guardrails

FORM DESIGNER

AI Generate

Create Form

Section Builder

Field Builder

Conditional Logic

Formula Builder

Validation Engine

Repeating Grid

Lookup Tables

Rule / Rating

Workflow & Nav

RUNTIME

Preview (Live)

Review & Submit

Outputs

DOCUMENTS

Templates

Clause Library

Packages

PLATFORM

Versioning

Audit Log

API Layer

Users & Roles

Settings

v0.1 - Metadata-Driven

Documents > Templates

Q Search forms... ↗

Viewing as Admin

Admin

DOCUMENT DESIGNER

Template Library

Design, version and publish the documents issued across every policy lifecycle event.

+ New Template

All 6Published 6Draft 0Archived 0

All Types

Q Search templates...

TEMPLATE	TYPE	PRODUCT	VERSION	STATUS	
Policy Declarations tpl-declarations	Declarations Page	—	v3.2	Published	Edit ...
Certificate of Liability Insurance tpl-certificate	Certificate of Insurance	—	v2.5	Published	Edit ...
Common Policy Jacket tpl-policy-jacket	Policy Jacket	—	v1.4	Published	Edit ...
Policy Change Endorsement tpl-endorsement	Endorsement	—	v1.0	Published	Edit ...
Notice of Cancellation tpl-cancellation	Cancellation Notice	—	v1.2	Published	Edit ...
Premium Invoice tpl-invoice	Invoice	—	v1.0	Published	Edit ...

The library lists every template with its **Type**, **Product**, **Version**, and **Status** (Draft / Published / Archived). Only **Published** templates are used by the generator. The tabs (All / Published / Draft / Archived) and the type filter narrow the list.

3. Configuration — step by step

Configure in this order: **Clauses** → **Templates** → **Packages** → **Preview** → **Publish** → **Verify**.

Step 1 — Author reusable Clauses

Open **Documents** → **Clause Library**. Clauses are the legal "lego bricks" you drop into multiple templates, so you write each one once.

VENUSPRO

FORM PLATFORM

WORKSPACE

Dashboard

Form Library

CATALOG

Carriers

Products

Guardrails

FORM DESIGNER

AI Generate

Create Form

Section Builder

Field Builder

Conditional Logic

Formula Builder

Validation Engine

Repeating Grid

Lookup Tables

Rule / Rating

Workflow & Nav

RUNTIME

Preview (Live)

Review & Submit

Outputs

DOCUMENTS

Templates

Clause Library

Packages

PLATFORM

Versioning

Audit Log

API Layer

Users & Roles

Settings

v0.1 - Metadata-Driven

Documents > Clause Library

Q Search forms... ↗

Viewing as Admin ▾

Admin

DOCUMENT DESIGNER

Clause Library

Reusable legal and coverage paragraphs referenced by document templates.

+ New Clause

All 6

Term 1

Exclusion 2

Condition 1

Definition 1

Notice 1

Q Search clauses...

CLAUSE	CATEGORY	JURISDICTION	GATED	VERSION	
Insuring Agreement cl-insuring-agreement	Term	All	Always	v1.0	Edit
War and Terrorism Exclusion cl-war-terrorism-exclusion	Exclusion	All	Always	v1.0	Edit
Earthquake Exclusion (California) cl-earthquake-exclusion-ca	Exclusion	CA	Conditional	v1.1	Edit
Cancellation and Nonrenewal Condition cl-cancellation-condition	Condition	All	Always	v1.0	Edit
Definitions cl-definitions	Definition	All	Always	v1.0	Edit
Fraud Notice cl-fraud-notice	Notice	All	Always	v2.0	Edit

Clause fields:

Field	Meaning	Example
Name	Human label shown in pickers.	Earthquake Exclusion (California)
Category	Groups the clause: Term , Exclusion , Condition , Definition , Notice . Drives the filter tabs.	Exclusion
Jurisdiction	State codes the clause is written for (tags). Blank = applies anywhere.	CA
Version	Edition string; issued documents pin the version they used.	v1.1
Body (HTML)	The wording. Insert merge tokens with the <code>{{ }}</code> token picker (e.g. <code>{{insured.name}}</code>).	*"In accordance with California law..."*
Gated / When	Optional condition (the Conditional toggle + condition editor). When set, the clause is only included if the condition is true at generation time. Shows as Conditional in the *Gated* column; otherwise Always .	include only when <code>state == CA</code>

A clause with a **When** condition is the cleanest way to make one template behave differently per state or per product — the renderer evaluates the condition against the policy/answers and drops the clause in or out automatically.

Step 2 — Design the Template (Document Builder)

From **Templates**, click **New Template** (or **Edit** an existing one) to open the **Document Builder** — a three-pane editor.

VENUSPRO

FORM PLATFORM

WORKSPACE

Dashboard

Form Library

CATALOG

Carriers

Products

Guardrails

FORM DESIGNER

AI Generate

Create Form

Section Builder

Field Builder

Conditional Logic

Formula Builder

Validation Engine

Repeating Grid

Lookup Tables

Rule / Rating

Workflow & Nav

RUNTIME

Preview (Live)

Review & Submit

Outputs

DOCUMENTS

Templates

Clause Library

Packages

PLATFORM

Versioning

Audit Log

API Layer

Users & Roles

Settings

v0.1 - Metadata-Driven

Workspace

Search forms...

Viewing as Admin

Admin

DOCUMENT DESIGNER

Policy Declarations

Declarations Page · v3.2

Published

Blocks

Click to append

Heading

Rich Text

Merge ...

Key / V...

Table

Clause

Signat...

Image

Page B...

Condi...

Declarations

POLICY INFORMATION

Named Insured

{{insured.name}}

Policy Number

{{policy.number}}

Product

{{policy.product}}

Policy

{{policy.effectiveDate}}

Period

Expiration

{{policy.expirationDate}}

Total

{{policy.premium}}

Premium

SCHEDULE OF COVERAGES

Coverage	Limit	Deductible
{coverages.name}	{coverages.limit}	{coverages.deductible}

Insuring Agreement

Term

Conditional — 1 condition (AND)

• Clause

Authorized Representative (carrier)

Library

Preview

Save

Document Settings

Type, version, page & frame

Type

Declarations I

Version

3.2

Effective

30-06-2026

Expiration

30-06-2027

Page Size

Letter

Margins (pt)

54

Watermark (optional)

Header

Image

Heading

Heading

Rich Text

Merge Token

Image

Footer

Rich Text

Heading

Rich Text

Merge Token

Image

Select a block on the canvas to edit its properties.

Left — Block palette. Click to append a block; drag the rows to reorder. The block kinds:

Block (palette)	kind	Use it for
Heading	heading	Document title / section headers (levels 1–3).
Text	richtext	Free paragraphs — terms & conditions, instructions. Supports <code>{{tokens}}</code> .
Merge	merge	A single inline merged value, e.g. the policy number.
Key/Val	keyValue	The label→value rows of a Declarations page (Named Insured, Policy Period, Premium...).
Table	table	A data table bound to a source: coverages , forms , vehicles , or custom.
Clause	clauseRef	Insert a clause from the library (honours that clause's own *When*).
Sign	signature	A signature line/box for insured , carrier , or agent (becomes the portal e-Sign target).
Image	image	The carrier logo, or an image by URL.
Page Brk	pageBreak	Force a new page.
Condition	conditional	A wrapper that renders its child blocks only if a condition is true (e.g. show a trucking schedule only when <code>product == Commercial Auto</code>).

Centre — Paper canvas. A live, to-scale rendering of the blocks in order; click a block to select and edit it. Tokens show as `{{token}}` placeholders here and resolve to real data at generation/preview.

Right — Document Settings (and per-block properties when a block is selected):

Setting	Meaning
Type	Which document this template *is* (Declarations, Certificate, Endorsement...). Determines which package slots it can fill and its number prefix.
Version	Template edition; issued documents reference it.
Effective / Expiration	The window this template design is valid for.
Page Size	<code>A4</code> or <code>Letter</code> .
Margins	Page margin in points.
Watermark	Optional text stamped behind the body (e.g. <code>SPECIMEN</code> , <code>DRAFT</code>).
Header / Footer	Block lists repeated on every page (logo, title, page note).


Inserting merge tokens. In any text/merge field, use the `{{ }}` **token picker** to drop in a value. The catalog:

Group	Tokens
Policy	<code>policy.number</code> , <code>policy.effectiveDate</code> , <code>policy.expirationDate</code> , <code>policy.premium</code> , <code>policy.status</code> , <code>policy.product</code>
Insured / Party	<code>insured.name</code> , <code>insured.email</code> , <code>party.name</code>
Product / Carrier	<code>product.name</code> , <code>product.code</code> , <code>carrier.name</code> , <code>carrier.code</code>
Rating	<code>rating.premium</code> , <code>rating.tier</code> , <code>rating.eligibility</code>
Tables	<code>coverages.table</code> , <code>forms.table</code> , <code>vehicles.table</code>
Misc	<code>today</code> , <code>doc.number</code>

Autosave runs ~0.7s after edits; **Save** and **Publish** buttons are in the header. Only **Published** templates are picked up by the generator.

Step 3 — Preview against sample data

Click **Preview** in the builder header. The current (even unsaved) design is rendered to a real PDF using a **sample policy**, so you see exactly what merges, which tables fill, and which conditional clauses appear.



Notice the merged Named Insured/Policy Number, the **Schedule of Coverages** table, the **Insuring Agreement** clause, and the **Earthquake Exclusion (California)** appearing *because the sample policy is in CA* — that's conditional gating working. **Download** saves the sample PDF.

Step 4 — Map documents to lifecycle events (Packages)

Open **Documents** → **Packages**. This is where you tell the system *what to generate when*. Each policy lifecycle **event** has a list of document **entries**.

VENUSPRO
FORM PLATFORM

WORKSPACE

Dashboard

Form Library

CATALOG

Carriers

Products

Guardrails

FORM DESIGNER

AI Generate

Create Form

Section Builder

Field Builder

Conditional Logic

Formula Builder

Validation Engine

Repeating Grid

Lookup Tables

Rule / Rating

Workflow & Nav

RUNTIME

Preview (Live)

Review & Submit

Outputs

DOCUMENTS

Templates

Clause Library

Packages

PLATFORM

Versioning

Audit Log

API Layer

Users & Roles

Settings

v0.1 - Metadata-Driven

Documents > Packages

Search forms...

Viewing as Admin

Admin

DOCUMENT DESIGNER

Document Packages

Map each policy lifecycle event to the documents it generates, the template used, and how each is delivered.

Save all

Policy Boundbound

New business is issued — the binding document set. · 6 documents · 4 required

+ Add document

Declarations PageDeclarations

Required

TEMPLATE

Policy Declarations · v3.2

DELIVERY CHANNELS

PortalEmailE-Sign

Policy JacketPolicyJacket

Required

TEMPLATE

Common Policy Jacket · v1.4

DELIVERY CHANNELS

PortalEmailE-Sign

Forms ScheduleFormsSchedule

Required

TEMPLATE

Auto — any published Forms Schedule

No template of this type yet — resolved at generation time.

DELIVERY CHANNELS

PortalEmailE-Sign

Certificate of InsuranceCertificate

Required

TEMPLATE

Certificate of Liability Insurance · v2.5

DELIVERY CHANNELS

PortalEmailE-Sign

InvoiceInvoice

Required

TEMPLATE

Premium Invoice · v1.0

DELIVERY CHANNELS

PortalEmailE-Sign

Cover LetterCoverLetter

Required

TEMPLATE

Auto — any published Cover Letter

No template of this type yet — resolved at generation time.

DELIVERY CHANNELS

PortalEmailE-Sign

Endorsedendorsed

A mid-term change amends the policy. · 2 documents · 2 required

+ Add document

EndorsementEndorsement

Required

TEMPLATE

Policy Change Endorsement · v1.0

DELIVERY CHANNELS

PortalEmailE-Sign

Declarations PageDeclarations

Required

TEMPLATE

Policy Declarations · v3.2

DELIVERY CHANNELS

PortalEmailE-Sign

Per entry:

Field	Meaning
Document type	Which document to produce (Declarations, Certificate, Invoice...).
Template	A specific published template, or Auto — any published type to let the engine pick. *If no published template of that type exists, the entry is silently skipped.*
Required	Marks the document as mandatory for that event (governance flag).
Delivery	Channels: Portal (always-on inbox), Email , Print .

Default trigger matrix (what ships out of the box):

Event (source)	Documents generated
bound ← new policy bound	Declarations, Policy Jacket, Forms Schedule, Certificate, Invoice, Cover Letter
endorsed ← "Request a Change"	Endorsement + revised Declarations (supersedes the prior one)
cancelled ← "Cancel Policy"	Cancellation Notice, Invoice (return premium)
renewed ← "Renew"	Renewal Offer, Declarations
nonRenewed	Non-Renewal Notice
reinstated	Reinstatement Notice
claimOpened ← "File a Claim"	Notice (claim acknowledgement)

Step 5 — Publish & version

- A template must be **Published** to be used. Drafts are ignored by the generator.
- Bump **Version** for material wording changes; **issued documents keep the version that produced them** (legal traceability).
- Endorsing/renewing a policy generates a **new Declarations** and marks the previous one **Superseded** (kept, but flagged) — an automatic supersession chain.

Step 6 — Verify in the customer flow

Generation is wired into the real submit flow. When a customer **binds**, **endorses**, **Cancels**, or **renews**, the matching package fires automatically. A freshly bound policy (or any policy with no instances yet) shows the legacy labels as **Pending** with a **Generate documents** button:



VENUSPRO Insurance
Customer Portal

[Home](#) [My Policies](#) [Get a Quote](#)  [Viewing as Customer](#) [AC](#)

< My Policies



General Liability

Active

POL-GL-228931

 Summit Logistics LLC  2024-03-15 → 2025-03-15 Underwritten by VENUSPRO Insurance - GL

ANNUAL PREMIUM
\$1,850

Coverages

COVERAGE	LIMIT	DEDUCTIBLE
Each Occurrence	\$1,000,000	—
General Aggregate	\$2,000,000	—
Products / Completed Ops	\$2,000,000	—

Documents

 Policy Declarations  Pending

 Certificate of Insurance  Pending

 Generate documents

Manage this policy

 **Request a Change**
Endorse this policy

 **File a Claim**
Report a loss

 **Renew**
Continue coverage

 **Cancel Policy**
Request cancellation

VENUSPRO Insurance · Customer Self-Service Portal · Demo

After the event fires, the inbox shows **real, numbered, Issued** documents with **View / Download**, and **e-Sign** on signature-bearing ones (COI, Declarations):



VENUSPRO Insurance
Customer Portal

[Home](#)[My Policies](#)[Get a Quote](#)



Viewing as Customer

AC

< My Policies



General Liability

Active

POL-GL-220931

 Summit Logistics LLC

 2024-03-15 → 2025-03-15

Underwritten by VENUSPRO Insurance - GL

ANNUAL PREMIUM
\$1,850

Coverages

COVERAGE	LIMIT	DEDUCTIBLE
Each Occurrence	\$1,000,000	—
General Aggregate	\$2,000,000	—
Products / Completed Ops	\$2,000,000	—

Documents

4 Issued

 Invoice

POL-GL-220931-INW-0001 · V1 · 2026-06-30

View

Download

Issued

 Certificate of Insurance

POL-GL-220931-COI-0001 · V1 · 2026-06-30

View

Download

e-Sign

Issued

 Policy Jacket

POL-GL-220931-JKT-0001 · V1 · 2026-06-30

View

Download

Issued

 Declarations Page

POL-GL-220931-DEC-0001 · V1 · 2026-06-30

View

Download

e-Sign

Issued

Manage this policy

 Request a Change

Endorse this policy

 File a Claim

Report a loss

 Renew

Continue coverage

 Cancel Policy

Request cancellation

VENUSPRO Insurance · Customer Self-Service Portal · Demo

4. Reference

4.1 Document type catalog

Every type, its label, its number prefix, and the event that produces it by default. Types marked **⚠ no seed template** generate nothing until you author one.

Type	Label	Prefix	Default trigger	Seed template?
Declarations	Declarations Page	DEC	bound / endorsed / renewed	✓
PolicyJacket	Policy Jacket	JKT	bound	✓
Certificate	Certificate of Insurance	COI	bound	✓
Endorsement	Endorsement	END	endorsed	✓
CancellationNotice	Cancellation Notice	CAN	cancelled	✓
Invoice	Invoice	INV	bound / cancelled	✓
FormsSchedule	Forms Schedule	FRM	bound	⚠ no seed template
CoverLetter	Cover Letter	LTR	bound	⚠ no seed template
RenewalOffer	Renewal Offer	REN	renewed	⚠ no seed template
NonRenewalNotice	Non-Renewal Notice	NON	nonRenewed	⚠ no seed template
ReinstatementNotice	Reinstatement Notice	RST	reinstated	⚠ no seed template
Notice	Notice (claim ack)	NOT	claimOpened	⚠ no seed template
AutoIDCard	Auto ID Card	IDC	— (add to a package)	⚠ no seed template
EvidenceOfProperty	Evidence of Property	EOP	—	⚠ no seed template
Binder	Binder	BND	—	⚠ no seed template
Quote	Quote	QTE	—	⚠ no seed template

Numbering format: {policyNumber}-{PREFIX}-{0001} → e.g. POL-CA-100482-COI-0001 (sequence is per policy, per type, zero-padded).

4.2 Statuses

Template status	Meaning
Draft	Editable; not used by the generator.
Published	Live; eligible to fill package slots.
Archived	Retired; kept for history.

Instance status	Meaning
Draft	Created but not issued.
Issued	Generated & numbered; immutable.
Delivered	Sent/acknowledged on a channel (portal view, e-sign...).
Superseded	Replaced by a newer version (e.g. Dec v1 after an endorsement).
Void	Cancelled/withdrawn.

4.3 Conditions (the ***When*** editor)

Used by **conditional blocks** and **clause gating**. A condition tests a field against a value:

Part	Examples
Field	<code>state</code> , <code>product</code> , <code>status</code> , <code>tier</code> , <code>premium</code>
Operator	equals, not equals, greater/less than, contains, is empty...
Value	<code>CA</code> , <code>Commercial Auto</code> , <code>2500</code>

Conditions can be grouped with **AND / OR / NOT**. They evaluate against the policy + the captured answers at generation time.

5. Worked example — configuring **Commercial Auto** documents

Goal: a Commercial Auto policy should issue a Dec page, a COI, an **Auto ID Card**, an invoice, and a CA-specific exclusion only in California.

1. **Clauses** — confirm/author: **Insuring Agreement** (Term), **Earthquake Exclusion** gated `state == CA` (so it never shows for auto in other states; for pure auto you may omit it entirely), and any auto-specific **Condition**.
2. **Templates** —
 - Edit **Declarations**: ensure the **Schedule of Coverages** table (source = **coverages**) and a `keyValue` block with `policy.number`, `insured.name`, `policy.effectiveDate`, `policy.premium`. Add a **Condition** block `product == Commercial Auto` wrapping any trucking-specific wording.
 - Create an **Auto ID Card** template (Type = `AutoIDCard`) with the vehicle/coverage fields. Publish it.
1. **Packages** — open the **bound** event and **Add document** → **Auto ID Card** (Template = your new card; Delivery = Portal + Print). Keep Declarations/COI/Invoice.
2. **Preview** each template; confirm the auto-specific blocks appear and CA-only clauses gate correctly.
3. **Publish** all templates.

4. **Verify**: in the portal, bind/open a Commercial Auto policy → **Generate documents** → confirm the Auto ID Card now issues alongside the Dec, COI and Invoice.

Because templates are **global today** (see gaps below), use **Condition blocks keyed on** **product / state** to specialise one template across products until per-product template assignment lands.

6. Developer API (optional)

For headless/integration use, the **API Layer** page documents the document endpoints (currently mocked on the bundled Express server):

WORKSPACE

Dashboard

Form Library

CATALOG

Carriers

Products

Guardrails

FORM DESIGNER

AI Generate

Create Form

Section Builder

Field Builder

Conditional Logic

Formula Builder

Validation Engine

Repeating Grid

Lookup Tables

Rule / Rating

Workflow & Nav

RUNTIME

Preview (Live)

Review & Submit

Outputs

DOCUMENTS

Templates

Clause Library

Packages

PLATFORM

Versioning

Audit Log

API Layer

Users & Roles

Settings

Platform > API Layer

VENUSPRO FORM PLATFORM

Viewing as Admin

Admin

PLATFORM

API Layer

A REST surface over the metadata engine — definitions, save, submit, validate, calculate and documents.

Endpoints

10 endpoints

GET /form/{id}

Get Form Definition

POST /form/{id}/save

Save Answers (draft)

POST /form/{id}/submit

Submit Form

POST /form/{id}/validate

Validate Form

POST /form/{id}/calculate

Calculate Premium

GET /rules

Get Rules

POST /files/upload

Upload Files

POST /documents/pdf

Generate PDF

GET /lookups/{table}

Get Lookup Data

GET /form/{id}/versions

List Versions

TECHNICAL CONSIDERATIONS

Security, Roles & Permissions

Token / OAuth Authentication

Webhooks & Integrations

ARCHITECTURE

Metadata-Driven

Microservices-Ready

Multi-Tenant

Extensible

Documents API

Generate, retrieve, deliver and e-sign policy documents

POST /api/policies/:id/documents:generate

Run the document package for a policy lifecycle event — renders every template in the event package into numbered, issued instances.

REQUEST

```
{
  "event": "bound"
}
```

RESPONSE

```
{
  "policyId": "pol-100482",
  "event": "bound",
  "generated": [
    {
      "id": "doc-7f3a21",
      "type": "Declarations",
      "number": "POL-CA-100482-DEC-0001",
      "status": "Issued",
      "version": 1,
      "issuedAt": "2026-06-30T14:22:05.120Z",
      "url": "/documents/doc-7f3a21.pdf"
    },
    {
      "id": "doc-9b1c44",
      "type": "Invoice",
      "number": "POL-CA-100482-INW-0001",
      "status": "Issued",
      "version": 1,
      "issuedAt": "2026-06-30T14:22:05.120Z",
      "url": "/documents/doc-9b1c44.pdf"
    }
  ]
}
```

GET /api/policies/:id/documents

List every document instance generated against a policy, newest first.

RESPONSE

```
{
  "policyId": "pol-100482",
  "documents": [
    {
      "id": "doc-7f3a21",

```

POST /api/policies/:id/documents:generate · GET /api/policies/:id/documents · GET /api/documents/:id · POST /api/documents/:id/deliver · POST /api/documents/:id/sign · webhook document.issued .

7. What's not yet configurable (gaps & roadmap)

Honest list of where the flow stops short of a full carrier-grade lifecycle, roughly by priority:

P1 — needed for true per-product configuration

1. **Templates can't be scoped to a product/carrier in the UI.** The Document Settings panel has no Product/Carrier selector, so all templates are **global**. *Workaround today:* Condition blocks keyed on `product`. *Fix:* add Product/Carrier dropdowns to Document Settings (the data model + generator already support `productId` / `carrierId`).
2. **Several document types have no template** (Forms Schedule, Cover Letter, Renewal Offer, Non-Renewal, Reinstatement, claim Notice, Auto ID Card, Evidence of Property, Binder, Quote) — their package entries silently produce nothing until authored.
3. **No underwriter review/approval gate.** Documents auto-issue at bind; there's no Draft → review → Issue step for carriers that require sign-off.

P2 — lifecycle completeness

1. **Non-renewal & reinstatement have no trigger UI** (events + packages exist, but nothing fires them; non-renewal is carrier-initiated, reinstatement has no path).
2. ****Endorsements don't capture *what changed***** — the document can't yet show a before/after diff of coverages/limits/premium.
3. **Claim documents** produce nothing (claimOpened → Notice with no template).

P3 — distribution & governance

1. **Certificate holders / additional insureds aren't managed**, so COIs can't be auto-distributed or re-issued to third parties on change.
2. **Delivery is mock** — Email/Print are configurable but not actually sent; only Portal + e-Sign record a delivery.
3. **No document register / Audit-Log wiring** — there's no admin view of all issued documents, and generation isn't recorded in the Audit Log.
4. **State-mandated notices** beyond clause gating aren't auto-attached per jurisdiction.

P4 — production-readiness

1. **Persistence is browser localStorage** (demo) — production needs server storage + a PDF object store + the server-side renderer.
2. **Invoice math is basic** (no taxes/fees/installment schedule); **renewal doesn't re-rate**.

8. Cheat sheet

I want to...	Go to...
Change wording reused across documents	Clause Library → edit the clause
Change a document's layout/fields	Templates → Edit → Document Builder
Add a merge value	Builder → focus a text/merge field → {{ }} picker
Make content appear conditionally	Condition block (or a clause's *When*)
Decide which docs fire on bind/cancel/etc.	Packages → the event → Add/remove entries
Change how a doc is delivered	Packages → entry → toggle Portal/Email/Print
Test what a template produces	Builder → Preview
See a policy's issued documents	Customer portal → a policy → Documents

Generated for VENUSPRO — Document Module.