Status	Finished
Started	Thursday, 15 October 2026, 8:30 PM
Completed	Thursday, 15 October 2026, 8:32 PM
Duration	2 mins 24 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def sayHello():
    print('Hello World!')
sayHello()
sayHello()
```

a. Hello
Hello

b. Hello World! ✓
Hello World!

c. 'Hello World!'
'Hello World!'

d. None of the mentioned

Question **2**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. tuple( )

b. dictionary( ) ✓

c. input( )

d. print( )

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

- a. Emma 25 ✓
- b. Emma 20
- c. age
- d. name

Question **4**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

- a. Def
- b. Define
- c. def ✓
- d. DEF

Question **5**

Correct

Mark 1.00 out of 1.00

Which keyword is used for defining a function?

- a. def ✓
- b. Fun
- c. Function
- d. Define

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following statement is not true regarding functions?

- a. Function header always ends with a colon ( ) .
- b. A function definition begins with "define" ✓
- c. A function may or may not return value.
- d. A function may or may not have parameters.

Question **7**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. give
b. take
c. return ✓
d. send

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
  if(i==0):
    return j
  else:
    return test(i-1,i+j)
print(test(4,7))
```

a. 13
b. Infinite loop
c. 17 ✓
d. 7

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def sum(n1, n2, n = 3):
b. def div(p1=4, p2, p3): ✓
c. def scan(p1, p2 = 4, p3 = 5):
d. def mul(p1, n1, m1):

Question **10**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

- a. [7] ✓
- b. 7
- c. [1, 2, 3, 4]
- d. [4, 5, 6]

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

- a. 8
- b. Syntax Error
- c. (8,7) ✓
- d. 15

Question **12**

Correct

Mark 1.00 out of 1.00

The part of the program where a variable is accessible is known as the _____ of that variable

- a. scope ✓
- b. none of the mentioned
- c. part
- d. module

Question **13**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a _____.

a. inside variable
b. Global variable
c. Local variable ✓
d. Function Variable

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following items are present in the function header?

a. B. parameter list
b. A. function name
c. return value
d. Both A and B ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

a. 2
b. None of the mentioned
c. The numbers are equal
d. 3 ✓