Status	Finished
Started	Thursday, 15 October 2026, 9:02 PM
Completed	Thursday, 15 October 2026, 9:04 PM
Duration	2 mins 43 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(file = “a.txt”, “r”)

c. infile = open(file, “a.txt”, “r”)

d. infile = open(“a.txt”, “r”) ✓

The correct answer is:
infile = open(“a.txt”, “r”)

Question **2**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of lines ✓

b. a list of integers

c. str

d. a list of single characters

The correct answer is:
a list of lines

Question **3**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open_file()
b. openfile()
c. open() ✓
d. file()

The correct answer is: open()

Question **4**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = “c:\\scores.txt”, “w”)
b. outfile = open(“c:\scores.txt”, “w”) ✗
c. outfile = open(“c:\\scores.txt”, “w”)
d. outfile = open(file = “c:\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readchar()
b. readlines()
c. readline()
d. read(size) ✓

The correct answer is: read(size)

Question **6**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and append, w+ is for read and write
b. r+ is for binary read and write, w+ is for text read and write
c. r+ is for read and write, w+ is for append only
d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")
b. outfile = open("c:\\scores.txt", "a") ✓
c. outfile = open(file = "c:\\scores.txt", "w")
d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **8**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Binary
b. Write
c. Append
d. Read ✓

The correct answer is: Read

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. wb ✓
b. r+
c. w
d. rb

The correct answer is: wb

Question **10**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Flushes the internal buffer to the file ✓
b. Closes the file
c. Moves the file cursor to the beginning
d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file

Question **11**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using the read() method
c. Using a for loop ✓
d. Using the readline() method

The correct answer is: Using a for loop

Question **12**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. 0 ✓
- b. null
- c. garbage
- d. 1
- e. 2

The correct answer is:
0

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write()
- b. write_list()
- c. writelines() ✓
- d. write_all()

The correct answer is: writelines()

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The size of the file
- b. The encoding format of the file ✓
- c. The mode of the file
- d. The buffer size

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. Move file pointer five characters ahead from the beginning

b.
- Move file pointer five characters ahead from the current position. ✓

c.
- Move file pointer five characters behind ahead from the end of a file.

d.
- Move file pointer five characters behind from the current position.

The correct answer is:

- Move file pointer five characters ahead from the current position.