

testcase031_staging_publish_businessrule1

fingerprint comparison

1. Run Summary

Application Name	: etl_pipeline_goldlayer
Protocol Name	: DATFDemo
Protocol File Path	: datf_core/test/testprotocol/testselection_template.xlsx
Testcase Name	: testcase031_staging_publish_businessrule1
Testcase Type	: fingerprint
Test Environment	: SIT
Start Time	: 13-Mar-2026 13:31:02 UTC
End Time	: 13-Mar-2026 13:32:57 UTC
Run Time	: 0:01:54
Test Result	: Failed
Reason	: One or more fingerprint mismatched. Please check detail report for more info

2. Configuration Details

Compare Type	: likeobjectcompare
testquerygenerationmode	: Manual
Testcase Type	: fingerprint
Source Connection Name	: raw_snowflake_sql_connection
Source Connection Type	: snowflake
Source Connection Value	: raw_snowflake_sql_connection
Source Format	: table
Target Connection Name	: raw_snowflake_sql_connection
Target Connection Type	: snowflake
Target Connection Value	: raw_snowflake_sql_connection
Target Format	: table
Primary Keys	: AS_OF_DATE

3. Fingerprint Summary

Test Result	: Failed
No. of KPIs in Source	: 8
No. of KPIs in Target	: 8
No. of KPIs matched	: 6
No. of KPIs mismatched	: 2

4. SQL Queries

4.1 Source Query

```
SELECT AS_OF_DATE, CASE WHEN REGEXP_LIKE(TO_VARCHAR(AS_OF_DATE), '^[0-9]{8}$') AND  
TRY_TO_DATE(TO_VARCHAR(AS_OF_DATE), 'YYYYMMDD') IS NOT NULL THEN 'In YYYYMMDD' ELSE  
'Not in YYYYMMDD' END AS ASOFDATE_VALID, CASE WHEN EXCEPTION_INDICATOR = 'N' THEN 'Pass'  
ELSE 'Fail' END AS INDICATOR, CASE WHEN REGEXP_LIKE(TRANSACTION_AMOUNT,  
'^-[0-9]+\.[0-9]{2}$') THEN 'Pass' ELSE 'Fail' END AS TWO_DECIMAL FROM  
ENT_FIN_DEV_IL_DB.STG_INVSTMNT.STG_INVSTMNT_AFCS_INVESTRAN;
```

4.2 Target Query

```
SELECT AS_OF_DATE, CASE WHEN REGEXP_LIKE(TO_VARCHAR(AS_OF_DATE), '^[0-9]{8}$') AND  
TRY_TO_DATE(TO_VARCHAR(AS_OF_DATE), 'YYYYMMDD') IS NOT NULL THEN 'In YYYYMMDD' ELSE  
'Not in YYYYMMDD' END AS ASOFDATE_VALID, CASE WHEN EXCEPTION_INDICATOR = 'N' THEN 'Pass'  
ELSE 'Fail' END AS INDICATOR, CASE WHEN REGEXP_LIKE(TRANSACTION_AMOUNT,  
'^-[0-9]+\.[0-9]{2}$') THEN 'Pass' ELSE 'Fail' END AS TWO_DECIMAL FROM  
ENT_FIN_DEV_PL_DB.ACCOUNTING_HUB.INVSTMNT_AFCS_EXTRACT WHERE  
DATA_SOURCE_CODE_DESCRIPTION='Investran Source';
```

5. Fingerprint Comparison Report

5.1. KPI (1) - Row Count

Source Row Count : 100000
Target Row Count : 100000
KPI Status : Passed
Reason : Source and Target row count is matching

5.2. KPI (2) - Column Count

Source Column Count : 4
Target Column Count : 4
KPI Status : Passed
Reason : Source column count and target column count is matching

5.3. KPI (3) - Column Level Null Check

List of cols has null in source : []
List of cols has null in target : []
KPI Status : Passed
Reason : Source and Target have zero nulls in columns.

5.4. KPI (4) - Row Level Null Check

No of null rows in source : 0
No of null rows in target : 0
KPI Status : Passed
Reason : No rows are null

5.5. KPI (5) - Column Level empty Check

List of cols has empty in source : []
List of cols has empty in target : []
KPI Status : Passed
Reason : Source or/and Target has no empty values in any columns

5.6. KPI (6) - Row Level Duplicate Check

No of duplicate rows in source : 99999
No of duplicate rows in target : 99999
KPI Status : **Failed**
Reason : One or more rows are duplicated

5.7. KPI (7) Primary Key Duplicate Check

Test Result : **Failed**
No. of rows in Source : 100,000
No. of distinct rows in Source : 1
No. of duplicate rows in Source : 99,999
No. of rows in Target : 100,000
No. of distinct rows in Target : 1
No. of duplicate rows in Target : 99,999

5.7.1 Primary Key Duplicate Check - Source

S. No	AS_OF_DATE	count
1	20251001	100000

5.7.2 Primary Key Duplicate Check - Target

S. No	AS_OF_DATE	count
1	20251001	100000

5.8. KPI (8) - CheckSum Row Level

KPI Status : Passed

Reason : Data is matching between source and target

5.8.1 Addition Rows in Source

None

5.8.2 Addition Rows in Target

None