```
 1
 2 04/29 17:34:18: Launching 'app' on Physical Device.
 3 Install successfully finished in 43 s 679 ms.
 4 $ adb shell am start -n "com.example.transporte_bill/com.
   example.transporte_bill.MainActivity" -a android.intent.
   action.MAIN -c android.intent.category.LAUNCHER -D
 5 Connected to process 22613 on device 'xiaomi-redmi_note_3-
   99953e82'.
 6 Waiting for application to come online: com.example.
   transporte_bill.test | com.example.transporte_bill
 7 Connecting to com.example.transporte_bill
 8 Capturing and displaying logcat messages from application.
   This behavior can be disabled in the "Logcat output"
   section of the "Debugger" settings page.
 9 I/art: Late-enabling -Xcheck:jni
10 D/TidaProvider: TidaProvider()
11 W/ReflectionUtils: java.lang.NoSuchMethodException: android
   .os.MessageQueue#enableMonitor()#bestmatch
12         at miui.util.ReflectionUtils.findMethodBestMatch(
   ReflectionUtils.java:338)
13         at miui.util.ReflectionUtils.findMethodBestMatch(
   ReflectionUtils.java:375)
14         at miui.util.ReflectionUtils.callMethod(
   ReflectionUtils.java:800)
15         at miui.util.ReflectionUtils.tryCallMethod(
   ReflectionUtils.java:818)
16         at android.os.BaseLooper.enableMonitor(BaseLooper.
   java:47)
17         at android.os.Looper.prepareMainLooper(Looper.java:
   111)
18         at android.app.ActivityThread.main(ActivityThread.
   java:5586)
19         at java.lang.reflect.Method.invoke(Native Method)
20         at com.android.internal.os.
   ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:774)
21         at com.android.internal.os.ZygoteInit.main(
   ZygoteInit.java:652)
22 W/ResourceType: No package identifier when getting name for
    resource number 0x00000000
23 W/ActivityThread: Application com.example.transporte_bill
   is waiting for the debugger on port 8100...
24 I/System.out: Sending WAIT chunk
25 I/art: Debugger is active
26 I/System.out: Debugger has connected
27      waiting for debugger to settle...
28 I/System.out: waiting for debugger to settle...
```

```
29 I/System.out: waiting for debugger to settle...
30 I/System.out: waiting for debugger to settle...
31 I/System.out: waiting for debugger to settle...
32 I/System.out: waiting for debugger to settle...
33 I/System.out: debugger has settled (1357)
34 W/System: ClassLoader referenced unknown path: /data/app/
   com.example.transporte_bill-1/lib/arm64
35 I/FirebaseApp: Device unlocked: initializing all Firebase
   APIs for app [DEFAULT]
36 D/FirebaseAuth: Notifying id token listeners about user (
   mBxxO93FwsdInOaofn1FIOTzoWG3 ).
37 I/FirebaseInitProvider: FirebaseApp initialization
   successful
38 I/FirebaseAuth: [FirebaseAuth:] Preparing to create service
    connection to fallback implementation
39 W/ResourceType: No package identifier when getting name for
    resource number 0x00000000
40 W/art: Before Android 4.1, method android.graphics.
   PorterDuffColorFilter androidx.vectordrawable.graphics.
   drawable.VectorDrawableCompat.updateTintFilter(android.
   graphics.PorterDuffColorFilter, android.content.res.
   ColorStateList, android.graphics.PorterDuff$Mode) would
   have incorrectly overridden the package-private method in
   android.graphics.drawable.Drawable
41 D/AccessibilityManager: current package=com.example.
   transporte_bill, accessibility manager mIsFinalEnabled=
   false, mOptimizeEnabled=false, mIsUiAutomationEnabled=false
   , mIsInterestedPackage=false
42 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
   qti.Performance@a4a7cbd
43     BoostFramework() : mPerf = com.qualcomm.qti.Performance
   @ae6e2b2
44 I/art: Rejecting re-init on previously-failed class java.
   lang.Class<androidx.core.view.ViewCompat$2>
45 I/art: Rejecting re-init on previously-failed class java.
   lang.Class<androidx.core.view.ViewCompat$2>
46 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
   qti.Performance@b2233b8
47     BoostFramework() : mPerf = com.qualcomm.qti.Performance
   @1a24591
48 D/OpenGLRenderer: Use EGL_SWAP_BEHAVIOR_PRESERVED: true
49 I/Adreno: QUALCOMM build                    : a7823f5,
   I59a6815413
50     Build Date                    : 09/23/16
51     OpenGL ES Shader Compiler Version: XE031.07.00.00
52     Local Branch                    : mybranch22028469
```

```
53      Remote Branch                        : quic/LA.BR.1.3.3_rb2
   .26
54      Remote Branch                        : NONE
55      Reconstruct Branch                   : NOTHING
56 I/OpenGLRenderer: Initialized EGL, version 1.4
57 E/HAL: hw_get_module_by_class: module name gralloc
58      hw_get_module_by_class: module name gralloc
59 I/Timeline: Timeline: Activity_launch_request time:79878314
60 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
   qti.Performance@53ca784
61      BoostFramework() : mPerf = com.qualcomm.qti.Performance
   @9f5bb6d
62 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
   qti.Performance@8cf631c
63 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
   qti.Performance@427eb25
64 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
   cannot have a zero length
65      SPAN_EXCLUSIVE_EXCLUSIVE spans cannot have a zero
   length
66 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
   cannot have a zero length
67      SPAN_EXCLUSIVE_EXCLUSIVE spans cannot have a zero
   length
68 Capturing and displaying logcat messages from application.
   This behavior can be disabled in the "Logcat output"
   section of the "Debugger" settings page.
69 I/art: Late-enabling -Xcheck:jni
70 D/TidaProvider: TidaProvider()
71 W/ReflectionUtils: java.lang.NoSuchMethodException: android
   .os.MessageQueue#enableMonitor()#bestmatch
72      at miui.util.ReflectionUtils.findMethodBestMatch(
   ReflectionUtils.java:338)
73      at miui.util.ReflectionUtils.findMethodBestMatch(
   ReflectionUtils.java:375)
74      at miui.util.ReflectionUtils.callMethod(
   ReflectionUtils.java:800)
75      at miui.util.ReflectionUtils.tryCallMethod(
   ReflectionUtils.java:818)
76      at android.os.BaseLooper.enableMonitor(BaseLooper.
   java:47)
77      at android.os.Looper.prepareMainLooper(Looper.java:
   111)
78      at android.app.ActivityThread.main(ActivityThread.
   java:5586)
79      at java.lang.reflect.Method.invoke(Native Method)
```

```
 80         at com.android.internal.os.
    ZygoteInit$MethodAndArgsCaller.run(ZygoteInit.java:774)
 81         at com.android.internal.os.ZygoteInit.main(
    ZygoteInit.java:652)
 82 W/ResourceType: No package identifier when getting name
    for resource number 0x00000000
 83 W/ActivityThread: Application com.example.transporte_bill
    is waiting for the debugger on port 8100...
 84 I/System.out: Sending WAIT chunk
 85 I/art: Debugger is active
 86 I/System.out: Debugger has connected
 87    waiting for debugger to settle...
 88 I/System.out: waiting for debugger to settle...
 89 I/System.out: waiting for debugger to settle...
 90 I/System.out: waiting for debugger to settle...
 91 I/System.out: waiting for debugger to settle...
 92 I/System.out: waiting for debugger to settle...
 93 I/System.out: debugger has settled (1357)
 94 W/System: ClassLoader referenced unknown path: /data/app/
    com.example.transporte_bill-1/lib/arm64
 95 I/FirebaseApp: Device unlocked: initializing all Firebase
    APIs for app [DEFAULT]
 96 D/FirebaseAuth: Notifying id token listeners about user (
    mBxxO93FwsdInOaofn1FIOTzoWG3 ).
 97 I/FirebaseInitProvider: FirebaseApp initialization
    successful
 98 I/FirebaseAuth: [FirebaseAuth:] Preparing to create
    service connection to fallback implementation
 99 W/ResourceType: No package identifier when getting name
    for resource number 0x00000000
100 W/art: Before Android 4.1, method android.graphics.
    PorterDuffColorFilter androidx.vectordrawable.graphics.
    drawable.VectorDrawableCompat.updateTintFilter(android.
    graphics.PorterDuffColorFilter, android.content.res.
    ColorStateList, android.graphics.PorterDuff$Mode) would
    have incorrectly overridden the package-private method in
    android.graphics.drawable.Drawable
101 D/AccessibilityManager: current package=com.example.
    transporte_bill, accessibility manager mIsFinalEnabled=
    false, mOptimizeEnabled=false, mIsUiAutomationEnabled=
    false, mIsInterestedPackage=false
102 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
    qti.Performance@a4a7cbd
103    BoostFramework() : mPerf = com.qualcomm.qti.
    Performance@ae6e2b2
104 I/art: Rejecting re-init on previously-failed class java.
```

```
104 lang.Class<androidx.core.view.ViewCompat$2>
105 I/art: Rejecting re-init on previously-failed class java.
    lang.Class<androidx.core.view.ViewCompat$2>
106 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
    qti.Performance@b2233b8
107     BoostFramework() : mPerf = com.qualcomm.qti.
    Performance@1a24591
108 D/OpenGLRenderer: Use EGL_SWAP_BEHAVIOR_PRESERVED: true
109 I/Adreno: QUALCOMM build                  : a7823f5,
    I59a6815413
110     Build Date                        : 09/23/16
111     OpenGL ES Shader Compiler Version: XE031.07.00.00
112     Local Branch                      : mybranch22028469
113     Remote Branch                     : quic/LA.BR.1.3.
    3_rb2.26
114     Remote Branch                     : NONE
115     Reconstruct Branch                : NOTHING
116 I/OpenGLRenderer: Initialized EGL, version 1.4
117 E/HAL: hw_get_module_by_class: module name gralloc
118     hw_get_module_by_class: module name gralloc
119 I/Timeline: Timeline: Activity_launch_request time:
    79878314
120 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
    qti.Performance@53ca784
121     BoostFramework() : mPerf = com.qualcomm.qti.
    Performance@9f5bb6d
122 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
    qti.Performance@8cf631c
123 V/BoostFramework: BoostFramework() : mPerf = com.qualcomm.
    qti.Performance@427eb25
124 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
    cannot have a zero length
125     SPAN_EXCLUSIVE_EXCLUSIVE spans cannot have a zero
    length
126 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
    cannot have a zero length
127     SPAN_EXCLUSIVE_EXCLUSIVE spans cannot have a zero
    length
128 Connected to the target VM, address: 'localhost:59966',
    transport: 'socket'
129 W/IInputConnectionWrapper: getExtractedText on inactive
    InputConnection
130 W/IInputConnectionWrapper: getTextBeforeCursor on inactive
     InputConnection
131 W/IInputConnectionWrapper: getSelectedText on inactive
    InputConnection
```

132 W/IInputConnectionWrapper: getTextAfterCursor on inactive
    InputConnection
133 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
    cannot have a zero length
134   SPAN_EXCLUSIVE_EXCLUSIVE spans cannot have a zero
    length
135 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
    cannot have a zero length
136 E/SpannableStringBuilder: SPAN_EXCLUSIVE_EXCLUSIVE spans
    cannot have a zero length
137 W/IInputConnectionWrapper: getExtractedText on inactive
    InputConnection
138 W/IInputConnectionWrapper: getTextBeforeCursor on inactive
     InputConnection
139 W/IInputConnectionWrapper: getSelectedText on inactive
    InputConnection
140 W/IInputConnectionWrapper: getTextAfterCursor on inactive
    InputConnection
141 W/IInputConnectionWrapper: getExtractedText on inactive
    InputConnection
142 W/IInputConnectionWrapper: getTextBeforeCursor on inactive
     InputConnection
143 W/IInputConnectionWrapper: getSelectedText on inactive
    InputConnection
144 W/IInputConnectionWrapper: getTextAfterCursor on inactive
    InputConnection
145