Cucumber Report

Start : Nov 21, 11:36:33.590 AM	*End : Nov 21, 11:37:10.681 AM*	*Duration : 37.091 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 13 SKIPPED - 0	PASSED - 10 FAILED - 13 SKIPPED - 28

Features: 3

Scenarios: 13

Steps: 51

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 19 %

#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	35.246 s
2	Contact Us Feature	6	0	6	0	36.972 s
3	Account Page Feature	4	0	4	0	37.064 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page feature	Forgot Password link	2	1	1	0	31.380 s
2	Login page feature	Login page title	3	2	1	0	31.222 s
3	Login page feature	Login with correct credentials	6	1	1	4	4.606 s
4	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	36.969 s
5	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	31.201 s
6	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	31.309 s
7	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	30.573 s
8	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	31.151 s
9	Contact Us Feature	Contact Us scenario with different set of data	4	1	1	2	36.688 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Account Page Feature	Accounts section count	4	0	1	3	36.943 s
11	Account Page Feature	Accounts page title	4	0	1	3	31.100 s
12	Account Page Feature	Accounts page title	4	0	1	3	4.983 s
13	Account Page Feature	Accounts section count	4	0	1	3	5.884 s

(F)- Login page feature

FAILED	DURATION - 35.246 s	Scenarios		Steps	
/ 11:36:33.590 AM // 11:37:08.836 AM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 11 Pass - 4 Fail - 3 Skip - 4	11

(S)- Forgot Password link

FAILED	DURATION - 31.380 s		Steps	
/ 11:36:33.595 AM // 11:37:04.975 AM /			Total - 2 Pass - 1 Fail - 1 Skip - 0	2
Login page feature				

#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	14.038 s
2	Then - Then forgot your password link should be displayed	FAILED	0.683 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?111"}   (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61881}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 612fc7b35ea84441320abc9cf6e63acb *** Element info: {Using=link text, value=Forgot your password?111}
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByLinkText(RemoteWebDriver.java:380)		
	at org.openqa.selenium.By$ByLinkText.findElement(By.java:220)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)		
	at com.pages.LoginPage.isForgotPwdLinkExist(LoginPage.java:28)		
	at parallel.LoginPageSteps.forgot_your_password_link_should_be_displayed(LoginPageSteps.java:37)		
	at ?.forgot your password link should be displayed(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/LoginPage.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.429 s
	Forgot_Password_link		
	Account Suspended + This Account has been suspended. Contact your hosting provider for more information.		

(S)- Login page title

FAILED	DURATION - 31.222 s		Steps	
/ 11:36:33.644 AM // 11:37:04.866 AM /			Total - 3	
Login page feature			Pass - 2	3
@naveen			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	13.010 s
2	When - When user gets the title of the page	PASSED	0.069 s
3	Then - Then page title should be "Login - My Store"	FAILED	0.012 s
	java.lang.AssertionError		
	at org.junit.Assert.fail(Assert.java:87)		

| #	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at parallel.LoginPageSteps.page_title_should_be(LoginPageSteps.java:32) at ?.page title should be "Login - My Store"(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/LoginPage.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.668 s
	Login_page_title		
	Account Suspended **+** This Account has been suspended. Contact your hosting provider for more information.		

(S)- Login with correct credentials

FAILED	DURATION - 4.606 s
/ 11:37:04.230 AM // 11:37:08.836 AM /	
Login page feature	

Steps
Total - 6
Pass - 1
Fail - 1
Skip - 4

6

| #	Step / Hook Details	Status	Duration
1	Given - Given user is on login page	PASSED	1.646 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	FAILED	0.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:62099}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8a258f433624e44c25fe503b39df24c8 *** Element info: {Using=id, value=email} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.enterUserName(LoginPage.java:32) at parallel.LoginPageSteps.user_enters_username(LoginPageSteps.java:42) at ?.user enters username "dec2020secondbatch@gmail.com"(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/LoginPage.feature:16) * Not displayable characters are replaced by '?'.		
3	And - And user enters password "Selenium@12345"	SKIPPED	0.000 s
4	And - And user clicks on Login button	SKIPPED	0.001 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login_with_correct_credentials Account Suspended + This Account has been suspended. Contact your hosting provider for more information.	PASSED	0.232 s

(F)- Contact Us Feature

FAILED	DURATION - 36.972 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0	6	Steps Total - 24 Pass - 6 Fail - 6 Skip - 12	24
/ 11:36:33.606 AM // 11:37:10.578 AM /					

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 36.969 s
/ 11:36:33.609 AM // 11:37:10.578 AM /	
Contact Us Feature	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	12.322 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1	FAILED	0.003 s

	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276)
	    at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44)
	    at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34)
	    at com.qa.util.ExcelReader.getData(ExcelReader.java:23)
	    at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32)
	    at ?.user fills the form from given sheetname "contactus" and rownumber 1(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And - And user clicks on send button	SKIPPED	0.003 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.914 s
	Contact_Us_scenario_with_different_set_of_data Account Suspended + This Account has been suspended. Contact your hosting provider for more information.		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 31.201 s		Steps	
			Total - 4	
/ 11:36:33.612 AM // 11:37:04.813 AM /			Pass - 1	
Contact Us Feature			Fail - 1	
			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	10.267 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0	FAILED	0.050 s

	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276)
	    at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44)
	    at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34)
	    at com.qa.util.ExcelReader.getData(ExcelReader.java:23)
	    at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32)
	    at ?.user fills the form from given sheetname "contactus" and rownumber 0(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And - And user clicks on send button	SKIPPED	0.006 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.004 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.880 s
	Contact_Us_scenario_with_different_set_of_data		
	Account Suspended + This Account has been suspended. Contact your hosting provider for more information.		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 31.309 s
/ 11:36:33.614 AM // 11:37:04.923 AM /	
Contact Us Feature	

Steps	
Total - 4	
Pass - 1	
Fail - 1	
Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	8.350 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4	FAILED	0.003 s

	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276)
	    at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44)
	    at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34)
	    at com.qa.util.ExcelReader.getData(ExcelReader.java:23)
	    at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32)
	    at ?.user fills the form from given sheetname "contactus" and rownumber 4(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.094 s
	Contact_Us_scenario_with_different_set_of_data		
	+		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 30.573 s		Steps
	/ 11:36:33.623 AM // 11:37:04.196 AM /		Total - 4
			Pass - 1
	Contact Us Feature		Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	12.800 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2	FAILED	0.005 s

	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx
	   at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317)
	   at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295)
	   at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276)
	   at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44)
	   at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34)
	   at com.qa.util.ExcelReader.getData(ExcelReader.java:23)
	   at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32)
	   at ?.user fills the form from given sheetname "contactus" and rownumber 2(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.946 s
	Contact_Us_scenario_with_different_set_of_data +		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 31.151 s		Steps
/ 11:36:33.634 AM // 11:37:04.785 AM /			Total - 4
Contact Us Feature			Pass - 1
			Fail - 1
			Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	5.680 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5	FAILED	0.003 s

	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295)
	    at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276)
	    at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44)
	    at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34)
	    at com.qa.util.ExcelReader.getData(ExcelReader.java:23)
	    at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32)
	    at ?.user fills the form from given sheetname "contactus" and rownumber 5(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5)
	* Not displayable characters are replaced by '?'.		

3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.483 s
	Contact_Us_scenario_with_different_set_of_data +		

(S)- Contact Us scenario with different set of data

FAILED	DURATION - 36.688 s
/ 11:36:33.662 AM // 11:37:10.350 AM /	
Contact Us Feature	

Steps

Total - 4

Pass - 1

Fail - 1

Skip - 2

#	Step / Hook Details	Status	Duration
1	Given - Given user navigates to contact us page	PASSED	14.643 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3	FAILED	0.010 s
	java.io.FileNotFoundException: \Users\naveenautomationlabs\Desktop\automation.xlsx 　　at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:317) 　　at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:295) 　　at org.apache.poi.ss.usermodel.WorkbookFactory.create(WorkbookFactory.java:276) 　　at com.qa.util.ExcelReader.getWorkBook(ExcelReader.java:44) 　　at com.qa.util.ExcelReader.getSheetByName(ExcelReader.java:34) 　　at com.qa.util.ExcelReader.getData(ExcelReader.java:23) 　　at parallel.ContactUsSteps.user_fills_the_form_from_given_sheetname_and_rownumber(ContactUsSteps.java:32) 　　at ?.user fills the form from given sheetname "contactus" and rownumber 3(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/ContactUs.feature:5) * Not displayable characters are replaced by '?'.		
3	And - And user clicks on send button	SKIPPED	0.001 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.562 s
	Contact_Us_scenario_with_different_set_of_data		
	+		

(F)- Account Page Feature

FAILED	DURATION - 37.064 s		Scenarios		Steps	
	/ 11:36:33.617 AM // 11:37:10.681 AM /		Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Total - 16 Pass - 0 Fail - 4 Skip - 12	16

(S)- Accounts section count

FAILED	DURATION - 36.943 s		Steps	
	/ 11:36:33.617 AM // 11:37:10.560 AM /		Total - 4 Pass - 0 Fail - 1 Skip - 3	4
	Account Page Feature			
	@accounts			

#	Step / Hook Details	Status	Duration
1	**Given - Given user has already logged in to application**	FAILED	13.833 s

username	password
dec2020secondbatch@gmail.com	Selenium@12345

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61874}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e3b841636a2bf802889bc389dbe0bef6 *** Element info: {Using=id, value=email}
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30) at ?.user has already logged in to application(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/AccountsPage.feature:4) * Not displayable characters are replaced by '?'.		
2	Given - Given user is on Accounts page	SKIPPED	0.001 s
3	Then - Then user gets accounts section ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home	SKIPPED	0.001 s
4	And - And accounts section count should be 6	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Accounts_section_count 	PASSED	0.794 s

(S)- Accounts page title

FAILED	DURATION - 31.100 s		Steps
	/ 11:36:33.622 AM // 11:37:04.722 AM /		Total - 4
	Account Page Feature		Pass - 0
	@accounts		Fail - 1
			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given - Given user has already logged in to application	FAILED	10.912 s

username	password
dec2020secondbatch@gmail.com	Selenium@12345

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:61888}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3cc95ce1ab40e4e6c13cdb480ce2e402 *** Element info: {Using=id, value=email}
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
    at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)
    at org.openqa.selenium.By$ById.findElement(By.java:188)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
    at com.pages.LoginPage.doLogin(LoginPage.java:45)
    at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30)
    at ?.user has already logged in to application(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-

#	Step / Hook Details	Status	Duration
	master/src/test/resources/parallel/AccountsPage.feature:4) * Not displayable characters are replaced by '?'.		
2	Given - Given user is on Accounts page	SKIPPED	0.002 s
3	When - When user gets the title of the page	SKIPPED	0.002 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Accounts_page_title 	PASSED	0.641 s

(S)- Accounts page title

FAILED	DURATION - 4.983 s
/ 11:37:04.739 AM // 11:37:09.722 AM /	
Account Page Feature	
@accounts	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given - Given user has already logged in to application 	username	password	 	dec2020secondbatch@gmail.com	Selenium@12345	 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:62113}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0ae92c8ce5ccafad54951dc41c98c5bd *** Element info: {Using=id, value=email}	FAILED	1.718 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372) at org.openqa.selenium.By$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.pages.LoginPage.doLogin(LoginPage.java:45) at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30) at ?.user has already logged in to application(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-master/src/test/resources/parallel/acc.feature:4) * Not displayable characters are replaced by '?'.		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	When - When user gets the title of the page	SKIPPED	0.000 s
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Accounts_page_title 	PASSED	0.272 s

(S)- Accounts section count

FAILED	DURATION - 5.884 s		Steps	
/ 11:37:04.797 AM // 11:37:10.681 AM /			Total - 4	
Account Page Feature			Pass - 0	
@accounts			Fail - 1	
			Skip - 3	4

#	Step / Hook Details	Status	Duration
1	Given - Given user has already logged in to application	FAILED	2.002 s

username	password
dec2020secondbatch@gmail.com	Selenium@12345

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-IJ34159', ip: '192.168.1.100', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\pc\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:62119}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 11cfca1baa67d6592874c1e5496e38e1 *** Element info: {Using=id, value=email}
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
   at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)
   at org.openqa.selenium.By$ById.findElement(By.java:188)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
   at com.pages.LoginPage.doLogin(LoginPage.java:45)
   at parallel.AccountsPageSteps.user_has_already_logged_in_to_application(AccountsPageSteps.java:30)
   at ?.user has already logged in to application(file:///C:/Users/pc/Downloads/LatestCucumber6WithPOM-master/LatestCucumber6WithPOM-

#	Step / Hook Details	Status	Duration
	master/src/test/resources/parallel/acc.feature:4) * Not displayable characters are replaced by '?'.		
2	Given - Given user is on Accounts page	SKIPPED	0.000 s
3	Then - Then user gets accounts section	SKIPPED	0.001 s
	ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home		
4	And - And accounts section count should be 6	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.258 s
	Accounts_section_count		

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(S) Forgot Password link

(F) Login page feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(S) Login page title

(F) Login page feature

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Login with correct credentials

(F) Login page feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Contact Us scenario with different set
of data

(F) Contact Us Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Accounts section count

(F) Account Page Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Accounts page title

(F) Account Page Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Accounts page title

(F) Account Page Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.

(Step) AFTER - parallel.ApplicationHooks.
tearDown(io.cucumber.java.Scenario)

(S) Accounts section count

(F) Account Page Feature

Account Suspended

This Account has been suspended.

Contact your hosting provider for more information.