Eforms (Fillable Forms)

- Introduction
- Configuration in CoreAdmin
    - Setting up external account
    - Setting up eForm as an Image Type
- Experience designer configuration for eforms
    - Actions available for eforms
        - Start:
        - Continue:
        - View Form:
    - E-sign options on eforms
- Form design & configuration in Adobe Acrobat Pro
- Form Designer in Vector Viewer (client configuration & form maintenance)
- Business steps for client dev:
- Leveraging Quicklinks to generate eForms
-
- TBD V3ops guide for client solution managers and tech leads

Eforms are not available out of the box and are available as an add-on feature.

The following Ops tasks are prerequisites for eform implementation:

a. enabling the eforms feature flag on approved client instances.

b. creating client specific instance and tenant in designer.

(*details in the linked Ops documentation*)

Introduction

This page provides details on how eforms can be configured and used by clients who want to make fillable forms available

to their users. First part covers the configuration part of the eform solution followed by experience details and explanation of basic process flow.

Third part talks about forms designer and template maintenance aspect and finally V3ops processes for client solution managers and tech leads.

Configuration in CoreAdmin

- **Setting up external account**
- Admin > Maintenance > General



Configure 'Eform Provider' in external account with client specific instance id, tenant and environment values from ops task b.

This account will enable connection to the eform provider UI as well as accessing forms published in eform designer that are relevant to the current environment.

- **Setting up eForm as an Image Type**



In Image Type maintenance, typical settings for any eform would be:

Image Type Class > Form

Image Type Usage > Standard Image

Image Source > E-Form (Required)

Eform template > Choose relevant template for this eform from a list of templates published on the designer. (Required)

Add index/s and workflow like any other image type based on the process flow.

Make eform available in portals.

Experience designer configuration for eforms

Document widget can be configured for eforms by setting '***Show eforms only***' flag in advanced settings for document widget. Only Image types configured as eforms in coreadmin will be available in this widget.



Eforms experience

In the default product process flow, Eforms can be in one of the following statuses at a given time:

- **Not started** – Eform is available however DSS user hasn't started filling the eform yet.
- **In progress** – DSS user has started filling the eform and is a partially filled state.
- **Completed** – DSS User has completely filled and submitted the eform.

Filters for each of these statuses are made available at the top and the default view shows a list of 'Not started' eforms.

Actions available for eforms

Start:

Applicable only for eforms that are available and user has not started filling the eform. On click user can start filling up the available form, takes the user to fillable form view.



Options in eform viewer:

Reset Form Values: Set user filled fields to blank

Save as Draft: Save partially filled form and continue

Complete form: This will finalize, submit the form and it will be inducted as an Image

Save and Return: Save partially completed form, return to DSS and at a later date 'Continue' to fill remainder of the form



Continue:

If the eform is in partially filled state and/or not Completed, the user can resume from the state where it was left off.



After the form is filled and all required fields populated, the user can Complete the form. All validations linked to the form fields will be triggered on Complete.

Additional comments can be added to the form during completion.

Complete means that the form is finalized and a flattened image of this filled form will be inducted/added to the user's documents.



Once complete action is done, user has the option to download the filled form to his local machine.

Finish takes the user back to DSS.



View Form:

Completed Forms will be available through the Completed filter. The date on which the form was completed will be shown as well.



The completed form (now an image) can be accessed via the '***View form***' action which will open the form in viewer.



E-sign options on eforms

Clients can configure eforms to utilize the inbuilt e-sign functionality which provides the user to directly sign or use and existing e-signature image (via Upload). This sign will be captured when the form is completed and will be a part of the inducted flattened image of the filled form.



There is a DocuSign feature that can be enabled for e-sign. If your client desires to utilize DocuSign please reach out to

Mahbubul (mhaque@vitechinc.com) for further details.

Form design & configuration in Adobe Acrobat Pro

Before loading a form into Vector Viewer for further configuration, a form must be formatted in PDF editing software like Adobe Acrobat Pro. Below are the steps for adding fillable text fields, e-signature fields, date fields, and more.

To start, open your PDF in Acrobat Pro. If this is the first time you'll be opening a PDF in Acrobat Pro, right click on the file, and then click 'Open With' and then click 'Acrobat Pro'



Upon opening a file in Acrobat Pro, you'll see on the right hand side of the page you'll see a Tool Bar that includes 'Prepare Form' Click that icon to continue.



After clicking Prepare Form, you'll see a new tool bar populate at the top of the screen. This is where you'll be able to add fillable and interactive fields. To add a Text Field, click on the Text Box icon located in the top tool bar as shown below.



Once you've selected the 'Add a Text Field' icon you'll see a blue rectangle field show up on screen. Drag this rectangle to the corresponding field in the form and resize it to your liking.

After doing this, double click on the field to get the Field Properties pop-up.



In the Field Properties pop-up you can give your fillable field a display name as well as add certain formatting restrictions and validations. For the example of a Social Security Member, see below for how to configure this field to be an SSN only field.



Select Format > Format Category Dropdown > Special > Social Security Number

Now, the SSN field will only allow for numbers in the social security number compliant amount and sequence to be inputted into the field.

Proceeding to the next field, you can add a date field by clicking the 'Add a Date field' icon shown below.



Similarly to the formatting done with the SSN, you can format your date field to be mm/dd/yyyy or various other date formats by Field Properties > Format > Date Category > mm/dd/yyyy as shown below.



For checkboxes where the selection can be only one of multiple options, do the following:

Select the 'Add Radio Buttons' icon from the top toolbar.

Proceed to add your Choice name for the first radio button. In this case, we'll call it 'Male'

Name the Group for which this Radio Button will belong to. We'll call it 'Gender'

After doing this, be sure to select the 'Add Another Button' link located at the bottom of the window. All of these steps are shown below.



Upon clicking the 'Add Another Button' link, add your second radio button and be sure to give it a **different** name while retaining the **same** group.

For this case, we'll call the choice 'Female' while retaining the group name 'Gender'. This is what will allow for the correct validation to occur so that only one of these radio buttons can be selected.



For fields like Zip, there are also formats that can be applied to the field as well.

After adding a Text Field, click Format > Special Category > and then select Zip Code or Zip Code + 4 if this zip code is for mailing purposes. See below.



For fields with phone numbers, follow the same above process, but select Phone Number from this dropdown.



Using all of these different types of fields, formats, and validations you'll be ready to upload files into Vector Viewer and continue the eForms process.

Form Designer in Vector Viewer (client configuration & form maintenance)

Log in to VectorViewer Experience (https://vvdevdashboard.v3locitydev.com/#/auth/login) ; every client will get their own specific instance of VectorViewer where they will be able to create all necessary forms.

Via VectorViewer Dashboard > Forms > Forms Design

Select appropriate *Tenant* and respective *Environment* from drop downs

Click on *New* to import a pdf which will be used as a form template



Note:

- Please make sure the PDF template you are using was properly configured in Adobe Acrobat Pro prior to importing it onto VectorViewer. Creating fillable fields with proper camel cased field IDs needs to be done in Adobe **and cannot be done in VectorViewer**.
- VectorViewer allows you to **configure the validation/requirements/logic** for these fields, **not create them or change their IDs**.

Once the Submit button is clicked, the pdf will be uploaded into the list view

Select Green Eye Icon to open *Design Mode.* PDF will open where user can begin to configure the necessary fields.



When hovering over fillable field, a grey pop over will open which will allow you to configure different parameters.



Notable Parameters:

- **Required** - If flag is checked, field must be filled. For example, name
- **Numeric** - If flag is checked, field must be filled exclusively with numbers
    - **Type** Drop down
        - **Number** - default
        - **Currency** - round to 2 decimal places
        - **PositiveNumberOnly**

- 

- **Alert Message** - user can configure error message if numeric condition is not met

- **Date** - If flag is checked, user must use date format
  - **Type** Drop Down - specifies the date field format that the user must follow
  - 

  - **Alert Message** - user can configure error message if date condition is not met

- 

- **Mask** - If enabled, masks the field value i.e. Social Security Number, PI

- User can configure custom logic beyond these parameters by clicking the **Custom JS** button:
  - User will be prompted to enter Java Script code that defines this logic
  -

(example code to have "select only one of two" checkboxes)

  - **Number format:** This allows you to have a maximum and minimum number of decimals for your numeric field
  - **Alert:** Full page error alert
  - **Inline Alert**: Alert on a specific field/box

- Click on *Save Configuration* button located at top right corner to keep any edits made



When user has completed fillable form configuration in VV, select Blue *Publish* Icon Button to make the form available for image type setup in CoreAdmin



FORM TEMPLATE NAME	FORM TEMPLATE ID	CREATED	LAST PUBLISHED	ACTIONS
W4_Edited	528b0f76-8afd-4372-b9b0-634b7a3ae300	spadmaraju@vitechinc.com on 12/9/2020	spadmaraju@vitechinc.com on 12/9/2020	

Business steps for client dev:

a. Step triggered when bringing up the form for pre-populating fields:

PRE_SAVE_EFORM_CONTENT

b. Step triggerred on Complete Form:

POST_SAVE_EFORM_CONTENT

Both steps will have access to the following:

"DOC_IMAGE", DocumentImage - Type of the Eform

"SCOPED_BEK", BusinessEntityKey - Bek in context (Member bek in MSS)

"EFORM_DTO", EformProviderDTO – Field data (pre-filled + filled in data)
"SCOPED_ENTITY" , Entity - Entity in context (eg. Pension Application if eform was started from pension application subdash custom action)\

Leveraging Quicklinks to generate eForms

eForms can also be generated from a Quicklink. This allows for the functionality of the eForms widget to be extended to other parts of the Digital Self Service experience outside of the eForms Widget.

To begin to configure eForm Quicklinks, start by adding the Links widget in your experience.



After adding the Links widget to your experience, proceed to add a new link by clicking into the widget and clicking the 'Add' button shown below:



Upon clicking the 'Add' button, a modal will surface with fields to be filled out as follows:

Link Text: This serves as a display name for your Quicklink.

Description: This can be a brief one sentence summary of the functionality a given Quicklink captures.

Click Action: This field must be filled in with the Quick Link option. This will allow for the subsequent fields to surface.

Quick Link: For this field, select Fillable Forms - eForms. In a specific implementation, the name is defined as 'Tab Name' + 'eForms (documents) Widget Name'. This name will display uniquely for every combination of the tab and widget name.

Quick Link Action: For this field, there are two relevant selections that can be made. Both will determine what functionality will be executed by the Quicklink:

- **Download Eform:** This action will download the eForm that's selected in the eForm definition field.
- **Start Eform:** This action will start the eForm that's selected in the eForm definition field by opening it in Vector Viewer similarly to the 'Start' action in the eForms widget.

eForm Definition: This field will yield a list of available eForms associated with a given instance. One eForm can be selected for a given eForm. The eForm selected will be the one generated via the above defined Quicklink action.

Once all eForm Quicklink fields have been filled properly as shown below, click 'OK' to proceed.



After clicking 'OK', the Quicklink should now be shown in the Links widget as shown below:



After configuring the eForm quicklinks, save and publish your changes in Experience Designer and proceed to login to the instance for which you've configured these quicklinks.



Upon clicking on the Download eForm Quicklink, a pdf of the prepopulated eForm will download via your browsers native downloader.



Clicking the Start eForm action will result in Vector Viewer opening the eForm to be filled in further. As you can see, this eForm has also been prepopulated with the given information for Mary Anderson, the MSS user who triggered this eForm generation.

The eForm fields that can be populated with relevant data from CoreAdmin can be configured by client developers accordingly. Fields that shouldn't be prepopulated will function as expected for user input.



TBD V3ops guide for client solution managers and tech leads