

Below is a **complete, clean, beginner-friendly guide + full automatic shell script**.

Everything is rewritten **step-by-step** including:

- Where to run commands
- How to find the DOSBox config file
- How to set up Turbo C++
- How to configure everything
- How to make desktop icon
- How to run the final script

☆ **PART 1 — INSTALLING TURBO C++ ON LINUX (LAYMAN GUIDE)**

▣ **Step 1 — Open Terminal**

Press:

`Ctrl + Alt + T`

A black window opens.

All commands will be typed in this Terminal.

▣ **Step 2 — Install DOSBox**

Type:

```
sudo apt update
sudo apt install dosbox
```

Press Enter.

This installs DOSBox (a DOS emulator required to run Turbo C++).

▣ **Step 3 — Download Turbo C++**

Open this link in your browser:

🔗 <https://turbo-c.net/turbo-c-download/>

Download Turbo C++ for Linux from this site.

Your file will be downloaded to **Downloads** folder usually.

■ Step 4 — Create TurboC folder

In Terminal:

```
mkdir -p ~/turboc
```

This creates a folder named **turboc** inside your **home folder**. `cd ~` takes into home folder.

■ Step 5 — Extract Turbo C++ into turboc folder

If your downloaded file is in Downloads and named `turboc.zip` then run:

```
unzip ~/Downloads/turboc.zip -d ~/turboc
```

Inside `~/turboc` you must have:

```
TURBOC3/  
  BIN/  
  BGI/  
  INCLUDE/  
  LIB/
```

☆ PART 2 — LOCATING THE DOSBOX CONFIG FILE

DOSBox stores config files inside a hidden folder `.dosbox` inside your home directory.

Run:

```
ls ~/.dosbox
```

You will see a file like:

```
dosbox-0.74-3.conf
```

This is your main configuration file.

Copy the name or note it down.

☆ PART 3 — CONFIGURING DOSBOX PERMANENTLY

🔗 Replace the filename below with YOUR config file.

Open it through any editor: `kate`, `gedit`, `nano` etc.

```
kate ~/.dosbox/dosbox-0.74-3.conf
```

The file opens in a text editor.

■ A. Fix mouse trap issue

Find this section:

```
[sdl]
```

Change:

```
autolock=false  
fullscreen=false
```

This prevents DOSBox from trapping your mouse.

■ B. Auto-start Turbo C++

Scroll to bottom → find:

```
[autoexec]
```

Replace it with:

```
[autoexec]  
mount c ~/turboc  
c:  
cd TURBOC3\BIN  
tc.exe
```

This will launch Turbo C++ automatically.

Save and close the file.

☆ PART 4 — TESTING THE INSTALLATION

Run:

```
dosbox
```

If everything is correct:

- ✓ Turbo C++ opens automatically
- ✓ Mouse moves freely
- ✓ Graphics programs compile (BGI works)

Part 5 onwards is optional. Search for dosbox on Q4OS and put it on desktop by right click.

☆ PART 5 — CREATE DESKTOP ICON (SHORTCUT)

Run:

```
gedit ~/Desktop/TurboC.desktop
```

Paste:

```
[Desktop Entry]
Type=Application
Name=Turbo C++
Comment=Run Turbo C++ in DOSBox
Exec=dosbox -conf /home/$USER/.dosbox/dosbox-0.74-3.conf
Icon=/home/$USER/turboc/tc.png
Terminal=false
Categories=Development;IDE;
```

(Place any Turbo C icon named `tc.png` inside `~/turboc`.)

Make icon executable:

```
chmod +x ~/Desktop/TurboC.desktop
```

Double-click → Turbo C starts!

☆ PART 6 — FULL AUTOMATIC SHELL SCRIPT

This script installs DOSBox, extracts Turbo C++, configures DOSBox, creates desktop icon.

💡 **Save as: `install_turboc.sh`**

```
#!/bin/bash

echo "=== Turbo C++ Auto Installer for Linux ==="
echo

# Step 1: Install DOSBox
echo "Installing DOSBox..."
sudo apt update
sudo apt install -y dosbox unzip

# Step 2: Create turboc folder
echo "Creating ~/turboc folder..."
mkdir -p ~/turboc

# Step 3: Extract Turbo C++ ZIP
echo "Searching for Turbo C++ ZIP in Downloads..."
ZIPFILE=$(ls ~/Downloads/*.zip 2>/dev/null | head -n 1)

if [ -z "$ZIPFILE" ]; then
    echo "ERROR: No ZIP file found in Downloads. Download from https://turbo-c.net/turbo-c-download/"
    exit 1
```

```

fi

echo "Extracting $ZIPFILE..."
unzip "$ZIPFILE" -d ~/turboc

# Step 4: Locate DOSBox config file
echo "Locating DOSBox config file..."
CONF_FILE=$(ls ~/.dosbox/*.conf | head -n 1)

if [ -z "$CONF_FILE" ]; then
    echo "ERROR: No DOSBox config found. Run DOSBox once and try again."
    exit 1
fi

echo "Using config file: $CONF_FILE"

# Step 5: Configure DOSBox
echo "Configuring DOSBox..."

sed -i 's/autolock=true/autolock=false/g' "$CONF_FILE"
sed -i 's/fullscreen=true/fullscreen=false/g' "$CONF_FILE"

cat <<EOF >> "$CONF_FILE"

# Auto-start Turbo C++
[autoexec]
mount c ~/turboc
c:
cd TURBOC3\\BIN
tc.exe
EOF

# Step 6: Create Desktop Icon
echo "Creating desktop shortcut..."

cat <<EOF > ~/Desktop/TurboC.desktop
[Desktop Entry]
Type=Application
Name=Turbo C++
Comment=Run Turbo C++ in DOSBox
Exec=dosbox -conf $CONF_FILE
Icon=/home/$USER/turboc/tc.png
Terminal=false
Categories=Development;IDE;
EOF

chmod +x ~/Desktop/TurboC.desktop

echo "=== Installation Complete ==="
echo "Double-click the Turbo C++ icon on your Desktop to start."

```

☆ PART 7 — HOW TO RUN THE SCRIPT

1. Save the script as:
install_turboc.sh
2. Make it executable:

```
chmod +x install_turboc.sh
```

3. Run it:

```
./install_turboc.sh
```

Done!



YOU NOW HAVE:

- ✓ Turbo C++ installed
 - ✓ DOSBox configured
 - ✓ Auto-start working
 - ✓ Mouse auto-unlocked
 - ✓ Desktop icon created
 - ✓ Full BGI graphics support
-