



Api Automation PDF Report

3 Oct 2022, 14.53.31


Start : Oct 03, 2:53:27.043 PM	End : Oct 03, 2:53:30.250 PM	Duration : 3.207 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get Quotation</u>	3.207 s	1	1	0	0	3	3	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get Quotation</u>	1	1	0	0	3.207 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get Quotation</u>	<u>Get Quotation from endpoint</u>	3	3	0	0	3.203 s

Get Quotation

PASSED	DURATION - 3.207 s	Scenarios		Steps	
/ 2:53:27.043 PM // 2:53:30.250 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 3 Pass - 3 Fail - 0 Skip - 0	

Get Quotation from endpoint

<div>PASSED</div>	<div>DURATION - 3.203 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:53:27.047 PM // 2:53:30.250 PM /</div>				
<div>Get Quotation</div>				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/IIRIS_ECRM_API_UAT/webapi/MotorApi/GetQuotation"	PASSED	0.002 s
2	When user creates a quotation from JSON file "GetQuotation.json"	PASSED	3.168 s
	Test Response is as :- { "CurrencyCode": null, "QuoteReferenceNo": null, "QuotationNo": null, "QuotationExpiryDate": null, "PolicyEffectiveDate": null, "PolicyExpiryDate": null, "TempPolicyNumber": null, "RequiredInspectionCode": null, "IncludedFeatures": null, "ExtraFeatures": null, "Offers": null, "StatusCode": "2", "Errors": [{ "code": "E100", "field": "QuoteReferenceNo", "message": "Quotation Reference No. Already Exists" }] }		
3	Then user should get the response code 200	PASSED	0.002 s
	Test Statu Code is as :- 200		