

//Exercise 1: Setting Up Junit

pom.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>org.example</groupId>
  <artifactId>TDDJUnit</artifactId>
  <version>1.0-SNAPSHOT</version>
  <properties>
    <maven.compiler.source>26</maven.compiler.source>
    <maven.compiler.target>26</maven.compiler.target>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  </properties>
  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>4.13.2</version>
      <scope>test</scope>
    </dependency>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>RELEASE</version>
      <scope>test</scope>
    </dependency>
  </dependencies>
</project>
```

Calculator.java

```
package org.example;

public class Calculator {
    public int add(int a, int b) {
        return a + b;
    }
}
```

CalculatorTest.java

```
import org.example.Calculator;
import org.junit.Test;
import static org.junit.Assert.assertEquals;

public class CalculatorTest {

    @Test
    public void testAdd() {
        Calculator calc = new Calculator();
        assertEquals(5, calc.add(2, 3));
    }
}
```

Output

