

Q1.

You are entering a customer loading area with narrow access lanes and limited turning space. Forklifts are operating nearby, and pallets are being moved in and out of the loading zone. You need to position your vehicle for unloading. What is the safest action?

Options

- A. Move forward quickly to clear the access lane and stop close to the loading activity
- B. Stop at a safe distance, assess forklift movement, and proceed slowly only when the path is clear
- C. Rely on the forklift operator to guide you while continuing to move forward
- D. Park as close as possible to reduce walking distance, even if space is tight

Correct Answer: B

Coaching: Careful positioning and keeping clear of active loading zones reduce the risk of collision and personal injury in constrained environments.

Driver Operational Performance Dashboard (DOPD): Operational Effectiveness: 0.75/Operational Discipline: 0.00/Professional Conduct: 0.25

Q2.

You are driving at the posted speed on a busy road. Motorcycles are filtering between lanes ahead, and vehicles further in front begin braking unevenly as the road curves slightly. What should you do now?

Options

- A. Hold your speed and rely on braking if traffic slows suddenly
- B. Reduce speed early and increase space to allow for sudden changes
- C. Change lanes to avoid the slower traffic ahead
- D. Maintain pace and focus on the vehicle directly in front

Correct Answer: B

Coaching: **Early** speed reduction creates time and space to manage unpredictable road behaviour safely.

DOPD: Operational Effectiveness: 0.75/Operational Discipline: 0.25/Professional Conduct: 0.00

Q3.

You are positioning your vehicle in a narrow loading area. Forklifts are operating nearby, and pedestrian movement is active within the loading zone. Space is limited. What should you do now?

Options

- A. Move forward to position quickly before equipment approaches
- B. Position only when the loading zone is clear of active movement
- C. Continue moving slowly while watching for signals from operators
- D. Stop close to the loading area to minimise walking distance

Correct Answer: B

Coaching: Keeping clear of active loading zones reduces the risk of collision and personal injury in constrained environments.

DOPD: Operational Effectiveness: 0.75/Operational Discipline: 0.00/Professional Conduct: 0.25

Q4.

You are approaching a customer entrance from a public road. The access lane ahead is narrow and partially obstructed, with vehicles entering and exiting the site. What should you do now?

Options

- A. Maintain your approach speed to avoid blocking traffic behind
- B. Slow early and proceed only when the access path is clearly safe
- C. Move closer to assess space before deciding whether to stop
- D. Enter the access lane and adjust position once inside

Correct Answer: B

Coaching: Anticipating access constraints early allows safer entry and reduces last-moment adjustments in tight spaces.

DOPD: Operational Effectiveness: 1.00/Operational Discipline: 0.00/Professional Conduct: 0.00

Q5.

You are driving inside a container terminal lane. An RTG is lifting containers beside the lane, and yard vehicles are moving in and out ahead. Visibility is clear, but movement around the lane is active. What should you do now?

Options

- A. Maintain a steady speed and pass through while keeping the RTG in view
- B. Reduce speed early and pass the area cautiously
- C. Continue at a moderate speed and adjust only if equipment moves closer
- D. Slow slightly but keep moving to avoid delaying terminal traffic

Correct Answer: B

Coaching: Reducing speed early near active lifting equipment creates time and space to manage sudden movement safely.

DOPD: Operational Effectiveness: 0.75/Operational Discipline: 0.25/Professional Conduct: 0.00

Q6.

You are driving in steady traffic on a multi-lane road. Motorcycles are filtering between lanes ahead, and vehicles further in front slow briefly near an exit. What should you do now?

Options

- A. Maintain your lane position and prepare for sudden movements around you
- B. Change lanes early to avoid possible slowing ahead
- C. Hold your lane but move slightly toward the lane marking for visibility
- D. Continue as normal and respond only if traffic slows sharply

Correct Answer: A

Coaching: Stable lane position combined with early anticipation helps manage unpredictable movement safely.

DOPD: Operational Effectiveness: 1.00/Operational Discipline: 0.00/Professional Conduct: 0.00

Q7.

You are following traffic at cruising speed. Brake lights appear intermittently several vehicles ahead, and motorcycles move between lanes. Traffic flow remains steady for now. What should you do now?

Options

- A. Increase following distance to allow for sudden slowing ahead
- B. Maintain distance and rely on braking if traffic slows
- C. Move closer to match the pace of vehicles in front
- D. Change lanes to avoid unpredictable movement

Correct Answer: A

Coaching: Extra space gives you more time to respond when hazards develop ahead.

DOPD: Operational Effectiveness: 0.75/Operational Discipline: 0.25/Professional Conduct: 0.00

Q7.

You are preparing to change lanes in steady traffic. Motorcycles are filtering between lanes, and vehicles ahead slow briefly near an exit. What should you do now?

Options

- A. Signal early and complete full mirror checks before moving
- B. Signal as you begin to move and rely on drivers around you to adjust
- C. Check mirrors quickly and move once the adjacent lane looks clear
- D. Wait for traffic to stabilise before deciding whether to signal

Correct Answer: A

Coaching: Early signalling and full checks help other road users anticipate your movement safely.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q8.

You are merging from a slip road onto a busy highway. Traffic is moving, but vehicles ahead brake unevenly, and motorcycles pass between lanes. What should you do now?

Options

- A. Wait for a clearly safe gap before merging
- B. Merge into the flow and adjust speed once fully on the highway
- C. Use the available gap quickly before traffic closes in
- D. Move forward to signal intent and merge when vehicles slow

Correct Answer: A

Coaching: Choosing a safe gap reduces sudden braking and conflict during merging.

DOPD: Operational Effectiveness: 1.00/ Operational Discipline: 0.00/ Professional Conduct: 0.00

Q8.

You are approaching a busy junction where vehicles enter from multiple directions. Traffic ahead slows, and visibility is partially limited by surrounding vehicles. What should you do now?

Options

- A. Reduce speed early and prepare to stop if required
- B. Maintain speed and brake firmly only if another vehicle enters
- C. Slow slightly and proceed once the vehicle ahead moves
- D. Keep moving to clear the junction quickly when a gap appears

Correct Answer: A

Coaching: Lower speed before junctions gives you time to respond safely to unexpected movement.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q9. You are approaching a busy junction with multiple entry lanes. Traffic slows unevenly, and vehicles from the side begin edging forward. What should you do now?

Options

- A. Hold your lane clearly and approach the junction at a reduced speed
- B. Shift slightly within your lane to improve visibility before deciding
- C. Edge closer to the junction to discourage other vehicles from moving
- D. Continue at the same pace and react only if another vehicle enters

Correct Answer: A

Coaching: Clear lane position and early speed control help reduce conflict at junctions.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q10.

You are driving at night in heavy rain on a downhill road. Visibility is reduced, and vehicles ahead slow unpredictably. What is the best action?

Options

- A. Reduce speed early to match the higher risk conditions
- B. Maintain speed and rely on headlights and braking if needed
- C. Slow slightly and adjust only if visibility worsens further
- D. Keep pace with the vehicle ahead to avoid disrupting traffic

Correct Answer: A

Coaching: Lower speed in high-risk conditions provides time and control when visibility is reduced.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q11.

You are driving in slow traffic when another driver suddenly cuts in and brakes sharply. Traffic continues moving, but you feel pressured by the situation. What should you do now?

Options

- A. Reduce speed smoothly and keep a safe pace
- B. Maintain speed to avoid being pushed back by other vehicles
- C. Slow briefly, then speed up to create space ahead
- D. Adjust speed only after traffic settles again

Correct Answer: A

Coaching: Calm speed control helps prevent impulsive reactions when traffic behaviour is frustrating.

DOPD: Operational Effectiveness: 0.50/ Operational Discipline: 0.25/ Professional Conduct: 0.25

Q12.

You are following a slow-moving vehicle on a busy road. Traffic flows on the adjacent lane, and you feel irritated by the delay. What should you do now?

Options

- A. Wait for a clearly safe gap before overtaking
- B. Overtake quickly to avoid staying stuck behind the vehicle
- C. Move closer to signal your intent and encourage the driver ahead
- D. Begin overtaking and adjust your position as traffic responds

Correct Answer: A

Coaching: Managing frustration helps keep overtaking decisions safe and well-judged.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q13.

You are driving in heavy rain at night. Spray from vehicles ahead reduces visibility, and traffic flow remains steady. What should you do now?

Options

- A. Increase following distance to allow more reaction time
- B. Maintain distance since traffic speed is consistent
- C. Close the gap slightly to keep visual contact with the vehicle ahead
- D. Stay at the same distance and respond only if traffic slows

Correct Answer: A

Coaching: Extra spacing in poor visibility helps manage sudden slowing safely.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q14.

You are driving inside a depot with marked lanes and posted site rules. Mobile equipment is operating nearby, and visibility is partially restricted by stacked loads. Traffic inside the yard is uneven. What is the safest action.

Options

- A. Keep to the marked lane and slow down until equipment movement is clearly clear
- B. Adjust your position slightly to see past the equipment before deciding how to proceed
- C. Continue moving steadily so you do not block equipment working behind you
- D. Proceed as usual and rely on equipment operators to maintain safe clearance

Correct Answer: A

Coaching: Clear lane discipline and early speed reduction help prevent conflicts with operating equipment in site environments.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q15.

You need to reverse into a marked bay inside a warehouse yard. Site rules apply, space is tight, and other vehicles are moving nearby. Visibility is limited. What should you do now?

Options

- A. Stop and wait until you have clear visibility and confirmed clearance before reversing
- B. Begin reversing slowly while checking mirrors and adjusting as space allows
- C. Continue the manoeuvre to avoid delaying others behind you
- D. Reverse carefully and rely on others nearby to keep clear

Correct Answer: A

Coaching: Clear visibility and adherence to site rules reduce risk during low-speed reversing in confined areas.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q16.

You are on foot near your vehicle in an active loading area. Forklifts are moving pallets, sightlines are partially blocked by stacked goods, and activity levels change quickly. What should you do now?

Options

- A. Keep clear of active loading paths and wait until movement around you has settled
- B. Move closer to the loading activity to keep track of equipment movement
- C. Walk through the area at a steady pace to minimise time spent in the zone
- D. Position yourself where operators can see you and continue moving

Correct Answer: A

Coaching: Maintaining clear separation from loading activity reduces exposure to sudden equipment movement and blind spots.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q17.

You are approaching a checkpoint inside a large facility. Vehicles are queueing unevenly, and internal lanes branch toward different inspection points. Some drivers are repositioning to move through faster. What is the safest action?

Options

- A. Remain in the assigned lane and wait for checkpoint direction before repositioning
- B. Shift early to a less congested lane to reduce waiting time
- C. Move forward gradually and adjust your position once closer to the checkpoint
- D. Follow the vehicle ahead if its lane appears to be clearing more quickly

Correct Answer: A

Coaching: Orderly movement and waiting for checkpoint direction reduce confusion and conflict in controlled zones.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q18.

You arrive at a customer site where access lanes are narrow and loading activity is ongoing. Forklifts are moving nearby, and space around the loading area is limited. What is the safest action?

Options

- A. Hold back outside the loading area until access is clearly available
- B. Move forward slowly to secure a position near the loading point
- C. Approach the area while keeping yourself visible to site staff
- D. Continue advancing carefully to avoid delaying loading operations

Correct Answer: A

Coaching: Keeping distance from constrained access points and active loading areas reduces exposure to sudden movement.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q19.

You are at a customer site where loading is ongoing during heavy rain. Ground surfaces are wet, visibility is reduced, and equipment movement continues near the loading area. What should you do now?

Options

- A. Stay clear of the loading area until conditions stabilise and movement slows
- B. Proceed carefully into the area while adjusting your pace for the weather
- C. Position yourself closer to monitor equipment movement despite reduced visibility
- D. Continue approaching slowly so loading can proceed without interruption

Correct Answer: A

Coaching: Adapting to environmental conditions and keeping clear of active loading areas reduces risk when hazards increase.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q20.

Inside a terminal yard, mobile equipment is operating nearby. A site marshal signals you to hold position while equipment completes a movement in your path. What is the best action?

Options

- A. Remain stationary at the instructed point until the marshal signals to proceed
- B. Ease forward slightly to improve visibility of the equipment movement
- C. Hold position briefly, then advance once the equipment appears to clear
- D. Follow the vehicle ahead if it begins moving past the equipment

Correct Answer: A

Coaching: Following site authority instructions and maintaining distance from operating equipment helps prevent conflicts in controlled yards.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q21.

You are inside a container terminal where RTGs are operating across marked lanes. Terminal rules specify clear zones around lifting operations, and equipment movement is continuous. What should you do now?

Options

- A. Remain outside the marked clear zone until lifting operations pause and access is given
- B. Move along the edge of the lane to maintain progress while staying alert to equipment
- C. Advance slowly through the area when the RTG appears to be repositioning
- D. Follow the vehicle ahead once it starts moving past the RTG

Correct Answer: A

Coaching: Respecting terminal clear zones and waiting for safe access reduces exposure to lifting equipment hazards.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q22.

At a container terminal, a crane is lifting containers while vehicles and personnel move nearby. You need to be in the area to prepare for the next step once lifting finishes. What is the best action?

Options

- A. Keep clear of the lifting zone until the operation is complete and the area is released
- B. Position yourself closer to observe the lift and be ready to move when it ends
- C. Wait nearby and approach once the container is almost set down
- D. Move forward carefully and cautiously to avoid delaying the trucks queuing behind you

Correct Answer: A

Coaching: Staying clear of lifting zones protects against sudden movement and falling-object risks during operations.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q23.

You are approaching a terminal gate where documents are checked before entry. Vehicles are queueing, and some drivers are repositioning to align with faster-moving lanes as the gate process continues. What is the safest action?

Options

- A. Remain in the assigned lane and follow the gate process until clearance is given
- B. Shift toward a faster lane once you see another vehicle being processed
- C. Move forward gradually to prepare for inspection as space opens ahead
- D. Follow the vehicle ahead if it begins to advance through the gate, assuming the process is already clearing

Correct Answer: A

Coaching: Staying within the assigned lane and following gate instructions helps keep terminal entry orderly and safe.

DOPD: Operational Effectiveness: 0.50/ Operational Discipline: 0.50/ Professional Conduct: 0.00

Q24.

You are driving within an industrial site where mobile equipment is operating close to the internal roadway. Visibility is clear, but equipment movements change frequently as work progresses. What should you do now?

Options

- A. Reduce speed early and maintain extra clearance from operating equipment
- B. Maintain a steady pace and adjust only if equipment moves into your path
- C. Continue at low speed to pass through quickly before equipment repositions
- D. Follow the vehicle ahead if it appears to be moving safely past the equipment

Correct Answer: A

Coaching: Early speed reduction and increased clearance help prevent sudden conflicts with moving equipment inside sites.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q25.

Inside a site yard, you need to reverse into a tight space while other vehicles and equipment are operating nearby. Movement around the area is slow but continuous. What is the safest action?

Options

- A. Slow down fully and begin reversing only when space and visibility are clear
- B. Reverse slowly while adjusting speed as conditions around you change
- C. Complete the manoeuvre smoothly to minimise disruption to others
- D. Follow the movements of nearby vehicles to guide your reversing speed

Correct Answer: A

Coaching: Clear speed control and deliberate low-speed manoeuvring reduce risk during reversing in busy site environments.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q26.

You are driving inside a large facility where internal traffic moves slowly. Vehicles queue ahead while forklifts operate near the internal roadway, occasionally crossing between lanes. What is the safest action?

Options

- A. Increase your following distance and keep clear sightlines around moving equipment
- B. Maintain normal spacing and close the gap once the vehicle ahead slows
- C. Reduce the gap slightly to avoid blocking other vehicles behind you
- D. Match the distance used by surrounding vehicles and adjust if needed

Correct Answer: A

Coaching: Maintaining extra spacing and clear sightlines helps manage sudden movements in shared operational areas.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.25/ Professional Conduct: 0.00

Q27.

You move from an internal roadway toward a loading area. Pedestrians, parked vehicles, and equipment create partial obstructions, and movement patterns change quickly. What should you do?

Options

- A. Slow down early and adjust your path based on likely movement around you
- B. Continue at a steady pace and react once a clear hazard appears
- C. Focus on the immediate path ahead and reassess after entering the area
- D. Follow the route taken by vehicles ahead that appear to pass through smoothly

Correct Answer: A

Coaching: Early anticipation and spatial adjustment reduce the need for sudden reactions in mixed-activity areas.

DOPD: Operational Effectiveness: 1.00/ Operational Discipline: 0.00/ Professional Conduct: 0.00

Q28.

You are approaching a junction inside an industrial site where internal traffic lanes intersect. Site rules require vehicles to yield at the junction, but some drivers move through when gaps appear. What is the right action?

Options

- A. Slow down and follow the site's junction rule before entering the intersection
- B. Roll forward cautiously and proceed once the immediate path looks clear
- C. Edge into the junction to signal your intention to other drivers
- D. Enter the junction if nearby vehicles appear to be moving through safely

Correct Answer: A

Coaching: Applying junction judgement together with site rules helps prevent conflicts at internal intersections.

DOPD: Operational Effectiveness: 0.50/ Operational Discipline: 0.50/ Professional Conduct: 0.00

Q29.

Inside a site yard, you need to merge into an internal lane while mobile equipment is operating nearby. Gaps open intermittently as vehicles and equipment reposition. What is the best action?

Options

- A. Wait for a clear gap that keeps safe distance from nearby equipment
- B. Merge smoothly when a small gap appears to maintain traffic flow
- C. Move forward gradually to secure space before equipment moves closer
- D. Follow the vehicle ahead into the lane if it appears to merge safely

Correct Answer: A

Coaching: Accurate gap judgement combined with equipment clearance reduces risk during site-level merging.

DOPD: Operational Effectiveness: 1.00/ Operational Discipline: 0.00/ Professional Conduct: 0.00

Q30.

You are approaching an industrial access road with uneven surfaces and structural obstructions near the roadway. Visibility is reduced, and site traffic is moving intermittently around the area. What is the safest action?

Options

- A. Reduce speed early and adjust your path to account for surface and structural hazards
- B. Maintain a cautious pace and react if the road condition worsens ahead
- C. Proceed steadily while keeping focus on the main access route
- D. Follow the vehicle ahead if it appears to be navigating the area smoothly

Correct Answer: A

Coaching: Early adjustment to environmental and structural risks helps prevent sudden loss of control in complex access areas.

DOPD: Operational Effectiveness: 1.00/ Operational Discipline: 0.00/ Professional Conduct: 0.00

Q31.

Inside a site yard, a marshal signals you to hold position while nearby vehicles reposition. Other drivers are signalling and adjusting their position as the area clears. What should you do?

Options

- A. Hold position as instructed and continue monitoring mirrors and blind spots
- B. Signal your intention and edge forward slightly to prepare to move
- C. Adjust your position gradually while keeping an eye on the marshal
- D. Follow the movement of nearby vehicles once they begin to proceed

Correct Answer: A

Coaching: Respecting site authority instructions while maintaining situational awareness supports safe movement in controlled yards.

DOPD: Operational Effectiveness: 0.50/ Operational Discipline: 0.00/ Professional Conduct: 0.50

Q32.

Inside a site yard, mobile equipment is operating close to your path. Another vehicle cuts across your route, causing a brief delay while equipment continues moving nearby. What is the best way to respond?

Options

- A. Slow down, maintain distance from equipment, and continue without reacting
- B. Adjust your position to regain progress while monitoring the equipment
- C. Proceed steadily and focus on clearing the area as soon as possible
- D. Follow the vehicle ahead closely to avoid further delay in this situation

Correct Answer: A

Coaching: Maintaining composure and distance around operating equipment helps prevent escalation and secondary risk.

DOPD: Operational Effectiveness: 0.75/ Operational Discipline: 0.00/ Professional Conduct: 0.25

Q33.

You are approaching a narrow access point inside a facility. Visibility is limited, and other vehicles may enter from the opposite direction without warning. What is the right action?

Options

- A. Slow down early and wait until the access path is clearly available
- B. Continue forward cautiously and adjust if another vehicle appears

- C. Enter the access point to hold your position before others arrive
- D. Follow the vehicle ahead once it begins moving through the access

Correct Answer: A

Coaching: Early anticipation and controlled entry reduce risk in constrained access areas.

DOPD: Operational Effectiveness: 1.00/ Operational Discipline: 0.00/ Professional Conduct: 0.00

Q34.

You are approaching a busy site exit that joins a public road. Space is tight, and you may need to reverse slightly to realign before entering traffic. What is the best action?

Options

- A. Edge forward to secure position, then adjust if needed
- B. Stop, assess, and reverse slowly under control if required
- C. Use the horn and continue moving to avoid delay
- D. Reverse quickly before vehicles arrive to save time

Correct Answer: B

Coaching: Maintaining full control before manoeuvring reduces risk at junction conflict points.

DOPD: Operational Effectiveness: 0.50/ Operational Discipline: 0.50/ Professional Conduct: 0.00

Q35.

At a security checkpoint, the vehicle ahead is still being cleared. The guard signals you to move closer. What should you do?

Options

- A. Close the gap to speed up clearance
- B. Keep a safe following distance
- C. Stop directly behind the vehicle to show cooperation
- D. Move slowly and rely on the guard to manage spacing

Correct Answer: B

Coaching: Checkpoint procedures do not override basic spacing discipline.

DOPD: Operational Effectiveness: 0.00/ Operational Discipline: 0.50/ Professional Conduct: 0.50

Q36.

You are driving within a container terminal where RTGs and reach stackers are operating nearby. Visibility is partially obstructed by containers. What should you do?

Options

- A. Reduce speed early and proceed cautiously through the area
- B. Maintain normal speed and rely on equipment operators to yield
- C. Accelerate briefly to clear the zone quickly
- D. Match the speed of nearby terminal vehicles

Correct Answer: A

Coaching: Speed reduction near active terminal equipment supports safe interaction in shared operating zones.

DOPD: Operational Effectiveness: 0.00/ Operational Discipline: 0.50/ Professional Conduct: 0.50

Q37.

You approach an area where containers are being lifted and repositioned. Equipment movement is ongoing, and the lifting path may change. What is the right action?

Options

- A. Stop outside the lifting zone until operations are clearly completed
- B. Proceed slowly while monitoring the lifting activity
- C. Continue moving and adjust if equipment comes closer
- D. Follow another vehicle that has already entered the zone

Correct Answer: A

Coaching: Anticipating lifting hazards requires clear separation from active lifting zones.

DOPD: Operational Effectiveness: 0.00/ Operational Discipline: 0.50/ Professional Conduct: 0.50

Q38.

You are preparing to park and deploy trailer landing legs in a site (either at customers premise or own yard) area. The ground surface appears uneven and recently disturbed by heavy equipment. What is the safest action?

Options

- A. Stop and assess ground stability before deploying the landing legs
- B. Deploy the landing legs slowly and monitor for any sinking
- C. Proceed as usual since the area is commonly used for parking
- D. Rely on visual checks only and adjust if movement is noticed

Correct Answer: A

Coaching: Recognising high-risk ground conditions requires assessment before committing weight to landing legs.

DOPD: Operational Effectiveness: 0.00/ Operational Discipline: 0.50/ Professional Conduct: 0.50

Q39.

You are queueing to mount a container onto your trailer. The vehicle ahead is still completing alignment, and the area is congested. What should you do?

Options

- A. Maintain spacing and wait until the mounting area is fully clear
- B. Move closer to be ready once the vehicle ahead finishes
- C. Close the gap slowly to reduce waiting time
- D. Follow ground staff signals to approach as closely as possible

Correct Answer: A

Coaching: Maintaining spacing supports safe and precise container mounting operations.

DOPD: Operational Effectiveness: 0.00/ Operational Discipline: 0.50/ Professional Conduct: 0.50