Comparing Emperical Methods

ECE1785: Assignment 1 - Comparison of Methods

1st Given Name Surname dept. name of organization (of Aff.) name of organization (of Aff.) City, Country email address or ORCID 2nd Given Name Surname dept. name of organization (of Aff.) name of organization (of Aff.) City, Country email address or ORCID 3rd Given Name Surname dept. name of organization (of Aff.) name of organization (of Aff.) City, Country email address or ORCID

Abstract—

- I. Introduction
- II. HOW TO BREAK AN API

The first paper we will consult is "How to Break an API" [1], a 2016 multiple case study of three ecosystems philosophies toward change.

A. Method

A multiple case study, interviewing 28 developers in each of three ecosystems. Developers were recruited with recent, relevant experiences in similar roles contributing to packages with multiple upstream and downstream dependencies. The three ecosystems studied are Eclipse, R/CRAN, and Node.js/npm. Semi-structured interviews focused on personal practices and experiences negotiating upsteream and downstream dependencies. Interviews were recorded, transcribed, then coded. Findings were validated with Dagenais and Robillard's methodology to check fit and applicability as defined by Corbin and Strauss.

- B. Research Questions
- C. Evidence used to reach conclusion

III. NEED FOR TWEET

Need for tweet: How open source developers talk about their github work on twitter. [2]

- A. Method
- B. Research Question
- C. Evidence used to reach conclusion

IV. DIFFERENCES IN METHODS

V. DIFFERENCES BETWEEN QUALITATIVE AND QUANTITATIVE

- VI. WHEN EACH METHOD IS APPROPRIATE
- A. Qualitative
- B. Quantitative
 - VII. WEAKNESSES OF EACH METHOD
- A. Qualitative
- B. Quantitative

VIII. CONCLUSION

REFERENCES

- [1] C. Bogart, C. Kästner, J. Herbsleb, and F. Thung, "How to break an api: cost negotiation and community values in three software ecosystems," in *Proceedings of the 2016 24th ACM SIGSOFT International Symposium on Foundations of Software Engineering*, 2016, pp. 109–120.
- [2] H. Fang, D. Klug, H. Lamba, J. Herbsleb, and B. Vasilescu, "Need for tweet: How open source developers talk about their github work on twitter," in *Proceedings of the 17th International Conference on Mining Software Repositories*, 2020, pp. 322–326.