




1 GeophysicalFlows.jl: Solvers for geophysical fluid 2 dynamics problems in periodic domains on CPUs & GPUs

3 **Navid C. Constantinou**^{1, 2}, **Gregory LeClaire Wagner**³, **Lia Siegelman**⁴,
4 **Brodie C. Pearson**⁵, and **André Palóczy**⁴

5 **1** Australian National University **2** ARC Centre of Excellence for Climate Extremes **3** Massachusetts
6 Institute of Technology **4** University of California San Diego **5** Oregon State University

DOI: [10.21105/joss.02996](https://doi.org/10.21105/joss.02996)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Pending Editor](#) 

Submitted: 29 January 2021

Published: 30 January 2021

License

Authors of papers retain
copyright and release the work
under a Creative Commons
Attribution 4.0 International
License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).

7 Summary

8 GeophysicalFlows.jl is a Julia package that contains partial differential solvers for a
9 collection of geophysical fluid systems in periodic domains. All modules use Fourier-based
10 pseudospectral numerical methods and leverage the framework provided by the FourierFlo
11 ws.jl ([Constantinou et al., 2021](#)) Julia package for time-stepping, diagnostics, and saving
12 output.

13 GeophysicalFlows.jl utilizes Julia's functionality and abstraction to enable all modules to
14 run on CPUs or GPUs, and to provide a high level of customizability within modules. This
15 allows simulations to be tailored for specific research questions, via the choice of parameters,
16 domain properties, and schemes for damping, forcing, time-stepping etc. Simulations can
17 easily be carried out on different computing architectures, selection of the architecture on
18 which equations are solved is done by providing the argument CPU() or GPU() during the
19 construction of a particular problem.

20 Documented examples for each geophysical system (module) appear in the package's doc-
21 umentation, providing a stepping stone for new users and for the development of new or
22 customized modules. Current modules include two-dimensional flow and a variety of quasi-
23 geostrophic (QG) dynamical systems, which provide analogues to the large-scale dynamics
24 of atmospheres and oceans. The QG systems currently in GeophysicalFlows.jl extend
25 two-dimensional dynamics to include the leading order effects of a third dimension through
26 planetary rotation, topography, surface boundary conditions, stratification and quasi-two-
27 dimensional layering. A community-based collection of diagnostics throughout the modules
28 are used to compute quantities like energy, enstrophy, dissipation, etc.




Figure 1: Snapshots from a nonlinearly equilibrated simulation of the Eady instability over a meridional ridge. Simulation used MultiLayerQG module of GeophysicalFlows.jl. The Eady problem was approximated here using 5 layers stacked up in the vertical. Each layer was simulated with 512^2 grid-points. Plots were made with the Plots.jl Julia package, which utilizes the cmocean colormaps collection ([Thyng et al., 2016](#)). Scripts to reproduce the simulation reside in the repository github.com/FourierFlows/MultilayerQG-example.

GeophysicalFlows.jl is a unique Julia package and shares similarities in functionality to the Python's pyqg (Abernathey et al., 2019). Beyond their base language, the major differences between these packages are that GeophysicalFlows.jl can be run on GPUs or CPUs and leverages a separate package (FourierFlows.jl; which is continuously developed) to solve differential equations and compute diagnostics, while pyqg can only be run on CPUs and uses a self-contained kernel. Dedalus (Burns et al., 2020) is Python software with an intuitive script-based interface that uses spectral methods to solve general partial differential equations, such as the ones within GeophysicalFlows.jl. There are also some other isolated codes/scripts in personal websites and in open-source public repositories that have similar functionality as some GeophysicalFlows.jl modules.

GeophysicalFlows.jl can be used to investigate a variety of scientific research questions thanks to its various modules and high customizability, and its ease-of-use makes it an ideal teaching tool for fluids courses (Constantinou, 2020; Constantinou & Wagner, 2020). GeophysicalFlows.jl has been used in developing Lagrangian vortices identification algorithms (Karrasch & Schilling, 2020). Currently, GeophysicalFlows.jl is being used, e.g., (i) to test new theories for diagnosing turbulent energy transfers in geophysical flows (e.g. Pearson et al., Under Review), (ii) to compare different observational sampling techniques in these flows, (iii) to study the bifurcation properties Kolmogorov flows (Constantinou & Drivas, 2020), (iv) to study the genesis and persistence of the polygons of vortices present at Jovian high latitudes (Siegelman, Young, and Ingersoll; in prep)."

Acknowledgements

We acknowledge discussions with Keaton Burns, Valentin Churavy, Cesar Rocha, and William Young. B. C. P. was supported by the National Science Foundation under Grant No. 2023721. We would also like to take a moment to remember Sean R. Haney (February 1987-January 2021) who left us a bit too early.

References

- Abernathey, R., Rocha, C. B., Jansen, M., Poulin, F. J., Constantinou, N. C., Balwada, D., Sinha, A., Bueti, M., Penn, J., Wolfe, C. L. P., & Boas, B. V. (2019). *Pyqg/pyqg: v0.3.0* (Version v0.3.0) [Computer software]. Zenodo. <https://doi.org/10.5281/zenodo.3551326>
- Burns, K. J., Vasil, G. M., Oishi, J. S., Lecoanet, D., & Brown, B. P. (2020). Dedalus: A flexible framework for numerical simulations with spectral methods. *Phys. Rev. Research*, 2, 023068. <https://doi.org/10.1103/PhysRevResearch.2.023068>
- Constantinou, N. C. (2020). CLEWinterSchool2020. In *GitHub repository*. GitHub. <https://github.com/navidcy/CLEWinterSchool2020>
- Constantinou, N. C., & Drivas, T. D. (2020). KolmogorovFlow. In *GitHub repository*. GitHub. <https://github.com/navidcy/KolmogorovFlow>
- Constantinou, N. C., & Wagner, G. L. (2020). GeophysicalFlows-examples. In *GitHub repository*. GitHub. <https://github.com/FourierFlows/GeophysicalFlows-Examples>
- Constantinou, N. C., Wagner, L. C., & Palóczy, A. (2021). *FourierFlows/FourierFlows.jl: v0.6.10* (Version v0.6.10) [Computer software]. Zenodo. <https://doi.org/10.5281/zenodo.4460734>
- Karrasch, D., & Schilling, N. (2020). Fast and robust computation of coherent Lagrangian vortices on very large two-dimensional domains. *SMAI Journal of Computational Mathematics*, 6, 101–124. <https://doi.org/10.5802/smai-jcm.63>

- ⁷³ Pearson, B. C., Pearson, J. L., & Fox-Kemper, B. (Under Review). Advective structure
⁷⁴ functions in anisotropic two-dimensional turbulence. *J. Fluid Mech.*
- ⁷⁵ Thyng, K. M., Greene, C. A., Hetland, R. D., Zimmerle, H. M., & DiMarco, S. F. (2016).
⁷⁶ True colors of oceanography: Guidelines for effective and accurate colormap selection.
⁷⁷ *Oceanography*, 29(3), 9–13. <https://doi.org/10.5670/oceanog.2016.66>

DRAFT