

Data Sources & Provenance

OligoTox-Thrombocytopenia — every source, database and link behind the dataset

70 distinct sources · 1,959 measurements (1,453 human, 497 animal) · NIH/NCATS OligoTox Challenge, Phase 2

Every measurement in this dataset carries a `source_ref` and an exact `source_table` locus — the specific table, figure, claim or label section a value was read from. This document is **generated from the data**, so it cannot list a source the dataset no longer uses or omit one it does. For each entry: the full citation, the database it was retrieved from, a resolving link, the rights class governing reuse, the number of rows it contributed, and how many distinct loci within it were cited.

How to read the row counts. "Rows" is the number of per-measurement records drawn from that source; "loci" is the number of distinct places within it that were cited. A source with 387 rows across 268 loci was mined cell-by-cell, not summarised — the two numbers together show extraction depth.

Summary by database

Database	Retrieved via	Sources	Rows	Human
Peer-reviewed literature	europepmc.org · pmc.ncbi.nlm.nih.gov · doi.org	38	1,211	1,055
FDA — Drugs@FDA review documents	accessdata.fda.gov	12	271	201
EMA — EPAR assessment reports and SmPCs	ema.europa.eu	8	216	175
USPTO patents	patents.google.com	6	241	2
FDA — prescribing information (DailyMed)	dailymed.nlm.nih.gov	4	14	14
Trial registry	clinicaltrials.gov	2	6	6

Rights position across the dataset

Class	Meaning for reuse	Rows
Public domain	US Government work (FDA/EMA/USPTO) — values reproducible without restriction	748
CC-BY	Creative Commons Attribution — raw values reproducible with attribution	227
Summary stat.	Copyrighted; reproduced as summary statistics under fair use	984

Rights are tracked **per row**, not per dataset, so a consumer can filter to exactly the records they may lawfully reuse. A CC-BY classification is taken from the article's own licence field, never from the fact that it is free to read.

Peer-reviewed literature

Database: europepmc.org · pmc.ncbi.nlm.nih.gov · doi.org

Retrieval: Full text retrieved as JATS XML through NCBI E-utilities or the Europe PMC REST API, with supplementary files where present; publisher PDF or PubMed abstract where full text was not open.

Source	Link	Rows	Loci	Rights
The Effects of 2'-O-Methoxyethyl Containing Antisense Oligonucleotides on Platelets in Human Clinical Trials Crooke ST et al. 2017 121-129 PMID 28145801 · PMC5467133 · doi:10.1089/nat.2016.0650 licence field: cc by-nc	https://doi.org/10.1089/nat.2016.0650	387	268	Summary stat.
Sequence-specific 2'-O-methoxyethyl antisense oligonucleotides activate human platelets through glycoprotein VI, triggering formation of platelet-leukocyte aggregates Slingsby MHL et al. 2022 519-531 PMID 33567808 · PMC8804562 · doi:10.3324/haematol.2020.260059 licence field: cc by-nc	https://doi.org/10.3324/haematol.2020.260059	157	32	Summary stat.
Assessing single-stranded oligonucleotide drug-induced effects in vitro reveals key risk factors for thrombocytopenia Sewing S et al. 2017 e0187574 PMID 29107969 · PMC5673186 · doi:10.1371/journal.pone.0187574 licence field: cc by	https://doi.org/10.1371/journal.pone.0187574	115	20	CC-BY
Phosphorothioate backbone modifications of nucleotide-based drugs are potent platelet activators Flierl U et al. 2015 129-137 PMID 25646267 · PMC4322051 · doi:10.1084/jem.20140391 licence field: cc by-nc-sa	https://doi.org/10.1084/jem.20140391	91	37	Summary stat.
Platelet Activation by Antisense Oligonucleotides (ASOs) in the Göttingen Minipig, including an Evaluation of Glycoprotein VI (GPVI) and Platelet Factor 4 (PF4) Ontogeny Valenzuela A et al. 2023 1112 PMID 37111598 · PMC10143489 · doi:10.3390/pharmaceutics15041112 licence field: cc by	https://doi.org/10.3390/pharmaceutics15041112	60	22	CC-BY
Antisense oligonucleotides and nucleic acids generate hypersensitive platelets Zaslavsky A et al. 2021 64-71 PMID 33540294 · PMC8264460 · doi:10.1016/j.thromres.2021.01.006	https://doi.org/10.1016/j.thromres.2021.01.006	56	55	Summary stat.
Integrated Safety Assessment of 2'-O-Methoxyethyl Chimeric Antisense Oligonucleotides in NonHuman Primates and Healthy Human Volunteers Crooke ST et al. 2016 1771-1782 PMID 27357629 · PMC5112040 · doi:10.1038/mt.2016.136 licence field: cc by-nc-sa	https://doi.org/10.1038/mt.2016.136	49	33	Summary stat.
Volanesorsen and Triglyceride Levels in Familial Chylomicronemia Syndrome Witztum JL et al. 2019 531-542 PMID 31390500 · doi:10.1056/nejmoa1715944	https://doi.org/10.1056/nejmoa1715944	47	20	Summary stat.

Integrated Assessment of the Clinical Performance of GalNAc<sub>3</sub>-Conjugated 2'-O-Methoxyethyl Chimeric Antisense Oligonucleotides: I. Human Volunteer Experience Crooke ST et al. 2019 16-32 PMID 30570431 · PMC6386089 · doi:10.1089/nat.2018.0753 licence field: cc by - nc	https://doi.org/10.1089/nat.2018.0753	43	11	Summary stat.
Complex formation with nucleic acids and aptamers alters the antigenic properties of platelet factor 4 Jaax ME et al. 2013 272-281 PMID 23673861 · PMC3709655 · doi:10.1182/blood-2013-01-478966	https://doi.org/10.1182/blood-2013-01-478966	37	22	Summary stat.
Effect of inclisiran, the small-interfering RNA against proprotein convertase subtilisin/kexin type 9, on platelets, immune cells, and immunological biomarkers: a pre-specified analysis from ORION-1 Landmesser U et al. 2021 284-291 PMID 32243492 · doi:10.1093/cvr/cvaa077	https://doi.org/10.1093/cvr/cvaa077	22	5	Summary stat.
Inotersen Treatment for Patients with Hereditary Transthyretin Amyloidosis Benson MD et al. 2018 22-31 PMID 29972757 · PMC12611561 · doi:10.1056/nejmoa1716793	https://doi.org/10.1056/nejmoa1716793	19	18	Summary stat.
Assessment of Platelet Aggregation and Thrombin Generation in Patients with Familial Chylomicronemia Syndrome Treated with Volanesorsen: A Cross-Sectional Study Calcaterra IL et al. 2024 2017 PMID 39335531 · PMC11428464 · doi:10.3390/biomedicines12092017 licence field: cc by	https://doi.org/10.3390/biomedicines12092017	15	6	CC-BY
Meta-analysis of adverse events in clinical studies with antisense oligonucleotide therapies Vermeer C et al. 2026 102976 PMID 42381708 · PMC13315839 · doi:10.1016/j.omtn.2026.102976 licence field: cc by	https://doi.org/10.1016/j.omtn.2026.102976	11	10	CC-BY
Heteroduplex oligonucleotide technology boosts gene knockdown in cardiac and skeletal muscles Matsuda-Kawabata S et al. 2026 <i>gkag007</i> PMID 41592789 · PMC12846741 · doi:10.1093/nar/gkag007 licence field: cc by	https://doi.org/10.1093/nar/gkag007	11	5	CC-BY
Ligand conjugated antisense oligonucleotide for the treatment of transthyretin amyloidosis: preclinical and phase 1 data Viney NJ et al. 2021 652-661 PMID 33283485 · PMC7835591 · doi:10.1002/ehf2.13154 licence field: cc by - nc	https://doi.org/10.1002/ehf2.13154	10	2	Summary stat.
Assessment of the Effects of 2'-Methoxyethyl Antisense Oligonucleotides on Platelet Count in Cynomolgus Nonhuman Primates Henry SP, Narayanan P, Shen L, Bhanot S, Younis HS, Burel SA.	https://doi.org/10.1089/nat.2017.0666	6	4	Summary stat.

2017 197-208 PMID 28541820 · doi:10.1089/nat.2017.0666				
Activation of the alternative pathway of complement by a phosphorothioate oligonucleotide: potential mechanism of action Henry SP et al. 1997 810-816 PMID 9152389 · doi:10.1016/s0022-3565(24)36667-4	https://doi.org/10.1016/s0022-3565	6	1	Summary stat.
Phase I Study of Acalabrutinib Plus Danvatirsen (AZD9150) in Relapsed/Refractory Diffuse Large B-Cell Lymphoma Including Circulating Tumor DNA Biomarker Assessment Roschewski M et al. 2023 3301-3312 PMID 37364001 · PMC10472096 · doi:10.1158/1078-0432.ccr-22-2483 licence field: cc by-nc-nd	https://doi.org/10.1158/1078-0432.ccr-22-2483	6	6	Summary stat.
Identifying and Avoiding tcDNA-ASO Sequence-Specific Toxicity for the Development of DMD Exon 51 Skipping Therapy Aupy P et al. 2020 371-383 PMID 31881528 · PMC7063478 · doi:10.1016/j.omtn.2019.11.020 licence field: cc by	https://doi.org/10.1016/j.omtn.2019.11.020	6	4	CC-BY
Antisense oligonucleotide therapies: the promise and the challenges from a toxicologic pathologist's perspective Frazier KS. 2015 78-89 PMID 25385330 · doi:10.1177/0192623314551840	https://doi.org/10.1177/0192623314551840	5	5	Summary stat.
Evaluation of the toxicity of ISIS 2302, a phosphorothioate oligonucleotide, in a four-week study in cynomolgus monkeys Henry SP, Bolte H, Auletta C, Kornbrust DJ. 1997 145-155 PMID 9184201 · doi:10.1016/s0300-483x(97)03661-5	https://doi.org/10.1016/s0300-483x(97)03661-5	5	2	Summary stat.
A Phase 1, Randomized, Open-Label, Parallel Group Study to Evaluate the Relative Bioavailability and Safety of Subcutaneous Bepirovirsen when Delivered from a Vial or Prefilled Syringe Fitted with a Safety Syringe Device in Healthy Adult Participants Youssef AS et al. 2026 e1615 PMID 41085094 · PMC12856967 · doi:10.1002/cpdd.1615 licence field: cc by	https://doi.org/10.1002/cpdd.1615	5	4	CC-BY
Safety, tolerability, pharmacokinetics and preliminary antitumour activity of an antisense oligonucleotide targeting STAT3 (danvatirsen) as monotherapy and in combination with durvalumab in Japanese patients with advanced solid malignancies: a phase 1 study Nishina T et al. 2022 e055718 PMID 36270753 · PMC9594513 · doi:10.1136/bmjopen-2021-055718 licence field: cc by-nc	https://doi.org/10.1136/bmjopen-2021-055718	5	4	Summary stat.

Preclinical and Phase 1 Assessment of Antisense Oligonucleotide Bepirovirsen in Hepatitis B Virus-Transgenic Mice and Healthy Human Volunteers: Support for Clinical Dose Selection and Evaluation of Safety, Tolerability, and Pharmacokinetics of Single and Multiple Doses Han K et al. 2022 1191-1202 PMID 35971951 · PMC9804925 · doi:10.1002/cpdd.1154 licence field: CC BY	https://doi.org/10.1002/cpdd.1154	4	2	CC-BY
Investigation into the Mechanism(s) That Leads to Platelet Decreases in Cynomolgus Monkeys During Administration of ISIS 104838, a 2'-MOE-Modified Antisense Oligonucleotide Narayanan P et al. 2018 613-626 PMID 29846725 · doi:10.1093/toxsci/kfy119	https://doi.org/10.1093/toxsci/kfy119	4	2	Summary stat.
Complement C3d/C4d Deposition on Platelets Correlates with 2'-O-Methoxyethyl Antisense Oligonucleotide-Induced Thrombocytopenia in Monkeys Shen L et al. 2023 209-225 PMID 37093125 · doi:10.1089/nat.2022.0042	https://doi.org/10.1089/nat.2022.0042	4	2	Summary stat.
IONIS-PKK<sub>Rx</sub> a Novel Antisense Inhibitor of Prekallikrein and Bradykinin Production Ferrone JD et al. 2019 82-91 PMID 30817230 · PMC6461157 · doi:10.1089/nat.2018.0754 licence field: CC BY-NC	https://doi.org/10.1089/nat.2018.0754	4	4	Summary stat.
Antisense Inhibition of Angiotensinogen With IONIS-AGT-L<sub>Rx</sub>: Results of Phase 1 and Phase 2 Studies Morgan ES et al. 2021 485-496 PMID 34222719 · PMC8246029 · doi:10.1016/j.jacbts.2021.04.004 licence field: CC BY-NC-ND	https://doi.org/10.1016/j.jacbts.2021.04.004	4	4	Summary stat.
Dose ranging pharmacokinetic trial of high-dose alicaforsen (intercellular adhesion molecule-1 antisense oligodeoxynucleotide) (ISIS 2302) in active Crohn's disease Yacyshyn BR et al. 2002 1761-1770 PMID 12269969 · doi:10.1046/j.1365-2036.2002.01341.x	https://doi.org/10.1046/j.1365-2036.2002.01341.x	3	1	Summary stat.
The anti-von Willebrand factor aptamer ARC1779 increases von Willebrand factor levels and platelet counts in patients with type 2B von Willebrand disease Jilma-Stohlawetz P, Knöbl P, Gilbert JC, Jilma B. 2012 284-290 PMID 22740102 · doi:10.1160/th11-12-0889	https://doi.org/10.1160/th11-12-0889	3	3	Summary stat.
Phase I trial of ISIS 104838, a 2'-methoxyethyl modified antisense oligonucleotide targeting tumor necrosis factor-alpha Sewell KL et al. 2002 1334-1343 PMID 12438559 · doi:10.1124/jpet.102.036749	https://doi.org/10.1124/jpet.102.036749	3	2	Summary stat.
CpG oligonucleotides induce acute murine thrombocytopenia dependent on toll-like receptor 9 and spleen tyrosine kinase pathways Johansson K et al. 2024 3266-3276	https://doi.org/10.1016/j.jtha.2024.08.003	2	1	Summary stat.

PMID 39155024 · doi:10.1016/j.jtha.2024.08.003 licence field: cc by				
Direct factor IXa inhibition with the RNA-aptamer pegnivacogin reduces platelet reactivity in vitro and residual platelet aggregation in patients with acute coronary syndromes Staudacher DL et al. 2019 520-526 PMID 28403626 · doi:10.1177/2048872617703065	https://doi.org/10.1177/2048872617703065	2	1	Summary stat.
First-in-human evaluation of anti von Willebrand factor therapeutic aptamer ARC1779 in healthy volunteers Gilbert JC et al. 2007 2678-2686 PMID 18025536 · doi:10.1161/circulationaha.107.724864	https://doi.org/10.1161/CIRCULATIONAHA.107.724864	1	1	Summary stat.
Potential use of custirsen to treat prostate cancer Higano CS. 2013 785-797 PMID 23836992 · PMC3699352 · doi:10.2147/ott.s33077 licence field: cc by-nc	https://doi.org/10.2147/OTT.S33077	1	1	Summary stat.
Impact of dosing regimen of custirsen, an antisense oligonucleotide, on safety, tolerability and cardiac repolarization in healthy subjects Rabinovich-Guilatt L et al. 2015 436-445 PMID 25782535 · PMC4574829 · doi:10.1111/bcp.12633	https://doi.org/10.1111/bcp.12633	1	1	Summary stat.
Meta-analysis of efficacy and safety of custirsen in patients with metastatic castration-resistant prostate cancer Zhang X, Liu C, Li K, Wang K, Zhang Q, Cui Y. 2019 e14254 PMID 30732140 · PMC6380863 · doi:10.1097/md.00000000000014254 licence field: cc by-nc-nd	https://doi.org/10.1097/MD.00000000000014254	1	1	Summary stat.

FDA — Drugs@FDA review documents

Database: accessdata.fda.gov

Retrieval: Multi-discipline, clinical and pharmacology/toxicology reviews. Retrieved as PDF and parsed with PyMuPDF; a browser User-Agent is required or the host returns 404.

Source	Link	Rows	Loci	Rights
FDA NDA 211172 211172Orig1s000MedR.pdf	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=211172	115	60	Public domain
FDA NDA 217779 Orig1s000 Multi-discipline Review (imetelstat/Rytelo)	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=217779	91	75	Public domain
FDA NDA 203568 Orig1s000 PharmR (Kynamro/mipomersen Pharmacology Review(s))	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=203568	33	24	Public domain
FDA NDA 210922 Orig1s000 Multi-discipline Review (210922Orig1s000MultiR.pdf)	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=210922	8	5	Public domain
FDA NDA 217225 (IZERVAY / avacincaptad pegol) Pharmacology/Toxicology review, reviewer Maria I. Rivera PhD, Reference ID 5180757	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=217225	7	3	Public domain
FDA NDA 206488 Orig1s000 Pharmacology/Toxicology Review (EXONDYS 51, reviewer D.B. Hawver), Reference ID 3876740	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=206488	4	4	Public domain
FDA NDA 212194 Orig1s000 Multi-discipline Review and Evaluation (GIVLAARI), Reference ID 4522419	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=212194	3	3	Public domain
FDA NDA 214012 Orig1s000 Clinical Review (LEQVIO, reviewers E. Craig and I. Chowdhury), Reference ID 4697450	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=214012	3	3	Public domain
FDA NDA 213026 Orig1s000 Pharmacology/Toxicology Review (AMONDYS 45, reviewer B.J. Wilcox), Reference ID 4735654	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=213026	2	2	Public domain
FDA NDA 211970 Orig1s000 Pharmacology/Toxicology Review (VYONDYS 53, reviewer B.J. Wilcox), Reference ID 4457029	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&AppLN=211970	2	2	Public domain

FDA NDA 215515 Orig1s000 Clinical Review (AMVUTTRA, reviewer R.W. Paine MD PhD), Reference ID 4998267	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&ApplNo=215515	2	2	Public domain
FDA NDA 212154 Orig1s000 Pharmacology/Toxicology Review (VILTEPSO, reviewer D.L. Carbone), Reference ID 4641598	https://www.accessdata.fda.gov/scripts/cder/daf/index.cfm?event=overview.process&ApplNo=212154	1	1	Public domain

EMA — EPAR assessment reports and SmPCs

Database: [ema.europa.eu](https://www.ema.europa.eu)

Retrieval: European Public Assessment Reports and Summaries of Product Characteristics, retrieved as PDF and parsed with PyMuPDF.

Source	Link	Rows	Loci	Rights
EMA/180717/2019 (EMA/H/C/004538) Waylivra EPAR Public Assessment Report	https://www.ema.europa.eu/en/medicines/human/EPAR/waylivra	117	58	Public domain
EMA/411876/2018 (EMA/H/C/004782) Tegsedi EPAR public assessment report	https://www.ema.europa.eu/en/medicines/human/EPAR/tegsedi	81	45	Public domain
EMA_SmPC_WAYLIVRA_EPAR_product_information	https://www.ema.europa.eu/en/medicines	9	5	Public domain
EMA Oxlumo (lumasiran) EPAR public assessment report, EMA/568312/2020 (EMA/H/C/005040)	https://www.ema.europa.eu/en/medicines/human/EPAR/oxlumo	3	1	Public domain
EMA Qalsody (tofersen) EPAR public assessment report, EMA/276404/2024 (EMA/H/C/006072)	https://www.ema.europa.eu/en/medicines/human/EPAR/qalsody	3	2	Public domain
EMA Spinraza (nusinersen) EPAR public assessment report, EMA/289068/2017 (EMA/H/C/004312)	https://www.ema.europa.eu/en/medicines/human/EPAR/spinraza	1	1	Public domain
EMA Onpattro (patisiran) EPAR public assessment report, EMA/554262/2018 (EMA/H/C/004699)	https://www.ema.europa.eu/en/medicines/human/EPAR/onpattro	1	1	Public domain
EMA Amvuttra (vutrisiran) EPAR public assessment report, EMA/CHMP/689555/2022 (EMA/H/C/005852)	https://www.ema.europa.eu/en/medicines/human/EPAR/amvuttra	1	1	Public domain

USPTO patents

Database: patents.google.com
Retrieval: Worked-example tables and formal sequence listings. Retrieved as HTML from Google Patents; the USPTO print-PDF endpoint returns image-only scans with no text layer.

Source	Link	Rows	Loci	Rights
US 2023/0263822 A1	https://patents.google.com/patent/US20230263822A1/en	99	10	Public domain
US 11,535,849 B2	https://patents.google.com/patent/US11535849B2/en	68	6	Public domain
US 10,927,377 B2 (Ionis Pharmaceuticals, "Modulators of APOL1 expression", granted 2021-02-23)	https://patents.google.com/patent/US10927377B2/en	46	4	Public domain
US 2021/0355497 A1	https://patents.google.com/patent/US20210355497A1/en	10	4	Public domain
US 2015/0031747 A1	https://patents.google.com/patent/US20150031747A1/en	9	1	Public domain
US 10,100,310 B2 (Ionis Pharmaceuticals, "Modulation of prekallikrein (PKK) expression", granted 2018-10-16)	https://patents.google.com/patent/US10100310B2/en	9	1	Public domain

FDA — prescribing information (DailyMed)

Database: dailymed.nlm.nih.gov

Retrieval: Structured Product Labels retrieved as XML through the DailyMed SPL REST API and parsed directly.

Source	Link	Rows	Loci	Rights
FDA_label_TEGSEDI_SPL_8513207e-b55f-417b-9473-af785146a543_v10	https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=8513207e-b55f-417b-9473-af785146a543	6	3	Public domain
FDA_label_TRYNGOLZA_SPL_olezarsen	https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=TRYNGOLZA	4	2	Public domain
FDA_label_RYTELO_SPL_imetelstat	https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=RYTELO	2	2	Public domain
FDA_label_SPINRAZA_SPL_nusinersen	https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=SPINRAZA	2	1	Public domain

Trial registry

Database: clinicaltrials.gov
Retrieval: Posted results — structured adverse-event and outcome-measure tables, retrieved through the ClinicalTrials.gov API v2.

Source	Link	Rows	Loci	Rights
Phase I/II trial of custirsen (OGX-011), an inhibitor of clusterin, in combination with a gemcitabine and platinum regimen in patients with previously untreated advanced non-small cell lung cancer Laskin JJ et al. 2012 579-586 PMID 22198426 · doi:10.1097/jto.0b013e31823f459c	https://clinicaltrials.gov/study/NCT00138658	4	2	Public domain
Randomized phase II trial of Custirsen (OGX-011) in combination with docetaxel or mitoxantrone as second-line therapy in patients with metastatic castrate-resistant prostate cancer progressing after first-line docetaxel: CUOG trial P-06c Saad F et al. 2011 5765-5773 PMID 21788353 · doi:10.1158/1078-0432.ccr-11-0859	https://clinicaltrials.gov/study/NCT00327340	2	1	Public domain

Retrieval routes, verbatim

Recorded so any value can be re-fetched, and because several routes are non-obvious — the wrong one silently returns nothing or an abstract stub:

Resource	Endpoint used
PMC open-access full text	<code>https://eutils.ncbi.nlm.nih.gov/entrez/eutils/efetch.fcgi?db=pmc&id=<numeric id></code>
Europe PMC full text / supplementary files	<code>https://www.ebi.ac.uk/europepmc/webservices/rest/PMC<id>/fullTextXML – and /supplementaryFiles</code>
Europe PMC rendered PDF (<i>when XML is abstract-only</i>)	<code>https://europepmc.org/articles/PMC<id>?pdf=render</code>
PubMed abstract	<code>https://eutils.ncbi.nlm.nih.gov/entrez/eutils/efetch.fcgi?db=pubmed&id=<pmid>&rettype=abstract</code>
DailyMed SPL (FDA labels)	<code>https://dailymed.nlm.nih.gov/dailymed/services/v2/spls.json?drug_name=<drug> → /spls/<setid>.xml</code>
FDA review documents	<code>https://www.accessdata.fda.gov/drugsatfda_docs/nda/<year>/<accession>.pdf (browser User-Agent required)</code>
EMA EPAR / SmPC	<code>https://www.ema.europa.eu/en/documents/assessment-report/<product>-epar-public-assessment-report_en.pdf</code>
Patents	<code>https://patents.google.com/patent/US<number>/en (USPTO print PDFs are image-only)</code>
Trial registry	<code>https://clinicaltrials.gov/api/v2/studies</code>
Citation resolution for this document	<code>https://www.ebi.ac.uk/europepmc/webservices/rest/search (resultType=core)</code>

What is deliberately absent

No third-party full text is redistributed. Sources are referenced by identifier and exact locus; the PDFs and XML retrieved during extraction were working files and are not committed. What is committed is the curation record — every agent's returned rows, the adversarial-verification verdicts, and the source sweep — so the published tables are reproducible from their inputs rather than merely re-checkable against these citations.

Sources consulted but not used are not listed here. Two categories were deliberately excluded during curation: on-target antithrombotic pharmacology (aptamers that inhibit platelet function *by design* — that is the intended mechanism, not toxicity), and papers whose platelet content could not be pinned to a specific locus. A row whose exact locus could not be named was dropped rather than kept with a vague citation.