DRILL quick reference

Build 26 — the machine; the material is yours.

Using it

The reference	the pack’s text, always open, including for locked sections
Practice	recall prompts — no choices, you check yourself
The test	graded questions, marked, with the answer and its source
Where am I weak?	a diagnostic across everything you have worked

Sections open in order: the next one opens when the one before it is passed. The pass mark is the pack’s own, **80 per cent** if it does not say. **Studied means worked**, not opened: reading the reference does not count.

A pack

One JSON file, `*.drillpack.json`. Loaded from the page, validated whole, kept in this browser. Loading one **replaces** the one held.

Try the sample pack on the empty screen loads a small pack about the tool itself — four sections, twenty-five questions — through the same validation and the same storage as one of your own. It works offline too.

```
{ "format": "bashnav-drill-pack/1", "title": "...", "built": "2026-11-12",
  "pass": 80,
  "sections":  [ { "id": "s1", "title": "...", "html": "<p>...</p>" } ],
  "questions": [ { "section": "s1", "q": "...", "a": "...",
                   "ch": ["wrong", "also wrong"],
                   "where": { "part": "...", "sub": "...", "row": "..." } } ] }
```

	required	
`format`	yes	must begin `bashnav-drill-pack/`
`sections` / `questions`	yes	both non-empty
`title`, `note`, `built`, `pass`, `back`	no	`built` is how you tell a rebuilt pack from the one it replaced
section `id`, `title`	yes	`id` unique; `html` optional, it is the reference
question `section`, `q`	yes	`section` must name a section in the pack
question `a`	no	**its presence makes the question graded**; without it, a recall prompt
question `ch`	no	wrong options: none equal to `a`, none repeated
question `seq` + `extra`	no	ordering: 3+ unique steps, and at least one that does not belong
question `where`, `kind`	no	the citation; `kind: "hand"` marks a hand-written question

Refused, and the pack is rejected whole

1. no `format`, no sections, no questions;
2. a section with no `id` or `title`, or two sections sharing an `id`;
3. questions pointing at sections the pack does not contain;
4. a question offering **its own answer as a wrong option** — two right answers;
5. the same wrong option twice;
6. an ordering question with fewer than three steps, a repeated step, no intruder, or an intruder that is really part of the sequence.

Writing one

1. **Generate it** from the source material; hand-maintained JSON drifts.
2. **Set `built`** every time.
3. **Cite with `where`**, so an answer can be settled.
4. **Keep the reference complete** — it is the part that is carried.

Remember

Nothing is uploaded. The pack and your progress live in one browser on one device, and clearing site data clears them. **The pack file itself is the backup.**