



pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name
	character varying (15)
1	Frankenstein

Query Editor

```
1 select name from MASTER where Nationality='England' and m_type='fictional';
2
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:21:51

VP



pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	level		description	
	numeric (4)		character varying (20)	
1		4	Yawn	

Query Editor

1

2

select Level,Description from EVILNESS ORDER BY Level DESC limit 1;

Query Editor

Query History

Explain

Notifications

Meeting in "General"02:27:18

VP

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (20)	
1	Stuart	
2	Bob	
3	Kevin	
4	Dave	
5	Mark	
6	Mike	
7	Paul	
8	Steve	

Query Editor

```
1 select name from MINION INNER JOIN EVILNESS ON MINION.Evilness= EVILNESS.Evil_Id
2 where MINION.Gender='M' and EVILNESS.Level>=2;
3
```

Query EditorQuery HistoryExplainNotifications

Meeting in "General"02:28:18

VP

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (20)	
1	Stuart	
2	Steve	

Query Editor

```
1 select name from MINION INNER JOIN EVILNESS ON MINION.Evilness= EVILNESS.Evil_Id
2 where MINION.Hiring_Charge>95 and EVILNESS.Level=3;
3
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:30:21

VP



pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name
1	Phil

Query Editor

1


select name from MINION ORDER BY Age DESC limit 1;




2

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:31:01









pgAdmin 4

127.0.0.1:58636/browser/

☆📷🔴🌐⬇️⚙️N⋮

pgAdminFileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (20)	
1	Liza	

Query Editor

1select Name from MINION ORDER BY Age ASC limit 1;

2

Query EditorQuery HistoryExplainNotifications

✓ Successfully run. Tot

Meeting in "General" 02:31:45

M

🔊🔇📞

pgAdmin 4

127.0.0.1:58636/browser/

☆📷🔴🌐⬇️⚙️🅑

pgAdminFileObjectToolsHelp

Browser

Servers (1)

PostgreSQL 12

Databases (6)

lab

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

postgres

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

test

test2

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

x

y

Casts

Catalogs

Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*x

y/postgres@PostgreSQL 12

Data OutputMessages

	avg	
	numeric	
1	000000000000	

Query Editor

1SELECT AVG(Hiring\_Charge) FROM MINION;

2

Query EditorQuery HistoryExplainNotifications

Meeting in "General"02:32:30

🔊🎤📞

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (20)	
1	Mike	


Query Editor




```
1 select name from MINION INNER JOIN TRAINING ON MINION.Minion_Id= TRAINING.Trainer
2 where TRAINING.Level=1;
3
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:33:03





pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	country character varying (20)	estimate numeric (8)
1	Japan	1200

Query Editor

1select Country,Estimate from MISSION where Mission\_Id =501;

2

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General"02:33:38

MINI | Lab S | Lab S | pg x | Postg | Postg | Postg | Postg | Postg | Postg | Postg | Postg | Postg | Postg | Postg | Postg | An O | Postg | + | - | X

← → ↻ 127.0.0.1:58636/browser/ ☆ 📷 📺 🌐 ⬇️ ⚙️ N ⋮

pgAdmin File Object Tools Help

Browser Dashboard Properties SQL Statistics Dependencies Dependents y/postgres@PostgreSQL 12 \*

Servers (1)

PostgreSQL 12

Databases (6)

lab

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

postgres

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

test

test2

Casts

Catalogs

Event Triggers

Extensions

Foreign Data Wrappers

Languages

Schemas

x

y

Casts

Catalogs

Event Triggers

y/postgres@PostgreSQL 12

Data Output Messages

	count	bigint
1		3

Query Editor

1 select count(\*) from MISSION where Status = 'underway';

2

Query Editor Query History Explain Notifications

Successfully run. Tot

Meeting in "General" 02:34:16

VP

🔊 🎤 📞

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	count	
	bigint	
1	3	


Query Editor




```
1 select count(*) from MISSION where Status = 'underway';
2
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:34:19









pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name
1	Mojo Jojo


Query Editor




```
1 select DISTINCT(master.name) from INVOLVED_IN INNER JOIN MASTER ON MASTER.Master_Id=INVOLVED_IN.Master_Id
2 where Mission_Id=502;
3
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General" 02:35:34





pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	count	bigint
1		2

Query Editor

```
1 select count(*) from (select * from INVOLVED_IN I INNER JOIN MINION M ON M.Minion_Id=I.Minion_Id
2 where Mission_Id=502) as COUNT;
3
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Tot

Meeting in "General"03:04:26

SB

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name
1	Stuart
2	Phil

Query Editor

```
1 select name from INVOLVED_IN I INNER JOIN MINION M ON M.Minion_Id=I.Minion_Id
2 where Mission_Id=502;
3
```

Successfully run. Total

Meeting in "General" 03:05:31

PA

ENG 16:14



pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name
1	Bob

Query Editor

```
1 select name from TRAINING T INNER JOIN TAKES_TRAINING TT ON T.Training_Id=TT.Training_Id INNER JOIN MINION M ON T.Trainer=M.Minion_Id
2 where TT.Training_Id=403;
3
4
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Total query runtime: 55 msec. 1 rows affected.



[illegible]

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (15)	
1	Mojo Jojo	
2	Megatron	
3	Frankenstein	
4	Ivan Dracula	

Query Editor

```
1 select distinct(name) from INVOLVED_IN I INNER JOIN MASTER M ON M.Master_Id=I.Master_Id;
2
3
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Total query runtime: 60 msec. 4 rows affected.

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

name

character varying (15)

1

Pound Sterling

Query Editor

1

2

3

```
select name from CURRENCY where Country = 'England';
```

Query EditorQuery HistoryExplainNotifications

Successfully run. Total query runtime: 85 msec. 1 rows affected.

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (15)	
1	Euro	

Query Editor

1

select name from CURRENCY ORDER BY B\_Currency DESC LIMIT 1;

2

Query EditorQuery HistoryExplainNotifications

Successfully run. Total query runtime: 68 msec. 1 rows affected.

pgAdmin 4

127.0.0.1:58636/browser/

pgAdmin

FileObjectToolsHelp

Browser

Servers (1)

- PostgreSQL 12
  - Databases (6)
    - lab
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - postgres
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - test
    - test2
      - Casts
      - Catalogs
      - Event Triggers
      - Extensions
      - Foreign Data Wrappers
      - Languages
      - Schemas
    - x
    - y
      - Casts
      - Catalogs
      - Event Triggers

DashboardPropertiesSQLStatisticsDependenciesDependentsy/postgres@PostgreSQL 12 \*

y/postgres@PostgreSQL 12

Data OutputMessages

	name	
	character varying (20)	
1	Bob	

Query Editor

1

select name from INVOLVED\_IN I INNER JOIN MINION M ON M.Minion\_Id=I.Minion\_Id where Mission\_Id=501;

Query EditorQuery HistoryExplainNotifications

Successfully run. Total query runtime: 61 msec. 1 rows affected.