SQL-stoructured avery Language.

File Concept in C#

constructeured data.

Json in c+1 L, semi-intered data (regulature pormat

L) istorictured data.

parabare

squiremer -> microsobt's RDBMS.

-> Open - sowrel RDBMS.

-> Lightweight embedded DB. MysqL 3QLite

-> Enterprine RABMS. oracle

* au the database we conquage.

(SQL veruer consiguration manages)

Databare: A container bor data. (19te folder).

Table: Holds data in view and colums (fice an enal sheet).

Row: A usingle viecord.

column: A wield in the table.

System databall:- (not permanent Data).

* moster.

*model

* msdb

* tempop.

To create database commands

create potabore name

10 rue created Databare To create table inside the patabase Structur Of the tables -- STOO (Table Mame) -- 9 NO INIT | NUMERIC (1012) -- SName TEXT / VANCHAR (10) characted allowed -- AGE NUMERIC (3) -- ADDRESS VONCHAR (20) create table stud (sno numericis) Command , sname vonction (20), ACTE INT (ADDRESS Vanction (201).

* The above cammand is used to breatle !

To Select table.

Select * woom STUD.

To ment in the table

INSERT INTO STUD values.

(1, Novin 124, TAMII Nadú),

To invert apeutic sata on the table

INSERT INTO STUD (SNO , SNIame) value (3 ; RAM').

(MISAM')