Three - fier architecture (single enexponsies) presentation (UI)

** application (Logic)

** olata (parabare)

** olata (parabare)

Clarstibuary -> Add project. (multi plat form).

orlebuil Soulution -> (executable File) (DLL)

To one pen the DLL Five

pependeures - might click -) add project

to call the logic uring wa. name;

mainwindBL b1 = new MainwindBL DI. is usual detent , Testage Test) accur modifier

internal -> Same as public.

(but within the soluction)

(but within project).

protected internal -) within class wing

Helper File

Public : int Escachauery (string query,

disctionry Latring, Hring?
Sal parmeter)

W 12 12

Squiconnection
Connection.open()

carcomenaturd command =

1F (591 Payaman != null) Foreach (vost pova in squiporamion) Expropord. Parameter. adolumentalue (param. Key, param. Value) oretwen command. execute Non Query (); mainwindow man win: sql helper. Public int invent souta (String normer Estring age string querry = "invert into wer (norme , age) values (@nome ? @age) Disctionary (String String) selfconnet = new (:); 391 parameter. add (@nome Iname) 391 parameter. add (@age, age) overturn exuterautry (querry, squaramites)

dusing DL!

Public int invertoata (string name, stringage)

mainwirdende de = neu ()

returnt oll. invertable (nome rage)