

GALILEO 360° LEARNING

Installing Galileo® Print Manager
Over Focalpoint® Print Manager


Tips Guide



Tips for Loading Galileo® Print Manager Over a Previous Version of Focalpoint® Print Manager™


Galileo® Print Manager (GPM) has many enhancements over previous versions of Focalpoint® Print Manager (FPM). However if you load GPM over a previous version of FPM (8, 15, 17 or 20) one of these enhancements (new Apollo ATB printer driver) will not be installed unless you follow the correct procedure.

1. In the loading process if a previous version of FPM is installed you will receive the following screen prompt.



2. Click **OK** to continue

The next screen to display will ask if you want to retain the existing Configuration file.




3. Click **Yes** to retain the existing configuration.

Note: We will manually alter the configuration to use the new drivers at the end of these procedures.

4. Follow the remaining screen prompts to install GPM.
5. When the installation is finished and the workstation has rebooted to the Windows desktop close the Galileo Print Manager application if open then Click Start, Programs, Galileo Print Manager, and Configurations.

The Galileo Print Manager Configuration screen will display




6. The Apollo ATB driver retained from the previous version of FPM can be identified by either of the icons below.




Note: To update to the new device driver it is necessary to delete the old device (ATB printer) and add a new one. **Before** deleting this device it is important to verify its current setup (properties).


7. Right click the Default ATB icon and click Properties. Note the Device number, in the most cases the Default ATB printer is Device 1.



8. Click the Port tab. Note the COM port being used, in most cases the Default ATB is on COM1. Click OK.




9. Right click the Default ATB icon click Delete and click Yes to confirm deleting the printer.




10. Click File, New, Device.

The Device Wizard screen will display




11. Type in the Device Number using the information gathered in step 7. The Device Name can be left blank, verify that the Printer Type is Apollo ATB Printer, then Click Next.

The COM port screen will display




12. Choose the appropriate COM port using the information gathered in step 8 and verify that Append ETX to Data Stream is checked, Click Next.


13. Click Next when the Comments screen displays.



14. When the Test page screen displays, click No and click Finish.




The Galileo Print Manager Configuration screen will display.




The Apollo ATB printer icon will now display with the new icon which indicates that the new Apollo ATB printer driver is being used (text will display GPM1).



15. Close the Galileo Print Manager Configuration; click Start, Programs, and Galileo Print Manager. Click Print Manager to launch the Galileo Print Manager application.
16. After upgrading to Galileo Print Manager, the Start menu will have both the old group name of "Focalpoint Print Manager" and "Galileo Print Manager". To remove the old group from the Start Menu. Click Start, Programs/All Programs, and highlight Focalpoint Print Manager.



17. Right-Click Focalpoint Print Manager, then Click Delete.



18. Click Yes, to confirm the delete.

*Acknowledgement: This quick reference was published by Galileo International, Training and Development.
For questions or comments, please send a message to training.development@galileo.com*

*©2004 Galileo International. All Rights Reserved.
Apollo, Galileo, the Globe device, and Focalpoint are either registered trademarks or
service marks of Galileo International in the United States and/or other countries.
#T0408*