

Gemini – CLI

We can use our IDE terminals to prompt LLMs directly from the terminal!

<https://github.com/google-gemini/gemini-cli>



The screenshot shows the GitHub repository page for `google-gemini/gemini-cli`. The page has a dark theme. At the top, there's a navigation bar with links: `README` (highlighted), `Contributing`, `Apache-2.0 license`, and `Security`. Below the navigation bar, the repository name `Gemini CLI` is displayed in a large, bold font. Underneath the name, there are several status badges: `Testing: CI` (passing), `Testing: E2E (Chained)` (passing), `npm v0.52.0`, `license Apache-2.0`, and a `View Code Wiki` button. The main content area features a large, stylized logo that says `> GEMINI` in a pixelated font. Below the logo, there's a section titled `Tips for getting started:` with three numbered tips: 1. Ask questions, edit files, or run commands. 2. Be specific for the best results. 3. `/help` for more information. Below the tips, there's a code block showing a terminal session. The user enters `> Make me a program that prints "Hello, world!" in python.` The response is `Responding with gemini-2.5-flash` followed by `✦ Okay, hello.py has been created and contains the "Hello, world!" program. How else can I assist you?` Below this, there's a code block showing the contents of `hello.py`: `1 print("Hello, world!")`. The terminal session continues with `✦ Awaiting your next command or request.` and `Using: 2 GEMINI.md files | 2 MCP servers`. At the bottom, there's a prompt `> | Type your message or @path/to/file` and a status bar showing `~\Desktop\Gemini` and `no sandbox (see /docs)`.

Installation

See [Gemini CLI installation, execution, and releases](#) for recommended system specifications and a detailed installation guide.

Quick Install

Run instantly with npx

```
# Using npx (no installation required)
npx @google/gemini-cli
```

Install globally with npm

```
npm install -g @google/gemini-cli
```

Install globally with Homebrew (macOS/Linux)

```
brew install gemini-cli
```

Install globally with MacPorts (macOS)

```
PROBLEMS OUTPUT DEBUG CONSOLE TEST RESULTS PORTS PLAYWRIGHT TERMINAL
PS D:\Playwright_2026\Playwright-demo> npx @google/gemini-cli
Need to install the following packages:
@google/gemini-cli@0.52.0
Ok to proceed? (y) y

GEMINI

Gemini CLI v0.52.0

Tips for getting started:
1. Create GEMINI.md files to customize your interactions
2. /help for more information
3. Ask coding questions, edit code or run commands
4. Be specific for the best results
```

```
? Get started

How would you like to authenticate for this project?

1. Sign in with Google
● 2. Use Gemini API Key
3. Vertex AI

No authentication method selected.

(Use Enter to select)


Terms of Services and Privacy Notice for Gemini CLI

https://geminicli.com/docs/resources/tos-privacy/
```



Use Gemini key:

API Keys				
Group by		Filter by		
● API Key Project		All projects		
Key	Project	Created	Billing Tier	
...rR_Q Default Gemini Key	Default Gemini Project gen-lang-client-0202082995	Jul 16, 2026	Set up billing Free tier	

Gemini is installed now:



Let's try this out!



Result:

✦ The `VisualTestingUtil.ts` file is a reusable utility class designed to simplify and standardize **visual regression testing** in your Playwright test suite.

It abstracts Playwright's native `toHaveScreenshot` assertions into three core static helper methods:

1. `compareFullPage`

- * **Purpose:** Captures and validates the **entire scrollable height** of a web page.
- * **Key Features:**
 - * Uses `{ fullPage: true }` to force Playwright to scroll and stitch the entire page.
 - * Employs standard configuration parameters to prevent "flaky" visual failures caused by minor differences.

2. `compareElement`

- * **Purpose:** Captures and validates a specific **DOM element (Locator)** instead of the whole page.
- * **Key Features:**
 - * Ideal for component-level testing (e.g., headers, footers, buttons, or custom widgets).
 - * Limits the snapshot's scope to prevent test failures from unrelated page changes.

3. `compareResponsive`

- * **Purpose:** Simulates and captures a viewport-specific screenshot for a given device configuration.
- * **Key Features:**
 - * Integrates with `DeviceResolutionUtil.ts` (which maps modern 2026 devices like the iPhone 17, Galaxy S26, or Desktop FHD).
 - * **Saves and Restores:** Memorizes the current viewport size, resizes the browser to the target device's width/height, re-navigates to ensure responsive CSS reflows properly, captures a viewport-only (`fullPage: false`) screenshot, and safely restores the initial viewport size so subsequent tests aren't affected.

Shared Default Settings (Anti-Flakiness Rules)

To ensure reliable screenshots across different execution environments (e.g., local machines vs. CI/CD pipelines), all three methods apply the following defaults:

- * **animations: 'disabled':** Disables or pauses CSS transitions and animations to capture stable visual states.
- * **threshold: 0.2:** Sets a lenient color sensitivity index (on a scale of 0 to 1) to avoid failing on minor sub-pixel rendering and anti-aliasing differences.
- * **maxDiffPixelRatio: 0.05:** Allows up to 5% of the total pixel count to differ before marking the test as a failure.

? for shortcuts

Shift+Tab to accept edits

> | Type your message or @path/to/file



Gemini CLI v0.52.0

Now, we can exit using **ctrl+c**:

```
> /quit

Agent powering down. Goodbye!

Interaction Summary
Session ID:          3ec15061-0798-4102-9f6a-cd43d3be02c4
Tool Calls:          2 ( ✓ 2 ✗ 0 )
Success Rate:        100.0%
User Agreement:      100.0% (2 reviewed)

Performance
Wall Time:           25h 11m 49s
Agent Active:         45.8s
  » API Time:         45.7s (99.8%)
  » Tool Time:         69ms (0.2%)

Model Usage
Use /model to view model quota information

Model                Reqs   Input Tokens   Cache Reads   Output Tokens
-----
gemini-3.1-flash-lite    1       1,910           0             55
  ↳ utility_router      1       1,910           0             55
gemini-3.5-flash         3      38,785        16,246         579
  ↳ main                 3      38,785        16,246         579
To resume this session: gemini --resume "3ec15061-0798-4102-9f6a-cd43d3be02c4"

PS D:\Playwright_2026\Playwright-demo> 
```