

# Record Types and Picklists



how record type controls picklist

In Salesforce, **Record Types** are used to offer different **business processes**, **page layouts**, and **picklist values** to different users based on their **profiles**.

## How Record Types Control Picklist Values:

### 1. Picklist value sets per record type:

- When you define a **picklist field**, you can **specify different values** to be available for **each Record Type**.
- This allows you to **restrict or customize** picklist options depending on the record type selected.

### 2. Configuration in Salesforce Setup:

- Navigate to:

```
pgsql
```

```
Setup → Object Manager → [Your Object] → Fields & Relationships → [Picklist Field] → Record Type Settings
```

- Here, you can **select** which values should be **available** for each record type.

### 3. Use case example:

- Suppose you have a **Case** object with a picklist field **Status**.
- For Record Type "**Customer Support**", you want values like:
  - New, In Progress, Escalated
- For Record Type "**Technical Support**", you want:
  - New, Diagnosing, Resolved

### 4. Benefits:

- Tailors user experience
- Reduces errors by removing irrelevant picklist choices
- Aligns data entry with business processes

## Summary:

- **Record Types** allow you to **customize picklist options** for the same field across different business processes.
- This helps enforce **data consistency**, simplifies **user input**, and supports **custom workflows**.

Let me know if you want a step-by-step setup example.



what is the step to dynamically fetch values from org using lwc

To dynamically fetch values from your Salesforce org (like picklist values, records, or metadata) using **Lightning Web Components (LWC)**, follow these steps:

## ✓ Steps to Dynamically Fetch Values in LWC:

### Step 1: Import necessary modules in your JS file

Depending on what you want to fetch, you use different Salesforce-provided modules:

#### 👉 For picklist values:

```
js

import { getPicklistValues, getObjectInfo } from 'lightning/uiObjectInfoApi';
```

#### 👉 For records (using Apex):

```
js

import fetchData from '@salesforce/apex/YourApexClass.fetchData';
```

### Step 2: Use @wire to call these methods

#### ♦ Example: Fetching picklist values dynamically

```
js

import { LightningElement, wire } from 'lwc';
import { getPicklistValues, getObjectInfo } from 'lightning/uiObjectInfoApi';

import ACCOUNT_OBJECT from '@salesforce/schema/Account';
import INDUSTRY_FIELD from '@salesforce/schema/Account.Industry';

export default class FetchPicklistValues extends LightningElement {
  industryOptions = [];

  @wire(getObjectInfo, { objectApiName: ACCOUNT_OBJECT })
  objectInfo;

  @wire(getPicklistValues, {
    recordTypeId: '$objectInfo.data.defaultRecordTypeId',
    fieldApiName: INDUSTRY_FIELD
  })
  wiredPicklistValues({ data, error }) {
    if (data) {
      this.industryOptions = data.values.map(item => ({
        label: item.label,
```

```

        value: item.value
      }));
    } else if (error) {
      console.error('Error fetching picklist values', error);
    }
  }
}

```

### Step 3: Display in HTML using lightning-combobox

```

html

<template>
  <lightning-combobox
    name="industry"
    label="Industry"
    value=""
    options={industryOptions}
    onchange={handleChange}>
  </lightning-combobox>
</template>

```

### To fetch data dynamically via Apex (e.g., records)

#### Apex class:

```

apex

public with sharing class YourApexClass {
  @AuraEnabled(cacheable=true)
  public static List<Account> fetchData() {
    return [SELECT Id, Name FROM Account LIMIT 10];
  }
}

```

#### LWC JavaScript:

```

js

import { LightningElement, wire } from 'lwc';
import fetchData from '@salesforce/apex/YourApexClass.fetchData';

export default class FetchDataExample extends LightningElement {
  accounts;

  @wire(fetchData)
  wiredAccounts({ data, error }) {
    if (data) {
      this.accounts = data;
    } else if (error) {
      console.error('Error fetching records', error);
    }
  }
}

```

### Summary

| What You Want to Fetch | Method Used              | Tool/Module                                  |
|------------------------|--------------------------|----------------------------------------------|
| Picklist Values        | <b>getPicklistValues</b> | <b>lightning/uiObjectInfoApi</b>             |
| Object Metadata        | <b>getObjectInfo</b>     | <b>lightning/uiObjectInfoApi</b>             |
| Records                | Apex method              | <b>@salesforce/apex/YourApexClass.method</b> |

Let me know which specific type of data you want to fetch (e.g., record data, picklist, metadata), and I can give you a tailored code snippet.