ExecuteSpec Studio

Designer PRD and screen-by-screen handoff

A linked product, journey, flow, and Figma specification for the external UX designer.

Version	1.1 designer handoff
Date	2026-07-31
Checkpoint	STUDIO-CP-018
Design status	0 P0 / 0 P1 / 7 P2
Figma	Open canonical Studio file
Scope	Product and UX only - application coding is not authorized

Authority warning

Only the 57 P8/P9 screens are implementation design authority. The 143 P3-P5 screens are reference-only and must not override the current builder, inspectable Output, trust, operation, tier, Account, or responsive grammar.

How to navigate this document

Every journey reference in this PDF is clickable and jumps to its detailed journey chapter. Every screen title links to its exact Figma node. Use the journey chapters to understand product intent, and the screen catalogue to execute the design.

Journey index

J01 - Zero-information idea to working preview

J02 - Existing project to visual or conversational change

J03 - Add data, sign-in, files, functions, or an integration

J04 - Failed check to bounded repair and fresh evidence

J05 - Preview to release, health evidence, and rollback

J06 - Return later and understand current state

J07 - Reach a limit without project or task loss

J08 - Upgrade or downgrade with durable continuity

J09 - Recover source, authority, publish, connectivity, or state disagreement

J10 - Export or delete source, data, documents, evidence, project, or account

J11 - Create or switch an isolated client workspace

J12 - Import GitHub, Bitbucket, local, or existing Studio project

J13 - Understand repository and connected context

J14 - Requirement to estimate, scope baseline, and plan

J15 - Local or cloud implementation with route and budget control

J16 - Generate and validate integration-aware tests, then run CI or on demand

J17 - PR or preview to client review and decision

J18 - Deploy, hand off, and establish maintenance boundary

J19 - Promote sanitized reusable knowledge without client leakage

J20 - Graduate to Team or Enterprise with preserved history

Document contents

1. Product definition and UX contracts
2. Twenty canonical user journeys
3. Twenty named Figma prototype flows
4. Fifty-seven implementation-authority screen specifications
5. One hundred forty-three reference-only screen records
6. Responsive, accessibility, analytics, remaining design work, and handoff checklist

1. Product and UX authority

Product promise

Turn an idea or requirement into a working, verified, publishable product with simplicity by default and professional control when the work requires it.

Users and commercial model

Studio serves a casual builder and a professional individual in one product. Free ($0) supports safe creation; Pro ($20/month) adds ownership and production depth; Max ($100/month) adds client isolation, repository/CI control, evidence, and professional handoff. BYOK is an AI-provider route, not a tier. Team and Enterprise are graduation destinations.

Durable information architecture

Home starts or resumes work. Project combines Build, Data, Checks, and Ship around Project, Task, and inspectable Output. Account contains six stable job groups. Durable state lives in Project, Task, Brief, Version, Change, Check, Decision, Resource, Release, ClientWorkspace, ScopeBaseline, ChangeRequest, Handoff, and Progress.

Interaction grammar

Ready, Working, Needs input, Complete, Needs attention, and Paused are user states. Consequential actions expose target, effect, evidence/freshness, material cost, authority/expiry, and recovery. No fake completeness, invented progress, hidden reasoning, tool chatter, or secret values.

Journey-linked capability map

Create and change	J01, J02
Resources and integrations	J03
Checks and integration testing	J04, J16
Publish, release, and handoff	J05, J18
Return, recovery, and reconciliation	J06, J09
Limits and plan continuity	J07, J08
Ownership, export, deletion, reuse	J10, J19
Client boundary and source	J11, J12, J13
Scope and implementation	J14, J15
Client decision and graduation	J17, J20

2. Canonical user journeys

The following chapters are the product interpretation authority for screens and prototype flows. Journey links elsewhere in this PDF jump here.

J01 - Zero-information idea to working preview

Persona: Casual builder - all tiers
Goal: Turn an undeveloped idea into an honest, inspectable preview without requiring technical setup.
Preconditions: Signed-in or guest-ready Studio; no project data is required.
Trigger: The user describes an idea, selects a template/reference, or starts blank.

Screen sequence: R01 -> R14 -> R02 -> R04

Decision and authority: Ask one focused clarification only when the answer changes the product outcome, cost, exposure, or feasibility. Assumptions remain editable until approved.

Failure and recovery: If context is insufficient, preserve the draft Brief and offer one clarification. If generation fails, retain the Task and expose retry, modify, or safe stop.

Success: A live or explicitly mocked Preview opens with a durable Project, Task, Brief, and Version.

Required evidence: Brief acceptance, preview runtime state, source freshness, changed objects, and verification status.

Responsive behavior: Desktop uses three panes; tablet keeps Task visible while Output opens as a sheet; mobile keeps Task primary and switches to a dedicated Output surface.

`Analytics: studio_project_started, studio_brief_accepted, studio_first_preview_ready`

Open journey authority in Figma

J02 - Existing project to visual or conversational change

Persona: Casual builder and professional individual
Goal: Make a bounded change, inspect before/after impact, and create a reversible Version.
Preconditions: A Project and current Version exist; the user has write authority.
Trigger: The user selects an object in Preview or describes a change in the Task composer.

Screen sequence: R01 -> R02 -> R03 -> R05 -> D19 -> D20 -> D21

Decision and authority: Material, destructive, public, or billable changes require a Decision; ordinary reversible edits do not.

Failure and recovery: On conflict, show before/after, affected objects, latest source, and choices to rebase, discard, or create a new Task.

Success: A new Version is created with synchronized Preview, Changes, evidence, and restore point.

Required evidence: Selected object, requested intent, before/after diff, affected objects, checkpoint identifier, and fresh Checks.

Responsive behavior: Tablet uses synchronized split compare; mobile uses a swipe compare with stable screen-reader order and explicit exit.

`Analytics: studio_change_requested, studio_change_reviewed, studio_version_created, studio_version_restored`

Open journey authority in Figma

J03 - Add data, sign-in, files, functions, or an integration

Persona: Casual builder with progressive professional depth
Goal: Add a managed Resource safely and verify its permissions and behavior.
Preconditions: A Project exists; the requested Resource is supported by the current tier or an upgrade choice is available.
Trigger: The user asks for data/auth/storage/function/integration capability or opens Data.

Screen sequence: R06 -> D11 -> D12 -> D13 -> R10 -> R12 -> R07

Decision and authority: Credentials, scopes, external writes, public exposure, and material cost require a bounded Decision with expiry and recovery.

Failure and recovery: Unavailable sources offer reconnect or a safe managed alternative; secret values are write-only and never echoed; partial creation is reconciled before retry.

Success: The Resource is durable, permission-scoped, visible in Data, linked to a Version, and covered by fresh Checks.

Required evidence: Schema/access policy, connection identity, secret reference not value, remote effect receipt, and verification evidence.

Responsive behavior: Tablet/mobile show resource summaries and decision sheets; dense schema editing may hand off to desktop without losing Task state.

`Analytics: studio_resource_requested, studio_resource_decision_opened, studio_resource_verified`

Open journey authority in Figma

J04 - Failed check to bounded repair and fresh evidence

Persona: All Studio users
Goal: Understand a failure, choose a bounded response, and obtain fresh evidence without hiding uncertainty.
Preconditions: At least one Check is failed, partial, stale, inconclusive, or unmeasured.
Trigger: A Check completes with a non-passing state or the user opens Checks.

Screen sequence: R07 -> R09 -> D18 -> R10 -> R12 -> R07

Decision and authority: Autofix requires explicit scope, affected objects, cost if material, and rollback; retry alone does not imply a code change.

Failure and recovery: Offer retry, bounded repair, revert, quarantine/flaky handling, reconnect runner, or acknowledge unmeasured status. Never relabel stale evidence as passing.

Success: The Check ledger records a fresh outcome and the user can inspect exact assertions, captures/logs, and changed objects.

Required evidence: Check source, freshness, pass/fail counts, assertion, affected behavior, repair diff, and receipt.

Responsive behavior: Mobile opens a failure sheet and returns to the same assertion; tablet keeps Task context while evidence opens beside it.

`Analytics: studio_check_failed, studio_repair_decision, studio_check_rerun, studio_check_recovered`

Open journey authority in Figma

J05 - Preview to release, health evidence, and rollback

Persona: All tiers with destination depth by entitlement
Goal: Publish an immutable Release, verify health, and recover through a known rollback anchor.
Preconditions: A Preview exists and required Checks meet the destination policy.
Trigger: The user requests publish/deploy or opens Ship.

Screen sequence: R08 -> R10 -> R12 -> R20 -> D24 -> D25 -> D26

Decision and authority: Confirm target, exposure, immutable manifest, cost, authority, freshness, and rollback before an external effect.

Failure and recovery: Failed or partial deployment preserves the previous healthy Release; show reconciliation and rollback options with remote/durable state.

Success: The Release is healthy or safely rolled back, with immutable evidence and a visible next action.

Required evidence: Manifest, destination, revision, health window, Check ledger, receipt, and rollback anchor.

Responsive behavior: Publish and rollback remain complete on tablet/mobile; mobile uses a full-width decision sheet and status timeline.

```
Analytics: studio_publish_reviewed, studio_release_created, studio_release_health_changed,
studio_release_rolled_back
```

Open journey authority in Figma

J06 - Return later and understand current state

Persona: Returning user - all tiers
Goal: Resume work without reconstructing context from chat history.
Preconditions: A prior Project or Task exists in any durable state.
Trigger: The user returns to Home or reopens a Project.

Screen sequence: R01 -> R23 -> R24 -> R25 -> R26 -> R27 -> R28

Decision and authority: If remote and durable state disagree, block new consequential work until reconciliation is explicit.

Failure and recovery: Show Running, Reconnecting, Partial, Reconciled, Failed, Cancelled, Paused, or Needs input with checkpoint and next action.

Success: The user knows what is happening, what changed, what is blocked, and the safest next action within one screen.

Required evidence: Task state, semantic phase, checkpoint, remote effect, freshness, last evidence, and recovery route.

Responsive behavior: Drawers and surface switches preserve selected Project/Task, scroll, focus, and composer draft.

```
Analytics: studio_task_resumed, studio_operation_state_viewed, studio_reconciliation_completed
```

Open journey authority in Figma

J07 - Reach a limit without project or task loss

Persona: Free or Pro user
Goal: Explain the exact gated outcome and preserve all durable work.
Preconditions: The user reaches a capacity, frequency, destination, retention, or advanced-control limit.
Trigger: A requested action crosses the current entitlement.

Screen sequence: D34 -> R29 -> R30 -> R31 -> D35

Decision and authority: Upgrade, top-up, wait, reduce scope, export, or continue read-only must be shown in the context of the requested outcome.

Failure and recovery: If payment or entitlement refresh fails, remain on the same Task with unchanged Project, Versions, Checks, and Release history.

Success: The user chooses a valid route and the same Task resumes or remains safely readable/exportable.

Required evidence: Limit type, current usage, requested outcome, preserved objects, price/consequence, and entitlement receipt.

Responsive behavior: Use a sheet/dialog without replacing the work surface; return focus to the invoking action.

`Analytics: studio_limit_reached, studio_upgrade_intent, studio_same_task_resumed`

Open journey authority in Figma

J08 - Upgrade or downgrade with durable continuity

Persona: All paid Studio users
Goal: Change plan without forking the product, losing history, or confusing BYOK with Max.
Preconditions: A Studio account and at least one Project exist.
Trigger: The user deliberately changes plan or accepts a contextual upgrade.

Screen sequence: D33 -> D35 -> D36 -> R29 -> R30 -> R31 -> R33

Decision and authority: Show feature/capacity consequences at object level; BYOK remains an AI-provider route, not a tier.

Failure and recovery: Downgrade never blocks export/deletion/recovery. Ineligible active capabilities become clearly limited or read-only with a remediation path.

Success: Plan and entitlement update while Projects, Tasks, Versions, Checks, Releases, and history retain identity.

Required evidence: Old/new tier, effective date, usage/retention impact, active objects, billing receipt, and recovery/support path.

Responsive behavior: Account plan flows work on mobile; dense comparison may open a full-screen table with accessible headings.

`Analytics: studio_plan_change_started, studio_plan_change_confirmed, studio_entitlement_refreshed`

Open journey authority in Figma

J09 - Recover source, authority, publish, connectivity, or state disagreement

Persona: All users; professional depth when source/client boundaries apply
Goal: Return to a trustworthy state without duplicating remote effects or losing local work.
Preconditions: A Task is offline, stale, disconnected, expired, permission-blocked, partially published, or inconsistent with durable state.
Trigger: A recovery condition is detected or the user returns during one.

Screen sequence: D39 -> D54 -> D14 -> R11 -> R24 -> R25 -> R26 -> R27

Decision and authority: Refresh authority only for the same scoped action; never replay a remote effect solely because the UI timed out.

Failure and recovery: Offer reconnect, re-authenticate, refresh context, reconcile, retry from checkpoint, restore, rollback, export, or safe stop according to cause.

Success: Remote and durable state agree, or the product stops in an honest state with preserved evidence and a specific next action.

Required evidence: Checkpoint, idempotency/effect identifier, source SHA/freshness, authority expiry, remote receipt, reconciliation result.

Responsive behavior: Offline banners persist across Task/Output switching; composer drafts and selection survive reconnect and rotation.

`Analytics: studio_recovery_detected, studio_recovery_action_selected, studio_state_reconciled`

Open journey authority in Figma

J10 - Export or delete source, data, documents, evidence, project, or account

Persona: All Studio users
Goal: Exercise ownership safely with complete export and destructive-action clarity.
Preconditions: The user owns or is authorized for the target objects.
Trigger: The user requests export, Project deletion, client offboarding, or account deletion.

Screen sequence: D28 -> D37 -> D38 -> R13 -> R37

Decision and authority: Deletion requires target, effect, retained/deleted objects, dependency impact, re-authentication where needed, and cancellation before commitment.

Failure and recovery: Export failure is resumable. Deletion failure reports exactly what was removed and what remains. Client boundaries are checked before action.

Success: Export is downloadable and verified, or deletion completes with a durable receipt and recovery/retention statement.

Required evidence: Manifest of included/excluded objects, hashes where appropriate, deletion receipt, retention window, and access revocation.

Responsive behavior: Mobile supports review/confirm/status; large exports download asynchronously with notification and Account history.

`Analytics: studio_export_requested, studio_export_ready, studio_destructive_decision, studio_deletion_completed`

Open journey authority in Figma

J11 - Create or switch an isolated client workspace

Persona: Professional individual - Max
Goal: Maintain absolute client separation while making the active boundary obvious.
Preconditions: Max entitlement and professional mode; user has client-workspace authority.
Trigger: The user creates, switches, reviews, or offboards a ClientWorkspace.

Screen sequence: D41 -> D44 -> D45 -> D46 -> D47 -> R21 -> R22

Decision and authority: Switching with unsaved/local work, active credentials, or pending external actions requires explicit consequence and safe handling.

Failure and recovery: Boundary mismatch blocks the action and identifies conflicting client, source, credential, memory, or usage objects.

Success: The intended ClientWorkspace is active; projects, sources, secrets, memory, usage, and review links remain isolated.

Required evidence: Persistent client identity, isolation policy, active objects, pending effects, access list, and offboarding evidence.

Responsive behavior: Tablet/mobile always display the active client boundary and require deliberate switching through a drawer/sheet.

`Analytics: studio_client_workspace_created, studio_client_boundary_switched, studio_boundary_blocked`

Open journey authority in Figma

J12 - Import GitHub, Bitbucket, local, or existing Studio project

Persona: Professional individual - Max
Goal: Bind source with least privilege and preserve exact repository/branch/working-tree identity.
Preconditions: Professional mode; provider/local permission route is available.
Trigger: The user chooses an import source.

Screen sequence: D42 -> D48 -> D49 -> D50 -> D51 -> R17 -> R34

Decision and authority: Choose repository, scopes, branch/PR policy, local permissions, dirty-tree handling, and client boundary before mutation.

Failure and recovery: Denied/unavailable source offers reconnect; dirty state offers checkpoint/stash/new branch/cancel; partial import exposes ready and failed objects separately.

Success: Source is bound at an exact identity and Repository context is ready for inspection.

Required evidence: Provider/account, scopes, repo, branch, commit, dirty state, local path permission, webhook/CI status, and import receipt.

Responsive behavior: Mobile/tablet allow status, decisions, and reconnect; dense source binding may hand off to desktop/CLI with a continuation token.

`Analytics: studio_source_import_started, studio_source_authorized, studio_source_bound`

Open journey authority in Figma

J13 - Understand repository and connected context

Persona: Professional individual - Max
Goal: Build an evidence-linked Brief from code, documents, issues, designs, and prior decisions.
Preconditions: One or more sources are connected and access is current.
Trigger: The user opens Repository context or asks a project-scoped question.

Screen sequence: D52 -> D53 -> D54 -> R14 -> R15 -> R17

Decision and authority: Conflicting citations prevent approval; low-confidence or stale evidence is labeled and refreshable.

Failure and recovery: Missing source yields partial answers with known gaps. Refresh pins a new source identity and preserves prior cited conclusions for comparison.

Success: The user can inspect repository map, citations, freshness, assumptions, affected objects, and unresolved questions.

Required evidence: Exact source identity, citation type, confidence/freshness, conflicting evidence, repository boundaries, and Brief impact.

Responsive behavior: Tablet/mobile show summaries and citations; complex maps open read-only with desktop handoff.

`Analytics: studio_context_generated, studio_context_conflict_detected, studio_brief_citation_opened`

Open journey authority in Figma

J14 - Requirement to estimate, scope baseline, and plan

Persona: Professional individual - Max
Goal: Convert a requirement into a bounded, priced, testable delivery commitment.
Preconditions: Client/source/context are selected; requirement is available.
Trigger: The user submits a requirement, issue, document, or design.

Screen sequence: D55 -> D56 -> D57 -> D58 -> R14 -> R15 -> R18 -> R16

Decision and authority: Clarifications, assumptions, exclusions, estimate range, risks, dependencies, acceptance intent, and object impact remain editable before approval.

Failure and recovery: Scope divergence creates a ChangeRequest; rejected/expired/invalidated approval preserves the draft and explains the next valid action.

Success: An accepted ScopeBaseline and approved Plan are attached to the Task with an immutable receipt.

Required evidence: Requirement citations, estimate range, exclusions, dependencies, risks, test plan, object impact, budget, authority, and receipt.

Responsive behavior: Responsive views preserve edit/conflict/approved states; mobile focuses one decision or section at a time.

`Analytics: studio_scope_proposed, studio_scope_accepted, studio_plan_approved`

Open journey authority in Figma

J15 - Local or cloud implementation with route and budget control

Persona: Professional individual - Max
Goal: Execute the approved Plan within branch, provider, authority, time, and budget boundaries.
Preconditions: Approved Plan and exact source identity; route and credentials are usable.
Trigger: The user starts implementation or approves a bounded continuation.

Screen sequence: R16 -> D60 -> D61 -> D62 -> D63 -> D64 -> R23

Decision and authority: Local/cloud route, provider/model/BYOK, branch, budget, cost cap, and external effects are explicit; expired authority cannot be reused.

Failure and recovery: Pause preserves checkpoint. Provider/route failure offers same-scope retry, approved alternative, or safe stop. Partial results stay inspectable.

Success: Changes are checkpointed and ready for review with attributable cost and exact source identity.

Required evidence: Plan receipt, branch/SHA, provider route, budget/cost, changed files/objects, checkpoints, and operation state.

Responsive behavior: Mobile/tablet supervise, decide, pause, and inspect summaries; dense editing honestly hands off to desktop/CLI/IDE.

```
Analytics: studio_implementation_started, studio_implementation_paused, studio_implementation_completed
```

Open journey authority in Figma

J16 - Generate and validate integration-aware tests, then run CI or on demand

Persona: Professional individual - Max
Goal: Produce trustworthy tests, validate the suite itself, execute in the right environment, and retain evidence.
Preconditions: Implementation changes and test topology are available.
Trigger: The user enters Verify, requests test generation, or a policy auto-triggers validation.

Screen sequence: D67 -> D68 -> D69 -> D70 -> D71 -> R19 -> R07 -> R09

Decision and authority: Generated tests are not trusted until suite validation passes; CI/environment/secret scopes and billable triggers require clear authority.

Failure and recovery: Invalid suites return to bounded generation repair; failed CI links exact assertion/log/source; flaky behavior offers retry/quarantine with explicit confidence impact.

Success: A fresh evidence ledger records suite validity, environment, CI/on-demand result, and affected acceptance intent.

Required evidence: Test topology, generated/changed tests, suite-validation result, environment/config identity, CI run, assertions/logs/captures, and freshness.

Responsive behavior: Tablet/mobile show topology/result/evidence and allow rerun/repair decisions; editing test code may hand off.

```
Analytics: studio_test_suite_generated, studio_test_suite_validated, studio_ci_triggered,
studio_ci_completed
```

Open journey authority in Figma

J17 - PR or preview to client review and decision

Persona: Professional individual and scoped client reviewer
Goal: Share only decision-relevant delivery evidence and capture acceptance or bounded change requests.
Preconditions: Verified PR/Preview and client-review package exist.
Trigger: The professional invites a reviewer or shares a scoped review link.

Screen sequence: D72 -> D76 -> D77 -> R21 -> D78 -> D79

Decision and authority: Reviewer scope, expiry, redaction, visible artifacts, and allowed decision are fixed before sharing.

Failure and recovery: Expired/revoked access denies safely. Change requests anchor to artifact/version and return to the same Scope/Task without leaking internal context.

Success: The client accepts or submits a traceable ChangeRequest; the professional retains an immutable decision record.

Required evidence: Package manifest, redaction policy, reviewer identity/expiry, anchored comments, decision, and resulting Task/Scope link.

Responsive behavior: Decision-only view is mobile-complete; professional workbench remains separate from client view.

`Analytics: studio_client_review_shared, studio_client_change_requested, studio_client_accepted`

Open journey authority in Figma

J18 - Deploy, hand off, and establish maintenance boundary

Persona: Professional individual - Max
Goal: Move verified work to the agreed environment and transfer ownership without ambiguous access or obligations.
Preconditions: Accepted delivery package, release authority, and target environment.
Trigger: The professional initiates deploy/handoff/offboarding.

Screen sequence: D73 -> D74 -> R20 -> R21 -> R22 -> D80

Decision and authority: Confirm immutable manifest, target, canary/health window, rollback, ownership, credentials, access revocation, and maintenance terms.

Failure and recovery: Deployment failure retains previous Release. Handoff cannot complete with unresolved credential ownership or active unauthorized access.

Success: Healthy Release and complete Handoff package with accepted ownership and explicit maintenance boundary.

Required evidence: Release manifest/health, rollback anchor, handoff artifacts, owner mapping, credential transfer policy, revocation evidence, and maintenance terms.

Responsive behavior: Tablet/mobile provide review, decision, health, rollback, and handoff status; large artifact inspection may hand off.

`Analytics: studio_deployment_started, studio_handoff_reviewed, studio_handoff_completed`

Open journey authority in Figma

J19 - Promote sanitized reusable knowledge without client leakage

Persona: Professional individual - Max
Goal: Reuse patterns/checklists while proving client code, secrets, identity, and proprietary context are excluded.
Preconditions: Completed client work and eligible reusable insight.
Trigger: The user proposes a template, checklist, pattern, or memory promotion.

Screen sequence: D81 -> D82 -> R22 -> R37

Decision and authority: Promotion requires source client, included abstraction, redaction proof, destination personal library, and rollback/delete path.

Failure and recovery: Any suspected client-specific content blocks promotion and identifies the evidence requiring removal or review.

Success: A sanitized reusable object is created with provenance and no client-bound data.

Required evidence: Source/destination boundaries, redaction findings, included/excluded content, reviewer/authority, and promotion receipt.

Responsive behavior: Responsive surfaces support decision/review; dense redaction inspection may require desktop.

`Analytics: studio_memory_promotion_proposed, studio_memory_promotion_blocked, studio_memory_promoted`

Open journey authority in Figma

J20 - Graduate to Team or Enterprise with preserved history

Persona: Professional individual outgrowing Studio
Goal: Move durable objects and evidence to a collaborative/governed product without rebuilding.
Preconditions: Studio Project has Team/Enterprise intent and eligible ownership.
Trigger: The user selects graduation from Professional Mode or Account.

Screen sequence: D33 -> D92 -> D93 -> R31 -> R37

Decision and authority: Show identity, object, policy, billing, client-boundary, provider, and access mapping; conflicts require explicit resolution.

Failure and recovery: Unsupported policy or identity conflict pauses migration while Studio remains usable/readable; no destructive cutover without verification.

Success: Target workspace contains mapped Projects, Tasks, Versions, Checks, Releases, Handoffs, and history with a migration receipt.

Required evidence: Source/target identities, object counts, policy conflicts, access mapping, migration checks, and rollback/support window.

Responsive behavior: Mobile supports review/status; complex mapping opens desktop without losing the migration Task.

`Analytics: studio_graduation_started, studio_graduation_conflict, studio_graduation_completed`

Open journey authority in Figma

---

3. Named Figma prototype flows

These are the 20 current Figma flow starts. Each links to the journey chapters it demonstrates.

F01 - Studio - Core build, publish, health, and rollback

Open Figma start 13:3 | Journeys: J01, J04, J05

F02 - Studio - Visual edit, Version, compare, and restore

Open Figma start 13:365 | Journeys: J02

F03 - Studio - Data, API, secret, and checks

Open Figma start 15:289 | Journeys: J03, J04

F04 - Studio - Limit, upgrade, and same-Task resume

Open Figma start 23:1126 | Journeys: J07, J08

F05 - Studio - Professional client delivery and handoff

Open Figma start 32:1239 | Journeys: J11, J12, J13, J14, J15, J16, J17, J18, J19, J20

F06 - Recovery - Offline workspace

Open Figma start 25:1165 | Journeys: J06, J09

F07 - Recovery - Stale or conflicting context

Open Figma start 34:1950 | Journeys: J09, J13

F08 - Recovery - Source or integration unavailable

Open Figma start 15:614 | Journeys: J03, J09, J12

F09 - Recovery - Failed checks

Open Figma start 18:767 | Journeys: J04

F10 - Recovery - Invalid generated test suite

Open Figma start 15:778 | Journeys: J16

F11 - Recovery - Failed CI

Open Figma start 36:2595 | Journeys: J16

F12 - Recovery - Deployment failure and rollback

Open Figma start 37:2531 | Journeys: J05, J18

F13 - Recovery - Permission denied

Open Figma start 39:2919 | Journeys: J03, J09, J11

F14 - Recovery - Expired or insufficient authority

Open Figma start 35:2226 | Journeys: J09, J15

F15 - Recovery - Cancel personal project deletion

Open Figma start 24:1233 | Journeys: J10

F16 - Recovery - Cancel professional destructive action

Open Figma start 39:3006 | Journeys: J10, J18

F17 - Recovery - Client boundary mismatch

Open Figma start 39:3091 | Journeys: J11, J19

F18 - Studio P0/P1 authority - Desktop

Open Figma start 108:7666 | Journeys: J01, J02, J03, J04, J05, J06, J07, J08, J09, J10, J11, J12, J13, J14, J15, J16, J17, J18, J19, J20

F19 - Studio P0/P1 authority - Tablet

Open Figma start 109:8168 | Journeys: J01, J02, J03, J04, J05, J06, J07, J08, J09, J10, J11, J12, J13, J14, J15, J16, J17, J18, J19, J20

F20 - Studio P0/P1 authority - Mobile

Open Figma start 109:8341 | Journeys: J01, J02, J03, J04, J05, J06, J07, J08, J09, J10, J11, J12, J13, J14, J15, J16, J17, J18, J19, J20

Global transition contract

No dead-end modal or sheet. Back/close/cancel restores the invoking Task, selection, focus, composer draft, and checkpoint. External timeout never authorizes replay before reconciliation. Reference-only frames cannot override P8/P9 interaction authority.

4. Implementation-authority screen specifications

The 57 P8/P9 screens below are the current composition and interaction authority.

R01 - Home / Projects and tasks

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J06

User job: Resume the right work immediately.
Required content: Workspace identity; Project list with tier/privacy/task count; Task list with status and last activity; Build/Data/Checks/Ship lenses; Account entry; running/blocked/completed summary.
Primary interaction: Open or resume a Task, start/import a Project, switch lens, or open Account.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Empty Home offers idea/template/import starts; returning Home surfaces stale, blocked, and running Tasks without relying on chat history.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R02 - Builder / Preview selection

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Build while inspecting the live product.
Required content: Persistent Projects/Tasks; active Task and semantic phase; composer; live Preview; selected object hierarchy; direct controls; interaction trace; source and evidence freshness.
Primary interaction: Select an object, edit a safe property, describe a change, open another Output mode, pause, or review a proposed Change.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Selection and composer draft survive Output switching, pane collapse, reconnect, and viewport transition; mocked runtime is labeled.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R03 - Change review / Before after

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J02

User job: Review a proposed change before commitment.
Required content: Synchronized before/after Preview; changed objects and files; requested intent; acceptance impact; Check impact; source freshness; checkpoint and rollback.
Primary interaction: Approve/apply, reject, modify request, inspect cited evidence, or return to Preview.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Conflict, stale source, failed Check, and superseded proposal block blind approval and provide rebase/retry/revert routes.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R04 - Output / Preview

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Inspect the running Preview.
Required content: Runtime status; exact revision; selected object; object details; interaction trace; source link/freshness; viewport controls; explicit mocked/partial state.
Primary interaction: Interact with Preview, select an object, enter full preview, inspect details, or switch Output mode.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Runtime unavailable, loading, crashed, stale, mocked, and healthy are distinct; every non-healthy state has retry/rebuild/open-evidence guidance.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R05 - Output / Changes

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J02, J15

User job: Understand what changed.
Required content: Product-language summary; changed objects/files; before/after; citations; Check impact; source identity; Version/checkpoint; unresolved conflicts.
Primary interaction: Open a changed object/file, compare, accept/reject, restore, or request another bounded change.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Binary/large/dense diffs use summaries and desktop handoff; stale or conflicting diffs cannot be approved as current.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R06 - Output / Data

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03

User job: Inspect Data and access behavior.
Required content: Schema/resources; records or sample shape; access policy; auth/storage/function/integration status; environment; secret references; source and Check freshness.
Primary interaction: Open a Resource, edit supported configuration, connect/verify, inspect access, or switch to relevant Checks.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Empty, migration pending, permission denied, partial sync, stale schema, and secret unavailable states remain explicit.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R07 - Output / Checks

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J04, J16

User job: Inspect verification status and failures.
Required content: Pass/fail/partial counts; exact failing assertion; affected behavior; evidence source; logs/capture links; freshness; generated-suite validity; repair/retry options.
Primary interaction: Open evidence, rerun, request bounded repair, revert, quarantine flaky Check, or acknowledge unmeasured status.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Failed, flaky, inconclusive, unavailable runner, invalid suite, stale, and passing states never collapse into one score.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R08 - Output / Release

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J05, J18

User job: Inspect a Release and rollback anchor.
Required content: Destination; immutable manifest/revision; exposure; current health; required Checks; deployment receipt; previous healthy revision; rollback availability.
Primary interaction: Open release evidence, monitor health, initiate bounded rollback, or create a new release decision.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Deploying, partial, failed, degraded, healthy, superseded, and rolled-back states reconcile remote and durable identity.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R09 - Output / Evidence

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J04, J05, J16

User job: Audit claims and their proof.
Required content: Claim ledger; deterministic/LLM/hybrid source label; cited artifact; freshness; current source identity; confidence/unknown status; receipt links.
Primary interaction: Open the underlying assertion, capture, log, diff, receipt, or source; filter by object/outcome.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Missing, stale, conflicting, or model-derived evidence is labeled and never presented as deterministic proof.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R10 - Trust / Pending

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J04, J05

User job: Decide on a bounded consequential action.
Required content: Pending status; target; effect; unchanged scope; evidence/freshness; material cost; authority and expiry; recovery/rollback; safe alternative.
Primary interaction: Confirm or cancel; open evidence before deciding.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: No effect occurs while pending; repeated confirm is idempotent; expired or changed context invalidates the Decision.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R11 - Trust / Expired

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J09

User job: Recover from expired authority.
Required content: Original target/effect; expiry reason/time; changed context; preserved Task/checkpoint; refresh requirements; safe cancel/alternative.
Primary interaction: Refresh the same scoped authority, modify the request, or cancel.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: The expired receipt cannot be reused; refreshed authority must bind the current target, source, budget, and environment.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R12 - Trust / Confirmed

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J04, J05

User job: Verify what an approved action actually did.
Required content: Confirmed state; immutable receipt; actor/time; exact target/effect; remote result; durable checkpoint; evidence; rollback/recovery.
Primary interaction: Open receipt/evidence, continue to result, or initiate the bounded recovery action.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Partial remote effect opens reconciliation; a confirmed UI state without durable receipt is treated as Needs attention.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R13 - Account / Six groups

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J08, J10

User job: Navigate Account by six stable jobs.
Required content: Profile/preferences; AI/usage; sources/local; data/secrets; publish/domains; privacy/ownership, each with summary, status, and next action.
Primary interaction: Open a group without exposing an internal capability catalogue.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Unavailable or tier-gated settings explain the requested outcome and preserve export, deletion, privacy, and recovery access.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT01 - Tablet / Project and task drawer

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J06

User job: Choose Project and Task on tablet.
Required content: Drawer lists Projects/Tasks with status while the active Task remains behind it; selection and scroll persist.
Primary interaction: Open a Task or dismiss the drawer.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Rotation, dismissal, and reconnect restore the same selection and focus.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT02 - Tablet / Output side sheet

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Inspect Output beside the tablet Task.
Required content: Side sheet exposes Preview and object detail without replacing Task context.
Primary interaction: Inspect/select, switch Output mode, or close to Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Sheet size and focus trap adapt to portrait/landscape; close returns to invoking control.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT03 - Tablet / Full preview

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Use full tablet Preview.
Required content: Runtime fills the canvas with explicit exit, selected object, and interaction-trace continuity.
Primary interaction: Interact/select and exit back to the same Task/Output state.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: System gestures, rotation, and runtime failure do not strand the user.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT04 - Tablet / Compare

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J02

User job: Compare versions on tablet.
Required content: Synchronized before/after panes with shared selection, focus, and scroll.
Primary interaction: Move divider, select an object, inspect evidence, restore, or exit.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Portrait may stack/switch panes but preserves semantic order and comparison labels.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT05 - Tablet / Decision sheet

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J04, J05

User job: Resolve a tablet Decision.
Required content: Sheet contains target/effect/authority/freshness/cost/recovery and full-width Cancel/Confirm actions.
Primary interaction: Open evidence, cancel, or confirm once.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Focus trap/return, expiry, context change, offline, and duplicate-submit behavior are explicit.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RT06 - Tablet / Orientation and keyboard

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Preserve tablet state through orientation and keyboard.
Required content: Portrait/landscape examples show selected object, composer, safe area, and focus preservation.
Primary interaction: Rotate or invoke keyboard without losing Task context.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Keyboard never covers composer/primary action; orientation does not reset selection or scroll.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM01 - Mobile / Build task

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J06

User job: Work from the mobile Task surface.
Required content: Task title/state/semantic phase, decisive card/output summary, composer, and bottom navigation.
Primary interaction: Describe a small change, open Output/drawer, or resolve the active Decision.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Composer stays above safe area; background/reconnect preserves draft and checkpoint.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM02 - Mobile / Project and task drawer

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J06

User job: Switch Project or Task on mobile.
Required content: Full-height drawer with Project and Task status over the current Task.
Primary interaction: Open selection or close by explicit control/gesture.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Focus returns correctly; drawer never destroys Task scroll/composer draft.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM03 - Mobile / Output switcher

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Switch inspectable Output modes on mobile.
Required content: Dedicated Output surface with Preview/Changes/Data/Checks/Release/Evidence modes and selected-object continuity.
Primary interaction: Choose mode, inspect, open full view/sheet, or return to Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Mode switch announces state and preserves the same Project/Task.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM04 - Mobile / Checks sheet

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J04, J16

User job: Inspect a failed Check on mobile.
Required content: Failure sheet shows assertion, expected/observed behavior, evidence link, freshness, and bounded actions.
Primary interaction: Open evidence, rerun/repair, or close to the same assertion.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Partial/flaky/unavailable states remain labeled; no toast-only failure.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM05 - Mobile / Full preview

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J02

User job: Use full mobile Preview.
Required content: Runtime-first surface with explicit exit and selection continuity.
Primary interaction: Interact/select and exit.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Browser chrome/safe areas and runtime crash/loading states remain usable.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM06 - Mobile / Compare

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J02

User job: Compare versions on mobile.
Required content: Swipe/divider or before/after toggle with synchronized selection and stable screen-reader order.
Primary interaction: Move comparison, inspect evidence, restore, or exit.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Do not rely on simultaneous tiny panes; labels and semantic order stay clear.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM07 - Mobile / Account

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J08, J10

User job: Navigate six Account jobs on mobile.
Required content: Six direct group rows with status/summary, not an overloaded capability catalogue.
Primary interaction: Open a group or return to prior Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Deep settings use full screens and preserve unsaved-change warnings and deterministic back behavior.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

RM08 - Mobile / Decision sheet

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J04, J05

User job: Resolve a mobile Decision.
Required content: Full-width sheet with complete consequence grammar and thumb-reachable actions.
Primary interaction: Open evidence, cancel, or confirm once.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Expiry/context change/offline/duplicate submit keep the effect safe and visible.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R14 - Brief / Editable assumptions

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J01, J13, J14

User job: Edit and approve the delivery Brief.
Required content: Outcome; users; constraints; assumptions; acceptance intent; citations/freshness; affected objects; unresolved questions; edit history.
Primary interaction: Edit fields, open citations, resolve questions, save draft, or submit for approval.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: For casual tiers reuse this interaction grammar with lighter content; the visible Max badge in this frame is not a requirement for J01.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R15 - Brief / Citation conflict

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J13, J14

User job: Resolve contradictory source evidence.
Required content: Conflicting claims side by side; exact citations; source identity/freshness; affected Brief fields and downstream objects; resolution rationale.
Primary interaction: Choose current evidence, refresh a source, amend the Brief, or pause/cancel approval.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Approval remains blocked while material conflict is unresolved; low-confidence evidence cannot silently win.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R16 - Plan / Approved impact

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J14, J15

User job: Inspect the approved Plan and its frozen impact.
Required content: Approved steps/dependencies; tests; affected objects/repos; route; budget/time cap; authority scope; source identity; immutable approval receipt.
Primary interaction: Start implementation, open a step/object, or request a new Plan/ChangeRequest.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Any material source/scope/provider/budget/environment change invalidates the old authority instead of mutating it in place.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R17 - Professional / Repository context

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J12, J13, J15

User job: Understand exact repository context.
Required content: Provider; repo/branch/commit; freshness; dirty state; repository map; cross-repo boundaries; citations; current Task impact; client identity.
Primary interaction: Open map/source/citation, refresh context, change pinned source through a Decision, or continue to scope.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Partial, stale, conflicting, permission-denied, and multi-repo mismatch states identify known/unknown context.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R18 - Professional / Scope baseline

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J14

User job: Control the accepted professional boundary.
Required content: Included/excluded work; assumptions; acceptance criteria; estimate range; risks/dependencies; budget; baseline receipt; divergence and ChangeRequest economics.
Primary interaction: Accept/edit baseline, create/approve/reject ChangeRequest, or inspect affected Plan objects.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Work outside baseline cannot be hidden as progress; unresolved divergence blocks handoff/acceptance until explicitly handled.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R19 - Professional / CI validation

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J04, J16

User job: Diagnose CI and choose a bounded response.
Required content: Pipeline stages; environment/commit; exact failed stage/assertion; logs/artifacts; retry history; suite validity; affected acceptance intent; cost/authority.
Primary interaction: Open evidence, rerun, request bounded repair, quarantine flaky behavior, or stop.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Queued/running/passed/failed/cancelled/inconclusive and provider-unavailable states retain the exact CI identity.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R20 - Professional / Deployment

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J05, J18

User job: Control a staging or production deployment.
Required content: Target/environment; immutable manifest; canary/rollout timeline; health signals; required Checks; current/previous revision; rollback anchor; authority receipt.
Primary interaction: Confirm deploy, monitor/reconcile, open evidence, promote, or rollback.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Failed/partial/unknown deployment never replaces the prior healthy release; remote and durable state reconcile before retry.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R21 - Professional / Client review

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J11, J17, J18

User job: Prepare a client-safe decision package.
Required content: Package artifacts; redaction summary; visible/hidden scope; reviewer identity and expiry; anchored comments; acceptance/change-request actions; revocation.
Primary interaction: Share/invite, preview client view, respond to anchored comment, revoke, or record decision.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Expired/revoked/denied links fail closed; internal source, cost, secrets, prompts, and unrelated client context stay hidden.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R22 - Professional / Handoff

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J10, J18, J19

User job: Transfer delivery ownership cleanly.
Required content: Artifact manifest; source/release/evidence/docs; ownership mapping; credential handling; access revocation; unresolved items; maintenance/support terms; receipt.
Primary interaction: Review/complete handoff, download bundle, transfer/revoke access, or return unresolved items to a Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Handoff cannot complete while ownership, credential, acceptance, or rollback responsibilities are ambiguous.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R23 - Operation / Running

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J12, J15

User job: Monitor an external operation in progress.
Required content: Operation identity; semantic phase; durable checkpoint; remote target; elapsed/last update; cancel semantics; background continuation; expected next evidence.
Primary interaction: Leave safely, inspect activity, pause/cancel if supported, or continue other work.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Closing the screen does not stop work; reconnect restores the same operation rather than starting another.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R24 - Operation / Reconnecting

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Stay oriented while an operation reconnects.
Required content: Last durable checkpoint; last remote acknowledgement; connectivity/provider state; preserved partial output; retry/reconcile timer; safe user options.
Primary interaction: Wait, retry connection, work offline where safe, inspect checkpoint, or cancel.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: No duplicate remote action is issued on UI timeout; prolonged interruption transitions to Partial or Failed with evidence.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R25 - Operation / Partial result

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Use safe partial output without implying completion.
Required content: Ready versus failed objects; per-object state; checkpoint; missing evidence; isolated failures; downstream limitations; reconcile/retry options.
Primary interaction: Inspect/export ready objects, retry failed subset, reconcile, or stop with partial receipt.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Partial result cannot unlock publish/handoff claims that require the missing objects or fresh verification.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R26 - Operation / Reconciled

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Confirm remote and durable state now agree.
Required content: Pinned remote identity; durable object identity; reconciliation comparison; repaired differences; final checkpoint; evidence freshness; continuation action.
Primary interaction: Open reconciliation evidence or continue the original Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Any remaining mismatch keeps the operation in Needs attention; reconciliation does not erase prior partial/failure history.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R27 - Operation / Failed

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Understand a safe hard failure.
Required content: Cause; stage; target; last checkpoint; confirmed remote effects; unchanged objects; logs/evidence; retry eligibility; alternate route/support.
Primary interaction: Retry same scope, choose approved alternative, inspect/export partial work, or stop.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Failure copy distinguishes provider, permission, validation, policy, budget, user, and unknown causes.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R28 - Operation / Cancelled

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Confirm user cancellation and cleanup.
Required content: Cancelled actor/time; completed/checkpointed work; temporary resources/authority revoked; confirmed remote effects; retained objects; restart path.
Primary interaction: Open retained output, resume as a new bounded action, or dismiss.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Cancellation does not claim rollback of already-confirmed effects; cleanup failure becomes a visible recovery Task.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R29 - Tier / Free object depth

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J07, J08

User job: Understand Free object depth.
Required content: Project/Task/Preview; current Checks/evidence; safe publish destination; limits and retention; export/delete/recovery; gated intent explanation.
Primary interaction: Continue within limits, export, or request an outcome that opens contextual comparison.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: No permanent locked-nav clutter; safety, honest failure, export, deletion, and recovery remain complete.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R30 - Tier / Pro object depth

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J07, J08

User job: Understand Pro object depth.
Required content: Free objects plus repository ownership, custom domain/production depth, recurring verification, expanded resources/history, provider route, and usage.
Primary interaction: Operate the personal product, configure production depth, or compare Max at a client-delivery intent.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Plan changes preserve all object identities; BYOK remains under AI/usage rather than appearing as a tier.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R31 - Tier / Max object depth

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J07, J08, J20

User job: Understand Max professional depth.
Required content: Pro objects plus ClientWorkspace, scope, CI authority, evidence ledger, client review, handoff, project/client attribution, and graduation.
Primary interaction: Enter a professional workflow, create/switch client boundary, or start Team/Enterprise graduation.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Max never implies organisation-wide Enterprise governance; client isolation and professional evidence remain explicit.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R32 - Account / Identity and preferences

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J08

User job: Manage identity and personal preferences.
Required content: Profile identity; theme; keyboard; notifications; locale/timezone; plan continuity; security/re-auth state; save receipt.
Primary interaction: Edit and save reversible preferences or start a security-sensitive change through re-authentication.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Unsaved changes, validation, session expiry, and cross-device preference conflict have explicit resolution.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R33 - Account / AI and usage

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J08, J15

User job: Control AI route and usage.
Required content: Effective provider/model names; managed versus own-key source; default route; usage/limit; cost attribution; receipts; fallback/blocked state; key health.
Primary interaction: Choose allowed default, add/rotate/revoke key, inspect usage/receipt, or change a cap.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Provider logos are omitted for now, but names/routes remain; BYOK secret is write-only and failed validation does not replace a working key.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R34 - Account / Sources and local

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J12

User job: Manage source connections and local permissions.
Required content: GitHub/Bitbucket identities; scopes; connected repos; webhook/CI status; local folders and granted permissions; last use; revoke/reconnect.
Primary interaction: Connect/re-authorize/revoke, review scope, bind/unbind local folder, or open affected Projects.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Revocation explains active Task impact; local permission is least privilege and never implies unrestricted machine access.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R35 - Account / Data and secrets

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J03, J10

User job: Manage storage, retention, and secrets.
Required content: Storage/package usage; environments; retention/export/delete rules; secret names/scopes/rotation status without values; affected Resources.
Primary interaction: Change policy, rotate/revoke secret, export/delete data, or inspect dependent objects through a Decision.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Secret values never render after entry; destructive policy changes require re-auth, dependency impact, and recovery statement.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R36 - Account / Publish and domains

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J05, J18

User job: Manage publish defaults and domains.
Required content: Default destination/environment; domains/DNS/TLS; exposure; current Release/health; rollback policy; share defaults; certificate/verification state.
Primary interaction: Add/verify/remove domain, change publish default, inspect Release, or initiate rollback.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: DNS/TLS pending, conflict, expired, failed verification, and partial cutover preserve previous healthy routing.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

R37 - Account / Privacy and ownership

Viewport: Desktop 1440x1024 | **Authority:** implementation design authority | **Journeys:** J10, J19, J20

User job: Exercise privacy and ownership rights.
Required content: Privacy/retention; source/data/docs/evidence export; Project/account deletion; client data boundaries; active access/integrations; re-auth and receipts.
Primary interaction: Request/export/download, change retention, revoke access, delete Project/account, or cancel.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Exports are resumable and manifest-driven; deletion reports exactly removed/retained objects and never crosses client boundaries.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PT07 - Tablet / Brief conflict

Viewport: Tablet 1024x1366 | **Authority:** implementation design authority | **Journeys:** J13, J14

User job: Resolve a Brief citation conflict on tablet.
Required content: Conflict, citations, affected Brief fields, and resolution actions fit a tablet detail sheet/workbench.
Primary interaction: Refresh citation, choose evidence with rationale, edit Brief, or pause.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Approval stays blocked; sheet preserves Task and source context.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PT08 - Tablet / Operation reconnecting

Viewport: Tablet 1024x1366 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Monitor reconnecting work on tablet.
Required content: Operation identity, checkpoint, remote acknowledgement, preserved output, and reconcile options remain beside Task context.
Primary interaction: Wait/retry/reconcile/cancel or leave safely.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: No duplicate remote action; rotation preserves operation identity.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PT09 - Tablet / Account AI usage

Viewport: Tablet 1024x1366 | **Authority:** implementation design authority | **Journeys:** J08, J15

User job: Manage AI route and usage on tablet.
Required content: Provider/model names, key-source state, usage/cap, receipts, and allowed actions use a tablet Account workbench.
Primary interaction: Choose route, inspect usage, or add/rotate/revoke key.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Write-only key handling and provider failure remain explicit; logos stay omitted.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PM09 - Mobile / Brief conflict

Viewport: Mobile 390x844 | **Authority:** implementation design authority | **Journeys:** J13, J14

User job: Resolve a Brief conflict on mobile.
Required content: One conflicting field/citation at a time with progress, affected outcome, and clear resolution actions.
Primary interaction: Open citation, refresh, choose/edit, or pause.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: No approval until all material conflicts are resolved; Task state persists.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PM10 - Mobile / Operation reconnecting

Viewport: Mobile 390x844 | **Authority:** implementation design authority | **Journeys:** J06, J09

User job: Monitor reconnecting work on mobile.
Required content: Single-surface operation card shows checkpoint, last remote effect, connection state, and safe actions.
Primary interaction: Wait/retry/reconcile/cancel or navigate away safely.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Returning reattaches to the same operation and never duplicates it.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

PM11 - Mobile / Account groups

Viewport: Mobile 390x844 | **Authority:** implementation design authority | **Journeys:** J08, J10

User job: Navigate detailed Account groups on mobile.
Required content: Six groups expose concise status and drill-down; privacy/export/delete remain reachable regardless of tier.
Primary interaction: Open a group, resolve a setting Decision, or return to Task.
Continuity: preserve Project, Task, selection, focus, composer draft, and checkpoint.
State/recovery: Deep settings preserve re-auth, receipts, errors, and unsaved-change behavior.
Acceptance: active object, state, evidence/freshness, action, consequence, and recovery are understandable without agent logs or color inference.

5. Reference-only screen catalogue

These 143 P3/P4/P5 screens retain state and content intent only. Recompose every one through P8/P9 navigation, Output, trust, operation, tier, Account, and responsive grammar.

D01 - Home

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Orient and resume. Project and Task identity, status, recency, blocking reason, and the next useful action.
Interaction intent: Open/resume a Task, start a Project, or enter Account without reconstructing context.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D02 - New Project

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D03 - Brief Ready

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Define intent. Outcome, user, constraints, assumptions, acceptance intent, citations, freshness, and affected objects.
Interaction intent: Edit, resolve a conflict, or approve the bounded Brief.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D04 - Building

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D05 - Plan Decision

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D06 - Preview Ready

Desktop 1440x1024 - reference only. Journeys: J01, J06
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D07 - Visual Select

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D08 - Contextual Change

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D09 - Iteration Conflict

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D10 - Data Overview

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D11 - Authentication

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D12 - Storage and Functions

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D13 - API and Secret

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D14 - Integration Failure

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D15 - Checks Overview

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D16 - Generated Suite Validation

Desktop 1440x1024 - reference only. Journeys: J03, J04
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D17 - On-Demand Check

Desktop 1440x1024 - reference only. Journeys: J04
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D18 - Check Failure and Repair

Desktop 1440x1024 - reference only. Journeys: J04
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D19 - Versions

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D20 - Compare

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D21 - Restore

Desktop 1440x1024 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D22 - Publish Review

Desktop 1440x1024 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D23 - Deploying

Desktop 1440x1024 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D24 - Published

Desktop 1440x1024 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D25 - Health Degraded

Desktop 1440x1024 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D26 - Rollback Complete

Desktop 1440x1024 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D27 - Share Preview

Desktop 1440x1024 - reference only. Journeys: J10
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D28 - Remix and Export

Desktop 1440x1024 - reference only. Journeys: J10
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D29 - Revoke Share

Desktop 1440x1024 - reference only. Journeys: J10
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D30 - Verified Progress

Desktop 1440x1024 - reference only. Journeys: J06
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D31 - Quests and Opt-out

Desktop 1440x1024 - reference only. Journeys: J06
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D32 - Advanced View

Desktop 1440x1024 - reference only. Journeys: J08, J20
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D33 - Professional Graduation

Desktop 1440x1024 - reference only. Journeys: J08, J20
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D34 - Free Limit

Desktop 1440x1024 - reference only. Journeys: J07, J08
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D35 - Upgrade and Resume

Desktop 1440x1024 - reference only. Journeys: J07, J08
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D36 - Billing and Downgrade

Desktop 1440x1024 - reference only. Journeys: J07, J08
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D37 - Privacy and Ownership

Desktop 1440x1024 - reference only. Journeys: J09, J10
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D38 - Delete Project Decision

Desktop 1440x1024 - reference only. Journeys: J09, J10
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D39 - Offline and Stale Recovery

Desktop 1440x1024 - reference only. Journeys: J09, J10
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D40 - Collapsed Panes and Safety

Desktop 1440x1024 - reference only. Journeys: J09, J10
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D41 - Professional Mode Introduction

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D42 - Import Existing Repository

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D43 - Guided Capability Check

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D44 - Client Workspaces Overview

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D45 - Create Client Workspace

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D46 - Switch Client Boundary

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D47 - Offboard Client Workspace

Desktop 1440x1024 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D48 - Connect GitHub

Desktop 1440x1024 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D49 - Connect Bitbucket Cloud

Desktop 1440x1024 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D50 - Bind Local Workspace

Desktop 1440x1024 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D51 - Branch and Dirty-Tree Safety

Desktop 1440x1024 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D52 - Repository Map

Desktop 1440x1024 - reference only. Journeys: J13
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D53 - Project Brief and Connected Context

Desktop 1440x1024 - reference only. Journeys: J13
Retain: Define intent. Outcome, user, constraints, assumptions, acceptance intent, citations, freshness, and affected objects.
Interaction intent: Edit, resolve a conflict, or approve the bounded Brief.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D54 - Context Freshness and Conflict

Desktop 1440x1024 - reference only. Journeys: J13
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D55 - Requirement Intake

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D56 - Clarifications and Assumptions

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Define intent. Outcome, user, constraints, assumptions, acceptance intent, citations, freshness, and affected objects.
Interaction intent: Edit, resolve a conflict, or approve the bounded Brief.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D57 - Estimate Range and Risk

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D58 - Scope Baseline and Change Request

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D59 - Plan Review

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D60 - Authority and Control Level

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D61 - Provider BYOK and Limits

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D62 - Execution Route and Plan Block

Desktop 1440x1024 - reference only. Journeys: J14
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D63 - Implementation Working

Desktop 1440x1024 - reference only. Journeys: J15
Retain: Track durable work. Semantic phase, checkpoint, remote effect, progress evidence, partial objects, failure cause, and recovery action.
Interaction intent: Pause, resume, reconnect, reconcile, retry, inspect partial output, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D64 - Diff Inspection

Desktop 1440x1024 - reference only. Journeys: J15
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D65 - Automated Review Findings

Desktop 1440x1024 - reference only. Journeys: J15
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D66 - Bounded Autofix and Commit

Desktop 1440x1024 - reference only. Journeys: J15
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D67 - Test Topology and Impact

Desktop 1440x1024 - reference only. Journeys: J16
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D68 - Generated Test Suite

Desktop 1440x1024 - reference only. Journeys: J16
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D69 - Test Suite Validation

Desktop 1440x1024 - reference only. Journeys: J16
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D70 - Integration Environment and CI Trigger

Desktop 1440x1024 - reference only. Journeys: J16
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D71 - CI Failure and Evidence

Desktop 1440x1024 - reference only. Journeys: J16
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D72 - Preview and Environment Targets

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D73 - Deploy Review

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D74 - Deploying and Post-Deploy Verification

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D75 - Deploy Failure and Rollback

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D76 - Client Review Package

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D77 - Decision-Only Client View

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D78 - Client Changes Requested

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D79 - Client Accepted and Handoff

Desktop 1440x1024 - reference only. Journeys: J17, J18
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D80 - Project Documents

Desktop 1440x1024 - reference only. Journeys: J18, J19
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D81 - Templates and Checklist Library

Desktop 1440x1024 - reference only. Journeys: J18, J19
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D82 - Sanitized Memory Promotion

Desktop 1440x1024 - reference only. Journeys: J18, J19
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D83 - Pre-Action Cost Estimate

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D84 - Live Cost Attribution

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D85 - Cost Cap and BYOK Failure

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D86 - Scoped Reviewer Invite

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D87 - Comments Notifications and Revoke

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D88 - Client Privacy and Retention

Desktop 1440x1024 - reference only. Journeys: J15, J17
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D89 - Credential and Local-Data Boundaries

Desktop 1440x1024 - reference only. Journeys: J09, J11
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D90 - Destructive Professional Action

Desktop 1440x1024 - reference only. Journeys: J09, J11
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D91 - Boundary Mismatch and Offboarding Evidence

Desktop 1440x1024 - reference only. Journeys: J09, J11
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D92 - Graduate to Team

Desktop 1440x1024 - reference only. Journeys: J20
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

D93 - Graduate to Enterprise

Desktop 1440x1024 - reference only. Journeys: J20
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T01 - Home Brief and Start

Tablet 1024x1366 - reference only. Journeys: J01
Retain: Orient and resume. Project and Task identity, status, recency, blocking reason, and the next useful action.
Interaction intent: Open/resume a Task, start a Project, or enter Account without reconstructing context.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T02 - Working Task

Tablet 1024x1366 - reference only. Journeys: J01
Retain: Track durable work. Semantic phase, checkpoint, remote effect, progress evidence, partial objects, failure cause, and recovery action.
Interaction intent: Pause, resume, reconnect, reconcile, retry, inspect partial output, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T03 - Output and Visual Selection

Tablet 1024x1366 - reference only. Journeys: J02
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T04 - Data API and Secret

Tablet 1024x1366 - reference only. Journeys: J03
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T05 - Checks and Evidence

Tablet 1024x1366 - reference only. Journeys: J04
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T06 - Versions Compare and Restore

Tablet 1024x1366 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T07 - Publish Health and Rollback

Tablet 1024x1366 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T08 - Professional Mode Entry

Tablet 1024x1366 - reference only. Journeys: J06
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T09 - Client Boundary Switch

Tablet 1024x1366 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T10 - Source and Dirty Local State

Tablet 1024x1366 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T11 - Context Freshness

Tablet 1024x1366 - reference only. Journeys: J13
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T12 - Scope Baseline and Change Request

Tablet 1024x1366 - reference only. Journeys: J14
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T13 - Plan Authority Route and Limits

Tablet 1024x1366 - reference only. Journeys: J07, J14
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T14 - Implementation Diff Review and Autofix

Tablet 1024x1366 - reference only. Journeys: J04, J15
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T15 - Test Suite and CI Failure

Tablet 1024x1366 - reference only. Journeys: J16
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T16 - Delivery Verification and Rollback

Tablet 1024x1366 - reference only. Journeys: J05, J18
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T17 - Client Review Approval and Handoff

Tablet 1024x1366 - reference only. Journeys: J17, J18
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T18 - Documents Templates and Memory

Tablet 1024x1366 - reference only. Journeys: J19
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T19 - Cost Attribution and Cap

Tablet 1024x1366 - reference only. Journeys: J06
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

T20 - Safety Isolation and Deletion

Tablet 1024x1366 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M01 - Home Projects and Start

Mobile 390x844 - reference only. Journeys: J01
Retain: Orient and resume. Project and Task identity, status, recency, blocking reason, and the next useful action.
Interaction intent: Open/resume a Task, start a Project, or enter Account without reconstructing context.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M02 - Active Working Task

Mobile 390x844 - reference only. Journeys: J01
Retain: Track durable work. Semantic phase, checkpoint, remote effect, progress evidence, partial objects, failure cause, and recovery action.
Interaction intent: Pause, resume, reconnect, reconcile, retry, inspect partial output, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M03 - Full Screen Output and Visual Edit

Mobile 390x844 - reference only. Journeys: J02
Retain: Inspect the working product. Live/mock status, selected object, interaction trace, source freshness, Output mode, and task linkage.
Interaction intent: Select, inspect, edit, compare, or return to the same Task.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M04 - Data Resources and Secret

Mobile 390x844 - reference only. Journeys: J03, J12
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M05 - Checks and Evidence

Mobile 390x844 - reference only. Journeys: J04
Retain: Verify the outcome. Exact assertion/finding, source and freshness, pass/fail/partial status, affected behavior, logs/captures, and repair scope.
Interaction intent: Inspect evidence, rerun, repair, revert, quarantine, or acknowledge unmeasured state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M06 - Versions Compare and Restore

Mobile 390x844 - reference only. Journeys: J02
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M07 - Publish Deploy Health and Rollback

Mobile 390x844 - reference only. Journeys: J05
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M08 - Share and Revoke

Mobile 390x844 - reference only. Journeys: J06
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M09 - Verified Progress and Opt Out

Mobile 390x844 - reference only. Journeys: J06
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M10 - Advanced and Professional Entry

Mobile 390x844 - reference only. Journeys: J20
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M11 - Limit Upgrade and Resume

Mobile 390x844 - reference only. Journeys: J07, J08
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M12 - Privacy Ownership and Delete

Mobile 390x844 - reference only. Journeys: J10
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M13 - Professional Entry and Import

Mobile 390x844 - reference only. Journeys: J12, J20
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M14 - Client Boundary

Mobile 390x844 - reference only. Journeys: J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M15 - Source Local Hands and Dirty State

Mobile 390x844 - reference only. Journeys: J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M16 - Context Freshness

Mobile 390x844 - reference only. Journeys: J13
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M17 - Scope and Change Request

Mobile 390x844 - reference only. Journeys: J14
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M18 - Plan Authority Provider and Limits

Mobile 390x844 - reference only. Journeys: J07, J14
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M19 - Implementation Diff Review and Autofix

Mobile 390x844 - reference only. Journeys: J04, J15
Retain: Review reversible change. Before/after, changed objects/files, evidence, checkpoint, conflict state, and restore consequence.
Interaction intent: Approve/apply, reject, restore, or open cited evidence.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M20 - Test Suite Integration and CI

Mobile 390x844 - reference only. Journeys: J16
Retain: Manage a Resource. Resource type, environment, schema/config, access/scopes, secret reference, status, freshness, and Checks.
Interaction intent: Create/connect, authorize, verify, reconnect, or remove with a recovery path.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M21 - Delivery Verification and Rollback

Mobile 390x844 - reference only. Journeys: J05, J18
Retain: Ship and recover. Target, manifest/revision, exposure, health window, evidence freshness, remote effect, and rollback anchor.
Interaction intent: Review, confirm, monitor, reconcile, or rollback.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M22 - Client Review and Handoff

Mobile 390x844 - reference only. Journeys: J17, J18
Retain: Share a bounded decision surface. Visible package, redactions, reviewer scope/expiry, anchored comments, decision state, and revocation.
Interaction intent: Invite/share, accept, request change, revoke, or complete handoff.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M23 - Docs Templates and Memory

Mobile 390x844 - reference only. Journeys: J19
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M24 - Cost Attribution and Cap

Mobile 390x844 - reference only. Journeys: J06
Retain: Bound professional work. Included/excluded scope, estimate range, risks, object impact, route, authority, budget/cost, expiry, and receipt.
Interaction intent: Edit, approve, reject, request change, choose route, or stop without mutation.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M25 - Collaboration and Notifications

Mobile 390x844 - reference only. Journeys: J06
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M26 - Safety Isolation and Delete

Mobile 390x844 - reference only. Journeys: J10, J11
Retain: Protect client isolation. Active client identity, projects/sources/credentials/memory/usage boundary, pending effects, and access.
Interaction intent: Create, switch, block mismatch, revoke, export, or offboard.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M27 - Graduation to Team or Enterprise

Mobile 390x844 - reference only. Journeys: J20
Retain: Support verified growth and reuse. Evidence-backed milestone, opt-in status, reusable object boundaries, sanitization, and target mapping.
Interaction intent: Continue, opt out, promote sanitized knowledge, export, or graduate.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M28 - Offline and Stale Recovery

Mobile 390x844 - reference only. Journeys: J09
Retain: Resolve the named product state. Current object identity, status, consequence, evidence, authority, and recovery.
Interaction intent: Take the next bounded action or return without losing Task state.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M29 - Source Unavailable and Reconnect

Mobile 390x844 - reference only. Journeys: J09, J12
Retain: Bind and understand source. Provider, repository, branch, commit, dirty state, scopes, freshness, citations, and cross-repo impact.
Interaction intent: Connect/import, refresh, inspect, re-authorize, or cancel safely.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

M30 - Account Settings and Privacy

Mobile 390x844 - reference only. Journeys: J10
Retain: Manage account and entitlement. Identity, tier/usage, providers, connections, retention, export/delete consequence, receipts, and recovery.
Interaction intent: Change settings/plan, export, re-authenticate, confirm destructive action, or cancel.
Do not copy: the older universal dossier/composer shell; use P8/P9 authority.

6. Responsive, accessibility, and quality contract

Desktop: three-pane composition with independently collapsible/resizable side panes and dominant Output. Tablet: one persistent rail plus drawers/sheets. Mobile: one Task or Output surface, 68 px bottom navigation, and 44x44 px minimum targets. Preserve decisions, selection, checkpoint, composer draft, focus return, and recovery across every surface change.

Target WCAG 2.2 AA. Verify keyboard order and focus return, accessible names/roles/live regions, status not color-only, reduced motion, 200% zoom/reflow, localization expansion, and no clipped content. Provider/model routes remain named; provider logos are intentionally omitted until the external issue is resolved.

7. Remaining design work and handoff

Seven P2 refinements remain before visual freeze: metadata scale/contrast, dark-surface hierarchy, replacement of old Kitchen Planner examples, stale-action copy, casual-language cleanup, old empty acreage, and contextual gamification.

Before engineering handoff, the designer should close those P2 items, document component variants, verify all 20 flows and recovery paths, annotate responsive behavior, and record accessibility behavior. This package does not authorize application coding.

Designer delivery checklist

1. Use P8/P9 as implementation authority.
2. Preserve all 20 journey contracts.
3. Close the seven P2 refinements.
4. Verify 20 named flows with no broken/dead-end route.
5. Validate responsive continuity and 44x44 touch targets.
6. Annotate keyboard, focus, screen-reader, reduced-motion, zoom, and localization behavior.
7. Obtain explicit UX acceptance before any coding phase.

Open canonical ExecuteSpec Studio Figma file