

PROJECT REPORT

Delipick Distribution

By:
Navneet

**1. Title of the
Project**

**Delipick
Distribution**

2. Introduction:

- INTRODUCTION OF THE PROJECT
- ACTIVITIES OF PROJECT
- DRAWBACKS OF THE EXISTING SYSTEM
- NEED OF COMPUTERIZATION

About The Documentation:

Project documentation contains the information about existing/proposed system in order to get help in future whenever required. It provides all functionalities details about system.

Documentation will highlight all current problems, which were not covered with in the existing system.

I have explained all identified problems in my documentation which can be utilized by the user or developer in future whenever required. During the documentation phase of my Project, I have focused on area, like feasibility study, options study, and comparative study as well as the total topic mentioned in the guideline of IGNOU's Project Proposal like Introduction, objectives, coding, Process logic, etc.

INTRODUCTION OF THE PROJECT:

This project is mainly based on a real life process and has been implemented in the new Multi Level Logistic Organization. "**DELIPICK DISTRIBUTION**" is totally based on the Courier & logistic Management system. This S/W will code in HTML, CSS and JSP programming language. This S/W is very easy to serve. Even a person having no knowledge of computers can easily operate the Software.

The Title of the project is DELIPICK DISTRIBUTION. This System is helpful for the Courier and logistic organization, Firm and manages the record of Consignment and customer information.

This is totally based on Logistic management system. This system can easily manage the Logistic operation management, Consignment information, customer information, Employee staff information etc. This project reduces the overload of user's work by maintaining & performing background processing of much of their work. User only interacts with GUI of the software & all data management will perform in background. It provides efficiency, reduce boredom, easily handled the work & user friendly.

Logistic Management System:

Logistics management is a supply chain management component that is used to meet customer demands through the planning, control and implantation, goods and services from origin to destination

Logistic Operation Management:

Logistics is generally the detailed organization and implementation of a complex operation. In a generally business sense, logistic is the management of the flow of the things between the point of consumption in order to meet requirement of customers or corporations.

2.Objective:

The objective is that providing unmatched service sending and receiving consignment and minimizes time and the total of all the cost involved and maximize customer consistent with the goal of the organization.

This requires some type of integrated Courier and Logistics management responsible for supply management and Distribution. The title we are giving this project is Delipick Distribution reducing expenses and add to straight profit.

To Proposed System:

“DELIPICK Distribution” It is a web based software which is developed for helping both Customer and employee for managing to send and receive courier and parcel and store the all operation activity in the web.

In this software a customer can booking a schedule pickup consignment which are being approved by a clerk employee of the operation and admin, that means a customer can fill all of those information regards pickup consignment on his doorstep which information, of pickup service are proceed by a admin or employee clerk of the operation after login to this website.

A Customer can sign up and fill his information to make a account. After make account customer can login his account and he can view and update his personal details and also track consignment.

In this software a customer can track his consignment information using his provided reference id at the time of booking this service.

Employee (clerk) and admin can also view the details of pickup consignment and customer information. Clerk can add details about the new orders and return consignment details in this software that is received by the other platform website or offline method.

Whole the mechanism will be handled by a third party admin. There is no limit for customer's add account and booking a schedule pickup consignment, the scheduling of pickup of consignment is proceed by the clerk and admin as per respectable field executive.

I have used HTML and JSP language as front end and derby server as back end.

The project must confirm to various objectives. These objectives are explained briefly in the following points: -

1. The main objective of this website is to help Customer to transfer their important Consignment anywhere in India.
2. Provides the searching facilities based on various factors. Such as Courier, Payment, Delivery Customer.
3. It manages all the information about Courier, Bill and Customer Courier.
4. The purpose of the projects to built an application program to reduce the manual work for managing the courier, Bill, Payments and Returns.
5. It tracks all the details about the payment, delivery, Customer.
6. It generates the report on Courier and Bill Invoice.
7. Increase Efficiency of managing the Courier, Email Notification.
8. It deals with monitoring the information about consignment courier, tracking information of consignment and delivery information.
9. Integration of all records of Customer.

ACTIVITIES OF PROJECT:

Activities of "DELIPICK" are listed as below.

- 1) **Secure Login**
- 2) **Clerk: Orders and returns handling of consignment**

- 3) **Field Executive: Assigned pickup & delivery consignment of orders.**
- 4) **Admin: Orders and returns handling of consignment, Staff creation and add payment information of respected consignment orders.**
- 5) **Password Recovery for login: forgot password**
- 6) **Management of Tracking of Consignment**
- 7) **Management of Customer addition**
- 8) **Processing the queries of entire users: contact us module**
- 10) **Updating and response customer request and complaint respective order**
- 11) **Staff details and Payment details of consignment by admin**

DRAWBACKS OF THE EXISTING SYSTEM:

There are following drawback of existing system:

Time Delay: As we know there are several websites for online e-courier service, But high access time make the software ineffectual.

Accuracy: Because of not more systems there are several inaccurate service exist at the site which makes the system ineffectual.

Storage Media: In the existing system, data transaction being stored on too long registers it is very difficult to refer after some time.

Enquiry: As there are many sites but we can't booking schedule pickup consignment are very rarely possible for customer.

Less utilization of resources: When I compare it with offline courier service it seems rarer work are less utilized.

NEED OF COMPUTERIZATION

Current systems are unable to provide accurate and quick information to the concerned parties. After computerization of the system, it will be very easy and healthy to get the information from system. This will provide majorly as follows:

- Easy storage and retrieval of data
- Giving correct information with less effort and high accuracy
- Easy data updatation facility
- Data integrity and consistency

Overall status of ordinary courier services

Overall status of ordinary courier services:

- Problem Statement Manual Work
- Packet Tracking Problem
- Slow Service
- Pickup request facility
- Packet lost rate high
- Report Problem
- Account summary
- Rate calculation
- Customer Feedback

Limitations of the Existing System

- Due to the following limitations of the existing system, computerization of the existing system is taking place. Computerized maintenance of accounts is definitely a better alternative to the conventional manual computing maintenance due to the forthcoming reasons.
- The data preparation and the data entry operations are dependent mainly on people. As labor costs are high, the cost of preparing and entering the data is also high.
- Going through the massive number of records manually involves lots of time and patience. Computer can do a search job instantaneously with no wastage of time. Calculations by computer systems are much faster and error free than what human can do.
- The medium of storage for manual maintenance is paper which is not a permanent and reliable medium, since it is easily susceptible to damage due to fire, insects, cyclones etc. It even involves security concerns. However, storage medium in computerized system is magnetic disk, which is a permanent storage device.
- In case of manual maintenance, introducing changes such as changes in address or name fields may not be reflected correctly across many ledgers using them. The inconsistent data allows the errors to creep in and integrity of the data is lost.

However, in computerized system a central database is maintained any changes taking place in any field is reflected uniformly in any module using them. Record deletion process was also manual and it makes the paper work untidy.

- Account maintenance was not easy and much costly.

Proposed Methods and Procedures

- i. Proposed Methods and Procedures: Courier services can make shipping packages of all sizes easy. Convenient online interfaces, automated billing and more make courier services an ideal option for many businesses. With some simple tips and tricks, you can figure out how to select a courier service that best suits your needs. Courier services typically offer delivery guarantees, insurance coverage on your shipment and other helpful features. The ability to easily schedule pickups can be convenient and save time and trouble. Courier services can also offer timely delivery of your packages whether you require same day, express or overnight shipping. A consistent relationship with a courier service can make shipping an easy part of business. A good quality, easy to use courier service can make your customer and client transactions go smoothly.
- ii. User can login to start a new topic or comment on an existing one. Each topic in the forum is associated with number of hits and the one with highest number of hits is displayed at the top. If any user wants to post the comment on any topic for this purpose, he can click on the respective topic and then can make the comment.

4. Tools/Platform, Hardware and Software Requirement:

i. Hardware Requirement

Standalone Platform	Network Platform	
H/W Component	PC Requirement	Server Requirement

CPU	Pentium IV	Core2 dual
CPU Speed	2.1 GHZ	3.0 GHZ
RAM	1 GB	1 GB
Hard Disk Capacity	40 GB	80 GB
Display	VGA	VGA
Network Upgradeable	Yes	Yes
DVD-drive	52x Writable	52x Writable
Keyboard	Multimedia	Multimedia
Mouse	Optical	Optical

ii. Software Requirements

Standalone Platform	Network Platform	
S/W Component	PC Requirement	Server Requirement
Operating System	Windows XP	Windows 2008 Server
Programming Language	None	Net beans
Back-End	None	Derby
Browser	IE 6.0 or above	IE 6.0 or above
Package	Msoffice2007	Msoffice2007

Web Server	None	Glass Fish 4.0
Scripting	Java Script	
Interface	HTML, CSS	

5. PROJECT ANALYSIS

1. PROBLEM RECOGNITION

- Requirement analysis

2. OVERALL ANALYSIS AND FEASIBILITY STUDY

- Analysis methodology
- **Feasibility study**
- Technical feasibility
- Operational feasibility
- Economic feasibility
- Cost benefit analysis

3. SYSTEM ANALYSIS

4. SYSTEM DESIGN

5. SYSTEM TESTING

6. IMPLEMENTATION

1. PROBLEM RECOGNITION

The idea of developing a new system occurs to me when recognizes that existing system has a problem in term of easy handling of business. This awareness marks the beginning of the problem recognition phase, as almost all computer system replaces an existing system (either manual or automated).

A proper understanding of the problem and its classification enables the systems analyst to separate symptoms from the real causes. It also helps the analyst to consider it as a system

problem rather than a business problem and thereby increasing the chances of success in proposing solutions.

Following is the measure classifications of the problems:

1. The existing System is slow and cannot respond to information requests i.e. problem of responsiveness. In this case analyst will look to:

- (i) Find out present level of responsiveness and factors contributing to it.
- (ii) Consider what changes or additions in existing procedures or resources utilization would improve responsiveness and how such changes effect the organization.

2. Originating workload is higher than the volume of workload handled i.e. problem of throughput.

3. The present services are very expensive i.e. problem of economy the management intentions could be

- (i) To reduce cost for same productivity.
- (ii) To increase productivity, but at present cost level or
- (iii) Discontinue unproductive operations

4. Problem of occurrence/reliability it aims to check operations, step by step, so as to see when and how errors creep up and how to restrict these errors by using clarifications checks. Analyst also aims for reliability i.e. system should be designed without any ambiguity and must be full proof as system failures result in loss of business.

5. Problem of information is the next criteria for the analyst wherein he is concerned with the available information, its accessibility for decision-making. These types of problems have close relationship with the ways of data storage and organization.

6. Problem of Efficiency: The analyst must create a proper balance between all the contributing factors like response time, workload volume, cost of processing, and information needs etc.

7. Problem of security of information wherein analyst tries to device controls over accessibility of information.

The type of problems may be classified as Business or Scientific Applications. The Business Applications are like Banking, Financial Accounting, Inventory Control, and Metro Railway etc. In these applications user has to handle a large volume of data whereas calculations are relatively less. The scientific or engineering applications are such as: designed of an automobile, multistory building, an electrical motor or a sophisticated missile. In such

applications, data is much less compared to the large and complex calculations which the user carries out.

REQUIREMENT ANALYSIS

Requirement analysis is a Software Engineering Task (SET) that bridges the gap between system level software allocation and software design. Requirement analysis enables the system engineer to specify software function and performance, indicate software's interface with other system elements, and establish constraints that software must meet. Requirement analysis allows the software engineer (often called analyst in this role) to refine the software allocation and build models of the data, functional and behavioral domains that will be related by software. Requirement analysis provides the interface, and procedural design.

Finally, the requirement specification provides the developer and the customer with the means to assess quality once software is built. Communication has begun. But as we have already noted, the road from communication to understanding is often full of potholes.

Software Engineering Paradigm Applied

Linear Sequential Model

The Linear Sequential Model suggests a systematic, sequential approach to software development that begins at the system level and progresses through analysis, design, coding, testing and support. Sometimes called the Classic Life Cycle or the Waterfall Model.

The Linear Sequential Model encompasses the following activities:-

- System / Information engineering and modeling

Because software is always part of a large system (or business), work begins by establishing requirements for all system elements and then allocating some subset of these requirements to software. This system view is essential when software must interact with each other elements such as hardware, people, and databases. System engineering and analysis encompass requirements gathering at the system level with a small amount of top level design and analysis. Information engineering encompasses requirements gathering at the strategic business level and at the business area level.

- **Software requirements analysis**

The requirements gathering process is intensified and focused specifically on software. To understand the nature of the program(s) to be built, the software engineer ("analyst") must

understand the information domain for the software, as well as required function, behavior, performance, and inheritance. Requirements for both the system and the software are documented and reviewed with the customer.

- **Design**

Software design is actually a multistep process that focuses on four distinct attributes of a program:- data structure, software architecture, interface representations, and procedural (algorithmic) detail. The design process translates requirements into a representation of the software that can be assessed for quality before coding begins. Like requirements, the design is documented and becomes part of the software configuration.

- **Code Generation**

The design must be translated into a machine-readable form. The code generation step performs this task. If design is performed in a detailed manner, code generation can be accomplished mechanistically.

- **Testing**

Once code has been generated, program testing begins. The testing process focuses on the logical internals of the software, ensuring that all statements have been tested, and on the functional externals; that is, conducting tests to uncover errors and ensure that defined input will produce actual results that agree with required results.

- Support

Software will undoubtedly undergo change after it is delivered to the customer (a possible exception is embedded software). Change will occur because errors have been encountered, because the software must be adapted to accommodate changes in its external environment

(e.g., a change required because of a new operating system or peripheral device), or because the customer requires functional or performance enhancements. Software support / maintenance reapply each of the preceding phases to an existing program rather than a new one.

- Requirement Document
- Project Plan
- System Design Document
- Detailed Design Document
- Test plan & Test Report
- Final Code

- Software Manuals
- Review Reports

2. : Overall Analysis and Feasibility Study:

Having recognized the problem areas, next step is to carry out an overall analysis of the system requirements in terms of it:

- Input data
- Type of processing needed
- The output reports etc.

To carry out the analysis of the existing system, the system analyst may take the help of any of the following techniques:

- Interviews
- Questionnaires
- Observations

This would help for an in-depth study of the existing system and understand its strengths and weaknesses as well as the requirements of the new proposed system.

Analysis Methodology:

A complete understanding of software requirement is essential for the success of a software development effort. No matter how well designed to well coded, a poorly analyzed and specified program will disappoint the user and bring grief to the developer.

The requirement analysis task is processes of discover, refinement, modeling, and specification. The software scope, initially established by the system engineer and refined during software project planning, is refined in detail. Models of the required data, information and control flow, and operational behavior are created. Alternative solutions are analyzed and allocated to various software elements.

Both the development and customer take an active role in requirements analysis and specifications. The customer attempts to reformulate a sometimes – nebulous concept of software function and performance into concrete details. The developer acts as interrogator, consultant, and problem solver.

Requirement analysis and specification may appear to be a relatively sample task, but appearances are deceiving. Communication content is very high. Chances for misinterpretation or misinformation abound. Ambiguity is probable. The dilemma

that confronts a software engineer may best to understand by repeating the statements of an anonymous (infamous?) customer. “I know you believe you understood what you think I said, but I am not sure you realize that what you heard is not what I meant”.

3. : System Analysis :

Having gone through the step of overall analysis and feasibility study next step to carry out a detailed system analysis. It involves an in-depth study of the existing system with respect to the following:

- Organization Structure
- Sources of data organization
- Flow or data within the organization
- Accuracy and timeliness aspect of the data handling process.
- The process of data storage
- The type of data processing
- The reports being generated at various stages
- The new user requirements
- Estimation of resources needed to design the new system.

The system analyst should be in a position to study the complete system requirements and be ready to begin the detailed design of the computerized system, which should meet the given objectives.

4. :System Design:

This is the most time and resource consuming stage. It is the real technical activity, which involves the design of the system around the computer. It includes many steps such as:

- Preparation of system outlines chart
- Design of input forms, validation procedures and data preparation procedures
- Design of output reports
- Code design
- Detailed file layout and file design
- Selection of system software to be used and selection of programming languages or database etc.
- Computer procedure design
- Program development
- Testing of the programs
- Security and controls.

5.

:System Testing :

The testing phase involves the testing, first of separate parts of the system and then finally of the system as a whole. Each sub-system or independent module and program is tested first and then through the interfaces to other subsystems the complete system is tested. This is the most important phase as the system analyst has to get the user certification for the accuracy of the system. In other words, it may also be referred as the acceptance testing by the user. The user, the user's representative, the system analyst, the standards group, the external systems auditor or any combination thereof should carry out such a testing. The test data is normally prepared by the user to check for all possible combination of correct data as well as the wrong data, which should be trapped by the system and reported as an error.

6.

:Implementation:

After the system, has been certified by the user, it comes to be stage of implementation. It involves many issues like preparation for the change over the new system and then the actual change over. Preparation of the site and installation of the facilities, training of the staff, Preparation of data files etc. are the various steps involved which might require the involvement of the system analyst, the user as well as the operational management.

: Maintenance:

This is an ongoing exercise after the system has been implemented. The real life would is never static. Its requirements and objectives keep changing. So shall be the system, which has been designed primarily to meet those objectives. Thus the system analyst has to keep on carrying out changes and modification into the system, a stage called normally as system maintenance.

6.

Project Design :

Design Methodology:

1. Design Concept
2. Design Objectives
3. Design Overview
4. High Level Design

- Identifying the entity
- Identifying the relationships
- Attributed definition

5. Low Level Design

- User Preferences
- Generate the program
- Program Specification

1. Design Concept

The design of all information system produces the details that state how a system will meet the requirements identified during system analysis. System specialists often refer to this stage as logical design, in contrast to the process of developing program software, which is referred to as physical design.

System analyses begin process by identifying reports and other outputs the system will produce. Then the specific data on each are pinpointed. Usually, designers sketch the form of display as they expect it to appeal when the system is complete. This may be done on paper or on a computer display, using one of the automated system tools available. The system design also describes the data to be input, calculated or stored. Individual data items and calculation procedures are written in detail. The procedure tells how to process the data and produce the output.

2. Design Objectives

The following goals were kept in mind while designing the existing system:

- To reduce the manual work required to be done in the existing system.
- To avoid errors inherent in the manual working and hence make the outputs consistent and correct.
- To improve the management of permanent information of the company by keeping it in properly structured tables and provide facilities to update this information as efficiently as possible.
- To make the system completely menu-driven and hence user friendly, this was necessary so that even non-programmers could use the system efficiently and system could act as Catalyst in achieving objectives.
- To make the system completely compatible i.e., it should "fit in" in the total, integrated system.

- To design the system in such a way that reduced future maintenance and enhancement times and efforts.
- To make the system reliable, understandable and cost effective.

3. Design Overview

The design stage takes the final specification of the system from analysis stages and finds the best way of filling them, given the technical environment and precious decision on required level of automation.

The system design is carried out in two phases:

- Architectural Design (High Level Design)
- Detailed Design (Low Level Design)

4. High Level Design

The High-level design maps the given system to logical data structure. It involves:

Identifying the entity:

All the entities related to the module were identified checked and consolidated.

Identifying the relationships:

The relationships between entities within and outside the system identified.

Attributed definition:

The entities were identified and their field Statistics was specified.

Normalization:

The entities were normalized. After first and second normalization third normalization was achieved for all entities of system.

5. Low Level Design

The Low Level Design maps the logical model of the system to physical database design. Tables were created for the system. Entities and attributes are mapped into tables. The name of the entity is taken as the table name:

User Preferences:

Based on user preferences like block name, validation of primary keys, layouts of blocks, layouts of fields, creating titles for blocks, mandatory input field prompts etc., were incorporated here.

Generate the program:

The program was generated based on the relationship specified and according to the user preferences.

Program Specification:

The program specification was written for the master's transactions, reports and queries. The logic for each field, block and window were written so that anyone who doesn't know the system will be able to code the logic.

7. Feasibility study

The feasibility studies may be carried out in three phases:

- Technical Feasibility
- Operational Feasibility
- Economic Feasibility

(i) Technical Feasibility:

During technical analysis the technical merits of the system concept are evaluated, at the same time collecting additional information about performance, reliability, maintainability and produce-ability. In some cases, it also includes a limited amount of research and design.

Technical analysis begins with an assessment of the technical viability of the proposed system. What technologies are required to accomplish system function and performance? What new methods, algorithms or processes are required, and what is their development risk? How will these technology issues effect Cost. The tools available for technical analysis are derived from mathematical modeling and optimization techniques, probability and statistics, queuing theory and control theory. It is important to note, however, that analytical evaluation is not always possible. Modeling is an effective mechanism for technical analysis of computer-based systems.

Technical feasibility is frequently the most difficult area to assess at this stage of the product engineering process. Because objectives, functions and performance are somewhat hazy, anything seems possible if the "right" assumption is made. It is essential that the process of analysis and definition to be conducted in parallel with an assessment of technical feasibility.

The considerations that are normally associated with technical feasibility include:

Development Risk: can the system element be designed so that necessary function and performance are achieved within the constraints uncovered during analysis?

Resource Availability: Are skilled staff available to develop the system element in question? Are other necessary resources (hardware and software) available to build the system?

Technology: Has the relevant technology progressed to a state that will support the system?

During an evaluation of technical feasibility, a cynical, if not pessimistic, attitude should prevail. Misjudgment at this stage can be disastrous.

The considerations that are normally associated with technical feasibility include development risk, resource availability and technology, Indian Oil Corporate Limited (NR) Delhi has Pentium machines connected to Novel NetWare Server, Windows workgroup and SCO Unix server to provide Multi-user environment facility. IOCL staffs were available to develop the system. Management provides latest hardware and software facilities for the successful completion of the project.

(ii) Operational Feasibility

The operational feasibility is to take the operational staff into confidence. The success of a good system depends upon the willingness of the operating staff. They should not have any fears like uncertainty about their jobs or controls over the working, which develops a bias in their minds towards the computerized systems, which acts as a big barrier in the successful implementation of any project.

In the manual system, it is very difficult to maintain huge amount of producing information of products. The development of the new system was started because of the requirements put forward by the management of the concerned department. So it is sure that the system developed is operationally feasible.

(iii) Economic Feasibility:

Among the most important information contained in feasibility study is cost benefit analysis an assessment of the economic justification for a computer based system project. Cost benefit analysis delineated costs for project development and weights

them against tangible (i.e. Measurable directly in currency) and intangible benefits of a system.

8. Data Structure:

I have made some changes in old database which was in synopsis.

Table Name: Customer

Table no. 8.1

Column Name	Data Type	Constraints	Description
c_id	varchar(10)	Primary key	Identity of Customer
c_name	varchar (50)		Name of Customer
c_phone	varchar (14)		Phone / Mobile no. of Customer
c_type	varchar (10)		Type of the Customer
c_pincode	varchar (6)	not null	Pin code of Customer
c_city	varchar (40)		City of the Customer
c_address	varchar (100)		Address of Customer
Quary= Create table Customer (C_id varchar(10), C_name varchar (50), C_Phone varchar (14), C_type varchar (10), C_pincode varhar(6), C_City varhar(40), C_Address varhar (100)), Primary key(C_id);			

Table Name: Employee

Table no.8.2

Column Name	Data Type	Constraints	Description
e_id	varchar (10)	Primary key	Identity of Employee
e_name	varchar (50)	Not Null	Name of Employee
phone	varchar (14)		Phone / Mobile no. of Employee
designation	varchar (10)		Designation of the Employee
e_doj	Varchar(20)		Date of Joining of the Employee
e_poi	varchar (40)		Proof of identity of the

			Employee
t_poi	varchar(50)		Type of proof of identity
E_Address	varchar (100)		Address of Employee
Quary= Create table Employee (E_id varchar(10), E_name varchar (50) not null, Phone varchar (14), Designation varchar (10), E DOJ varchar (6), E POI varchar (40), t poi varchar (50), E Address varchar (100)), Primary key(E_id);			

Table Name: Login

Table no.8.3

Column Name	Data Type	Constraints	Description
userid	varchar(8)	Primary key	User Id of the Customer / Employee
password	varchar (8)	not null	Password of Customer / Employee
user_type	varchar (20)		User type of Customer / Employee
name	varchar (40)		Name of Customer / Employee
mobile	varchar(20)		Mobile number of customer or employee
email	varchar(50)		Email of user(customer/employee)
sq	varchar(50)		Security Question
sa	varchar(200)		Security Answer
dob	varchar(30)		Date of birth

Quary= Create table Login (User_ID varchar(8), Password varchar (8) not null, User_Type varchar (20), Name varchar (40), mobile varchar (20), email varchar (40), email varchar (50), sq varchar (50), sa varchar (200), dob varchar (30), , Primary key(userid);

Table Name: Pickup

Table no. 8.4

Column Name	Data Type	Constraints	Description
reference_id	varchar(20)	Primary key	Reference ID of the allotted consignment

name	varchar(40)	Not null	Name of Customer
phone	varchar (14)		Contact no. of Customer
s_address	varchar(100)		Source Address
s_state	varchar(50)		Source state
s_pincode	varchar(7)		Source pincode
alt_phn	varchar(20)		Alternate phone Number
email	varchar(60)		email of customer
consign_type	varchar(30)		Consignment Type
pick_date	varchar(15)		Pickup Consignment Date
consin_dem_dim	varchar(10)		Consignment Dimension Type (cm/m/foot)
d_address	Varchar(100)		Destination Address with landmark
d_state	varchar(200)		Destination State
d_pincode	varchar(7)		Destination Pincode
remarks	Varchar(200)		Remarks if any
consin_dem_l	varchar(10)		consignment dimension length
consin_dem_b	varchar(10)		consignment dimension breath
consin_dem_h	varchar(10)		consignment dimension height
landmark	varchar(200)		Landmark of Source Address

Quary= Create table Pickup (reference_id varchar(20), name varchar(40) not null, phone varhar(14),s_address varchar(200), s_state varchar(50), s_pincode varchar(7), alt_phn varchar(20), email varchar(60), consign_type varchar(30), pick_date varchar(15), consin_dem_dim varchar(10),d_address varchar(100),d_state varchar(60), d_pincode varchar(7), remarks varchar(500),consin_dem_l varchar(10), consin_dem_b varchar(10), consin_dem_h varchar(10), landmark varchar(200)Primary key(Reference_Id);

Table Name: shipment

Table no. 8.5

Column Name	Data Type	Constraints	Description
reference_id	varchar(20)	Primary key	Reference ID of the allotted consignment

name	varchar(40)	Not null	Name of Customer
phone	varchar (14)		Contact no. of Customer
s_address	varchar(100)		Source Address
s_state	varchar(50)		Source state
s_pincode	varchar(7)		Source pincode
alt_phn	varchar(20)		Alternate phone Number
email	varchar(60)		email of customer
consign_type	varchar(30)		Consignment Type
pick_date	varchar(15)		Order Consignment Date
consin_dem_dim	varchar(10)		Consignment Dimension Type (cm/m/foot)
d_address	Varchar(100)		Destination Address with landmark
d_state	varchar(200)		Destination State
d_pincode	varchar(7)		Destination Pincode
remarks	Varchar(200)		Remarks if any
consin_dem_l	varchar(10)		consignment dimension length
consin_dem_b	varchar(10)		consignment dimension breath
consin_dem_h	varchar(10)		consignment dimension height
landmark	varchar(200)		Landmark of Source Address

Quary= Create table shipment (reference_id varchar(20), name varchar(40) not null,
 phone varhar(14),s_address varchar(200), s_state varchar(50), s_pincode
 varchar(7), alt_phn varchar(20), email varchar(60), consign_type varchar(30),
 pick_date varchar(15), consin_dem_dim varchar(10),d_address
 varchar(100),d_state varchar(60), d_pincode varchar(7), remarks
 varchar(500),consin_dem_l varchar(10), consin_dem_b varchar(10), consin_dem_h
 varchar(10), landmark varchar(200)Primary key(Reference_Id);

Table Name: Payment

Table no.8.6

Column Name	Data Type	Constraints	Description
transaction_id	varchar(24)	Primary key	Transaction id is the

			payment id of consignment
reference_id	varchar(20)	Foreign key	Reference ID of the Consignment
amount	varchar(24)	Foreign key	Payment Transaction Amount of the Consignment
payment_status	varchar(100)		Payment status of the Consignment
payment_mode	varchar(20)		Payment mode of transaction
payment_date	varchar(20)		Payment Date
remarks	varchar(500)		Remarks
c_name	varchar(50)		Customer Name
email	varchar(50)		Email
Quary= Create table Payment(transaction_id varchar(24), reference_id varchar(24), amount Char(24), payment_states varchar(100), payment_mode varchar(20), Payment_Date Varchar(20), remarks Varchar(500), c_name varchar(50)not null, email varchar(50), Primary key(transaction_Id); Foreign key(Reference_ID) references shipment(Reference);;			

Table Name: Feedback

Table no.8.7

Column Name	Data Type	Constraints	Description
f_id	varchar(24)	Primary Key	feedback ID
email	varchar(50)	Not null	Email ID provide in feedback
mobile	varchar(20)		Provided Mobile Number
subject	varchar(200)		Provided Subject
Massage	varchar(500)		Massage communication.
Quary= Create table feedback(f_id varchar(24),email varchar(50) not null, mobile varchar(20),subject varchar(200), massage varchar(500), Primary key(f_id);			

Table Name: Return

Table no.8.8

Column Name	Data Type	Constraints	Description
return_id	varhar(24)	Primary Key	Return id is the unique number of return

			consignment
reference_id	varchar(24)	Foreign key	Reference ID of the Returned Consignment
s_address	varchar(100)		Source Address of the return consignment
d_address	varchar(100)		Destination Address of the return Consignment
return_type	varhar(30)		Return type consignment (courier /customer /damage)
dor	varchar(14)		Date of Return initiated
remarks	varchar(200)		Fill Remarks if any of Return consignment
c_name	varchar(50)		Name of the customer of Returned consignment
mobile	varchar(20)		Mobile number provided in Destination address
Quary= Create table Return(return_id varhar(24), reference_id varchar(24),s_address varchar(100), d_address varchar(100),return_type varchar(100), dor varchar(14), remarks varchar(200),c_came varchar(50), Primary key(retuen_id); Foreign key(reference_id) references Shipment(Reference));			

Table Name: contact_detail

Table no.8.9

Column Name	Data Type	Constraints	Description
ref_id	varchar(50)		Reference ID
massage	varchar(200)	Not null	Massage Communication
msgtime	varchar(30)		Time & date of massage
Quary= Create table contact_detail(ref_id varchar(50),massage varchar(20) not null, msgtime varchar(30);			

Table Name: contact

Table no.8.10


Column Name	Data Type	Constraints	Description

email	varchar(50)	Not null	Email ID provide in feedback
reference_id	varchar(24)		reference id (if any)
cmttype	varchar(50)		Provided Subject
phone	varchar(20)		Provided phone Number
msg	varchar(500)		Massage communication.
alt_phn	varchar(20)		Alternate Phone Number
Quary= Create table contact(email varchar(50) not null, reference_id varchar(24),cmttype varchar(50),phone varchar(20), msg varchar(500),alt_phn varhcarr(20);			

9. Data Flow Diagram (DFD)


A Data Flow Diagram (DFD) is a graphical representation of the "flow" of data through an information system, modeling its process aspects. Often they are a preliminary step used to create an overview of the system which can later be elaborated. DFDs can also be used for the visualization of data processing (structured design). A DFD shows what kinds of information will be input to and Output from the system, where the data will come from and go to, and where the data will be stored. It does not show information about the timing of processes, or information about whether processes will operate in sequence or in parallel.

0 Level DFD




0, Level Data Flow Diagram for Delipick Distribution

1st Level DFD Delipick




1st Level Data Flow Diagram for Delipick Distribution

2nd Level DFD for CUSTOMER




2nd Level Data Flow Diagram for Customer of Delipick Distribution

2nd Level DFD for Pickup/Delivery Agent




2nd Level Data Flow Diagram for Pickup/Delivery Agent of
Delipick Distribution

2nd Level DFD for CLERK



2nd Level Data Flow Diagram for Clerk of Delipick Distribution

2nd Level DFD for ADMIN



2nd Level Data Flow Diagram for Admin of Delipick Distribution

10. ER Diagram used in Project

ER Diagram

The Entity-Relationship model is a data model for high-level descriptions of conceptual data models, and it provides a graphical notation for representing such data models in the form of entity-relationship diagrams. Such data models are typically used in the first stage of information-system design; they are used, for example, to describe information needs and/or the type of information that is to be stored in the database during the requirements analysis.

Basic elements in ER models:

Entities

A data entity is anything real or abstract about which we want to store the data. Entity type falls into five classes: roles, events, location, tangible things or concepts.

Attributes


A data attribute is a characteristic common to all or most instances of a particular entity. An attribute or combination of attributes that uniquely identifies one & only one instance of an entity is called primary key or identifier.

Relationships

Relationship provides the structure needed to draw information from multiple entities. It is a natural association that exists between one or more entities.

Cardinality

Cardinality defines the number of occurrences of one entity for a single occurrence of related entity. Cardinality can be 1 to 1, 1 to many or vice versa and many to many.



: Entity Relationship Diagram for Delipick Distribution:

11.

Project Modules and Description

Complete Structure

This section explains the complete structure of the project including the description of the modules.

5.1. Number of module and description of module

Table 5.1.1


S.NO	PAGE NAME	DESCRIPTION
1	Home page	In the home page refers to this website in which all the details are present including logo and website information .
2	About Us	In this section user can see the description about the website. After click on About us there are some information will open like details of offered by website etc.
3	Services	In this section user can see the description about the kinds of services that is offered by the website. After click on services User can read the available information that is offered by the website.
4	Gallery	In this section user can see the Photos and media items about the website. After click on Gallery User can view the available photos and media information that is available in the website.etc.
5	Sign In	In which Customer, Clerk Pickup/Delivery Agent and Admin can login into the website and then they can perform their task. Like customer can track their consignment, and request to book for pickup consignment clerk and admin can monitor all operational activity etc.
6	Sign Up	If user has not already registered from this website, then the user has to click on the Sign-up button. Then the user has to fill the details for sign-up and click the sign-up button.
7	Forget Password	If the user has already registered from this site and forget password. Then the user has to click the forget password button to reset the password.
8	Track Consignment	In this section Customer can track their consignment if the Customer already sends the consignment using our services. When the Customer take our consignment courier services then a reference number and tracking id provided by to the

		customer using this details customer can track their consignment when the consignment is on the way. After click on Track Consignment there are some options will open after that customer put their reference id or tracking id customer can check their consignment information.
9	Request for Pickup Consignment	In this section Customer can Book a pickup service for their consignment pickup from that provide location or desired address then the website is offer door step services. In this section customer fill some information like name address contact number source address and destination address. Then the click on the request submit then the a unique number provided by the customer that is called reference number after that the request will be send to the clerk or admin in order section. After submit the request the a the consignment will picked up on provided source address using pickup agent
10	MY ACCOUNT	In this section Customer can view and update Their information like address contact information, Email ID etc,
11	Query and Response	In this section at the customer side Customer can Enquire any query and any request to the Website. And the admin or clerks can response the query and requests.
12	Pickup Consignment	In this section Pickup/Delivery Agent can view Allotted Pickup consignment that wants to be picked up. Allotment will provide by the clerk or admin and allotment is depend when the customer is fill the criteria of request for pickup consignment. Also Pickup/Delivery Agent can fill the remarks reference no, tracking id, customer name and phone number for the each particular consignment and status of the consignment
13	Delivery Consignment	In this section Pickup/Delivery Agent can view Allotted Delivery consignment that wants to be Deliver to the desired Provided Address Location or Customer. Also Pickup/Delivery Agent can fill the remarks for the each particular consignment and status of the consignment.
14	Order Dashboard	In this section Clerk and admin can view and update the consignment information also allot the consignment to pickup/delivery Agent . The clerk and admin can monitor the all operation of courier management.
15	Return Consignment	In this section Clerk and admin can view and update the returned consignment information from the provided destination address, and can view the status information of the return consignment (why the consignment is return).


16	Search	In the section Search Clerk and admin can View and check the information regarding employee Staff details information, Consignment details information, Consignment pickup details information, Returned Consignment information, Payment of consignment details information using Reference ID or Tracking ID and for staff employee ID.
17	Change Password	If the user or admin want to change the password then they can change the password for their own account. If password of any user is stolen by anyone, then he will have changed their password.
18	Add Staff	In this section Only Admin can View, Add and update Staff details information in database. The information can be Employee id, Name, Address, Contact information, Department designation, Date of joining and proof of identity that is provided by the employee.
19	Payments	In this section Only Admin can View, Check and modify the consignment payment details. In this details include these information like Payment of that consignment's tracking id, reference id, amount to be pay / paid for the order of consignment, payment status of the consignment, payment mode of the consignment (we accept the payment only two types of mode the first of cash and another is back account cheque. Another features will be added in future.), Date of Payment and add, update remarks if any.
20	Contact us	In the section contact us user can contact the admin of this website. In this section the information of the admin is available for the user to contact
21	Feedback	In the Feedback section user can give the feedback about the website. Admin can also reply the feedback given by the users.

Process Logic of each module


SignIn




SignIp




Forget Password




Delivery Consignment




Order Dashboard




Return Consignment




Change Password




Pickup Consignment




Query & Response




Request For Pickup Consignment




My Account



Track Consignment



Payments



12

: Validation checks:

- At the time of sign up not any text box will accept null
- Can't accept a wrong email id
- At the time of login for any user duplicate or fake results will not be accepted.
- If someone forgets password and want to get their password they mostly will have to enter that email id which he has given at the time of sign up, else he wouldn't be able to get his password back.
- Customer will not be accessed tracking information before booking the Consignment service booking pickup/offline.
- Since in the navigation from login pages the concept of session is being used so duplicity is impossible here in any way.
- System can't accept any character and negative values where we have to enter amount.
- Without entering a valid email id and password users will not be able to view their profile.
- If someone wants to edit their profile he will have to validate himself via email id and password.
- Excluding the feedback page without login no other pages could be viewed by Customer and clerk.
- Staff creation will only be modified by clerk. No other member excluding admin will be able to Delete information of consignment,
- Pin code of address including Destination address and mobile number are not provided by the customer booking not to be accepted.

: Naming Convention:

Objects	Naming Conventions
Class	Class names should clearly indicate the entry that it represents. For example, the name of the class that represents a login should be named LoginForm
Objects	Object name should begin with 'obj'. For example, an instance of the LoginForm class should be named objLoginForm.
Variables	Integer – intVarName Long – lVarName Decimal – dVarName String – strVarName Boolean – bVarName
Functions	Function names should clearly indicate the kind of data that they store. For example, the name of the function containing the definition of the Accept data should be AcceptData().
Files	File names should clearly indicate the kind of data that they store. For example, the name of the file containing the definition of the Customer class should be Customer.cc

13

: Types of Report Generation:

Report Output:


1. Track Consignment details live using Reference id.
2. Customer can view add update account details.
3. Details of booking schedule for pickup consignment.
4. Pay consignment bill by cash and cheque details.
5. Detail of customer information.
6. Detail of employee information.
7. Detail of customer consignment details information.
8. Detail of consignment's return and payment information.
9. Feedbacks and complaint request queries details.

14.

Input output screen Design

All the Screens are taken in full screen mode using cast option of Google chrome.

a) Home page screen (1) index_1.html.



b) ABOUT about.html.

i. Screen 1st

A screenshot of the Delipick Distribution website's "About Us" page. The header is identical to the homepage, with the "ABOUT" link highlighted in blue. The main content area has a light gray background. At the top, there's a section titled "When It's Time to Step Up Your Game". Below this, there's a paragraph of text explaining the company's commitment to customer satisfaction and professional delivery. Further down, there's a section titled "About Us" which contains several paragraphs of text detailing the company's history, expertise, and service offerings. The text includes mentions of experienced staff, reliable delivery, competitive rates, and unrivaled service.

ii. Screen 2nd

The screenshot shows the homepage of Delipick Distribution. At the top, there's a navigation bar with links for HOME, ABOUT, SERVICES, GALLERY, REQUEST FOR PICKUP, CONTACT US, TRACK CONSIGNMENT, and LOGIN. Below the navigation, there's a large text area containing several paragraphs of text about their services, delivery rates, and reliability. At the bottom of this section, there's a call-to-action button that says "Introducing The New Quick, Simple and Secure Way to send a Document or Parcel International Courier Service." Below this button, there are four social media sharing icons (Facebook, Twitter, LinkedIn, Google+). At the very bottom of the page, there's a footer with copyright information and a small navigation icon.

c) Services service.html.

The screenshot shows the Services page of Delipick Distribution. The top navigation bar is identical to the homepage. The main content area features a large banner image of a truck on a road under a blue sky. Overlaid on the banner is the word "SERVICES". Below the banner, there's a section titled "DELIPICK DISTRIBUTION" with a detailed description of their express distribution services. This description includes information about Express Premium and Express Plus services. At the bottom of the page, there are four social media sharing icons (Facebook, Twitter, LinkedIn, Google+).

d) Gallery gallery.html.

i. Screen 1st

 Delipick Distribution

HOME ABOUT SERVICES GALLERY REQUEST FOR PICKUP CONTACT US TRACK CONSIGNMENT [LOGIN](#)

GALLERY



ii. Screen 2nd

 Delipick Distribution

HOME ABOUT SERVICES GALLERY REQUEST FOR PICKUP CONTACT US TRACK CONSIGNMENT [LOGIN](#)



[f](#) [t](#) [in](#) [G+](#)

© 2016 Delipick Distribution All Rights Reserved | Design by [Navneet](#)



e) REQUEST FOR PICKUP pick.html.

i. Screen 1st

The screenshot shows the 'Delipick Distribution' website with a navigation bar at the top. The 'REQUEST FOR PICKUP' button is highlighted in blue. Below the navigation, a message reads: 'Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up'. A large button labeled 'BOOKING For SCHEDULE PICKUP' is centered. Below it, a note says 'All fields are mandatory'. The form contains several input fields: Name (Dev Sharma), SOURCE State (New Delhi), Source Address (House No. 142/3 Block B Ashok Nagar), SOURCE PINCODE (110018), Source Landmark (Near Metro Station Ashok Nagar), and Phone (9658743210).

ii. Screen 2nd and 3rd

This screenshot shows the second step of the booking process. The 'REQUEST FOR PICKUP' button is highlighted. The form includes fields for Email (dev14724@gmail.com), Destination Address (SIS industries 24/2 okhla industrial area phase 2 near patrol pump), Pickup Date (28-03-2018), Destination State (Delhi), Destination Pincode (110020), Alternate Phone (9971612861), LENGTH (24), BREADTH (22), HEIGHT (16), and Type of Document (Non Document). Below the form are 'Submit' and 'Reset' buttons.

This screenshot shows the third step of the booking process. The 'REQUEST FOR PICKUP' button is highlighted. The form includes a 'Type of Document' field set to 'Non Document'. Below the form are 'Submit' and 'Reset' buttons.

Please Note:
DELIPICK representative will get in touch with you during working hours once the forms is submitted.
Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays.
Pickup may be Scheduled only for the locations serviced by DELIPICK.
We accept Debit/Credit Card at our selected booking Cities.



f) CONTACT US feedback.html

The screenshot shows the 'CONTACT US or FEEDBACK' form. At the top, there are input fields for 'Email ID' (@abc.com), 'Mobile', and 'Subject'. Below these is a large text area for 'Type your message'. At the bottom of the form are 'Submit' and 'Cancel' buttons. The page includes a header with navigation links (HOME, ABOUT, SERVICES, GALLERY, REQUEST FOR PICKUP, CONTACT US, TRACK CONSIGNMENT, LOGIN) and a footer with social media icons (Facebook, Twitter, LinkedIn, Google+) and copyright information (© 2016 Delipick Distribution All Rights Reserved | Design by Navneet).

g) TRACK CONSIGNMENT track.html

- Screen 1st and 2nd


The screenshot shows the 'TRACK CONSIGNMENT' page. It features a background image of a warehouse with shelves filled with boxes. Overlaid on the image is a search bar with placeholder text 'Please fill the Tracking ID in the Search Box'. Below the search bar is a tracking ID input field containing '542671' and a 'GET DETAILS' button. There is also a 'Clear' button. The page includes a header with navigation links (HOME, ABOUT, SERVICES, GALLERY, REQUEST FOR PICKUP, CONTACT US, TRACK CONSIGNMENT, LOGIN) and a footer with social media icons (Facebook, Twitter, LinkedIn, Google+).

The screenshot shows the 'TRACK CONSIGNMENT' page with a note at the top: 'Delipick brings convenience at your fingertips. You can now track your consignment online.' Below this is a tracking ID input field with '542671' and a 'GET DETAILS' button. A 'Clear' button is also present. A note at the bottom left says 'Please Note:' followed by a list of delivery details. The page includes a header with navigation links (HOME, ABOUT, SERVICES, GALLERY, REQUEST FOR PICKUP, CONTACT US, TRACK CONSIGNMENT, LOGIN) and a footer with social media icons (Facebook, Twitter, LinkedIn, Google+) and copyright information (© 2016 Delipick Distribution All Rights Reserved | Design by Navneet).


h) LOGIN index_1.html




i) SIGNUP signup.html




j) Forget Password



k) SCREEN OF CUSTOMER PROFILE AFTER VALIDATION (customer.jsp)



l) MY ACCOUNT UNDER THE CUSTOMER PROFILE PANEL (myaccount.jsp)



m) BOOKING FOR PICK CONSIGNMENT UNDER CUSTOMER PROFILE PANEL (pickupc.jsp):

This screenshot displays the 'Booking For Pick-up Consignment' form. It includes fields for Name*, Address*, Landmark*, City, State, Pincode*, Mobile No., Alternate Mobile No., Email, Consignment Type*, Pickup Date*, Consignment Dimension*, Destination Address with Landmark*, and Remarks (if any). The 'Name*' field contains 'himanshu' and the 'Address*' field contains 'b-70/2 aazadpur main road patrol pump delhi'. The 'Pincode*' field is '110037'. The 'Mobile No.' field contains '9971612541' and '9854786212'. The 'Email' field contains 'hmk1254@gmail.com'. The 'Consignment Type*' dropdown is set to 'Non-Document'. The 'Pickup Date*' field shows '03-03-2018'. The 'Consignment Dimension*' section includes fields for Length (12), Width (10), Height (7), and Weight (CM). The 'Destination Address with Landmark*' field contains '27b,SN market near mati Delhi'. The 'Remarks (if any)' field contains 'no remarks'. At the bottom, there are 'Submit Request' and 'Clear' buttons, and a note about pickup times and payment methods.

Please Note:

- Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays
- Pickup may be Scheduled only for the locations serviced by DELIPICK
- DELIPICK representative will get in touch with you during working hours once the forms is submitted
- We accept Debit/Credit Card at our selected booking Cities.

n) TRACK CONSIGNMENT UNDER CUSTOMER PROFILE PANEL (trackordr.jsp)

The screenshot shows the 'Track Consignment' section of the Delipick Distribution website. On the left, a vertical menu bar includes 'My Account', 'Booking For Pickup', 'Track Consignment' (which is highlighted in blue), 'Contact Center', 'Change Password', and 'Log Out'. Below this is a green sidebar. The main content area features a map of India with red dots indicating delivery locations. A search bar at the top right contains the tracking ID '21969'. Below the search bar, text reads 'Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or abroad.' A large button labeled 'Submit' is next to a 'Clear' button. To the right, there's a graphic of a road leading to a city skyline with the text 'Delivery within 2-3 Days'. A note below the map states: '1.Congignment Delivery will be from Monday to Saturday between 10AM to 7PM - Except Holidays. 2.Delivery may be holiday only for the If customer requested. Holiday delivery charge as per consignment applicable. 3.DELIPICK representative will get in touch with you during working hours once the packet or consignment out for delivery. 4.We accept Debit/Credit Card at our selected booking Cities for COD orders.' At the bottom, there are social media sharing icons for Facebook, Twitter, LinkedIn, and Google+.

o) CHANGE PASSWORD UNDER CUSTOMER PROFILE PANEL (changepass.jsp)

The screenshot shows the 'CHANGE PASSWORD' page. The left sidebar has the same menu as the previous screen. The main area is titled 'CHANGE PASSWORD'. It contains four input fields: 'User name' (sunny@delipick.com), 'Old password' (*****), 'New password' (*****), and 'Confirm password' (*****). Below the fields are two buttons: 'Change Password' and 'Cancel'.

p) SCREEN OF FIELD EXECUTIVE PROFILE AFTER VALIDATION. (delivery.jsp)

The screenshot shows the 'WELCOME FIELD EXECUTIVE' page. The left sidebar has the same menu. The main area features a circular profile picture placeholder with a question mark icon. Below it, the text 'WELCOME FIELD EXECUTIVE' is displayed in a large font, followed by a horizontal line and the name 'Rajesh Kumar'.

q) Pickup Consignment under Field Executive Profile Panel (ppacket.jsp)

The screenshot shows the 'Delipick Distribution' website. On the left, a vertical menu bar has links for 'Pickup Consignment', 'Delivery Consignment', 'Change Password', and 'Log Out'. The main content area is titled 'Pickup Consignment' with the sub-instruction '(Please fill the Reference ID in the Below Box)'. A text input field contains the reference ID '65478'. Below the input field are three buttons: 'Submit', 'Clear', and 'Add New Record'. A 'Please Note:' section lists four points regarding pickup scheduling and service availability.

s) Delivery Consignment under Field Executive Profile Panel (dpacket.jsp)

The screenshot shows the 'Delipick Distribution' website. The left menu bar is identical to the previous screenshot. The main content area is titled 'Delivery Consignment' with the sub-instruction '(Please fill the Reference ID in the Below Box)'. A text input field contains the reference ID '21969'. Below the input field are three buttons: 'Submit', 'Clear', and 'Add New Record'. A 'Please Note:' section lists four points regarding delivery scheduling and service availability.

t) CHANGE PASSWORD UNDER CUSTOMER PROFILE PANEL (changepassfe.jsp)

The screenshot shows the 'Delipick Distribution' website. The left menu bar is identical. The main content area is titled 'CHANGE PASSWORD'. It displays a form with four input fields: 'User name' (rj@delipick.com), 'Old password' (*****), 'New password' (*****), and 'Confirm password' (*****). Below the form are two buttons: 'Change Password' and 'Cancel'.

u) SCREEN OF CLERK PROFILE AFTER VALIDATION. (clerk.jsp)

v) Order Dashboard under CLERK Profile Panel (orderc.jsp)

- screen 1st

SELECT ORDER REFERENCE ID	CUSTOMER NAME	SOURCE ADDRESS	PIN CODE	PHONE NUMBER	LANDMARK	Process
23219	akash	b-174 roshan colony faridabad	121013	9874513665	main road yamuna	Proceed
38993	Raman Kumar	22/6 sauth complex	110052	7854125684	mandir	Proceed

- Screen 2nd

- Screen 3rd

Delipick Distribution

ORDER DASHBOARD RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORDS LOGOUT

Destination Pincode:

LENGTH: BREADTH:

HEIGHT:

LANDMARK:

DATE of RETURN: dd-mm-yyyy

Type of Document: CM
Document

Please Fill some remarks if any

Submit

Reset

Facebook Twitter LinkedIn Google+

© 2016 Delipick Distribution All Rights Reserved | Design by Navneet

w) Return under CLERK Profile Panel (returnsc.jsp)

- screen 1st & 2nd

Delipick Distribution

ORDER RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORDS LOGOUT

RETURN CONSIGNMENT

Return ID: **Search**

Add details For Return Consignment

All fields are mandatory

REFERENCE ID: SOURCE ADDRESS:
Mobile No.: DESTINATION ADDRESS:

Delipick Distribution

ORDER RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORDS LOGOUT

Mobile No.: DESTINATION ADDRESS:
CUSTOMER NAME: DATE of RETURN: dd-mm-yyyy
TYPE of RETURN: COURIER RETURN
Please Fill some remarks about the reson of return consignment

Submit

Clear

Facebook Twitter LinkedIn Google+

© 2016 Delipick Distribution All Rights Reserved | Design by Navneet

x) Track Consignment under Clerk Profile Panel (trackc.jsp)

 Delipick Distribution

ORDER RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORD LOGOUT

simply filling up the details in the below form.


TRACK CONSIGNMENT

Please fill the Tracking ID in the Search Box

TRACKING ID:
21962

GET DETAILS

Clear

Please Note:

- Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays
- Pickup may be Scheduled only for the locations serviced by DELIPICK
- DELIPICK representative will get in touch with you during working hours once the forms is submitted
- We accept Debit/Credit Card at our selected booking Cities.

y) SEARCH under Clerk Profile Panel (searchc.jsp)

 Delipick Distribution

ORDER RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORD LOGOUT


SEARCH DETAILS

ID: gankit@delipick TYPE of Details: EMPLOYEE

EMPLOYEE
CUSTOMER
TRANSPORT INFORMATION
CONSIGNMENT RETURN INFORMATION
CONSIGNMENT PAYMENT INFORMATION

y) RESPONSE TAB under Clerk Profile Panel (responsec.jsp))

 Delipick Distribution

ORDER RETURNS TRACK CONSIGNMENT SEARCH RESPONSE TAB CHANGE PASSWORD LOGOUT

Feedback Dashboard

SELECT QUERY FEEDBACK ID	EMAIL ID	MOBILE	SUBJECT	SELECT
3081	sunny@delipick.com	997161286	info	VIEW MESSAGE

COMPLAINT Dashboard

SELECT COMPLAINT ID	EMAIL ID	REFERENCE ID	SUBJECT	SELECT
21968	arjun@gmail.com	21968	Document Missing	REPLY

z) CHANGE PASSWORD UNDER CLERK PROFILE PANEL (changepassc.jsp)

The screenshot shows the 'CHANGE PASSWORD' page of the Delipick Distribution website. At the top, there is a navigation bar with links for ORDER, RETURNS, TRACK CONSIGNMENT, SEARCH, RESPONSE TAB, CHANGE PASSWORD, and LOGOUT. Below the navigation bar, the title 'CHANGE PASSWORD' is centered. A form is displayed with four input fields: 'User name' (gankit@delipick.com), 'Old password' (*****), 'New password' (*****), and 'Confirm password' (*****). Below the form are two buttons: 'Change Password' and 'Cancel'. At the bottom of the page, there is a footer bar with social media icons for Facebook, Twitter, LinkedIn, and Google+. The footer also contains the copyright notice: © 2016 Delipick Distribution All Rights Reserved | Design by Navneet.

i) SCREEN OF ADMIN PROFILE AFTER VALIDATION. (admin.jsp)

The screenshot shows the 'WELCOME ADMIN' page of the Delipick Distribution website. At the top, there is a navigation bar with links for ORDER, ADD STAFF, TRACK CONSIGNMENT, RETURNS, PAYMENTS, SEARCH, RESPONSE TAB, CHANGE PASSWORD, and LOGOUT. In the center, the text 'WELCOME ADMIN' is displayed above a horizontal line, followed by the name 'Arjun Moredia'. Below the name is a blue circular profile picture. At the bottom, there is a footer bar with social media icons for Facebook, Twitter, LinkedIn, and Google+. The footer also contains the copyright notice: © 2016 Delipick Distribution All Rights Reserved | Design by Navneet.

ii) ADDSTAFF under ADMIN Profile Panel (addstaff.jsp)

The screenshot shows the 'STAFF CREATION' page of the Delipick Distribution website. At the top, there is a navigation bar with links for ORDER, ADD STAFF, TRACK CONSIGNMENT, RETURNS, PAYMENTS, SEARCH, RESPONSE TAB, CHANGE PASSWORD, and LOGOUT. The main title 'STAFF CREATION' is centered above a form. The form consists of several input fields: 'FULL NAME' (Ankit), 'ADDRESS' (197-B SANGAM NAGAR FARIDABAD HARYANA), 'PHONE NUMBER' (9990088973), 'EMAIL ID' (gankit@gmail.com), 'PROOF No.' (9876-5412-4792), 'DATE of JOINING' (01-01-2018), 'DESIGNATION' (CLERK), and 'TYPE of PROOF' (AADHAR CARD). The 'AADHAR CARD' option is selected in the dropdown menu. Below the form are two buttons: 'Submit' and 'Clear'. The right side of the page has a vertical scroll bar.

iii) Track Consignment under ADMIN Profile Panel (trackadmin.jsp)

The screenshot shows the 'TRACK CONSIGNMENT' section of the Delipick Distribution website. At the top, there's a navigation bar with links like ORDER, ADD STAFF, TRACK CONSIGNMENT, RETURNS, PAYMENTS, SEARCH, RESPONSE TAB, CHANGE PASSWORD, and LOGOUT. Below the navigation, a message says 'at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.' A large blue circular logo with a white 'D' is centered above the heading 'TRACK CONSIGNMENT'. Below it, a sub-instruction 'Please fill the Tracking ID in the Search Box' is displayed. A tracking ID input field contains '44698'. To its right is a red 'GET DETAILS' button. Underneath is a teal 'Clear' button. At the bottom left, a note reads: 'Please Note: Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays. Pickup may be scheduled only for the locations serviced by DELIPICK. DELIPICK representative will get in touch with you during working hours once the forms is submitted. We accept Debit/Credit Card at our selected booking Cities.'

iv) Order Dashboard under ADMIN Profile Panel (order.jsp)

- screen 1st and 2nd

The screenshot shows the 'ORDER Dashboard' section of the Delipick Distribution website. The top navigation bar is identical to the previous page. The main area features a table titled 'SELECT ORDERREFERENCE IDCUSTOMER NAME SOURCE ADDRESS PIN CODEPHONE NUMBERLANDMARK PROCESS'. It lists two rows of data: one for '23219' (Customer Name: aakash, Source Address: b-174 roshan colony faridabad, Pin Code: 121013, Phone: 9874513665, Landmark: main road yamuna, Process: Proceed) and another for '38993' (Customer Name: Raman Kumar, Source Address: 22/6 sauth complex, Pin Code: 110052, Phone: 7854125684, Landmark: mandir, Process: Proceed). Below the table is a large blue circular logo with a white 'D'. The heading 'SEARCH ORDER' is centered. A search form below it includes a 'Reference ID' input field containing '412675' and a red 'Search' button.

The screenshot shows the 'Add details For New Consignment' section of the Delipick Distribution website. The top navigation bar is identical. The main area has a large teal circular logo at the top. Below it, a heading 'Add details For New Consignment' is centered. A note 'All fields are mandatory' is displayed. The form consists of several input fields arranged in pairs: 'Name:' (Raman Kumar) and 'SOURCE State:' (haryana); 'Source Address:' (145/2 sanjay colony agwanpur faridabad) and 'SOURCE PINCODE :' (121003); 'Source Landmark:' (main highway road) and 'Phone:' (8874596145); 'Email:' (raman321@gmail.com) and 'Destination Address:' (56/2 rama krishna puram near bus stand rk puram -2); 'Pickup Date:' (empty) and 'Destination State :'. There are also small upward and downward arrows in the bottom right corner.

- Screen 3rd

Delipick Distribution

ORDER ADD STAFF TRACK CONSIGNMENT RETURNS PAYMENTS SEARCH RESPONSE TAB CHANGE PASSWORDS LOGOUT

Pickup Date: 02-03-2018 Destination State : delhi

Destination Pincode: 110054 Alternate Phone: 7548214698

LENGTH: 12 BREADTH: 10 HEIGHT: 9

Type of Document: Non Document

Submit Reset

v) RETURN under ADMIN Profile Panel (treturnpage.jsp)

- Screen 1st & 2nd

Delipick Distribution

ORDER ADD STAFF TRACK CONSIGNMENT RETURNS PAYMENTS SEARCH RESPONSE TAB CHANGE PASSWORDS LOGOUT

RETURN CONSIGNMENT

Return ID: 104605 Search

Add details For Return Consignment

All fields are mandatory

REFERENCE ID: 104605 SOURCE ADDRESS: 57/2 lodhi colony pant nagar new delhi

SOURCE ADDRESS: 57/2 lodhi colony pant nagar new delhi

DESTINATION ADDRESS: 123, raamveer enclave panchsheel vihar new delhi

CUSTOMER NAME: Ram Prakash DATE OF RETURN: 23-03-2018

TYPE OF RETURN:

CUSTOMER RETURN
COURIER RETURN
CUSTOMER RETURN
PHONE NUMBER UNAVAILABLE
CUSTOMER NOT ANSWERED
WRONG ADDRESS
CUSTOMER NOT REACHABLE

customer not answered the call when field executive tried many times of call...!

Submit Clear

vi) PAYMENTS under ADMIN Profile Panel (payments.jsp)

- Screen 1st

The screenshot shows the 'PAYMENTS' section of the Delipick Distribution admin panel. At the top, there is a search bar with the reference ID '104604' and a 'Search' button. Below the search bar, the title 'Add Details For Consignment Payments' is displayed, followed by a note 'All fields are mandatory'. There are two input fields for 'REFERENCE ID:' and 'AMOUNT:', both currently empty.

- Screen 2nd

This screenshot shows the 'Add Details For Consignment Payments' form with the following filled fields:

- REFERENCE ID: 104606
- AMOUNT: 650
- Customer Name: Raman Kumar
- Email ID: raman321@gmail.com
- Date of Payment: 27-03-2018
- Remarks: customer pay by cash
- PAYMENT STATUS: Done
- PAYMENT MODE: CASH

At the bottom, there are 'Submit' and 'Clear' buttons.

vii) SEARCH under ADMIN Profile Panel (search.jsp)

The screenshot shows the 'SEARCH DETAILS' section of the Delipick Distribution admin panel. It features a search bar with the ID 'sunny@delipick.com' and a dropdown menu for 'TYPE of Details' with 'CUSTOMER' selected. Below the search bar, there are three tabs: 'TRACKING INFORMATION', 'CONSIGNMENT RETURN INFORMATION', and 'CONSIGNMENT PAYMENT INFORMATION'. The 'TRACKING INFORMATION' tab is currently active.

viii) Response Tab Under Admin Profile Panel (response.jsp)

The screenshot shows the 'Feedback Dashboard' section of the Delipick Distribution admin panel. At the top, there is a navigation bar with links: ORDER, ADD STAFF, TRACK CONSIGNMENT, RETURNS, PAYMENTS, SEARCH, RESPONSE TAB (which is highlighted in blue), CHANGE PASSWORD, and LOGOUT. Below the navigation bar, the title 'Feedback Dashboard' is displayed. A table row is shown with the following data:

SELECT QUERY	FEEDBACK ID	EMAIL_ID	MOBILE	SUBJECT	SELECT
<input type="radio"/>	3081	sunny@delipick.com	9971612861	info	<button>VIEW MESSAGE</button>

Below this, there is a large blue circular icon with a white '@' symbol. The text 'COMPLAINT Dashboard' is centered below the icon. Another table row is shown with the following data:

SELECT COMPLAINT	EMAIL_ID	REFERENCE ID	SUBJECT	SELECT
<input type="radio"/>	arjun@gmail.com	21968	Document Missing	<button>REPLY</button>

ix) Change Password under Admin Profile Panel (changepassadmin.jsp)

The screenshot shows the 'CHANGE PASSWORD' page of the Delipick Distribution admin panel. At the top, there is a navigation bar with links: ORDER, ADD STAFF, TRACK CONSIGNMENT, RETURNS, PAYMENTS, SEARCH, RESPONSE TAB, CHANGE PASSWORD (which is highlighted in blue), and LOGOUT. Below the navigation bar, the title 'CHANGE PASSWORD' is displayed. A form is present with the following fields:

Username:	Arjun@delipick.com
Old Password:	*****
New Password:	*****
Confirm Password:	*****

Below the form are two buttons: 'Change Password' and 'Cancel'. At the bottom of the page, there is a dark footer bar containing four social media sharing icons: Facebook, Twitter, LinkedIn, and Google+.

15.

Coding Section

STYLE CODE USED IN THE WEBSITE (layout.css)

```
body{  
    padding:0;  
    margin:0;  
    background:#FFF;  
}  
  
input[type="button"],input[type="submit"]{  
    transition:0.5s all;  
    -webkit-transition:0.5s all;  
    -moz-transition:0.5s all;  
    -o-transition:0.5s all;  
    -ms-transition:0.5s all ;  
}  
  
button{  
    transition:0.5s all;  
    -webkit-transition:0.5s all;  
    -moz-transition:0.5s all;  
    -o-transition:0.5s all;  
    -ms-transition:0.5s all;  
}  
  
.navbar {  
    min-height:57px;  
}  
  
.navbar-brand {  
    float: left;  
    height: 50px;  
    padding: 8px 0px;  
    font-size: 18px;  
    line-height: 20px;  
    display:block;  
}  
  
.navbar-brand h1 {
```

```
    font-size: 32px;  
    font-weight: 400;  
    color: #000;  
    text-transform: capitalize;  
    font-family: 'Exo 2', sans-serif;  
}  
  
.navbar-brand h1 span {  
    font-size: 30px;  
    color: #42B4C8;  
    line-height: 20px;  
    margin-right: 5px;  
}  
  
.navbar-default .navbar-nav>.active>a, .navbar-default .navbar-nav>.active>a:focus, .navbar-default .navbar-nav>.active>a:hover {  
    color: #fff;  
    background-color: #33accc;  
}  
  
.navbar-default .navbar-nav>li>a:focus, .navbar-default .navbar-nav>li>a:hover {  
    color: #fff;  
    background-color: #33accc;  
}  
  
.navbar-default .navbar-nav>li>a {  
    color: #777;  
    font-size: 14px;  
    font-weight: normal;  
    font-family: 'Exo 2', sans-serif;  
    padding: 18px 18px;  
    text-transform: uppercase;  
    transition: all 0.5s ease-in-out;  
    -webkit-transition: all 0.5s ease-in-out;  
    -moz-transition: all 0.5s ease-in-out;  
    -o-transition: all 0.5s ease-in-out;
```

```
-ms-transition:all 0.5s ease-in-out;  
}  
.navbar-default .navbar-nav>li.active {  
    background-color:#33accc;  
}  
.dropdown-menu {  
    width:280px;  
    text-align:center;  
}  
.dropdown-menu .login-w3ls h3 {  
    font-size: 20px;  
    padding: 20px 0;  
    font-weight:500;  
    color: #000;  
    font-family: 'Exo 2', sans-serif;  
}  
.dropdown-menu .login-w3ls input[type="text"] {  
    border: 1px solid #000;  
    color: #000;  
    height: 40px;  
    width: 200px;  
    padding: 0 15px;  
    margin:0 auto 20px;  
    text-align: center;  
    outline:none;  
}  
.dropdown-menu .login-w3ls input[type="password"] {  
    border: 1px solid #000;  
    color: #000;  
    height: 40px;  
    width: 200px;  
    padding: 0 15px;
```

```
margin: 0 auto;  
text-align: center;  
outline:none;  
}  
.dropdown-menu .login-w3ls input[type="submit"] {  
margin-top:20px;  
font-size:17px;  
font-weight:normal;  
color:#fff;  
border:none;  
padding:10px 20px;  
border-radius:0;  
background-color:#33accc;  
margin-bottom:20px;  
font-family: 'Exo 2', sans-serif;  
}  
section.banner-w3ls {  
position:relative;  
}  
.header {  
height:926px;  
margin:0 auto;  
padding:0;  
}  
section.footer-agileits {  
padding: 50px 0;  
background-color: #212121;  
text-align:center;  
text-align: -webkit-center;  
text-align:-moz-center;  
}  
section.footer-agileits h3 {
```

```
color: #fff;
font-size:25px;
font-weight: normal;
font-family: 'Exo 2', sans-serif;
padding-bottom: 35px;
}

section.footer-agileits ul.info-links {
list-style: none;
text-align: justify;
margin-left:70px;
}

section.footer-agileits ul.info-links li {
padding-bottom:15px;
}

section.footer-agileits ul.info-links li a {
text-decoration:none;
font-size:14px;
font-weight: normal;
color:#fff;
}

section.footer-agileits ul.info-links li a i.fa {
margin-right:5px;
}

section.footer-agileits ul.footer-links {
list-style: none;
text-align: justify;
margin-left:70px;
}

section.footer-agileits ul.footer-links li {
padding-bottom:15px;
}

section.footer-agileits ul.footer-links li a {
```

```
text-decoration:none;
font-size:14px;
font-weight:normal;
color:#fff;
}

section.footer-agileits ul.footer-links li a i.fa {
    margin-right:5px;
}

.content-w3ls {
    width:100%;
    margin:0 auto;
    height:460px;
    background-color:#F5F5F5;
}

.content1-w3ls {
    background-color:#33accc;
    text-align:center;
    padding:1.7em;
}

.content1-w3ls h2 {
    font-family: 'Exo 2', sans-serif;
    text-transform:uppercase;
    margin:0;
    color:#fff;
    font-size:20px;
    font-weight:bold;
}

.content2-w3ls {
    background-color:#b5e6ae;
}

.content2-header1 {
    float:left;
```

```
width:27%;  
text-align:center;  
padding:1.5em;  
}  
.content2-header1 p {  
font-family: 'Open Sans', sans-serif;  
font-size:17px;  
font-weight:700;  
color:#33accc;  
margin:0;  
}  
.content2-header1 span {  
font-size:15px;  
font-weight:400;  
}  
.shipment {  
width:100%;  
margin:10% auto;  
}  
span.line {  
height: 5px;  
width: 90px;  
background-color:#F5998E;  
display: block;  
position: absolute;  
top: 35%;  
left: 45%;  
}  
.confirm{  
text-align:center;  
width:20%;  
position:relative;
```

```

        float:left;
        margin-left:5%;

    }

.navbar-header {
    float: none;
}

.navbar>.container .navbar-brand, .navbar>.container-fluid .navbar-brand {
    margin-left:35%;

}

.navbar-right {
    float: none!important;
    margin-right: auto;
}

.header {
    height: 750px;
}

```

Design code of home page (index_1.html)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
    <div class="container">
        <div class="navbar-header">

```

```

        <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="index_1.html"><h1><span class="fa
fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    </div>
    <div id="navbar" class="navbar-collapse collapse">
        <ul class="nav navbar-nav navbar-left">
            <li class="active"><a href="index_1.html">Home</a></li>
            <li><a href="about.html">About</a></li>
            <li><a href="#">Services</a></li>
            <li><a href="#">Gallery </a></li>
            <li><a href="pickup.html">Request for Pickup</a></li>
            <li><a href="feedback.html"> Contact US</a></li>
            <li><a href="track.html">Track Consignment</a></li>
            <li class="dropdown">
                <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b
class="caret"></b></a>
                <div class="dropdown-menu">
                    <div class="login-w3ls">
                        <h3>Login To Your Account</h3>
                        <form action="checklogin.jsp"
method="post">
                            <input type="email"
name="mail" placeholder="Username or email" required/><br>
                            <input type="password"
name="password" placeholder="Password" required>
                            <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                
```

```

<a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
<a href="forgetpswd.html">Forget Password</a>
</form>
</div>
</div>
</li>
</ul>
</div>
</div>
</nav>
<!--body-->
<section class="banner-w3ls">
<div style="background:url(abc.jpeg) ; height:780px; width:auto; border: 1px solid black;">
<div class="banner-w3layouts">
<div class="container"><br><br><br><br><br><br>
<h2 style="color : white; font-family: comic sans ms; margin-bottom: -1%;" class="text-center w3 w3l agileinfo">Enabling Delipick</h2>
<center><h1 style="color : red; font-family: comic sans ms;"></h1>
</center><br><br>
<p style="color : white ; font-family: comic sans ms;" class="text-center w3 w3l agileinfo">The Quickest Way to Send Document on Whole Country.<br>Introducing The New Quick, Simple and Secure Way to send a Document or Parcel International Courier Service.</p>
</div>
</div>
</div>
</section>
<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>

```

```
<div class="col-lg-3 col-md-3 col-sm-6">
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>
    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>

<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>

var myBgfader = $('.header').bgfader([

```

```
'images/banner1-1.jpg',
'images/banner1-2.jpg',
'images/banner1-3.jpg',
'images/banner1-4.jpg',
],
{
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>
```

Design code of About page (about.html)

```
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
```

```

        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>

    </button>
    <a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
</div>
<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-left">
        <li class="active"><a href="index_1.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="service.html">Services</a></li>
        <li><a href="gallery.html">Gallery </a></li>
        <li><a href="pickup.html">Request for Pickup</a></li>
        <li><a href="feedback.html"> Contact US</a></li>
        <li><a href="track.html">Track Consignment</a></li>
        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b
class="caret"></b></a>
            <div class="dropdown-menu">
                <div class="login-w3ls">
                    <h3>Login To Your Account</h3>
                    <form action="checklogin.jsp"
method="post">
                        <input type="email"
name="mail" placeholder="Username or email" required/><br>
                        <input type="password"
name="password" placeholder="Password" required>
                        <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                        <a href="signup.html" class="btn btn-
primary">SIGN UP</a><br>
                        <a href="forgetpswd.html">Forget Password</a>
                </div>
            </div>
        </li>
    </ul>
</div>

```

```

        </form>
    </div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!-- navigation -->

<!-- banner section -->
<section class="banner-w3ls">
<div style="background:buttonface; height:980px; width:auto; border: 1px solid black;">
    <div class="banner-w3layouts">
        <div class="container">
            <h2 style="color : white; font-family: comic sans ms; margin-bottom: -30%;" class="text-center w3 w3l agileinfo">About Us</h2>
            <center> <h1 style="color : red; font-family: comic sans ms;" ></h1>
</center><br><br>
            <p style="color : white ; font-family: comic sans ms;" class="text-center w3 w3l agileinfo"><div itemprop="articleBody">
<p><span style="font-family: verdana, geneva; font-size: 12pt;"><strong>When It's Time to Step Up Your Game</strong></span><br> <br><span style="font-family: verdana, geneva; font-size: 12pt;">When your normal service just doesn't cut it any more, call <b>Delipick Distribution</b> to try something new. We offer affordable, same day delivery service throughout the entire state of India. We go above and beyond what other delivery companies promise because your satisfaction is extremely important to us. Our staff prides themselves on being professionals and offering the best possible service. Our drivers are dispatched and every delivery is fast, efficient and on time!</span><br> <br><span style="font-family: verdana, geneva; font-size: 12pt;">Our customers trust us to provide the highest quality of service. Every agent that we have on staff understands how important your delivery is and will do everything in their power to make sure you have the best possible experience when shipping your items with our service. At Delipick Distribution, we go above and beyond what are competitors offer because our customers are valuable to us. They need us to be dependable, reliable and flexible as well as offer affordable rates.</span></p>
<p><br><span style="font-family: verdana, geneva; font-size: 12pt;">Let the professional agents at Delipick Distribution make all of your deliveries. We are on time all the

```

time!

Founded by a team of experts who have several years experience in the delivery business, Delipick Distribution are here to serve you. It is our goal as a business to offer unbeatable same day messenger service throughout the state of India. Customers of today require the most efficient and reliable service companies have to offer.

Our customer service operators use specific guidelines when taking orders and make sure that our drivers are trained in handling every type of package or document, including medical specimens, legal paperwork, photographs or fragile items.

We offer our clients unrivaled service that is second to none when it comes to privacy, efficiency and reliability. Our staff is always friendly and ready to help no matter what time of day. We are open 24 hours a day and 365 days a year to meet your specific needs.

<p>
We offer these services at the lowest rate possible. In Northern India our rates are competitive with the next day service offered by both FEDEX and BLUEDART when it comes to same day, rush deliveries. Our reliable, stress free service eliminates much of the paperwork, deadlines and restrictions that come with using other companies.

Call our office and we will take care of everything else. Our drivers are fully insured. We offer reliable, fast and efficient service. When we pick up your item for delivery, our expert drivers provide the safest possible conditions and all of our orders are tracked from pick up to delivery. All of our drivers are bonded, uniformed and highly trained. We are at your disposal whenever you need us, 7 days a week, 24 hours a day.

Delipick Distribution is used by Delhi most prestigious and busiest retail stores, corporations and individuals. They use us because we have a trusted reputation of being the best in the business.</p>

</div>

Introducing The New Quick, Simple and Secure Way to send a Document or Parcel International Courier Service.</p>

</div>

</div>

</div> </div>

</div>

<div class="clearfix"></div>

</div>

</div> </div>

</div>

```
<div class="clearfix"></div>

</div></div>

</section>

<!-- /banner section -->

<!-- footer section -->

<section class="footer-agileits">

    <div class="container">

        <div class="col-lg-3 col-md-3 col-sm-6">

            </div>

        <div class="col-lg-3 col-md-3 col-sm-6">

            </div>

        <div class="col-lg-3 col-md-3 col-sm-6">

            <div class="phone">

                </div>

            </div>

        </div>

        <div class="col-lg-3 col-md-3 col-sm-6">

            <ul class="social-icons2">

                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>

            </ul>

        </div>

        <div class="clearfix"></div>

        <hr>          <p class="copyright">© 2016 Delipick Distribution All Rights
        Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

    </div>
```

```

</section>
<!-- /footer section -->
<a href="#" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```

myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

Design code of Services page (service.html)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->

```

```

<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index_1.html"><h1><span class="fa
fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
</div>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-left">
<li class="active"><a href="index_1.html">Home</a></li>
<li><a href="about.html">About</a></li>
<li><a href="service.html">Services</a></li>
<li><a href="gallery.html">Gallery </a></li>
<li><a href="pickup.html">Request for Pickup</a></li>
<li><a href="feedback.html"> Contact US</a></li>
<li><a href="track.html">Track Consignment</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b
class="caret"></b></a>
<div class="dropdown-menu">

```

```
<div class="login-w3ls">
    <h3>Login To Your Account</h3>
    <form action="checklogin.jsp"
method="post">
        <input type="email"
name="mail" placeholder="Username or email" required/><br>
        <input type="password"
name="password" placeholder="Password" required>
        <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
        <a href="signup.html" class="btn btn-
primary">SIGN UP</a><br>
        <a href="forgetpswd.html">Forget Password</a>
    </form>
</div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!--image part-->
<br><br><br><br><br>
<div style="margin-left: px; background-image: url(gh.jpg);width:auto; height: auto;">
<br><body>
<section class="contact-w3ls">
<div class="container">
    <h3 class="text-center">SERVICES</h3>
    <p class="text-center"><font color="blue"><b></b></font></p>
    <p><font color="white" face="comic"><h3>DELIPICK DISTRIBUTION</h3>
    <p>DELIPICK DISTRIBUTION service offers a complete range of express
distribution services that gives you the flexibility to choose as per your own requirement.</p>
```

<p>You could choose and customize distribution services according to your requirement and convenience. DELIPICK offers cost effective and time sensitive services for parcel, freight and special cargo movement. DELIPICK DISTRIBUTION provides two type of services i.e. Express Premium Service and Express Plus Service</p>

Surface express

Express Premium

Express Premium is a unique service that offers faster delivery when compared to the average surface movement services. This service provides direct route connectivity to all major locations in India, thereby helping you save on time and ensuring safety for your shipments always.

Express Plus

Express is a cost effective surface cargo movement service for shipments that have a time definite delivery schedule.

</p>

</p>

</body>

</div></div>

<!-- footer section -->

<section class="footer-agileits">

<div class="container">

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<div class="phone">

</div>

</div>

</div>

```

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>

<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>

<script>

var myBgfader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
}

```

```
'speed': 3000,  
'opacity': 0.4  
})  
  
myBgFader.start()  
</script>  
<!-- /js files -->  
</body>  
</html>
```

Design code of Gallery page (gallery.html)

```
<html>  
<head>  
<title>Delipick Distribution</title>  
<!-- css files -->  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
</head>  
<body>  
<!-- navigation -->  
<nav class="navbar navbar-default navbar-fixed-top">  
  <div class="container">  
    <div class="navbar-header">  
      <button type="button" class="navbar-toggle collapsed" data-  
        toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">  
        <span class="sr-only">Toggle navigation</span>  
        <span class="icon-bar"></span>  
        <span class="icon-bar"></span>  
        <span class="icon-bar"></span>  
      </button>  
      <a class="navbar-brand" href="index_1.html"><h1><span class="fa  
        fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```

</div>
<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-left">
        <li class="active"><a href="index_1.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="service.html">Services</a></li>
        <li><a href="gallery.html">Gallery </a></li>
        <li><a href="pickup.html">Request for Pickup</a></li>
        <li><a href="fedback.html"> Contact US</a></li>
        <li><a href="track.html">Track Consignment</a></li>
        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b>
            class="caret"></b></a>
            <div class="dropdown-menu">
                <div class="login-w3ls">
                    <h3>Login To Your Account</h3>
                    <form action="checklogin.jsp"
method="post">
                        <input type="email"
name="mail" placeholder="Username or email" required/><br>
                        <input type="password"
name="password" placeholder="Password" required>
                        <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                        <a href="signup.html" class="btn btn-
primary">SIGN UP</a><br>
                        <a href="forgetpswd.html">Forget Password</a>
                </form>
            </div>
        </li>
    </ul>
</div><!--.nav-collapse -->

```

```

</div>
</nav>
<!--image part-->
<div class="container" style="margin-left: 50px;">
<br><br><br><br><body>
<section class="contact-w3ls">
<div class="container">

    <h3 class="text-center">GALLERY</h3>
    <p class="text-center"><font color="blue"><b></b></font></p>

<table border="1" >

    <tr>
        <td colspan="2"></td>
        <td colspan="2"></td>
    </tr>
    <tr>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
    <tr>
        <td></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>

```

```

        </table>
    </body>
</div></div>

<!-- footer section -->

<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved |
        Design by <a href="#" target="_blank">Navneet</a></p>
    </div>

```

```

</section>
<!-- /footer section -->
<a href="#" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

Design code of Request for pickup page (pickup.html)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->

```

```

<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>

<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index.html"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
</div>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-left">
<li class="active"><a href="index_1.html">Home</a></li>
<li><a href="about.html">About</a></li>
<li><a href="#">Services</a></li>
<li><a href="#">Gallery </a></li>
<li><a href="pickup.html">Request for Pickup</a></li>
<li><a href="feedback.html"> Contact US</a></li>
<li><a href="track.html">Track Consignment</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
<div class="dropdown-menu">
<div class="login-w3ls">
<h3>Login To Your Account</h3>

```

```

        <form action="checklogin.jsp"
method="post">
            <input type="email" name="mail"
placeholder="Username or email" required/><br>
            <input type="password"
name="password" placeholder="Password" required>
            <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
            <a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
            <a href="forgetpswd.html">Forget Password</a>
        </form>
    </div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!-- navigation -->
<BR><BR>
<div margin:none; padding: 0px;">
    <!--form section-->
    <section class="contact-w3ls">
        <div class="container">      <section class="contact-w3ls">
            <marquee><font color="blue">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee>
            <i class="fa fa-compass" aria-hidden="true"></i>
            <h3 class="text-center">BOOKING For SCHEDULE PICKUP</h3>
            <h4 class="text-center"><font color="red">All fields are mandatory</font></h4><br><br><br><br>
        <form action="pickup.jsp" method="post" name="sentMessage"
id="contactForm" novalidate>
            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

```

```
<div class="control-group form-group">

<div class="controls">
    <label class="contact-p1">Name:</label>
    <input type="text" class="form-control" placeholder="Customer Name" name="name" id="name" required data-validation-required-message="Please enter your name.">
    <p class="help-block"></p>
</div>
</div>

<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">Source Address:</label>
        <input type="tel" class="form-control" name="S_add" id="phone" required data-validation-required-message="Please enter your phone number.">
        <p class="help-block"></p>
    </div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">SOURCE State:</label>
        <input type="text" class="form-control" name="state" id="name" required data-validation-required-message="Please enter your address.">
        <p class="help-block"></p>
    </div>
</div>

<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">SOURCE PINCODE :</label>
        <input type="text" class="form-control" name="pincode" id="name" required data-validation-required-message="Please enter Email ID.">
        <p class="help-block"></p>
    </div>
</div>
```

```
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div>      <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">


<label class="contact-p1">Source Landmark:</label>
<input type="text" class="form-control" name="landmark" id="phone" required data-validation-required-message="Please enter your name.">
<p class="help-block"></p>


</div>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">


<label class="contact-p1">Phone:</label>
<input type="text" class="form-control" name="mobile" id="name" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>


</div>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">


<label class="contact-p1">Email:</label>
<input type="email" class="form-control" placeholder="abc@xyz.com" name="email" id="name" required data-validation-required-message="Please enter your name.">
<p class="help-block"></p>


</div>
</div>
<div class="control-group form-group">


<label class="contact-p1">Pickup Date:</label>


```

```

        <input type="date" class="form-control" name="pdb" id="phone" required data-validation-required-message="Please enter your phone number.">
            <p class="help-block"></p>
        </div>
    </div>
    </div>
    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Destination Address:</label>
                <input type="text" placeholder="Address with Suitable Landmark" class="form-control" name="d_add" id="name" required data-validation-required-message="Please enter your address.">
                <p class="help-block"></p>
            </div>
        </div>
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Destination State :</label>
                <input type="text" class="form-control" name="d_state" id="name" required data-validation-required-message="Please enter Email ID.">
                <p class="help-block"></p>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
        </div>      <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">Destination Pincode:</label>
                    <input type="text" class="form-control" name="d_pin" id="phone" required data-validation-required-message="Please enter your name.">
                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
                    <div class="controls"> <label class="contact-p1">LENGTH:</label></div>

```

```
<input type="text" class="form-control" name="length" id="name" required data-validation-required-message="Please enter your address.">

<div class="controls">
    <label class="contact-p1"></label>
    <p class="help-block">
        <select name="dim">
            <option value="CM">CM</option>
            <option value="METER">METER</option>
            <option value="FOOT">FOOT</option>
        </select>
    </p>
</div>

<div class="controls">
    <label class="contact-p1">Type of Document:</label>
    <p class="help-block">
        <select name="C_type">
            <option value="document">Document</option>
            <option value="non document">Non Document</option>
        </select>
    </p>
</div>

</div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
    <label class="contact-p1">BREADTH:</label>
    <input type="text" class="form-control" name="breddth" id="name" required data-validation-required-message="Please enter your address.">
    <label class="contact-p1">HEIGHT:</label>
    <input type="text" class="form-control" name="height" id="name" required data-validation-required-message="Please enter your address.">
</div><p class="help-block"></p>

</div>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">Alternate Phone:</label>
```

```

        <input type="text" class="form-control" name="altnumber" id="name" required data-validation-required-message="Please enter your address.">

    </div>
</div>

        </div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">

        <textarea rows="5" cols="1000" PLACEHOLDER="Please Fill some remarks if any" class="form-control" name="rem" id="message" required data-validation-required-message="Please enter your message" maxlength="999" style="resize:none"></textarea></div></div><br><br>

        <div class="control-group form-group">
            <button type="submit" class="btn btn-primary">Submit</button>
            <button type="submit" class="btn btn-primary">Reset</button>
        </div>
    </div>

</form>

<CENTER><h5> <font color="green"><b>Please Note:</b></font></h5>
<ul>
    <li>DELIPIK representative will get in touch with you during working hours once the forms is submitted.</li>
    <li>Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays.</li>
    <li>Pickup may be Scheduled only for the locations serviced by <font color="Blue">DELIPIK.</font></li>
    <li>We accept Debit/Credit Card at our selected booking Cities.<BR></li>
</ul> </CENTER>
</div>
</div>

</div>

<!-- footer section -->

```

```
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;</pre>
```

```

<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```

myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

JSP coding for Request for pickup page (pickup.jsp)

```

<%@page import="java.sql.*"%>
<%@page import="java.util.*"%>

<html>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

```

```

</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
    <div class="container">
        <div class="navbar-header">
            <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </button>
            <a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
        </div>
        <div id="navbar" class="navbar-collapse collapse">
            <ul class="nav navbar-nav navbar-left">
                <li class="active"><a href="index_1.html">Home</a></li>
                <li><a href="about.html">About</a></li>
                <li><a href="service.html">Services</a></li>
                <li><a href="gallery.html">Gallery </a></li>
                <li><a href="pickup.html">Request for Pickup</a></li>
                <li><a href="feedback.html"> Contact US</a></li>
                <li><a href="track.html">Track Consignment</a></li>
                <li class="dropdown">
                    <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
                    <div class="dropdown-menu">
                        <div class="login-w3ls">
                            <h3>Login To Your Account</h3>
                            <form action="checklogin.jsp"
method="post">

```

```

placeholder="Username or email" required/><br>
name="password" placeholder="Password" required>
btn-primary" name="submit" value="Continue">
<a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
<a href="forgetpswd.html">Forget Password</a>
</form>
</div>
</div>
</li>
</ul>
</div><!--/.nav-collapse -->
</div>
</nav>
<!-- body -->
```

<%

```

String Name= request.getParameter("name");
String S_add= request.getParameter("S_add");
String landmark= request.getParameter("landmark");
String state= request.getParameter("state");
String pincode=request.getParameter("pincode");
String mobile= request.getParameter("mobile");
String altmobile= request.getParameter("altmobile");
String email= request.getParameter("email");
String C_type= request.getParameter("C_type");
String pdb= request.getParameter("pdb");
String length= request.getParameter("length");
String bredth= request.getParameter("bredth");
String height= request.getParameter("height");
String dim= request.getParameter("dim");
```

```
String d_add= request.getParameter("d_add");
String d_state= request.getParameter("d_state");
String d_pin= request.getParameter("d_pin");
String rem= request.getParameter("rem");
long refid;

Random rd= new Random();

refid =10000+ rd.nextInt(99999);

try
{
    Class.forName("org.apache.derby.jdbc.ClientDriver");
    Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

    PreparedStatement ps= cn.prepareStatement("insert into PICKUP
values(?,?,?,?,?,?,?,?,?,?,?,?,?,?)");
    ps.setString(1,refid+"");
    ps.setString(2,Name);
    ps.setString(3,S_add);
    ps.setString(4,state);
    ps.setString(5,pincode);
    ps.setString(6,mobile);
    ps.setString(7,altnumber);
    ps.setString(8,email);
    ps.setString(9,C_type);
    ps.setString(10,pdb);
    ps.setString(11,dim);
    ps.setString(12,d_add);
    ps.setString(13,d_state);
    ps.setString(14,d_pin);
    ps.setString(15,rem);
    ps.setString(16,length);
```



```
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;</pre>
```

```

<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>

var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg'
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()

</script>
<!-- /js files -->
</body>
</html>

```

Design code of Contact us page (feedback.html)

```

<html>

<title>Delipick Distribution</title>

<!-- css files -->

<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

</head>

<body>

<!-- navigation -->

<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">

```

```

        <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="index_1.html"><h1><span class="fa
fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    </div>
    <div id="navbar" class="navbar-collapse collapse">
        <ul class="nav navbar-nav navbar-left">
            <li class="active"><a href="index_1.html">Home</a></li>
            <li><a href="about.html">About</a></li>
            <li><a href="service.html">Services</a></li>
            <li><a href="gallery.html">Gallery </a></li>
            <li><a href="pickup.html">Request for Pickup</a></li>
            <li><a href="feedback.html"> Contact US</a></li>
            <li><a href="track.html">Track Consignment</a></li>
            <li class="dropdown">
                <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b
class="caret"></b></a>
                <div class="dropdown-menu">
                    <div class="login-w3ls">
                        <h3>Login To Your Account</h3>
                        <form action="checklogin.jsp"
method="post">
                            <input type="email"
name="mail" placeholder="Username or email" required/><br>
                            <input type="password"
name="password" placeholder="Password" required>
                            <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                
```

```
<a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
<a href="forgetpswd.html">Forget Password</a>
</form>
</div>
</div>
</li>
</ul>
</div><!--/.nav-collapse -->
</div>
</nav>
<!-- body -->
<div style="background:#33accc; height:680px; width:auto; border: 1px solid black;">
<link rel="stylesheet" href="css/mycss.css">
<br><br><br><br><br><br><center>
<h1 class="container"><font color="blue">CONTACT US or
FEEDBACK</font></h1>
<form action="feedback1.jsp" method="post" class="b-filler"><br>
<table >
<tr>
<td>Email ID:</td>
<td><input placeholder="@abc.com" type="email" class="b-filler"
name="mail"/>
</tr>

<tr>
<td>Mobile:</td>
<td><input type="text" class="b-filler" name="phn"/>
</tr>

<tr>
<td>Subject</td>
<td><input type="text" name="subject" class="b-filler" /></td>
```

```
</tr>
<tr>
    <td>Message</td>
    <td><textarea name="message" placeholder="Type your massage" rows="6" cols="50" class="b-filler" /></textarea></td>
</tr>
<td> </td>
</tr>

</table>
<input type="submit" value="Submit" class="btn btn-primary">
<input type="reset" value="Cencel" class="btn btn-primary"></center>
</form>
</center>
</div>
<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li>
                    <a href="#">
                        
                    </a>
                </li>
                <li>
                    <a href="#">
                        
                    </a>
                </li>
                <li>
                    <a href="#">
                        
                    </a>
                </li>
                <li>
                    <a href="#">
                        
                    </a>
                </li>
            </ul>
        </div>
    </div>
</section>
```

```
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>

</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
```

```
myBgFader.start()  
</script>  
<!-- /js files -->  
</body>  
</html>
```

Design code of Track Consignment page (track.html)

```
<html>  
  <head>  
    <title>Delipick Distribution</title>  
    <!-- css files -->  
    <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  </head>  
  <body>  
    <!-- navigation -->  
    <nav class="navbar navbar-default navbar-fixed-top">  
      <div class="container">  
        <div class="navbar-header">  
          <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">  
            <span class="sr-only">Toggle navigation</span>  
            <span class="icon-bar"></span>  
            <span class="icon-bar"></span>  
            <span class="icon-bar"></span>  
          </button>  
          <a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
        </div>  
        <div id="navbar" class="navbar-collapse collapse">  
          <ul class="nav navbar-nav navbar-left">  
            <li class="active"><a href="index_1.html">Home</a></li>
```

```

<li><a href="about.html">About</a></li>
<li><a href="service.html">Services</a></li>
<li><a href="gallery.html">Gallery </a></li>
<li><a href="pickup.html">Request for Pickup</a></li>
<li><a href="feedback.html"> Contact US</a></li>
<li><a href="track.html">Track Consignment</a></li>
<li class="dropdown">
    <a href="#" class="dropdown-toggle" data-
    toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
    <div class="dropdown-menu">
        <div class="login-w3ls">
            <h3>Login To Your Account</h3>
            <form action="checklogin.jsp"
method="post">
                <input type="email" name="mail"
placeholder="Username or email" required/><br>
                <input type="password"
name="password" placeholder="Password" required>
                <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                <a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
                <a href="forgetpswd.html">Forget Password</a>
            </form>
        </div>
    </div>
</li>
</ul>
</div><!--/.nav-collapse -->
</div>
</nav>
<!-- navigation -->
<!-- navigation -->

<div style="background:url(12.jpeg) ; height:980px; width:auto; border: 1px solid black;">
```

```

<br><br><br><br><br><br>

<!--form section-->

<section class="contact-w3ls">

    <div class="container"><BR>

        <marquee><font color="white">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee><BR>

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center"><font color="white">TRACK CONSIGNMENT</font></h3>

        <p class="text-center"><font color="white"><b>Please fill the Tracking ID in the Search Box</b></font></p>

        <form action="track1.jsp" method="post" >

            <div class="control-group form-group">

                <div class="controls">

                    <label class="contact-p1"><font color="white">TRACKING ID:</font></label>

                    <input type="text" class="form-control" name="REFERENCE_ID" id="message" required data-validation-required-message="Please enter your tracking id" maxlength="999" style="resize:none"></input>

                    <p class="help-block"></p>

                </div>

            </div>

            <div id="success"></div>

            <!-- For success/fail messages -->

            <button type="submit" class="btn btn-primary">GET DETAILS</button>

            <button type="reset" class="btn btn-primary">Clear</button>

            <h5> <font color="green"><b>Please Note:</b></font></h5>

            <ul><font color="white">

                <li>Consignment Delivery will be from Monday to Saturday between 10AM to 7PM - Except Holidays.</li>

                <li>Delivery may be holiday only for the If customer requested. Holiday delivery charge as per consignment applicable.</li>
            

```

DELIPICK representative will get in touch with you during working hours once the packet or consignment out for delivery.

We accept Debit/Credit Card at our selected booking Cities.

</div>

<div class="clearfix"></div>

</form>

<div class="container">

</div>

</div>

</div>

<!-- footer section -->

<section class="footer-agileits">

<div class="container">

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<div class="phone">

</div>

</div>

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<ul class="social-icons2">

<i class="fa fa-facebook"></i>

<i class="fa fa-twitter"></i>

<i class="fa fa-linkedin"></i>

```
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>  
</html>
```

JSP code of Track Consignment page (track1.jsp)

```
<%@page import="java.sql.*;"%>  
  
<html>  
  <head>  
    <html>  
      <head>  
        <title>Delipick Distribution</title>  
        <!-- css files -->  
        <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
        <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
        <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
      </head>  
      <body>  
        <!-- navigation -->  
        <nav class="navbar navbar-default navbar-fixed-top">  
          <div class="container">  
            <div class="navbar-header">  
              <button type="button" class="navbar-toggle collapsed" data-  
                toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">  
                <span class="sr-only">Toggle navigation</span>  
                <span class="icon-bar"></span>  
                <span class="icon-bar"></span>  
                <span class="icon-bar"></span>  
              </button>  
              <a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-  
                diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
            </div>  
            <div id="navbar" class="navbar-collapse collapse">  
              <ul class="nav navbar-nav navbar-left">
```

```

<li class="active"><a href="index_1.html">Home</a></li>
<li><a href="about.html">About</a></li>
<li><a href="#">Services</a></li>
<li><a href="#">Gallery </a></li>
<li><a href="pickup.html">Request for Pickup</a></li>
<li><a href="feedback.html"> Contact US</a></li>
<li><a href="track.html">Track Consignment</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
<div class="dropdown-menu">
<div class="login-w3ls">
<h3>Login To Your Account</h3>
<form action="checklogin.jsp"
method="post">
<input type="email" name="mail"
placeholder="Username or email" required/><br>
<input type="password"
name="password" placeholder="Password" required>
<input type="submit" class="btn
btn-primary" name="submit" value="Continue">
<a href="signup.html" class="btn btn-primary">SIGN UP</a><br>
<a href="forgetpswd.html">Forget Password</a>
</form>
</div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!-- navigation -->
<div style="background:#55acee ; height:auto; width:auto; border: 1px solid black;">
<br>

```

```

<section class="contact-w3ls">

    <div class="container"><BR>

        <marquee><font color="blue">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee><BR>

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">TRACK CONSIGNMENT</h3><br><br><center>

    <%
        String s=request.getParameter("REFERENCE_ID");

        Class.forName("org.apache.derby.jdbc.ClientDriver");

        Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

        PreparedStatement ps= cn.prepareStatement("select * from shipment where REFERENCE_ID=?");

        ps.setString(1, s);

        ResultSet rs=ps.executeQuery();

        if(rs.next())
        {
            out.print("<table border=0 color=red>");

            out.print("<tr>");
            out.print("<td><b>Reference ID:</b></td>");
            out.print("<td>" +rs.getString("reference_id") + "</td>");

            out.print("</tr>");
            out.print("<tr>");

            out.print("<td><b>Name:</b></td>");
            out.print("<td>" +rs.getString("name") + "</td>");

            out.print("</tr>");
            out.print("<td><b><b>Source Address:</b></b></td>");

            out.print("<td>" +rs.getString("S_address") + "</td>");

            out.print("</tr>");
            out.print("<td><b>Source State:</b></td>");

            out.print("<td>" +rs.getString("S_state") + "</td>");

            out.print("</tr>");
            out.print("<td><b>pincode:</b></td>");

        }
    <%>

```

```

        out.print("<td>" +rs.getString("S_pincode") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Phone Number:</b></td>");
        out.print("<td>" +rs.getString("phone") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Alternate Phone:</b></td>");
        out.print("<td>" +rs.getString("Alt_phn") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Destination Address:</b></td>");
        out.print("<td>" +rs.getString("D_address") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Destination State:</b></td>");
        out.print("<td>" +rs.getString("D_state") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Destination Pincode:</b></td>");
        out.print("<td>" +rs.getString("D_pincode") + "</td>");
        out.print("</tr>");
        out.print("<td><b>Status:</b></td>");
        out.print("<td>" +rs.getString("remarks") + "</td>");
        out.print("</tr>");
        out.print("</table>");
    }
    else
    {
        out.print("no data found");
    }
%>
</center>
<div class="container">
    <h5> <font color="green"><b>Please Note:</b></font></h5>
    <ul>
        <li>Consignment Delivery will be from Monday to Saturday between 10AM to 7PM
        - Except Holidays.</li>

```

Delivery may be holiday only for the If customer requested. Holiday delivery charge as per consignment applicable.

DELIPICK representative will get in touch with you during working hours once the packet or consignment out for delivery.

We accept Debit/Credit Card at our selected booking Cities for COD orders.

</div>

</div></div>

<!-- footer section -->

<section class="footer-agileits">

<div class="container">

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<div class="phone">

</div>

</div>

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<ul class="social-icons2">

<i class="fa fa-facebook"></i>

<i class="fa fa-twitter"></i>

<i class="fa fa-linkedin"></i>

<i class="fa fa-google-plus"></i>

</div>

<div class="clearfix"></div>

<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by Navneet</p>

</div>

</section>

```

<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

Design code of SignUp page(signup.html)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />

```

```

<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
</div>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-left">
<li class="active"><a href="index_1.html">Home</a></li>
<li><a href="about.html">About</a></li>
<li><a href="service.html">Services</a></li>
<li><a href="gallery.html">Gallery </a></li>
<li><a href="pickup.html">Request for Pickup</a></li>
<li><a href="feedback.html"> Contact US</a></li>
<li><a href="track.html">Track Consignment</a></li>
<li class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
<div class="dropdown-menu">
<div class="login-w3ls">

```

```

        <h3>Login To Your Account</h3>
        <form action="checklogin.jsp"
method="post">

            <input type="email"
name="mail" placeholder="Username or email" required/><br>
            <input type="password"
name="password" placeholder="Password" required>

            <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
            <a href="signup.html" class="btn btn-
primary">SIGN UP</a><br>
            <a href="forgetpswd.html">Forget Password</a>
        </form>
    </div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!--body-->
<div>

    <link rel="stylesheet" href="css/mycss.css">
    <center> <br><br><br><br><br><br>
    <h1 class="container">Add Your Account</h1>
    <form action="NewUser.jsp" class="b-filler" method="POST">
        <center><table>
            <br>
            <tbody>
                <tr>
                    <td>Name</td>
                    <td></td>
                    <td><input type="text" class="b-filler" name="Name" value="" /></td>

```

```
</tr>

<tr>
    <td>User ID</td>
    <td></td>
    <td><input placeholder="Enter your user ID" type="email" name="UserID" value="@delipick.com" /></td>
</tr>

<tr>
    <td>Password</td>
    <td></td>
    <td><input type="password" name="password" value="" /></td>
</tr>

<tr>
    <td>Confirm Password</td>
    <td></td>
    <td><input type="password" name="cpassword" value="" /></td>
</tr>

<tr>
    <td>Mobile No.</td>
    <td></td>
    <td><input type="text" name="mobile" value="" /></td>
</tr>

<tr>
    <td>Email</td>
    <td></td>
    <td><input type="email" name="email" value="" /></td>
</tr>

<tr>
```

```
<td>Security Question</td>
<td></td>
<td><select name="question">
    <option value="What is your childhood name">What is your childhood
    name</option>
    <option value="What is your best friend name">What is your best friend
    name</option>
    <option value="What is your favorite sport">What is your favorite
    sport</option>
    <option value="What is your favorite food">What is your favorite
    food</option>
</select></td>
</tr>
<tr>
    <td>Security Answer</td>
    <td></td>
    <td><input type="text" name="sa" value="" size="35" /></td>
</tr>
<tr>
    <td>DOB</td>
    <td></td>
    <td><input type="date" name="dob" value="" /></td>
</tr>

</tbody>
</table></center>
<input type="submit" value="Sign Up" class="btn btn-primary"/>
<input type="reset" value="Clear" class="btn btn-primary"/>
</form>
</center>
<br><br><br>
</div>
```

```
<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
```

```

<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```

myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

JSP code of SignUp page (newuser.jsp)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

```

```

</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    </div>
    <div id="navbar" class="navbar-collapse collapse">
      <ul class="nav navbar-nav navbar-left">
        <li class="active"><a href="index_1.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="service.html">Services</a></li>
        <li><a href="gallery.html">Gallery </a></li>
        <li><a href="pickup.html">Request for Pickup</a></li>
        <li><a href="feedback.html"> Contact US</a></li>
        <li><a href="track.html">Track Consignment</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-
toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
          <div class="dropdown-menu">
            <div class="login-w3ls">
              <h3>Login To Your Account</h3>
              <form action="checklogin.jsp"
method="post">
                <input type="email" name="mail"
placeholder="Username or email" required/><br>
            </div>
          </div>
        </li>
      </ul>
    </div>
  </div>
</nav>

```

```

        <input type="password"
name="password" placeholder="Password" required>
        <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
        <a href="signup.html" class="btn btn-primary">SIGN
UP</a><br>
        <a href="forgetpswd.html">Forget Password</a>
    </form>
</div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!--body-->

<div>

<center> <br><br><br><br><br><br><br><br><br><br>
</center>
<br><br><br>
<%
    String Name= request.getParameter("Name");
    String uid= request.getParameter("UserID");
    String pass= request.getParameter("password");

    String mobile= request.getParameter("mobile");
    String email= request.getParameter("email");
    String sq= request.getParameter("question");
    String sa= request.getParameter("sa");
    String dob= request.getParameter("dob");

try
{
    Class.forName("org.apache.derby.jdbc.ClientDriver");
}

```

```

Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");
PreparedStatement ps= cn.prepareStatement("insert into LOGIN values(?,?,?,?,?, ?,?,?)");
ps.setString(1,Name);
ps.setString(2,uid);
ps.setString(3,pass);
ps.setString(4,"customer");
ps.setString(5,mobile);
ps.setString(6,email);
ps.setString(7,sq);
ps.setString(8,sa);
ps.setString(9,dob);
ps.executeUpdate();

PreparedStatement ps1= cn.prepareStatement("insert into customer values(?,?,?,?,?, ?,?,?)");
ps1.setString(1,uid);
ps1.setString(2,Name);
ps1.setString(3,mobile);
ps1.setString(4,"customer");
ps1.setString(5,"NA");
ps1.setString(6,"Not available");
ps1.setString(7,"Not available");
ps1.executeUpdate();

cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>

Work is Done

</div>
<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">

```

```
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>
    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>
<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by
<a href="#" target="_blank">Navneet</a></p>

</div>

</section>
<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgfader = $('.header').bgfader([

```

```
'images/banner1-1.jpg',
'images/banner1-2.jpg',
'images/banner1-3.jpg',
'images/banner1-4.jpg',
], {
'timeout': 2000,
'speed': 3000,
'opacity': 0.4
})
```

```
myBgFader.start()
```

```
</script>
<!-- /js files -->
</body>
</html>
```

Design code of Forget Password page(forgetpswd.html)

```
<html>
<head>

<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
```

```

<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index_1.html"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
</div>
<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-left">
        <li class="active"><a href="index_1.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="service.html">Services</a></li>
        <li><a href="gallery.html">Gallery </a></li>
        <li><a href="pickup.html">Request for Pickup</a></li>
        <li><a href="feedback.html"> Contact US</a></li>
        <li><a href="track.html">Track Consignment</a></li>
        <li class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b class="caret"></b></a>
            <div class="dropdown-menu">
                <div class="login-w3ls">
                    <h3>Login To Your Account</h3>
                    <form action="checklogin.jsp"
method="post">
                        <input type="email" name="mail"
placeholder="Username or email" required/><br>
                        <input type="password"
name="password" placeholder="Password" required>
                        <input type="submit" class="btn
btn-primary" name="submit" value="Continue">
                        <a href="signup.html" class="btn btn-primary">SIGN
UP</a><br>
                        <a href="forgetpswd.html">Forget Password</a>
                </form>
            </div>
        </li>
    </ul>
</div>

```

```
</ul>

</div><!--.nav-collapse -->

</div>

</nav>

<!--body-->

<div>

    <link rel="stylesheet" href="css/mycss.css">

    <center> <br><br><br><br><br><br><br><br><br><br>

    <form action="forgetpassword1.jsp" class="b-filler" method="POST">

        <table>

            <tbody>

                <tr>

                    <td>Enter Your Alternate Email.</td>

                    <td><input type="email" name="mail" value="" /></td>

                    <td><input type="submit" value="Enter" class="nav-link"/></td>

                </tr>

            </tbody>

        </table>

    </div>

    <br><br><br><br><br><br><br><br><br><br><br><br>

    <!-- footer section -->

    <section class="footer-agileits">

        <div class="container">

            <div class="col-lg-3 col-md-3 col-sm-6">

            </div>

            <div class="col-lg-3 col-md-3 col-sm-6">

            </div>

            <div class="col-lg-3 col-md-3 col-sm-6">

                <div class="phone">

                </div></div>

            </div>

        </div>

    </section>


```

```

        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by
<a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
</pre>

```

```
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>
```

JSP code of Forget Password page(forgetpassword1.jsp)

```
<%@page import="java.sql.*" %>

<html>
<head>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="index.html"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```
</div>

<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-left">
        <li class="active"><a href="index_1.html">Home</a></li>
        <li><a href="about.html">About</a></li>
        <li><a href="#">Services</a></li>
        <li><a href="#">Join Us</a></li>
        <li><a href="#">Gallery </a></li>
        <li><a href="pickup.html">Request for Pickup</a></li><li
class="dropdown">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">
                Contact US<b class="caret"></b></a>
            <div class="dropdown-menu">
                <div class="track-w3ls">
                    <br>
                    <a href="feedback.html" class="btn btn-primary">Feedback</a>
                    <a href="feedback.html" class="btn btn-primary">Quary</a>
                    <a href="feedback.html" class="btn btn-primary">Complaint</a>
                    <h3>Track Complaint Request</h3>
                    <form action="process.html"
method="post">
                        <input type="text"
name="trackcode" placeholder="Complaint ID" required />
                        <button type="submit"
class="btn btn-primary">Track</button>
                </div>
            </div>
        </li>
    </ul>
<center>or</center>
    <p class="track-p1">Mail Us :</p>
    <p class="track-p2"><a
href="mailto:mail@example.com">mail@Delipick.com</a></p>
</div>
```

```
</div>
</li>

<li class="dropdown">
    <a href="#" class="dropdown-toggle" data-
    toggle="dropdown"><i class="fa fa-truck" aria-hidden="true"></i> Track Consignment<b>
    class="caret"></b></a>
    <div class="dropdown-menu">
        <div class="track-w3ls">
            <h3>Tracking Consignment</h3>
            <form action="process.html"
method="post">
                <input type="text"
name="trackcode" placeholder="Tracking ID or Reference ID" required />
                <button type="submit"
class="btn btn-primary">Track</button>
            </form>
            <p class="track-p1">Contact Us :</p>
            <p class="track-p2"><a
href="mailto:mail@example.com">mail@Delipick.com</a></p>
        </div>
    </div>
</li>

<li class="dropdown">
    <a href="#" class="dropdown-toggle" data-
    toggle="dropdown"><i class="fa fa-lock" aria-hidden="true"></i> Login<b>
    class="caret"></b></a>
    <div class="dropdown-menu">
        <div class="login-w3ls">
            <h3>Login To Your Account</h3>
            <form action="#" method="post">
                <input type="text"
name="email1" placeholder="Username or email" required />
                <input type="password"
name='password' placeholder="Password" required>
                <input type="submit" class="btn
btn-primary" name="submit" value="Login">
        </div>
    </div>
</li>
```

```
<a href="signup.html" class="btn btn-primary">SIGN UP</a>
</form>
</div>
</div>
</li>
</ul>
</div><!--.nav-collapse -->
</div>
</nav>
<!-- navigation -->

<div>
<%
String mail=request.getParameter("mail");
session.setAttribute("uid",mail);
//Creating a result for getting status that messsage is delivered or not!
String result;
// Get recipient's email-ID, message & subject-line from index.html page
final String to = request.getParameter("mail");
final String subject = "forget Password OTP"; //request.getParameter("sub");
String messg; //request.getParameter("mess");

//OTP Geneartion

Random rd= new Random();
int n= 1000 + rd.nextInt(9000);
messg="your OTP is "+ n;

// Sender's email ID and password needs to be mentioned
final String from = "abcdwxyz10001@gmail.com";
```

```
final String pass = "delhi123";

// Defining the gmail host
String host = "smtp.gmail.com";

// Creating Properties object
Properties props = new Properties();

// Defining properties
props.put("mail.smtp.host", host);
props.put("mail.transport.protocol", "smtp");
props.put("mail.smtp.auth", "true");
props.put("mail.smtp.starttls.enable", "true");
props.put("mail.user", from);
props.put("mail.password", pass);
props.put("mail.port", "587");

// Authorized the Session object.
Session mailSession = Session.getInstance(props, new javax.mail.Authenticator() {
    @Override
    protected PasswordAuthentication getPasswordAuthentication() {
        return new PasswordAuthentication(from, pass);
    }
});

try {
    // Create a default MimeMessage object.
    MimeMessage message = new MimeMessage(mailSession);
    // Set From: header field of the header.
    message.setFrom(new InternetAddress(from));
    // Set To: header field of the header.
    message.addRecipient(Message.RecipientType.TO,
```



```

<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>

<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved |  

Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>

var myBgfader = $('.header').bgfader([

```

```
'images/banner1-1.jpg',
'images/banner1-2.jpg',
'images/banner1-3.jpg',
'images/banner1-4.jpg',
],
{
'timeout': 2000,
'speed': 3000,
'opacity': 0.4
})
```

```
myBgFader.start()
```

```
</script>
<!-- /js files -->
</body>
</html>
```

JSP code of Login page(checklogin.jsp)

```
<%@page import="java.sql.*"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title>JSP Page</title>
</head>
<body>
<%
String user= request.getParameter("mail");
String password= request.getParameter("password");
try
{
Class.forName("org.apache.derby.jdbc.ClientDriver");
Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");
```

```
PreparedStatement ps= cn.prepareStatement("select * from login where userid=?  
and password=?");  
  
ps.setString(1, user);  
  
ps.setString(2, password);  
  
ResultSet rs= ps.executeQuery();  
  
if(rs.next())  
{  
    session.setAttribute("uid", user);  
    session.setAttribute("username",rs.getString("name"));  
  
if(rs.getString("user_type").equals("admin"))  
{  
    %>  
    <jsp:forward page="admin.jsp"/>  
    <%  
}  
  
else if(rs.getString("user_type").equals("customer"))  
{  
    %>  
    <jsp:forward page="customer.jsp"/>  
    <%  
}  
  
else if(rs.getString("user_type").equals("clerk"))  
{  
    %>  
    <jsp:forward page="clerk.jsp"/>  
    <%  
}  
  
else if(rs.getString("user_type").equals("fe"))  
{  
    %>  
    <jsp:forward page="delivery.jsp"/>
```

```

        <%
    }

}

else
{
    %>
<jsp:forward page="index_1.html"/>
<%
}

cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>
</body>
</html>

```

Design and JSP code of Customer Profile page (customer.jsp)

```

<%@page import="java.sql.*"%>
<head>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

```

```

</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="customer.jsp"><h1><span class="fa-
fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<!--/.nav-collapse -->
</div>
</nav>

<!-- navigation -->
<div margin:none; padding: 0px;">
<div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px;
margin-top: 57px;">
<a style="width:200px;" href="myaccount.jsp" class="btn btn-primary"><b>My
Account</b></a><br>
<a style="width:200px;" href="pickupc.jsp" class="btn btn-primary"><b>Booking
For Pickup</b></a><br>
<a style="width:200px;" href="trackordr.jsp" class="btn btn-primary"><b>Track
Consignment</b></a><br>
<a style="width:200px;" href="contactcustomer.jsp" class="btn btn-
primary"><b>Contact Center</b> </a><br>
<a style="width:200px;" href="changepass.jsp" class="btn btn-
primary"><b>Change Password</b></a><br>
<a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log
Out</b></a>

```

```
</div>

<div class="container" style="margin-left:197px; background:white; height:843px;
width:AUTO;"><BR><BR>

<BR>

<%
String uid= (String) session.getAttribute("uid");
String username= (String) session.getAttribute("username");

%>

<div class="container">

<section class="contact-w3ls">
<div class="container">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">WELCOME CUSTOMER</h3>
    <%
    out.print("<center><h1>" +username+ "</h1></center>");
    %>
    <p class="text-center"><font color="blue"><b></b></font></p>

</div>
</div></div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
    <div class="col-lg-3 col-md-3 col-sm-6">
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
```

```
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>
    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">
    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;</pre>
```

```
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>
```

Design code of MY Account in Customer Profile page (myaccount.jsp)

```
<head>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page import="java.sql.*"%>
<head>
<html>
```

```

<head>
    <title>Delipick Distribution</title>
    <!-- css files -->
    <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
    <!-- navigation -->
    <nav class="navbar navbar-default navbar-fixed-top">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="customer.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
            <!--/.nav-collapse -->
        </div>
    </nav>

    <!-- navigation -->
    <div margin:none; padding: 0px;">
        <div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-top: 57px;">
            <a style="width:200px;" href="myaccount.jsp" class="btn btn-primary"><b>My Account</b></a><br>
            <a style="width:200px;" href="pickupc.jsp" class="btn btn-primary"><b>Booking For Pickup</b></a><br>
            <a style="width:200px;" href="trackordr.jsp" class="btn btn-primary"><b>Track Consignment</b></a><br>
        </div>
    </div>

```

```
<a style="width:200px;" href="#" class="btn btn-primary"><b>Contact Center</b> </a><br>
<a style="width:200px;" href="changepass.jsp" class="btn btn-primary"><b>Change
Password</b></a><br>
<a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
</div>
<div class="container" style="margin-left:197px; background:white; height:843px;
width:AUTO;"><BR><BR>
<BR>
<%
String uid= (String) session.getAttribute("uid");
String username= (String) session.getAttribute("username");
try
{
    Class.forName("org.apache.derby.jdbc.ClientDriver");
    Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

    PreparedStatement ps= cn.prepareStatement("select * from customer where c_id=?");
    ps.setString(1,uid);

    ResultSet rs= ps.executeQuery();
    out.print("<center><h1>WELCOME CUSTOMER</h1></center><br>");
    out.print("<h1>");
    out.print("<table border=1 width='80%'>");
    out.print("<tr style='background:grey;color:white;fontsize:5;'><td>CUSTOMER
ID</td><td>CUSTOMER NAME</td><td>CUSTOMER PHONE</td><td>CUSTOMER
TYPE</td><td>ADDRESS</td><td>CITY</td><td>PINCODE</td></tr>");
    while(rs.next())
    {
        out.print("<tr style='background:lightgrey;color:white;'>");
        out.print("<td>" +rs.getString("c_id") + "</td>");
```

```
        out.print("<td>" +rs.getString("c_name") + "</td>");
        out.print("<td>" +rs.getString("c_phone") + "</td>");
        out.print("<td>" +rs.getString("c_type") + "</td>");
        out.print("<td>" +rs.getString("c_address") + "</td>");
        out.print("<td>" +rs.getString("c_city") + "</td>");
        out.print("<td>" +rs.getString("c_pincode") + "</td>");

        out.print("</tr>");

    }

    out.print("</table>");
    out.print("</h1>");

}

catch(Exception ex)
{
    out.print(ex);
}

%>

<div> <br><br><center>
    <a href="adddetails.jsp" class="btn btn-primary">UPDATE DETAILS</a></center>
</div> </div>
</div>

<!-- footer section --&gt;
&lt;section class="footer-agileits"&gt;
    &lt;div class="container"&gt;
        &lt;div class="col-lg-3 col-md-3 col-sm-6"&gt;</pre>
```

```
</div>
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
```

```

<script src="js/bgfader.js"></script>

<script>

var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```

myBgFader.start()

</script>
<!-- /js files -->
</body>
</html>

```

Design code for Booking For Pickup in Customer Profile page (pickupc.jsp)

```

<html>

<head>

<title>Delipick Distribution</title>

<!-- css files -->

<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

</head>

<body><!-- navigation -->

<nav class="navbar navbar-default navbar-fixed-top">

<div class="container">

  <div class="navbar-header">
```

```

        <button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
        </button>
        <a class="navbar-brand" href="customer.jsp"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<!--/.nav-collapse -->
</div>
</nav>

<!-- navigation -->
<div margin:none; padding: 0px;">
    <div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-
top: 57px;">
        <a style="width:200px;" href="myaccount.jsp" class="btn btn-primary"><b>My
Account</b></a><br>
        <a style="width:200px;" href="pickupc.jsp" class="btn btn-primary"><b>Booking For
Pickup</b></a><br>
        <a style="width:200px;" href="trackordr.jsp" class="btn btn-primary"><b>Track
Consignment</b></a><br>
        <a style="width:200px;" href="#" class="btn btn-primary"><b>Contact Center</b> </a><br>
        <a style="width:200px;" href="changepass.jsp" class="btn btn-primary"><b>Change
Password</b></a><br>
        <a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
    </div>
    <div class="container" style="margin-left:197px; background:graytext; height:843px;
width:AUTO;"><BR><BR>
        <br><br><link rel="stylesheet" href="css/mycss.css">
<center>
    <marquee><font color="blue">Delipick brings convenience at your fingertips. You can now
request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in
the below form.</marquee>
<h1 >Booking For Pick-up Consignment</h1>

```

```
<h6><font color="red">(Please fill the mandatory field(s)marked with  
an(*)asterisk)</font></h6>  
</center> <center>  
<form action="pickupc1.jsp" class="b-filler" method="POST">  
<table border="0">  
    <br>  
    <tbody>  
        <tr>  
            <td>Name*</td>  
            <td></td>  
            <td><input type="text" class="b-filler" name="Name" value="" /></td>  
        </tr>  
        <tr>  
            <td>Address*</td>  
            <td></td>  
            <td><input type="text" name="S_add" value="" /></td>  
        </tr>  
        <tr>  
            <td>Landmark*</td>  
            <td></td>  
            <td><input type="text" name="landmark" value="" /></td>  
        </tr>  
        <tr>  
            <td>City</td>  
            <td></td>  
            <td><input type="text" name="City" value="" /></td>  
        </tr>  
        <tr>  
            <td>State</td>  
            <td></td>  
            <td><input type="text" name="state" value="" /></td>  
        </tr>  
        <tr>
```

```
<td>Pincode*</td>
<td></td>
<td><input type="text" name="pincode" value="" /></td>
</tr>

<tr>
    <td>Mobile No. *</td>
    <td></td>
    <td><input type="text" name="mobile" value="" /></td>
</tr>
<tr>
    <td>Alternate Mobile No.</td>
    <td></td>
    <td><input type="text" name="almobile" value="" /></td>
</tr>
<tr>
    <td>Email</td>
    <td></td>
    <td><input placeholder="@abc.com" type="email" name="email" value="" /></td>
</tr>

<tr>
    <td>Consignment Type*</td>
    <td></td>
    <td><select name="C_type">
        <option value="document">Document</option>
        <option value="ndocument">Non-Document</option>
    </select></td>
</tr>
```

```

<tr>
    <td>Pickup Date*</td>
    <td></td>
    <td><input type="date" name="pdb" value="" /></td>
</tr>

<tr>
    <td>Consignment Dimension*</td>
    <td></td>
    <td><input placeholder="Length" type="text" name="lenght" value="" />
        <input placeholder="Bredth" type="text" name="Bredth" value="" />
        <input placeholder="Height" type="text" name="height" value="" />
        <select name="dim">
            <option value="cm">CM</option>
            <option value="m">Meter</option>
            <option value="f">Foot</option>
        </select>
    </td>
</tr>

<tr>
    <td>Destination Address with Landmark*</td>
    <td></td>
    <td><input placeholder="Address with landmark" type="text" name="d_add" value="" />
        <input placeholder="State" type="text" name="d_state" value="" />
        <input placeholder="Pincode" type="text" name="d_pin" value="" />
</tr>
<tr>
    <td></td>
    <td>Remarks(if any):</td>
    <td><input type="text" name="rem" value="" size="75"></td>
</tr>

```

```

        </tr>

    </tbody>
</table></center><center>

<br>
<input type="submit" value="Submit Request" class="btn btn-primary" >
<input type="reset" value="Clear" class="btn btn-primary" ></center>

</form>
<div class="container">
    <h5> <font color="green"><b>Please Note:</b></font></h5>
    <ul>
        <li>Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays</li>
        <li>Pickup may be Scheduled only for the locations serviced by <font color="Blue">DELIPICK</font></li>
        <li>DELIPICK representative will get in touch with you during working hours once the forms is submitted</li>
        <li>We accept Debit/Credit Card at our selected booking Cities.
    
```


</div>

</div>

</div>

<!-- footer section -->

<section class="footer-agileits">

<div class="container">

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

```
<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg'
]);
```

```
'images/banner1-2.jpg',
'images/banner1-3.jpg',
'images/banner1-4.jpg',
], {
'timeout': 2000,
'speed': 3000,
'opacity': 0.4
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>
</html>
```

Design code for Track Consignment in Customer Profile page (trackordr.jsp)

```
<html>
<head>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body><!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
```

```

        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>

    </button>
    <a class="navbar-brand" href="customer.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    <!--/.nav-collapse -->
</div>
</nav>

<!-- navigation -->
<div margin:none; padding: 0px;">
    <div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-top: 57px;">
        <a style="width:200px;" href="myaccount.jsp" class="btn btn-primary"><b>My Account</b></a><br>
        <a style="width:200px;" href="pickupc.jsp" class="btn btn-primary"><b>Booking For Pickup</b></a><br>
        <a style="width:200px;" href="trackordr.jsp" class="btn btn-primary"><b>Track Consignment</b></a><br>
        <a style="width:200px;" href="#" class="btn btn-primary"><b>Contact Center</b></a><br>
        <a style="width:200px;" href="changeppass.jsp" class="btn btn-primary"><b>Change Password</b></a><br>
        <a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
    </div>
    <div style="margin-left:202.4px; background:url(video2.png); height:auto; width:Auto;">
        <br><br><br><br><link rel="stylesheet" href="css/mycss.css">
<center>
    <marquee><font color="white">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee>
<h1 ><font color="white">Track Consignment</font></h1>

```

```

<h6> <font color="white">(Please fill the Tracking ID in the Search Box)</font></h6>
</center> <center>

<form action="track.jsp" class="b-filler" method="POST">
<table border="0">
<br>
<tbody>
<tr>
<td><Font color="white">Tracking ID</font></td>
<td></td>
<td><input type="text" class="b-filler" name="REFERENCE_ID" value="" /></td>
</tr>
</tbody>
</table></center><center>
<br>
<input type="submit" value="Submit" class="btn btn-primary" >
<input type="reset" value="Clear" class="btn btn-primary" ></center>
</form><br><br><br><br>
<div class="container">
<h5> <font color="green"><b>Please Note:</b></font></h5>
<ul><font color="white">
    1.Consignment Delivery will be from Monday to Saturday between  

    10AM to 7PM - Except Holidays.<br>
    2.Delivery may be holiday only for the If customer requested. Holiday  

    delivery charge as per consignment applicable.<br>
    3.DELIPICK representative will get in touch with you during working  

    hours once the packet or consignment out for delivery.<br>
    4.We accept Debit/Credit Card at our selected booking Cities for COD  

    orders.<br>
</font></font>
</ul>
</div>
</div>

```

```
</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
```

```
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>
</html>
```

Design code for Change Password in Customer Profile page (changepass.jsp)

```
<html>
<head>
```

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body><!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="customer.jsp"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<!--/.nav-collapse -->
</div>
</nav>

<!-- navigation -->
<div margin:none; padding: 0px;">
<div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-
top: 57px;">
<a style="width:200px;" href="myaccount.jsp" class="btn btn-primary"><b>My
Account</b></a><br>
<a style="width:200px;" href="pickupc.jsp" class="btn btn-primary"><b>Booking For
Pickup</b></a><br>
<a style="width:200px;" href="trackordr.jsp" class="btn btn-primary"><b>Track
Consignment</b></a><br>

```

```
<a style="width:200px;" href="#" class="btn btn-primary"><b>Contact Center</b> </a><br>
<a style="width:200px;" href="changepass.jsp" class="btn btn-primary"><b>Change
Password</b></a><br>
<a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
</div>
<div style="margin-left:203px; background:graytext; height:auto; width:auto">
<br><br><br><br><div class="container">
<link rel="stylesheet" href="css/mycss.css">
<center><h1>CHANGE PASSWORD</h1></center>
<center> <form action="changepass1.jsp" method="post">
<table>

<tbody>
<tr>
<td>User name</td>
<td><input type="text" name="userid" value="" /></td>
</tr>
<tr><td>Old password</td>
<td><input type="text" name="Old password" value="" /></td>
</tr>
<br>
<tr><td>New password</td>
<td><input type="text" name="password" value="" /></td>
</tr>
<br>
<tr><td>Confirm password</td>
<td><input type="text" name="Confirm password" value="" /></td>
<br>

</tr>
</tbody>
</table>
<center>
```

```
<br>
<input type="submit" value="Change Password" class="btn btn-primary" >
<input type="reset" value="Cencel" class="btn btn-primary" ></center>

</form></center>
</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<div class="phone">
</div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<ul class="social-icons2">
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
```

```
        </ul>
    </div>
    <div class="clearfix"></div>
    <hr>
    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>  
</html>
```

Design and JSP code of Field Executive Profile page (delivery.jsp)

```
<%@page import="java.sql.*;"%>  
  
<head>  
    <html>  
        <head>  
            <title>Delipick Distribution</title>  
            <!-- css files -->  
            <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
            <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
            <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
        </head>  
        <body><!-- navigation -->  
        <nav class="navbar navbar-default navbar-fixed-top">  
            <div class="container">  
                <div class="navbar-header">  
                    <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">  
                        <span class="sr-only">Toggle navigation</span>  
                        <span class="icon-bar"></span>  
                        <span class="icon-bar"></span>  
                        <span class="icon-bar"></span>  
                    </button>  
                    <a class="navbar-brand" href="delivery.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
                <!--/.nav-collapse -->  
            </div>  
        </nav>
```

```

<!-- navigation -->

<div margin:none; padding: 0px;">
    <div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-top: 57px;">
        <a style="width:200px;" href="ppacket.jsp" class="btn btn-primary"><b>Pickup Consignment</b> </a><br>
        <a style="width:200px;" href="dpacket.jsp" class="btn btn-primary"><b>Delivery Consignment</b> </a><br>
        <a style="width:200px;" href="changepassfe.jsp" class="btn btn-primary"><b>Change Password</b></a><br>
        <a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
    </div>
    <div style="margin-left:197px; background:graytext; height:843px; width:auto;">
        <br><br><br><br>      <BR>
        <%
            String uid= (String) session.getAttribute("uid");
            String username= (String) session.getAttribute("username");

        %>
        <div class="container">

<section class="contact-w3ls">
    <div class="container">
        <i class="fa fa-compass" aria-hidden="true"></i>
        <h3 class="text-center">WELCOME FIELD EXECUTIVE</h3>
        <%
            out.print("<center><h1>" + username + "</h1></center>");
        %>
        <p class="text-center"><font color="blue"><b></b></font></p>

    </div>
</div></div>

```

```
</div>
</div>
<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
```

```

<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```

myBgFader.start()
</script>
<!-- /js files -->
</body>
</html>

```

Design code for Pickup Consignment Page Field Executive Profile page (ppacket.jsp)

```

<head>
<html>
<head>

```

```

<title>Delipick Distribution</title>

<!-- css files -->

<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />

</head>

<body><!-- navigation -->

<nav class="navbar navbar-default navbar-fixed-top">

<div class="container">

<div class="navbar-header">

<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">

<span class="sr-only">Toggle navigation</span>

<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>

</button>

<a class="navbar-brand" href="delivery.jsp"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>

<!--/.nav-collapse -->

</div>

</nav>

<!-- navigation -->

<div margin:none; padding: 0px;">

<div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-
top: 57px;">

<a style="width:200px;" href="ppacket.jsp" class="btn btn-primary"><b>Pickup
Consignment</b> </a><br>

<a style="width:200px;" href="dpacket.jsp" class="btn btn-primary"><b>Delivery
Consignment</b> </a><br>

<a style="width:200px;" href="changepass.jsp" class="btn btn-primary"><b>Change
Password</b></a><br>

<a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>

</div>    </div>

```

```

<div style="margin-left:203px; background:graytext; height:auto; width:auto;">
<link rel="stylesheet" href="css/mycss.css">
<center><br><br><br><br>

<marquee><font color="blue">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee>

<h1 >Pickup Consignment</h1>
<h6 > <font color="red">(Please fill the Reference ID in the Below Box)</font></h6>
</center> <center>

<form action="ppacket1.jsp" class="b-filler" method="POST">
<table border="0">
<br>
<tbody>
<tr>
<td><Font color="red">Reference ID</font></td>
<td></td>
<td><input type="text" class="b-filler" name="REFERENCE_ID" value="" /></td>
</tr>
</tbody>
</table></center><center>
<br>
<input type="submit" value="Submit" class="btn btn-primary" >
<input type="reset" value="Clear" class="btn btn-primary" >
<a href="pickupcc.jsp" class="btn btn-primary"> Add New Record</a>
</center>
</form>
<div class="container">
<h5> <font color="green"><b>Please Note:</b></font></h5>
<ul>
    1.Pickup will be scheduled from Monday to Saturday between 10AM to 7PM -
    Except Holidays<br>
    2.Pickup may be Scheduled only for the locations serviced by <font
    color="Blue">DELIPICK</font><br>

```

3.DELIPICK representative will get in touch with you during working hours once the forms is submitted

4.We accept Debit/Credit Card at our selected booking Cities.


```
</ul>
</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
    <div class="col-lg-3 col-md-3 col-sm-6">
        </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
        </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
        <div class="phone">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
    </div>
</div>
```

```
<div class="clearfix"></div>

<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>

<script>

var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

myBgFader.start()

</script>

<!-- /js files -->

</body>

</html>
```

Design code for Delivery Consignment Page Field Executive Profile page (dpacket1.jsp)

```
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body><!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a class="navbar-brand" href="delivery.jsp"><h1><span class="fa fa-
diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<!--/.nav-collapse -->
</div>
</nav>

<!-- navigation -->
<div margin:none; padding: 0px;">
<div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-
top: 57px;">
<a style="width:200px;" href="ppacket.jsp" class="btn btn-primary"><b>Pickup
Consignment</b> </a><br>
```

```

<a style="width:200px;" href="dpacket.jsp" class="btn btn-primary"><b>Delivery
Consignment</b> </a><br>

<a style="width:200px;" href="changepassfe.jsp" class="btn btn-primary"><b>Change
Password</b></a><br>

<a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>
</div>
</div>

<div style="margin-left:204px; background:graytext; height:auto; width:Auto;">
<link rel="stylesheet" href="css/mycss.css">
<center> <br><br><br><br><br><br>

<marquee><font color="blue">Delipick brings convenience at your fingertips. You can now
request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in
the below form.</marquee>

<h1 >Delivery Consignment</h1>
<h6 > <font color="red">(Please fill the Reference ID in the Below Box)</font></h6>
</center> <center>

<form action="dpacket1.jsp" class="b-filler" method="POST">
<table border="0">
<br>
<tbody>
<tr>
<td><Font color="red">Reference ID</font></td>
<td></td>
<td><input type="text" class="b-filler" name="REFERENCE_ID" value="" /></td>
</tr>
</tbody>
</table></center><center>
<br>
<input type="submit" value="Submit" class="btn btn-primary" >
<input type="reset" value="Clear" class="btn btn-primary" >

</center>
</form>

```

```
<div class="container">
    <h5> <font color="green"><b>Please Note:</b></font></h5>
    <ul>
        1.Pickup and delivery packet will be done from Monday to Saturday between
        10AM to 7PM - Except Holidays<br>
        2.Pickup may be Scheduled only for the locations serviced by <font
        color="Blue">DELIPICK</font><br>
        3.DELIPICK representative will get in touch with you during working hours once the
        forms is submitted<br>
        4.We accept Debit/Credit Card at our selected booking Cities.<br>
    </ul>
</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                </ul>
        </div>
    </div>
```

```
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>

</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
```

```
myBgFader.start()
```

```
</script>
```

```
<!-- /js files -->
```

```
</body>
```

```
</html>
```

Design code for Change Password Page Field Executive Profile page (changepassfe.jsp)

```
<head>
```

```
<html>
```

```
<head>
```

```
<title>Delipick Distribution</title>
```

```
<!-- css files -->
```

```
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
</head>
```

```
<body><!-- navigation -->
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a class="navbar-brand" href="delivery.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```
<!--/.nav-collapse -->
```

```
</div>
```

```
</nav>
```

```
<!-- navigation -->

<div margin:none; padding: 0px;">

    <div style=" margin-left: 0px; background:green; float:left; width:15%; height:787px; margin-top: 57px;">

        <a style="width:200px;" href="ppacket.jsp" class="btn btn-primary"><b>Pickup  
Consignment</b> </a><br>

        <a style="width:200px;" href="dpacket.jsp" class="btn btn-primary"><b>Delivery  
Consignment</b> </a><br>

        <a style="width:200px;" href="changepassfe.jsp" class="btn btn-primary"><b>Change  
Password</b></a><br>

        <a style="width:200px;" href="logout.jsp" class="btn btn-primary"><b>Log Out</b></a>

    </div>

</div>

<div style="margin-left:204px; background:graytext; height:auto; width:Auto;">

<br><br><br><br><div class="container">

<link rel="stylesheet" href="css/mycss.css">

<center><h1>CHANGE PASSWORD</h1></center>

<center> <form action="changepassfe1.jsp" method="post">

    <table>

        <tbody>

            <tr>

                <td>User name</td>

                <td><input type="text" name="userid" value="" /></td>

            </tr>

            <tr><td>Old password</td>

                <td><input type="text" name="Old password" value="" /></td>

            </tr>

            <br>

            <tr><td>New password</td>

                <td><input type="text" name="password" value="" /></td>

            </tr>

            <br>

        </tbody>
    </table>
</form>
</center>
</div>
```

```
<tr><td>Confirm password</td>
<td><input type="text" name="Confirm password" value="" /></td>
<br>

</tr>
</tbody>
</table>
<center>
<br>
<input type="submit" value="Change Password" class="btn btn-primary" >
<input type="reset" value="Cencel" class="btn btn-primary" ></center>

</form></center>
</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<div class="phone">
</div>
</div>
```

```
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>

<hr>

    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>

var myBgfader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
```

```

'speed': 3000,
'opacity': 0.4
})

myBgFader.start()
</script>
<!-- /js files -->

</body>
</html>

```

Design and JSP code of CLERK Profile page (clerk.jsp)

```

<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<a class="navbar-brand" href="clerk.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-right">
<li><a href="orderc.jsp">Order</a></li>
<li><a href="returnsc.jsp">Returns</a></li>
<li><a href="trackc.jsp">Track Consignment</a></li>
<li><a href="searchc.jsp">Search</a></li>

```

```
<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changepassc.jsp">Change Passworsd</a></li>
    <li><a href="logout.jsp">Logout</a></li>

</div>

<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

<div margin:none; padding: 0px;">
<br><br><br><br><br>      <BR>
<%
    String uid= (String) session.getAttribute("uid");
    String username= (String) session.getAttribute("username");

%>
<div class="container">

<section class="contact-w3ls">
<div class="container">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">WELCOME CLERK</h3>
    <%
        out.print("<center><h1>" + username + "</h1></center>");
    %>
    <p class="text-center"><font color="blue"><b></b></font></p>

</div>
```

```
</div></div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
```

```

</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->

</body>
</html>

```

Design and JSP code for Order Dashboard in CLERK Profile page (clerk.jsp)

<html>

```
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<a class="navbar-brand" href="clerk.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-right">
<li><a href="orderc.jsp">Order Dashboard</a></li>
<li><a href="returnsc.jsp">Returns</a></li>
<li><a href="trackc.jsp">Track Consignment</a></li>
<li><a href="searchc.jsp">Search</a></li>
<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changepassc.jsp">Change Password</a></li>
<li><a href="logout.jsp">Logout</a></li>
</ul>
</div>
<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

<div margin:none; padding: 0px;">
```

```

<br><br><br><br><br>

<!--form section-->

<section class="contact-w3ls">

    <i class="fa fa-compass" aria-hidden="true"></i>

    <h3 class="text-center">ORDER Dashboard</h3>

    <div style="margin-left:363px;" class="container" style="height: 300px; width: 100%;">

        <%
        try
        {

            Class.forName("org.apache.derby.jdbc.ClientDriver");

            Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

            PreparedStatement ps= cn.prepareStatement("select * from pickup");

            ResultSet rs=ps.executeQuery();

            %>

            <table border="1">

                <b> <th color="gray"><tr style='background:grey;color:white;'><td><b>SELECT
            ORDER</b></td><td><b>REFERENCE ID</b></td><td><b>CUSTOMER
            NAME</b></td><td><b>SOURCE ADDRESS</b></td><td><b>PIN CODE</b></td><td><b>PHONE
            NUMBER</b></td><td><b>LANDMARK</b></td><td><b>Process</b></td></tr></th></b>
                <%
                while(rs.next())
                {
                    %>

                    <tr>

                        <form action="ship.jsp" method="post">

                            <td><input type="radio" name="refid"
value=<%=rs.getString("reference_id")%>></td>

```

```
<td><%=rs.getString("reference_id")%></td>
<td><%=rs.getString("name")%></td>
<td><%=rs.getString("s_address")%></td>
<td><%=rs.getString("s_pincode")%></td>
<td><%=rs.getString("phone")%></td>
<td><%=rs.getString("landmark")%></td>
<td><input type="submit" class="btn btn-primary" value="Proceed"></td>

</form>
</tr>
<%
}

%></table><%
cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>

</div></section>

</div><div>

</div>

<div margin:none; padding: 0px;">

<br><br><br><br><br>
```

```

<!--form section-->

<section class="contact-w3ls">

    <div class="container">

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">SEARCH ORDER</h3>

        <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="orderc1b.jsp" method="post" name="" id="contactForm"
novalidate>

            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                <div class="control-group form-group">

                    <div class="controls">

                        <label class="contact-p1">Reference ID:</label>

                        <input type="text" class="form-control" name="id" id="name" required data-validation-required-message="Please enter Return ID.">

                        <p class="help-block"></p>

                    </div>

                </div>

                </div>

                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

                    <div class="control-group form-group">

                        <div class="controls">

                            <label class="contact-p1"> </label>

                            <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>

                            <p class="help-block"></p>

                        </div>

                    </div></div>

                </form>

                <br><br><br>

            <section class="contact-w3ls">

                <i class="fa fa-compass" aria-hidden="true"></i>

                <h3 class="text-center">Add details For New Consignment</h3>

```

```
<h4 class="text-center"><font color="red">All fields are  
mandatory</font></h4><br><br><br><br>

<form action="orderc1.jsp" method="post" name="sentMessage"  
id="contactForm" novalidate>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

    <div class="control-group form-group">

        <div class="controls">

            <label class="contact-p1">Name:</label>

            <input type="text" class="form-control" name="name" id="name" required data-  
validation-required-message="Please enter your name.">

            <p class="help-block"></p>

        </div>

    </div>

    <div class="control-group form-group">

        <div class="controls">

            <label class="contact-p1">Source Address:</label>

            <input type="tel" class="form-control" name="saddr" id="phone" required data-  
validation-required-message="Please enter your phone number.">

            <p class="help-block"></p>

        </div>

    </div>

    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

        <div class="control-group form-group">

            <div class="controls">

                <label class="contact-p1">SOURCE State:</label>

                <input type="text" class="form-control" name="sstate" id="name" required data-  
validation-required-message="Please enter your address.">

                <p class="help-block"></p>

            </div>

        </div>

        <div class="control-group form-group">

            <div class="controls">
```

```
<label class="contact-p1">SOURCE PINCODE :</label>
<input type="text" class="form-control" name="spin" id="name" required data-validation-required-message="Please enter Email ID.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div> <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">phone:</label>
<input type="text" class="form-control" name="phn" id="phone" required data-validation-required-message="Please enter your name.">
<p class="help-block"></p>
</div>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Alternate Phone:</label>
<input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>
</div>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Email:</label>
<input type="email" class="form-control" name="email" id="name" required data-validation-required-message="Please enter your name.">
```

```
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Order Date:</label>
<input type="tel" class="form-control" name="odate" id="phone" required data-validation-required-message="Please enter your phone number.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Destination Address:</label>
<input type="text" class="form-control" name="sstate" id="name" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Destination State :</label>
<input type="text" class="form-control" name="spin" id="name" required data-validation-required-message="Please enter Email ID.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div> <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
<div class="control-group form-group">
<div class="controls">
```

```
<label class="contact-p1">Destination Pincode:</label>
<input type="text" class="form-control" name="poi" id="phone" required data-validation-required-message="Please enter your name.">

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
    <div class="controls"> <label class="contact-p1">LENGTH:</label></div>
    <input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">
    <div class="controls">
        <label class="contact-p1"></label>
        <p class="help-block">
            <select name="dtype">
                <option value="AADHAR CARD">CM</option>
                <option value="IDENTITY CARD">METER</option>
                <option value="DRIVING LICENCE">FOOT</option>
            </select></p> </div>
        <div class="controls">
            <label class="contact-p1">Type of Document:</label>
            <p class="help-block">
                <select name="ctype">
                    <option value="document">Document</option>
                    <option value="non document">Non Document</option>
                </select></p> </div>
        </div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <label class="contact-p1">BREADTH:</label>
            <input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">
            <label class="contact-p1">HEIGHT:</label>
            <input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">
            </div><p class="help-block"></p>
    </div>
```

```
</div>

</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

<div class="control-group form-group">

<div class="controls">

<label class="contact-p1">LANDMARK:</label>

<input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">

</div>

</div>

</div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

<div class="control-group form-group">

<div class="controls">

<p class="help-block"></p>

</div>

<textarea rows="5" cols="1000" PLACEHOLDER="Please Fill some remarks if any" class="form-control" name="message" id="message" required data-validation-required-message="Please enter your message" maxlength="999" style="resize:none"></textarea></div></div><br><br>

<div class="control-group form-group">

<button type="submit" class="btn btn-primary">Submit</button>

<button type="submit" class="btn btn-primary">Reset</button>

</div>

</div>

</form>

</div>

</div>
```

```
</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
```

```
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<script src="js/SmoothScroll.min.js"></script>

<script src="js/index.js"></script>

<script src="js/top.js"></script>

<script src="js/bgfader.js"></script>

<script>

var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

myBgFader.start()

</script>

<!-- /js files -->

</body>

</html>
```

Design code for Return in CLERK Profile page (returnsc.jsp)

```
<%@page import="java.sql.*" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<a class="navbar-brand" href="clerk.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-right">
<li><a href="orderc.jsp">Order</a></li>
<li><a href="returnsc.jsp">Returns</a></li>
<li><a href="trackc.jsp">Track Consignment</a></li>
<li><a href="searchc.jsp">Search</a></li>
<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changeppassc.jsp">Change Password</a></li>
<li><a href="logout.jsp">Logout</a></li>
</ul>
</div>
<!--/.nav-collapse -->
</div>
</nav>
```

```

</head>

<!-- navigation -->
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->
<section class="contact-w3ls">
<div class="container">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">RETURN CONSIGNMENT</h3>
    <p class="text-center"><font color="blue"><b></b></font></p>

    <form action="returnpage1.jsp" method="post" name="name" id="contactForm" novalidate>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">Return ID:</label>
                    <input type="text" class="form-control" name="name" id="name" required data-validation-required-message="Please enter Return ID.">
                    <p class="help-block"></p>
                </div>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1"> </label>
                    <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
                    <p class="help-block"></p>
                </div>
            </div>
        </form>
    </div>

```

```
</div></div>

</form>

<br><br><br>

<section class="contact-w3ls">

    <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">Add details For Return Consignment</h3>

        <h4 class="text-center"><font color="red">All fields are mandatory</font></h4><br><br><br><br>

            <form action="returnpage2.jsp" method="post" name="sentMessage" id="contactForm" novalidate>

                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                    <div class="control-group form-group">

                        <div class="controls">

                            <label class="contact-p1">REFERENCE ID:</label>

                            <input type="text" class="form-control" name="rfid" id="name" required data-validation-required-message="Please enter your name.">

                            <p class="help-block"></p>

                        </div>

                    </div>

                    <div class="control-group form-group">

                        <div class="controls">

                            <label class="contact-p1">Mobile No.:</label>

                            <input type="tel" class="form-control" name="phone" id="phone" required data-validation-required-message="Please enter your phone number.">

                            <p class="help-block"></p>

                        </div>

                    </div>

                </div>

                </div>

                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

                    <div class="control-group form-group">

                        <div class="controls">

                            <label class="contact-p1">SOURCE ADDRESS:</label>
```

```
<input type="text" class="form-control" name="sadd" id="email" required data-validation-required-message="Please enter your address.">
    <p class="help-block"></p>
</div>
</div>

<div class="control-group form-group">
<div class="controls">
    <label class="contact-p1">DESTINATION ADDRESS:</label>
    <input type="text" class="form-control" name="dadd" id="email" required data-validation-required-message="Please enter Email ID.">
    <p class="help-block"></p>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
    <div class="control-group form-group">
        <div class="controls">
            <label class="contact-p1">CUSTOMER NAME:</label>
            <input type="text" class="form-control" name="name" id="name" required data-validation-required-message="Please enter your name.">
            <p class="help-block"></p>
        </div>
    </div>
    <div class="control-group form-group">
        <div class="controls">
            <label class="contact-p1">TYPE of RETURN:</label>
            <p class="help-block">
                <select name="tor">
                    <option value="CR">COURIER RETURN</option>
                    <option value="CMR">CUSTOMER RETURN</option>
                    <option value="PD">PHYSICAL DAMAGE</option>
                </select>
            </p>
        </div>
    </div>
</div>
```

```

        <option value="CNA">CUSTOMER NOT AVAILABLE</option>
        <option value="WA">WRONG ADDRESS</option>
        <option value="CNR">CUSTOMER NOT REACHABLE</option>
    </select></p>                </div>
</div>

</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

<div class="control-group form-group">

<div class="controls">
    <label class="contact-p1">DATE of RETURN:</label>
    <input type="date" class="form-control" name="dor" id="name" required data-validation-required-message="Please enter your address.">
    <p class="help-block"></p>
</div>

</div>

</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div

<div class="control-group form-group">

<div class="controls">
    <div class="controls">

        <textarea rows="5" cols="50" PLACEHOLDER="Please Fill some remarks about the reson of return consignment" class="form-control" name="message" id="message" required data-validation-required-message="Please enter your message" maxlength="999" style="resize:none"></textarea>
        <p class="help-block"></p>
    </div>
</div>

<div class=col-lg-12"> <button type="submit" class="btn btn-primary">Submit</button>
    <button type="reset" class="btn btn-primary" value="reset">Clear</button>
</div>

</div>

```

```
</div>          <div class="clearfix"></div>
</form>
          </div>
        </div> </div>

<!-- footer section -->
<section class="footer-agileits">
  <div class="container">
    <div class="col-lg-3 col-md-3 col-sm-6">
      </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
      </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
      <div class="phone">
        </div>
      </div>
    </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
      <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
      </ul>
    </div>
    <div class="clearfix"></div>
    <hr>
    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
```

```

        </div>
    </section>
    <!-- /footer section -->
    <a href="#0" class="cd-top">Top</a>
    <!-- js files -->
    <script src="js/jquery.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/SmoothScroll.min.js"></script>
    <script src="js/index.js"></script>
    <script src="js/top.js"></script>
    <script src="js/bgfader.js"></script>
    <script>
        var myBgFader = $('.header').bgfader([
            'images/banner1-1.jpg',
            'images/banner1-2.jpg',
            'images/banner1-3.jpg',
            'images/banner1-4.jpg',
        ], {
            'timeout': 2000,
            'speed': 3000,
            'opacity': 0.4
        })
        myBgFader.start()
    </script>
    <!-- /js files -->

        </body>
    </html>

```

Design code for Track Consignment in CLERK Profile page (trackc.jsp)

```
<%@page import="java.sql.*" %>
```

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<a class="navbar-brand" href="clerk.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-right">
<li><a href="orderc.jsp">Order</a></li>
<li><a href="returnsc.jsp">Returns</a></li>
<li><a href="trackc.jsp">Track Consignment</a></li>
<li><a href="searchc.jsp">Search</a></li>
<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changepassc.jsp">Change Password</a></li>
<li><a href="logout.jsp">Logout</a></li>
</ul>
</div>
<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

```

```

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->
<section class="contact-w3ls">

    <div class="container"><BR>

        <marquee><font color="blue">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee><BR>

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">TRACK CONSIGNMENT</h3>

        <p class="text-center"><font color="black"><b>Please fill the Tracking ID in the Search Box</b></font></p>

        <form action="trackc1.jsp" method="post" name="sentMessage" id="contactForm" novalidate>

            <div class="control-group form-group">

                <div class="controls">

                    <label class="contact-p1">TRACKING ID:</label>

                    <input type="text" class="form-control" name="REFERENCE_ID" id="message" required data-validation-required-message="Please enter your tracking id" maxlength="999" style="resize:none"></input>

                    <p class="help-block"></p>

                </div>

            </div>

            <div id="success"></div>

            <!-- For success/fail messages -->

            <button type="submit" class="btn btn-primary">GET DETAILS</button>

            <button type="reset" class="btn btn-primary">Clear</button>

            <h5> <font color="green"><b>Please Note:</b></font></h5>

            <ul>

                <li>Pickup will be scheduled from Monday to Saturday between 10AM to 7PM - Except Holidays</li>

            </ul>
        </form>
    </div>
</section>

```

Pickup may be Scheduled only for the locations serviced by DELIPICK

DELIPICK representative will get in touch with you during working hours once the forms is submitted

We accept Debit/Credit Card at our selected booking Cities.

</div>

</div>

</form>

<div class="clearfix"></div>

</div>

<div class="container">

</div>

</div>

</div>

</div>

<!-- footer section -->

<section class="footer-agileits">

<div class="container">

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<div class="phone">

</div>

</div>

</div>

<div class="col-lg-3 col-md-3 col-sm-6">

```

<ul class="social-icons2">
    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
    <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})

```

```
myBgFader.start()  
</script>  
<!-- /js files -->
```

```
</body>  
</html>
```

Design code for Search in CLERK Profile page (searchc.jsp)

```
<%@page import="java.sql.*" %>  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
<html>  
<head>  
<title>Delipick Distribution</title>  
<!-- css files -->  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
</head>  
<body>  
<!-- navigation -->  
<nav class="navbar navbar-default navbar-fixed-top">  
  <div class="container">  
    <div class="navbar-header">  
      <a class="navbar-brand" href="clerk.jsp"><h1><span  
      class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
      <div id="navbar" class="navbar-collapse collapse">  
        <ul class="nav navbar-nav navbar-right">  
          <li><a href="orderc.jsp">Order</a></li>  
          <li><a href="returnsc.jsp">Returns</a></li>  
          <li><a href="trackc.jsp">Track Consignment</a></li>  
          <li><a href="searchc.jsp">Search</a></li>
```

```

<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changepassc.jsp">Change Password</a></li>
    <li><a href="logout.jsp">Logout</a></li>

</div>

<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
    <div class="container">
        <i class="fa fa-compass" aria-hidden="true"></i>
        <h3 class="text-center">SEARCH DETAILS</h3>
        <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="searchpage.jsp" method="post" novalidate>
            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
                <div class="control-group form-group">
                    <div class="controls">
                        <label class="contact-p1">ID:</label>
                        <input type="text" placeholder="ENTER ID" class="form-control" name="searchid" id="message" required data-validation-required-message="Please enter Return ID." maxlength="999" style="resize:none">
                        <p class="help-block"></p>
                    </div>
                </div>
            </div>
        </form>
    </div>
</section>

```

```
</div>

    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
        <div class="control-group form-group">

            </div></div>

        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">TYPE of Details:</label>

                    <p class="help-block">
                        <select name="searchtype">
                            <option value="employee">EMPLOYEE</option>
                            <option value="customer">CUSTOMER</option>
                            <option value="tracking">TRACKING INFORMATION</option>
                            <option value="consignmentreturn">CONSIGNMENT RETURN
INFORMATION</option>
                            <option value="consignmentpayment">CONSIGNMENT PAYMENT
INFORMATION</option>
                        </select></p>                                </div>
                    <div class="controls">
                        <label class="contact-p1"> </label>
                        <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
                        <p class="help-block"></p>
                    </div>
                </div> </form> </div>

<section class="contact-w3ls">
</div>
```

```
<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
            </ul>
        </div>
        <div class="clearfix"></div>
        <hr>
        <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
    </div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
```

```

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```
myBgFader.start()
```

```
</script>
```

```
<!-- /js files -->
```

```
</body>
```

```
</html>
```

Design & JSP code for Response Tab in CLERK Profile page (responsec.jsp)

```

<%@page import="java.sql.*" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->

```

```
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<a class="navbar-brand" href="clerk.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
<div id="navbar" class="navbar-collapse collapse">
<ul class="nav navbar-nav navbar-right">
<li><a href="orderc.jsp">Order</a></li>
<li><a href="returnsc.jsp">Returns</a></li>
<li><a href="trackc.jsp">Track Consignment</a></li>
<li><a href="searchc.jsp">Search</a></li>
<li><a href="responsec.jsp">Response Tab</a></li>
<li><a href="changeppsc.jsp">Change Passworsd</a></li>
<li><a href="logout.jsp">Logout</a></li>
</ul>
</div>
<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

<!-- navigation -->

<div margin:none; padding: 0px;">
```

```

<br><br><br><br><br>
<!--form section-->
<div class="container">
<section class="contact-w3ls">

    <h3 class="text-center">Feedback Dashboard</h3>
    <div style="margin-left:233px;" class="container" style="height: 300px; width: 100%;">

        <%
        try
        {

            Class.forName("org.apache.derby.jdbc.ClientDriver");
            Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

            PreparedStatement ps= cn.prepareStatement("select * from feedback");

            ResultSet rs=ps.executeQuery();

            %>
            <table border="1">
                <b> <th color="gray"><tr style='background:grey;color:white;'><td><b>SELECT
            QUERY</b></td><td><b>FEEDBACK ID</b></td><td><b>EMAIL
            ID</b></td><td><b>MOBILE</b></td><td><b>SUBJECT</b></td><td><b>SELECT</b></td></tr></th>
            </b>
            <%
            while(rs.next())
            {
                %>
                <tr>
                    <form action="ship.jsp" method="post">
                        <td><input type="radio" name="refid" value=<%=rs.getString("email")%>></td>
                        <td><%=rs.getString("f_id")%></td>

```

```
<td><%=rs.getString("email")%></td>
<td><%=rs.getString("mobile")%></td>
<td><%=rs.getString("subject")%></td>
<td><input type="submit" class="btn btn-primary" value="VIEW
MESSAGE"></td>

</form>
</tr>
<%
}

%></table><%
cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>

</div></section>

</div><div></div>

</div>

<!--complaint-->
<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
```

```

<h3 class="text-center">COMPLAINT Dashboard</h3>
<div style="margin-left:443px;" class="container" style="height: 300px; width: 100%;">

<%
try
{

Class.forName("org.apache.derby.jdbc.ClientDriver");
Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

PreparedStatement ps= cn.prepareStatement("select * from CONTACT");

ResultSet rs=ps.executeQuery();

%>
<table border="1">
<b> <th color="gray"><tr style='background:grey;color:white;'><td><b>SELECT
COMPLAINT</b></td><td><b>EMAIL ID</b></td><td><b>REFERENCE ID
</b></td><td><b>SUBJECT</b></td><td><b>SELECT</b></td></tr></th></b>
<%
while(rs.next())
{
%>
<tr>
<form action="seecomplaints.jsp">
<td><input type="radio" name="refid"
value=<%=rs.getString("reference_id")%>></td>
<td><%=rs.getString("email")%></td>
<td><%=rs.getString("reference_id")%></td>
<td><%=rs.getString("cmttype")%></td>
<td><input type="submit" class="btn btn-primary" value="REPLY"></td>
</form>
</tr>

```

```
<%
}

%></table><%
cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>

</div></section>

</div><div>

</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">

        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">

        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
        
```

```
</div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgfader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
```

```
'timeout': 2000,  
'speed': 3000,  
'opacity': 0.4  
})
```

```
myBgFader.start()
```

```
</script>
```

```
<!-- /js files -->
```

```
</body>
```

```
</html>
```

Design code for Change Password Tab in CLERK Profile page (changepassc.jsp)

```
<%@page import="java.sql.*" %>  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
<html>  
<head>  
<title>Delipick Distribution</title>  
<!-- css files -->  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
</head>  
<body>  
<!-- navigation -->  
<nav class="navbar navbar-default navbar-fixed-top">  
<div class="container">  
<div class="navbar-header">  
    <a class="navbar-brand" href="clerk.jsp"><h1><span  
    class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```
<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-right">
        <li><a href="orderc.jsp">Order</a></li>
        <li><a href="returnsc.jsp">Returns</a></li>
        <li><a href="trackc.jsp">Track Consignment</a></li>
        <li><a href="searchc.jsp">Search</a></li>
        <li><a href="responsec.jsp">Response Tab</a></li>
        <li><a href="changepassc.jsp">Change Password</a></li>
        <li><a href="logout.jsp">Logout</a></li>
    </ul>
</div>

<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<div style="background:white; height:auto; width:auto">
    <br><br><br><br><br><br><br><br><div class="container">
        <link rel="stylesheet" href="css/mycss.css">
        <center><h1>CHANGE PASSWORD</h1></center>
        <center> <form action="changepassc1.jsp" method="post">
            <table>

                <tbody>
                    <tr>
                        <td>User name</td>
                        <td><input type="text" name="userid" value="" /></td>
                    </tr>
                    <tr><td>Old password</td>
                        <td><input type="text" name="Old password" value="" /></td>
                    </tr>
                    <br>
                <tbody>
            </table>
        </form>
    </div>
</div>
```

```
<tr><td>New password</td>
<td><input type="text" name="password" value="" /></td>
</tr>
<br>
<tr><td>Confirm password</td>
<td><input type="text" name="Confirm password" value="" /></td>
<br>

</tr>
</tbody>
</table>
<center>
<br>
<input type="submit" value="Change Password" class="btn btn-primary" >
<input type="reset" value="Cencel" class="btn btn-primary" ></center>

</form></center><br><br><br><br><br><br><br>
</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">
```

```
<div class="phone">
</div>

</div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<ul class="social-icons2">
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;
var myBgfader = $('.header').bgfader([
'images/banner1-1.jpg',
'images/banner1-2.jpg',</pre>
```

```
'images/banner1-3.jpg',
'images/banner1-4.jpg',
], {
'timeout': 2000,
'speed': 3000,
'opacity': 0.4
})
```

```
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>
</html>
```

Design and JSP code of ADMIN Profile page (admin.jsp)

```
<html>
<<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
body>
<!-- navigation -->
<nav class="navbar navbar-default navbar-fixed-top">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
```

```

        <span class="icon-bar"></span>
    </button>
    <a class="navbar-brand" href="admin.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    <div id="navbar" class="navbar-collapse collapse">
        <ul class="nav navbar-nav navbar-right">
            <li><a href="order.jsp">Order</a></li>
            <li><a href="addstaff.jsp">Add Staff</a></li>
            <li><a href="trackadmin.jsp">Track Consignment</a></li>
            <li><a href="returnpage.jsp">Returns</a></li>
            <li><a href="payments.jsp">Payments</a></li>
            <li><a href="search.jsp">Search</a></li>
            <li><a href="response.jsp">Response Tab</a></li>
            <li><a href="changeppassword.jsp">Change Password</a></li>
            <li><a href="logout.jsp">Logout</a></li>
        </ul>
    </div>
    <!--/.nav-collapse -->
</div>
</nav>
<!-- navigation -->

<div margin:none; padding: 0px;">
    <br><br><br><br><BR>
    <%
        String uid= (String) session.getAttribute("uid");
        String username= (String) session.getAttribute("username");
    %>
    <div class="container">
        <section class="contact-w3ls">
            <div class="container">

```

```
<i class="fa fa-compass" aria-hidden="true"></i>
<h3 class="text-center">WELCOME ADMIN</h3>
<%
out.print("<center><h1>" + username + "</h1></center>");
%>
<p class="text-center"><font color="blue"><b></b></font></p>

</div><br><br><br><br><br><br>
</div></div>
```

```
<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<div class="phone">
</div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<ul class="social-icons2">
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
```

```
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
myBgFader.start()
&lt;/script&gt;</pre>
```

```
<!-- /js files -->
```

```
</body>  
</html>
```

Design code of Order in ADMIN Profile page (admin.jsp)

```
<%@page import="java.sql.*" %>  
  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
  
<html>  
  
<head>  
  
<title>Delipick Distribution</title>  
  
<!-- css files -->  
  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  
</head>  
  
<body>  
  
<!-- navigation -->  
  
<nav class="navbar navbar-default navbar-fixed-top">  
  
    <div class="container">  
  
        <div class="navbar-header">  
  
            <a class="navbar-brand" href="admin.jsp"><h1><span  
            class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
  
            <div id="navbar" class="navbar-collapse collapse">  
  
                <ul class="nav navbar-nav navbar-right">  
  
                    <li><a href="order.jsp">Order </a></li>  
                    <li><a href="addstaff.jsp">Add Staff</a></li>  
                    <li><a href="trackadmin.jsp">Track Consignment</a></li>  
                    <li><a href="returnpage.jsp">Returns</a></li>  
                    <li><a href="payments.jsp">Payments</a></li>  
                    <li><a href="search.jsp">Search</a></li>  
                    <li><a href="response.jsp">Response Tab</a></li>  
                    <li><a href="changeppass.jsp">Change Password</a></li>  
                    <li><a href="logout.jsp">Logout</a></li>
```

```

        </div>

    <!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->
<section class="contact-w3ls">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">ORDER Dashboard</h3>
    <div style="margin-left:183px;" class="container" style="height: 300px;width: 100%;">

        <%
        try
        {

            Class.forName("org.apache.derby.jdbc.ClientDriver");
            Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

            PreparedStatement ps= cn.prepareStatement("select * from pickup");

            ResultSet rs=ps.executeQuery();

        %>
        <table border="1">
            <b> <tr style='background:grey;color:white;'><td><b>SELECT
            ORDER</b></td><td><b>REFERENCE ID</b></td><td><b>CUSTOMER

```

```

NAME</b></td><td><b>SOURCE ADDRESS</b></td><td><b>PIN CODE</b></td><td><b>PHONE
NUMBER</b></td><td><b>LANDMARK</b></td><td><b>Process</b></td></tr></b>

<%
while(rs.next())
{
%>
<tr>
<form action="ship.jsp" method="post">
<td><input type="radio" name="refid"
value=<%=rs.getString("reference_id")%>></td>
<td><%=rs.getString("reference_id")%></td>
<td><%=rs.getString("name")%></td>
<td><%=rs.getString("s_address")%></td>
<td><%=rs.getString("s_pincode")%></td>
<td><%=rs.getString("phone")%></td>
<td><%=rs.getString("landmark")%></td>
<td><input type="submit" class="btn btn-primary" value="Proceed"></td>

</form>
</tr>
<%
}

%></table><%
cn.close();
}
catch(Exception ex)
{
    out.print(ex);
}

%>
```

```
</div></section>

</div><div>

</div>

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->

<section class="contact-w3ls">

<div class="container">

    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">SEARCH ORDER</h3>
    <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="order1.jsp" method="post" name="" id="contactForm"
novalidate>

            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                <div class="control-group form-group">

                    <div class="controls">
                        <label class="contact-p1">Reference ID:</label>
                        <input type="text" class="form-control" name="id" id="name" required data-validation-required-message="Please enter Return ID.">
                        <p class="help-block"></p>
                    </div>
                </div>
            </div>
        </div>

        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1"> </label>
                    <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
```

```

        <p class="help-block"></p>
    </div>

</div></div>
</form>
<br><br><br>

<section class="contact-w3ls">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">Add details For New Consignment</h3>
    <h4 class="text-center"><font color="red">All fields are mandatory</font></h4><br><br><br><br>

    <form action="orderad1.jsp" method="post" name="sentMessage"
id="contactForm" novalidate>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">Reference ID:</label>
                    <input type="text" class="form-control" name="id" id="name" required data-validation-required-message="Please enter Return ID.">
                    <p class="help-block"></p>
                </div>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1"> </label>
                    <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
                    <p class="help-block"></p>
                </div>
            </div></div>
        </form>
        <br><br><br>

```

```

<section class="contact-w3ls">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">Add details For New Consignment</h3>
    <h4 class="text-center"><font color="red">All fields are mandatory</font></h4><br><br><br><br>
<form action="orderc1.jsp" method="post" name="sentMessage" id="contactForm" novalidate>
    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Name:</label>
                <input type="text" class="form-control" name="name" id="name" required data-validation-required-message="Please enter your name.">
                <p class="help-block"></p>
            </div>
        </div>
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Source Address:</label>
                <input type="tel" class="form-control" name="saddr" id="phone" required data-validation-required-message="Please enter your phone number.">
                <p class="help-block"></p>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">SOURCE State:</label>
                    <input type="text" class="form-control" name="sstate" id="name" required data-validation-required-message="Please enter your address.">
                    <p class="help-block"></p>
                </div>
            </div>
        </div>
    </div>

```

```
        </div>

    </div>

    <div class="control-group form-group">
        <div class="controls">
            <label class="contact-p1">SOURCE PINCODE :</label>
            <input type="text" class="form-control" name="spin" id="name" required data-validation-required-message="Please enter Email ID.">
            <p class="help-block"></p>
        </div>
    </div>

    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">phone:</label>
                <input type="text" class="form-control" name="phn" id="phone" required data-validation-required-message="Please enter your name.">
                <p class="help-block"></p>
            </div>
        </div>
        </div>
    </div>

    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Alternate Phone:</label>
                <input type="text" class="form-control" name="aphn" id="name" required data-validation-required-message="Please enter your address.">
                <p class="help-block"></p>
            </div>
        </div>
    </div>

    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
        <div class="control-group form-group">
```

```
<div class="controls">
    <label class="contact-p1">Email:</label>
    <input type="email" class="form-control" name="email" id="name" required data-validation-required-message="Please enter your name.">
        <p class="help-block"></p>
    </div>
</div>

<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">Order Date:</label>
        <input type="tel" class="form-control" name="odate" id="phone" required data-validation-required-message="Please enter your phone number.">
            <p class="help-block"></p>
        </div>
    </div>
    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Destination Address:</label>
                <input type="text" class="form-control" name="dadd" id="name" required data-validation-required-message="Please enter your address.">
                    <p class="help-block"></p>
            </div>
        </div>
        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Destination State :</label>
                <input type="text" class="form-control" name="dstate" id="name" required data-validation-required-message="Please enter Email ID.">
                    <p class="help-block"></p>
            </div>
        </div>
    <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
```

```
</div>           <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

<div class="control-group form-group">

<div class="controls">
    <label class="contact-p1">Destination Pincode:</label>
    <input type="text" class="form-control" name="dpin" id="phone" required data-validation-required-message="Please enter your name.">

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
    <div class="controls"> <label class="contact-p1">LENGTH:</label></div>
    <input type="text" class="form-control" name="l" id="name" required data-validation-required-message="Please enter your address.">
    <div class="controls">
        <label class="contact-p1"></label>
        <p class="help-block">
            <select name="dtype">
                <option value="cm">CM</option>
                <option value="meter">METER</option>
                <option value="foot">FOOT</option>
            </select></p>           </div>
        <div class="controls">
            <label class="contact-p1">Type of Document:</label>
            <p class="help-block">
                <select name="ctype">
                    <option value="document">Document</option>
                    <option value="non document">Non Document</option>
                </select></p>           </div>
        </div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <label class="contact-p1">BREADTH:</label>
            <input type="text" class="form-control" name="b" id="name" required data-validation-required-message="Please enter your address.">
            <label class="contact-p1">HEIGHT:</label>
```

```
        <input type="text" class="form-control" name="h" id="name" required data-validation-required-message="Please enter your address.">
    </DIV><p class="help-block"></p>

    </div>
</div>

    </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">LANDMARK:</label>
                    <input type="text" class="form-control" name="landmark" id="name" required data-validation-required-message="Please enter your address.">
                </div>
            </div>
        </div><div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    </div>
                <div class="form-group">
                    <label>REMARKS</label>
                    <textarea rows="5" cols="1000" PLACEHOLDER="Please Fill some remarks if any" class="form-control" name="message" id="message" required data-validation-required-message="Please enter your message" maxlength="999" style="resize:none"></textarea>
                </div></div><br><br>
                <div class="control-group form-group">
                    <button type="submit" class="btn btn-primary">Submit</button>
                    <button type="submit" class="btn btn-primary">Reset</button>
                </div>
            </div>
        </div>
    </form>
</div>
```

```
</div>

</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
```

```
        </ul>
    </div>
    <div class="clearfix"></div>
    <hr>
    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>  
</html>
```

Design code of ADD STAFF in ADMIN Profile page (addstaff.jsp)

```
<%@page import="java.sql.*" %>  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
  
<html>  
  
<head>  
  
<title>Delipick Distribution</title>  
  
<!-- css files -->  
  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  
</head>  
  
<body>  
  
<!-- navigation -->  
  
<nav class="navbar navbar-default navbar-fixed-top">  
  
    <div class="container">  
  
        <div class="navbar-header">  
  
            <a class="navbar-brand" href="admin.jsp"><h1><span  
            class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
  
            <div id="navbar" class="navbar-collapse collapse">  
  
                <ul class="nav navbar-nav navbar-right">  
  
                    <li><a href="order.jsp">Order </a></li>  
                    <li><a href="addstaff.jsp">Add Staff</a></li>  
                    <li><a href="trackadmin.jsp">Track Consignment</a></li>  
                    <li><a href="returnpage.jsp">Returns</a></li>  
                    <li><a href="payments.jsp">Payments</a></li>  
                    <li><a href="search.jsp">Search</a></li>  
                    <li><a href="response.jsp">Response Tab</a></li>  
                    <li><a href="changepassadmin.jsp">Change Password</a></li>  
                    <li><a href="logout.jsp">Logout</a></li>
```

```

        </div>

    <!--/.nav-collapse -->

</div>
</nav>
</head>
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->

<section class="contact-w3ls">

<div class="container">

    <div class="container">

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">STAFF CREATION</h3>

        <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="addstaff1.jsp" method="post" name="sentMessage"
id="contactForm" novalidate>

            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                <div class="control-group form-group">

                    <div class="controls">

                        <label class="contact-p1">FULL NAME:</label>

                        <input type="text" class="form-control" name="name" id="name" required data-
validation-required-message="Please enter your name.">

                        <p class="help-block"></p>

                    </div>

                </div>

                <div class="control-group form-group">

                    <div class="controls">

                        <label class="contact-p1">PHONE NUMBER:</label>

                        <input type="tel" class="form-control" name="phone" id="phone" required data-
validation-required-message="Please enter your phone number.">

                    </div>

                </div>

            </div>

        </form>

```

```
<p class="help-block"></p>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">ADDRESS:</label>
<input type="text" class="form-control" name="add" id="email" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>
</div>
</div>

<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">EMAIL ID:</label>
<input type="Email" class="form-control" name="email" id="email" required data-validation-required-message="Please enter Email ID.">
<p class="help-block"></p>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div> <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">PROOF No:</label>
<input type="text" class="form-control" name="poi" id="name" required data-validation-required-message="Please enter your name.">
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
```

```
<label class="contact-p1">TYPE of PROOF:</label>

<p class="help-block">
<select name="toi">
    <option value="AADHAR CARD">AADHAR CARD</option>
    <option value="IDENTITY CARD">IDENTITY CARD</option>
    <option value="DRIVING LICENCE">DRIVING LICENCE </option>
    <option value="PAN CARD">PAN CARD </option>
    <option value="MOOL NIWAS">MOOL NIWAS </option>
    <option value="RASAN card">RASAN CARD</option>
</select></p>           </div>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">DATE of JOINING:</label>
        <input type="date" class="form-control" name="doj" id="name" required data-validation-required-message="Please enter your address.">
            <p class="help-block"></p>
    </div>
</div>
<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">DESIGNATION:</label>
        <p class="help-block">
            <select name="design" class="contact-p1" class="help-block" class="form-control" id="design" required data-validation-required-message="Please select your Designantion."></p>
                <option value="CLREK">CLREK</option>
                <option value="Manager">Manager</option>
                <option value="Assistant Manager">Assistant Manager</option>
        </div>
    </div>
</div>
```

```
        <option value="Operation Manager">Operation Manager</option>
        <option value="IT Executive">IT Executive</option>
        <option value="HR">HR</option>
        <option value="Quality Manager">Quality Manager</option>
        <option value="Delivery Executive">Delivery Executive</option>
        <option value="Admin">Admin</option>
        <option value="Assistant Admin">Assistant Admin</option>
        <option value="Packaging Staff">Packaging Staff</option>
        <option value="Quality Staff">Quality Staff</option>
        <option value="Warehouse Executive">Warehouse
Executive</option>
        <option value="Warehouse Manager">Warehouse
Manager</option>
        <option value="Warehouse Team">Warehouse Team</option>
        <option value="Assistant Staff">Assistant Staff</option>
        <option value="Other">Other</option>

    </select>

</p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div>
<div class=col-lg-12> <button type="submit" class="btn btn-primary">Submit</button>
<button type="reset" class="btn btn-primary" value="reset">Clear</button>
</div>
</div>
</div>
```

```
</div>
<div class="clearfix"></div>
</form>

</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <ul class="social-icons2">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
```

```
        </ul>
    </div>
    <div class="clearfix"></div>
    <hr>
    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>  
</html>
```

Design code of Track Consignment in ADMIN Profile page (trackadmin.jsp)

```
<%@page import="java.sql.*" %>  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
  
<html>  
  <head>  
    <title>Delipick Distribution</title>  
    <!-- css files -->  
    <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  </head>  
  <body>  
    <nav class="navbar navbar-default navbar-fixed-top">  
      <div class="container">  
        <div class="navbar-header">  
          <a class="navbar-brand" href="admin.jsp"><h1><span  
          class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
          <div id="navbar" class="navbar-collapse collapse">  
            <ul class="nav navbar-nav navbar-right">  
              <li><a href="order.jsp">Order</a></li>  
              <li><a href="addstaff.jsp">Add Staff</a></li>  
              <li><a href="trackadmin.jsp">Track Consignment</a></li>  
              <li><a href="returnpage.jsp">Returns</a></li>  
              <li><a href="process.html">Payments</a></li>  
              <li><a href="typo.html">Search</a></li>  
              <li><a href="typo.html">Response Tab</a></li>  
              <li><a href="changepass.jsp">Change Password</a></li>  
              <li><a href="logout.jsp">Logout</a></li>  
            </ul>  
          </div>  
        </div>  
      </div>
```

```

<!--/.nav-collapse -->
</div>
</nav>
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->
<section class="contact-w3ls">

    <div class="container"><BR>

        <marquee><font color="blue">Delipick brings convenience at your fingertips. You can now request pick-up of your shipment or delivery within India or Abroad by simply filling up the details in the below form.</marquee><BR>

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">TRACK CONSIGNMENT</h3>

        <p class="text-center"><font color="black"><b>Please fill the Tracking ID in the Search Box</b></font></p>

        <form action="track.jsp" method="post" name="sentMessage" id="contactForm" novalidate>

            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">TRACKING ID:</label>
                    <input type="text" class="form-control" name="REFERENCE_ID" id="message" required data-validation-required-message="Please enter your tracking id" maxlength="999" style="resize:none"></input>
                    <p class="help-block"></p>
                </div>
            </div>
            <div id="success"></div>
            <!-- For success/fail messages -->
            <button type="submit" class="btn btn-primary">GET DETAILS</button>
            <button type="reset" class="btn btn-primary">Clear</button>
            <h5> <font color="green"><b>Please Note:</b></font></h5>
        </form>
    </div>
</section>

```

```
<ul>
    <li>Consignment Delivery will be from Monday to Saturday between 10AM to 7PM
- Except Holidays.</li>
    <li>Delivery may be holiday only for the If customer requested. Holiday delivery
charge as per consignment applicable.</font></li>
    <li>DELIPIK representative will get in touch with you during working hours once
the packet or consignment out for delivery.</li>
    <li>We accept Debit/Credit Card at our selected booking Cities.

</ul>
</div>
<div class="clearfix"></div>
</form>
<div class="container">

</div>
</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>
            </div>
        </div>
    </div>

```

```
<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>
<hr>

<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>

</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;
var myBgfader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,</pre>
```

```
'opacity': 0.4  
})
```

```
myBgFader.start()  
</script>  
<!-- /js files -->
```

```
</body>  
</html>
```

Design code of Returns in ADMIN Profile page (returnpage.jsp)

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
  
<html>  
  <><head>  
    <title>Delipick Distribution</title>  
    <!-- css files -->  
    <link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
    <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  </head>  
  <body>  
    <!-- navigation -->  
    <nav class="navbar navbar-default navbar-fixed-top">  
      <div class="container">  
        <div class="navbar-header">  
          <button type="button" class="navbar-toggle collapsed" data-  
            toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">  
            <span class="sr-only">Toggle navigation</span>  
            <span class="icon-bar"></span>  
            <span class="icon-bar"></span>  
            <span class="icon-bar"></span>  
          </button>
```

```

        <a class="navbar-brand" href="admin.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>

        <div id="navbar" class="navbar-collapse collapse">
            <ul class="nav navbar-nav navbar-right">
                <li><a href="order.jsp">Order</a></li>
                <li><a href="addstaff.jsp">Add Staff</a></li>
                <li><a href="trackadmin.jsp">Track Consignment</a></li>
                <li><a href="returnpage.jsp">Returns</a></li>
                <li><a href="payments.jsp">Payments</a></li>
                <li><a href="search.jsp">Search</a></li>
                <li><a href="response.jsp">Response Tab</a></li>
                <li><a href="changeppasswordadmin.jsp">Change Password</a></li>
                <li><a href="logout.jsp">Logout</a></li>
            </ul>
        </div>

        <!--/.nav-collapse -->
    </div>
</nav>

<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
    <div class="container">
        <i class="fa fa-compass" aria-hidden="true"></i>
        <h3 class="text-center">RETURN CONSIGNMENT</h3>
        <p class="text-center"><font color="blue"><b></b></font></p>
        <form action="returnpageadmin1.jsp" method="post" name="name" id="contactForm" novalidate>
            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

```

```

        <div class="control-group form-group">
            <div class="controls">
                <label class="contact-p1">Return ID:</label>
                <input type="text" class="form-control" name="name" id="name" required data-validation-required-message="Please enter Return ID.">
                <p class="help-block"></p>
            </div>
        </div>
        </div>

        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1"> </label>
                    <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
                    <p class="help-block"></p>
                </div>
            </div></div>
        </form>
        <br><br><br>

        <section class="contact-w3ls">
            <i class="fa fa-compass" aria-hidden="true"></i>
            <h3 class="text-center">Add details For Return Consignment</h3>
            <h4 class="text-center"><font color="red">All fields are mandatory</font></h4><br><br><br><br>
            <form action="returnpage2.jsp" method="post" name="sentMessage" id="contactForm" novalidate>
                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
                    <div class="control-group form-group">
                        <div class="controls">
                            <label class="contact-p1">REFERENCE ID:</label>
                            <input type="text" class="form-control" name="name" id="name" required data-validation-required-message="Please enter your name.">
                        </div>
                    </div>
                </div>
            </form>
        </section>
    
```

```
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">Mobile No.:</label>
<input type="tel" class="form-control" name="phone" id="phone" required data-validation-required-message="Please enter your phone number.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">SOURCE ADDRESS:</label>
<input type="text" class="form-control" name="add" id="email" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">DESTINATION ADDRESS:</label>
<input type="Email" class="form-control" name="email" id="email" required data-validation-required-message="Please enter Email ID.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div> <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
<div class="control-group form-group">
<div class="controls">
```

```
<label class="contact-p1">CUSTOMER NAME:</label>
<input type="text" class="form-control" name="poi" id="name" required data-validation-required-message="Please enter your name.">
<p class="help-block"></p>
</div>
</div>
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">TYPE of RETURN:</label>

<p class="help-block">
<select name="toi">
<option value="AADHAR CARD">COURIER RETURN</option>
<option value="IDENTITY CARD">CUSTOMER RETURN</option>
<option value="DRIVING LICENCE">PHYSICAL DAMAGE</option>
<option value="PAN CARD">CUSTOMER NOT AVAILABLE</option>
<option value="MOOL NIWAS">WRONG ADDRESS</option>
<option value="RASAN card">CUSTOMER NOT REACHABLE</option>
</select></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
<div class="control-group form-group">
<div class="controls">
<label class="contact-p1">DATE of RETURN:</label>
<input type="date" class="form-control" name="doj" id="name" required data-validation-required-message="Please enter your address.">
<p class="help-block"></p>
</div>
</div>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
```

```
        </div>

        <div class="control-group form-group">
            <div class="controls">
                <div class="controls">

                    <textarea rows="5" cols="50" PLACEHOLDER="Please Fill some remarks about the
reson of return consignment" class="form-control" name="message" id="message" required data-
validation-required-message="Please enter your message" maxlength="999"
style="resize:none"></textarea>
                    <p class="help-block"></p>
                </div>
                <div class=col-lg-12"> <button type="submit" class="btn btn-
primary">Submit</button>
                    <button type="reset" class="btn btn-primary"
value="reset">Clear</button>
                </div>
            </div>
        </div> <div class="clearfix"></div>
    </form>
    </div>

</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
```

```
</div>
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
```

```
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})

```

```
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>
</html>
```

Design code of Payments in ADMIN Profile page (payments.jsp)

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
```

```
body>

<!-- navigation -->

<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="admin.jsp"><h1><span class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
    <div id="navbar" class="navbar-collapse collapse">
      <ul class="nav navbar-nav navbar-right">
        <li><a href="order.jsp">Order</a></li>
        <li><a href="addstaff.jsp">Add Staff</a></li>
        <li><a href="trackadmin.jsp">Track Consignment</a></li>
        <li><a href="returnpage.jsp">Returns</a></li>
        <li><a href="payments.jsp">Payments</a></li>
        <li><a href="search.jsp">Search</a></li>
        <li><a href="response.jsp">Response Tab</a></li>
        <li><a href="changepasswordadmin.jsp">Change Passwords</a></li>
        <li><a href="logout.jsp">Logout</a></li>
      </ul>
    </div>
    <!--/.nav-collapse -->
  </div>
</nav>
<!-- navigation -->

<div margin:none; padding: 0px;">
```

```

<br><br><br><br><br>

<!--form section-->

<section class="contact-w3ls">

    <div class="container">

        <i class="fa fa-compass" aria-hidden="true"></i>

        <h3 class="text-center">PAYMENTS</h3>

        <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="payments1.jsp" method="post" name="name"
id="contactForm" novalidate>

            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                <div class="control-group form-group">

                    <div class="controls">

                        <label class="contact-p1">REFERENCE ID:</label>

                        <input type="text" class="form-control" name="reference_id" id="name" required
data-validation-required-message="Please enter Return ID.">

                        <p class="help-block"></p>

                    </div>

                </div>

                </div>

                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

                    <div class="control-group form-group">

                        <div class="controls">

                            <label class="contact-p1"> </label>

                            <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>

                            <p class="help-block"></p>

                        </div>

                    </div></div>

                </form>

                <br><br><br>

            <section class="contact-w3ls">

```

```
<i class="fa fa-compass" aria-hidden="true"></i>

    <h3 class="text-center">Add Details For Consignment Payments</h3>

    <h4 class="text-center"><font color="red">All fields are
mandatory</font></h4><br><br><br><br>

        <form action="returnpage2.jsp" method="post" name="sentMessage"
id="contactForm" novalidate>

            <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">

                <div class="control-group form-group">

                    <div class="controls">
                        <label class="contact-p1">REFERENCE ID:</label>
                        <input type="text" class="form-control" name="name" id="name" required data-
validation-required-message="Please enter your name.">
                        <p class="help-block"></p>
                    </div>
                </div>

                <div class="control-group form-group">
                    <div class="controls">
                        <label class="contact-p1">Customer Name:</label>
                        <input type="tel" class="form-control" name="c_name" id="phone" required data-
validation-required-message="Please enter your phone number.">
                        <p class="help-block"></p>
                    </div>
                </div>

                <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">

                    <div class="control-group form-group">
                        <div class="controls">
                            <label class="contact-p1">AMOUNT:</label>
                            <input type="text" class="form-control" name="add" id="email" required data-
validation-required-message="Please enter your address.">
                            <p class="help-block"></p>
                        </div>
                    </div>

                </div>
            </div>
        </form>
    </div>

```

```
<div class="control-group form-group">
<div class="controls">
    <label class="contact-p1">Email ID:</label>
    <input type="email" placeholder="abc@xyz.com" class="form-control" name="email" id="email" required data-validation-required-message="Please enter Email ID.">
        <p class="help-block"></p>
    </div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div>      <div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
    <div class="control-group form-group">
        <div class="controls">
            <label class="contact-p1">Date of Payment:</label>
            <input type="date" class="form-control" name="date" id="name" required data-validation-required-message="Please enter your name.">
            <p class="help-block"></p>
        </div>
    </div>
    <div class="control-group form-group">
        <div class="controls">
            <label class="contact-p1">PAYMENT STATUS:</label>
            <p class="help-block">
                <select name="toi">
                    <option value="Done">Done</option>
                    <option value="Not Done">Not Done</option>
                </select></p>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
```

```
<div class="controls">
    <label class="contact-p1">Remarks:</label>
    <input type="text" placeholder="Fill remarks regarding payment like cheque number etc." class="form-control" name="remarks" id="name" required data-validation-required-message="Please enter your address.">
        <p class="help-block"></p>
</div>

</div>

<div class="control-group form-group">
<div class="controls">
    <label class="contact-p1">PAYMENT MODE:</label>
    <p class="help-block">
        <select name="design" class="contact-p1" class="help-block" class="form-control" id="design" required data-validation-required-message="Please select your Designantion."></p>
            <option value="CASH">CASH</option>
            <option value="CHEQUE">CHEQUE</option>
            <option value="PAYTM Wallet">PAYTM Wallet</option>
        </select>
    </p>
</div>
</div>

<div class="col-lg-6 col-md-6 col-sm-6 contact-agile2"></div>
</div>
<div class="col-lg-12"> <button type="submit" class="btn btn-primary">Submit</button>
    <button type="reset" class="btn btn-primary" value="reset">Clear</button>
</div>
</div>
</div>
```

```
</div>
<div class="clearfix"></div>
</form>

</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<div class="phone">
</div>
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
<ul class="social-icons2">
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
```

```
        </ul>
    </div>
    <div class="clearfix"></div>
    <hr>
    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})
myBgFader.start()
</script>
<!-- /js files -->
```

```
</body>  
</html>
```

Design code of Search in ADMIN Profile page (search.jsp)

```
<%@page import="java.sql.*" %>  
<%@page contentType="text/html" pageEncoding="UTF-8"%>  
  
<html>  
  
<head>  
  
<title>Delipick Distribution</title>  
  
<!-- css files -->  
  
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />  
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />  
  
</head>  
  
<body>  
  
<!-- navigation -->  
  
<nav class="navbar navbar-default navbar-fixed-top">  
  
<div class="container">  
  
<div class="navbar-header">  
  
    <a class="navbar-brand" href="clerk.jsp"><h1><span  
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>  
  
    <div id="navbar" class="navbar-collapse collapse">  
  
        <ul class="nav navbar-nav navbar-right">  
  
            <li><a href="orderc.jsp">Order</a></li>  
            <li><a href="returnsc.jsp">Returns</a></li>  
            <li><a href="trackc.jsp">Track Consignment</a></li>  
            <li><a href="searchc.jsp">Search</a></li>  
            <li><a href="responsec.jsp">Response Tab</a></li>  
            <li><a href="changepassc.jsp">Change Password</a></li>  
            <li><a href="logout.jsp">Logout</a></li>  
        </ul>  
    </div>  
 </div>  
<!--/.nav-collapse -->
```

```
</div>
</nav>
</head>
<!-- navigation -->
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
<div class="container">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">SEARCH DETAILS</h3>
    <p class="text-center"><font color="blue"><b></b></font></p>

        <form action="searchpage.jsp" method="post" novalidate>
<div class="col-lg-6 col-md-6 col-sm-6 contact-agile1">
            <div class="control-group form-group">
                <div class="controls">
                    <label class="contact-p1">ID:</label>
                    <input type="text" placeholder="ENTER ID" class="form-control" name="searchid" id="message" required data-validation-required-message="Please enter Return ID." maxlength="999" style="resize:none">
                    <p class="help-block"></p>
                </div>
            </div>
        </div>
        <div class="col-lg-6 col-md-6 col-sm-6 contact-agile2">
            <div class="control-group form-group">
                </div></div>

```

```

<div class="control-group form-group">
    <div class="controls">
        <label class="contact-p1">TYPE of Details:</label>
        <p class="help-block">
            <select name="searchtype">
                <option value="employee">EMPLOYEE</option>
                <option value="customer">CUSTOMER</option>
                <option value="tracking">TRACKING INFORMATION</option>
                <option value="consignmentreturn">CONSIGNMENT RETURN
                INFORMATION</option>
                <option value="consignmentpayment">CONSIGNMENT PAYMENT
                INFORMATION</option>
            </select></p>
            </div>
        <div class="controls">
            <label class="contact-p1"> </label>
            <button type="submit" class="btn btn-primary">Search</button><br><br><br><br>
            <p class="help-block"></p>
        </div>
    </div> </form> </div>

<section class="contact-w3ls">
</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">
            </div>

```

```
<div class="col-lg-3 col-md-3 col-sm-6">

</div>
<div class="col-lg-3 col-md-3 col-sm-6">
    <div class="phone">
        </div>

    </div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;</pre>
```

```
<script>

var myBgFader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
    'speed': 3000,
    'opacity': 0.4
})

myBgFader.start()

</script>

<!-- /js files -->
```

```
</body>
</html>
```

Design and JSP code of Response Tab in ADMIN Profile page (response.jsp)

```
<%@page import="java.sql.*" %>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<head>
<title>Delipick Distribution</title>
<!-- css files -->
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
</head>
<body>
```

```

<!-- navigation -->

<nav class="navbar navbar-default navbar-fixed-top">
    <div class="container">
        <div class="navbar-header">
            <a class="navbar-brand" href="admin.jsp"><h1><span
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
        <div id="navbar" class="navbar-collapse collapse">
            <ul class="nav navbar-nav navbar-right">
                <li><a href="order.jsp">Order</a></li>
                <li><a href="addstaff.jsp">Add Staff</a></li>
                <li><a href="trackadmin.jsp">Track Consignment</a></li>
                <li><a href="returnpage.jsp">Returns</a></li>
                <li><a href="payments.jsp">Payments</a></li>
                <li><a href="search.jsp">Search</a></li>
                <li><a href="response.jsp">Response Tab</a></li>
                <li><a href="changeppasswordadmin.jsp">Change Password</a></li>
                <li><a href="logout.jsp">Logout</a></li>
            </ul>
        </div>
        <!--/.nav-collapse -->
    </div>
</nav>
</head>
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">Feedback Dashboard</h3>

```

```

<div style="margin-left:403px;" class="container" style="height: 300px; width: 100%;">

    <%
    try
    {

        Class.forName("org.apache.derby.jdbc.ClientDriver");

        Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

        PreparedStatement ps= cn.prepareStatement("select * from feedback");

        ResultSet rs=ps.executeQuery();

        %>
        <table border="1">

            <b> <th color="gray"><tr style='background:grey;color:white;'><td><b>SELECT
QUERY</b></td><td><b>FEEDBACK ID</b></td><td><b>EMAIL
ID</b></td><td><b>MOBILE</b></td><td><b>SUBJECT</b></td><td><b>SELECT</b></td></tr></th
></b>

        <%
        while(rs.next())
        {
            %>
            <tr>

                <form action="ship.jsp" method="post">

                    <td><input type="radio" name="refid" value=<%=rs.getString("email")%>></td>

                    <td><%=rs.getString("f_id")%></td>

                    <td><%=rs.getString("email")%></td>

                    <td><%=rs.getString("mobile")%></td>

                    <td><%=rs.getString("subject")%></td>

                    <td><input type="submit" class="btn btn-primary" value="VIEW
MESSAGE"></td>

```

```
        </form>
    </tr>
<%
}

%></table><%
cn.close();
}

catch(Exception ex)
{
    out.print(ex);
}

%>

</div></section>

</div><div>

</div>
<!--complaint-->
<div margin:none; padding: 0px;">

<br><br><br><br><br>
<!--form section-->
<section class="contact-w3ls">
    <i class="fa fa-compass" aria-hidden="true"></i>
    <h3 class="text-center">COMPLAINT Dashboard</h3>
    <div style="margin-left:433px;" class="container" style="height: 300px; width: 100%;">
        <%
try
{
```

```

Class.forName("org.apache.derby.jdbc.ClientDriver");

Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

PreparedStatement ps= cn.prepareStatement("select * from CONTACT");

ResultSet rs=ps.executeQuery();

%>

<table border="1">

<b> <th color="gray"><tr style='background:grey;color:white;'><td><b>SELECT
COMPLAINT</b></td><td><b>EMAIL ID</b></td><td><b>REFERENCE ID
</b></td><td><b>SUBJECT</b></td><td><b>SELECT</b></td></tr></th></b>

<%
while(rs.next())
{
%>

<tr>
<form action="ship.jsp" method="post">
<td><input type="radio" name="refid" value=<%=rs.getString("email")%>></td>
<td><%=rs.getString("email")%></td>
<td><%=rs.getString("reference_id")%></td>
<td><%=rs.getString("cmttype")%></td>
<td><input type="submit" class="btn btn-primary" value="REPLY"></td>

</form>
</tr>
<%
}

%></table><%
cn.close();

```

```
    }

    catch(Exception ex)
    {
        out.print(ex);
    }

%>

</div></section>

</div><div>

</div>

<!-- footer section -->
<section class="footer-agileits">
    <div class="container">
        <div class="col-lg-3 col-md-3 col-sm-6">

        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">

        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">
            <div class="phone">
                </div>

            </div>
        </div>
        <div class="col-lg-3 col-md-3 col-sm-6">

            <ul class="social-icons2">

```

```
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>

</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section -->
<a href="#0" class="cd-top">Top</a>
<!-- js files -->
<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>
var myBgFader = $('.header').bgfader([
  'images/banner1-1.jpg',
  'images/banner1-2.jpg',
  'images/banner1-3.jpg',
  'images/banner1-4.jpg',
], {
  'timeout': 2000,
  'speed': 3000,
  'opacity': 0.4
})
```

```
myBgFader.start()
```

```
</script>
```

```
<!-- /js files -->
```

```
</body>
```

```
</html>
```

Design code of Change Password in ADMIN Profile page (changeppassadmin.jsp)

```
<%@page import="java.sql.*" %>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<html>
```

```
<head>
```

```
<title>Delipick Distribution</title>
```

```
<!-- css files -->
```

```
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
</head>
```

```
<body>
```

```
<!-- navigation -->
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
  <div class="container">
```

```
    <div class="navbar-header">
```

```
      <a class="navbar-brand" href="order.jsp"><h1><span  
class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```
      <div id="navbar" class="navbar-collapse collapse">
```

```
        <ul class="nav navbar-nav navbar-right">
```

```
          <li><a href="order.jsp">Order</a></li>
```

```
          <li><a href="addstaff.jsp">Add Staff</a></li>
```

```
          <li><a href="trackadmin.jsp">Track Consignment</a></li>
```

```
          <li><a href="returnpage.jsp">>Returns</a></li>
```

```
          <li><a href="payments.jsp">Payments</a></li>
```

```
          <li><a href="search.jsp">Search</a></li>
```

```
<li><a href="response.jsp">Response Tab</a></li>
<li><a href="changepassadmin.jsp">Change Password</a></li>
    <li><a href="logout.jsp">Logout</a></li>

</div>

<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->

<div margin:none; padding: 0px;">

<br><br><br><br><br>

<!--form section-->
<section class="contact-w3ls">
    <div class="container">
        <i class="fa fa-compass" aria-hidden="true"></i>
        <h3 class="text-center">CHANGE PASSWORD</h3>
        <p class="text-center"><font color="blue"><b></b></font></p>
    <center>
        <form action="changepassadmin1.jsp" method="post">
            <table>
                <tbody>
                    <tr>
                        <td>Username:</td>
                        <td><input type="text" name="userid" value="" /></td>
                    </tr>
                    <tr><td>Old Password:</td>
                        <td><input type="text" name="Old password" value="" /></td>
                    </tr>
                    <br>
```

```
<tr><td>New Password:</td>
<td><input type="text" name="password" value="" /></td>
</tr>
<br>
<tr><td>Confirm Password:</td>
<td><input type="text" name="Confirm password" value="" /></td>
<br>

</tr>
</tbody>
</table>
</center>
<center><input type="submit" value="Change Password" class="btn btn-primary" >
<input type="reset" value="Cencel" class="btn btn-primary"
></center><br><br><br><br>
<p class="help-block"></p>
</div>
</div> </form> </div>
<br><br><br>

<section class="contact-w3ls">
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
<div class="col-lg-3 col-md-3 col-sm-6">
</div>
```

```
<div class="phone">
</div>

</div>
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

<ul class="social-icons2">
<li><a href="#"><i class="fa fa-facebook"></i></a></li>
<li><a href="#"><i class="fa fa-twitter"></i></a></li>
<li><a href="#"><i class="fa fa-linkedin"></i></a></li>
<li><a href="#"><i class="fa fa-google-plus"></i></a></li>
</ul>
</div>
<div class="clearfix"></div>
<hr>
<p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>
</div>
</section>
<!-- /footer section --&gt;
&lt;a href="#0" class="cd-top"&gt;Top&lt;/a&gt;
<!-- js files --&gt;
&lt;script src="js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="js/SmoothScroll.min.js"&gt;&lt;/script&gt;
&lt;script src="js/index.js"&gt;&lt;/script&gt;
&lt;script src="js/top.js"&gt;&lt;/script&gt;
&lt;script src="js/bgfader.js"&gt;&lt;/script&gt;
&lt;script&gt;
var myBgfader = $('.header').bgfader([
'images/banner1-1.jpg',
'images/banner1-2.jpg',</pre>
```

```
'images/banner1-3.jpg',
```

```
'images/banner1-4.jpg',
```

```
], {
```

```
'timeout': 2000,
```

```
'speed': 3000,
```

```
'opacity': 0.4
```

```
}
```

```
myBgFader.start()
```

```
</script>
```

```
<!-- /js files -->
```

```
</body>
```

```
</html>
```

JSP code of Change Password in ADMIN Profile page (changeppassadmin1.jsp)

```
<%@page import="java.sql.*" %>
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
```

```
<html>
```

```
<head>
```

```
<title>Delipick Distribution</title>
```

```
<!-- css files -->
```

```
<link href="css/bootstrap.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/font-awesome.min.css" rel="stylesheet" type="text/css" media="all" />
```

```
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
</head>
```

```
<body>
```

```
<!-- navigation -->
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
    <a class="navbar-brand" href="order.jsp"><h1><span  
    class="fa fa-diamond" aria-hidden="true"></span>Delipick Distribution</h1></a>
```

```

<div id="navbar" class="navbar-collapse collapse">
    <ul class="nav navbar-nav navbar-right">
        <li><a href="order.jsp">Order</a></li>
        <li><a href="addstaff.jsp">Add Staff</a></li>
        <li><a href="trackadmin.jsp">Track Consignment</a></li>
        <li><a href="returnpage.jsp">Returns</a></li>
        <li><a href="payments.jsp">Payments</a></li>
        <li><a href="search.jsp">Search</a></li>
        <li><a href="response.jsp">Response Tab</a></li>
        <li><a href="changepassadmin.jsp">Change Password</a></li>
        <li><a href="logout.jsp">Logout</a></li>
    </ul>
</div>
<!--/.nav-collapse -->
</div>
</nav>
</head>
<!-- navigation -->
<div margin:none; padding: 0px;">

<br><br><br>
<!--Working section-->

<%
String s=request.getParameter("userid");
String s1=request.getParameter("password");
Class.forName("org.apache.derby.jdbc.ClientDriver");
Connection cn= DriverManager.getConnection("jdbc:derby://localhost:1527/DP");

PreparedStatement ps= cn.prepareStatement("update login set password=? where
userid=?");
ps.setString(1, s1);

```

```
ps.setString(2,s);

ps.executeUpdate();

out.print("changed successfully");
cn.close();

%>    </div>
<br><br>

<div>
<center><h1><font color="blue"><b>Your Password Has Been Changed
Successfully</b></font><h1>
<br> <a href="order.jsp"><input type="button" value="Home" class="btn btn-
primary"></a></center></div>

</div>
</div>

<!-- footer section -->
<section class="footer-agileits">
<div class="container">
    <div class="col-lg-3 col-md-3 col-sm-6">
        </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
        </div>
    <div class="col-lg-3 col-md-3 col-sm-6">
        <div class="phone">
            </div>
    </div>
</div>
```

```
</div>

<div class="col-lg-3 col-md-3 col-sm-6">

    <ul class="social-icons2">
        <li><a href="#"><i class="fa fa-facebook"></i></a></li>
        <li><a href="#"><i class="fa fa-twitter"></i></a></li>
        <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
        <li><a href="#"><i class="fa fa-google-plus"></i></a></li>
    </ul>
</div>

<div class="clearfix"></div>

<hr>

    <p class="copyright">© 2016 Delipick Distribution All Rights Reserved | Design by <a href="#" target="_blank">Navneet</a></p>

</div>

</section>

<!-- /footer section -->

<a href="#0" class="cd-top">Top</a>

<!-- js files -->

<script src="js/jquery.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/SmoothScroll.min.js"></script>
<script src="js/index.js"></script>
<script src="js/top.js"></script>
<script src="js/bgfader.js"></script>
<script>

var myBgfader = $('.header').bgfader([
    'images/banner1-1.jpg',
    'images/banner1-2.jpg',
    'images/banner1-3.jpg',
    'images/banner1-4.jpg',
], {
    'timeout': 2000,
```

```

'speed': 3000,
'opacity': 0.4
})

myBgFader.start()
</script>
<!-- /js files -->

</body>
</html>

```

16. Testing

- Testing methodology
- Testing objectives
- Testing principles
- Testing for specialized environment and its applications
- Testing of client / server architectures
- Different types of testing are:
- Unit testing
- Module testing
- System testing
- Recovery testing
- Security testing
- Stress testing
- Performance testingbeta testing
- White box testing
- Black box testing

1) Testing Methodology

Software testing is critical element of software quality assurance and represents the ultimate review of specification, design and coding. The increasing visibility of software as a system element and associated with a software failure are the attendant costs a, planned thorough testing It is not renovating forces for a software development organization to unusual for software project effort on testing.

In the extreme, testing of human-rated software (e.g., flight control, nuclear reactor monitoring) can cost three to five times as much as all other software engineering activities combined!

2) Testing Objectives:

- Testing is process of executing a program with the intent finding an error.
- A good test case is one that has a high probability of finding an as-yet undiscovered error.
- A successful test is one that uncovers an as yet-undiscovered error.
- The above objectives imply a dramatic change in viewpoint. They move counter to the commonly held view that a successful test is one in which no errors are found. Our objective is to design tests that systematically uncover different classes of errors and do so with a minimum amount of time and effort.

If testing is conducted successfully (according to the objectives stated above), it will uncover errors in the software.

Testing cannot show the absence of defects, it can only show that software errors are present.

3) Testing Principles

Before applying methods to design effective test cases, a software engineer must understand the basic principles that guide software testing. Davis suggests a set of testing principles, which are as follows:

- All tests should be traceable to user requirement. As we have seen, the objective of software testing is to uncover errors. It follows that the most severe defects (from the user's point of view) are those that cause the program to fail to meet its requirements.
- Tests should be planned long before testing begins: Test planning can begin as soon as the requirement(s) model is completed. Detailed definition of test cases can begin as soon as the design model has been solidified. Therefore, all tests can be planned and designed before any code has been generated.
- The pareto principle applies to software testing: Stated simply, the pareto principle implies that 80 percent of all errors uncovered during testing will likely be traceable to 20 percent of all program modules. The problem, of course, is to isolate these suspect modules and to thoroughly test them.
- Testing should begin "in the small" and progress toward testing "in the large". The first tests planned and executed generally focus on individual program modules. As testing progresses, testing shifts focus in an attempt of find errors in integrated clusters of modules and ultimately in the entire system.
- Exhaustive testing is not possible. The number of path permutations for even a moderately sized program is exceptionally large. For this reason, it is impossible to execute every combination of paths during testing. It is possible, however, to adequately cover program logic and to ensure that all conditions in the procedural design have been exercised.
- To be most effective, an independent third party should conduct testing: by "most effective," we mean testing that has the highest probability of finding errors (the primary objective of testing). For reasons that the software engineers who created the system is not the best person to conduct all tests for the software.

4) Testing For Specialized Environment And Its Applications

Computer Software has become more complex; the need for specialized testing approaches has also grown. The White-Box and Black Box testing methods are applicable across all environments, the creation of user interfaces has become less time consuming and more precise. At the same time, the complexity of GUIs has grown, leading to more difficulty in design and execution of test cases.

Because modern GUIs have the same look and feel, a series of standard tests can be derived. The following questions can serve as a guideline for creating a series of generic tests for GUIs:

For Windows:

- Will the window open properly based on related typed or menu-based commands?
- Can the window be resized, moved and scrolled?
- Is all data content contained within the window properly addressable with a mouse, function keys, directional arrows and keyboard?
- Does the window properly regenerate when it is overwritten and then recalled?
- Are the functions that relate to the window operational?
- Are the relevant pull-down menus, tool bars, scroll bars, dialog boxes, and buttons, icons and other controls available and properly displayed for the window?
- When multiple windows are displayed, is the window properly represented?
- Does the window properly close?
- Is the active window properly highlighted?
- For pull-down menus and mouse operations: the same name of the updated at appropriate within the window cause.
- If multitasking is used, are all the windows properly closed?
- Updated at appropriate within the window cause
- Is the appropriate menu bar displayed in the appropriate context?
- Do the application menu bar display system features (e.g., clock display)?
- Do pull-down operations work properly?
- Are all menu functions properly addressable by the mouse?
- Is it possible to invoke each menu function using text-based command?

- Are the names of menu functions self-explanatory?
- Is help available for each menu item?
- If the mouse has multiple buttons, they properly context?

Data Entry:

- Is alphanumeric data entry properly echoed and input to the system?
- Is invalid data properly recognized?

Are data input/modification/deletion messages intelligible?

Because of the large no of permutations associated with GUI operations, testing should be approached using automated tools. A wide array of GUI testing tools is available to achieve this goal.

5) Testing Of Client / Server Architectures

Client/Server (C/S) architectures represent a significant challenge for software testing. The distributed nature of client/server environments, the performance issues associated with transaction processing, the potential presence of a number of different hardware platforms, the complexities of network communication, the need to service multiple clients from a centralized (or in some cases distributed) database and the coordination requirements imposed on the server all combine to make testing of C/S architectures and the software that reside within them considerably more difficult than testing standalone applications.

6) Different Types of Testing are:

- Unit Testing
- Module Testing
- System Testing
- Recovery Testing
- Security Testing
- Stress Testing
- Performance Testing
- Alfa / Beta Testing
- White box Testing
- Black box Testing

Brief explanation of each testing discussed above is as :

a) Unit Testing

Unit testing focuses verification effort on the smallest unit of software design is modules. Using the procedural design description as a guide, important control paths are tested to uncover errors within the boundary of the module. The relative complexity of testing. The unit testing is normally white-box oriented, and the step can be conducted in parallel for multiple modules.

Unit Test Considerations

The module interface is tested to ensure that information properly flows into and out of the program unit under test. The local data structure is examined to ensure that data stored temporarily maintains its integrity during all steps in an algorithm's execution. Boundary conditions are tested to ensure that the module operates properly at boundaries established to limit or restrict processing. All independent paths (basis paths) through the control structure are exercised to ensure that all statements in module have been executed at least once. And finally, all error-handling paths are tested. Tests of data flow across a module interface are required before any other test is initiated. If data do not enter and exit properly, all other tests are moot. In his text on software testing, Myers proposes a checklist for interface tests:

- Number of input parameters equal to number of arguments?
- Parameter and argument attributes match?
- Parameter and argument units systems match?
- Input only arguments altered?
- Global variable definitions consistent across modules?
- File attributes correct?
- OPEN/CLOSE statements correct?
- End-of-file conditions handled?
- Inconsistent data types.

Unit test Procedures

Unit Testing is normally considered as an adjunct to the coding step. After source-level code has been developed, reviewed, and verified for correct syntax, unit test case design begins. A review of design information provides guidance for establishing test cases that are likely to uncover errors in each of the categories discussed above. Each test case should be coupled with a set of expected results.

b) Module Testing

A Module represents the logical elements of a system. For a module to FULL satisfactorily, it will compile and test data correctly and tie in property with other modules.

Module testing checks for two types of error: Syntax and Logical.

- **Syntax Error**

A Syntax error is a module statement that violates one or more rules of the language in which it is written. An improperly defined field dimension or omitted key words are common syntax errors. These errors are shown through error messages generated by the computer.

- **Logical Error**

A logical error, on the other hand, deals with incorrect data fields, out-range items, and invalid combinations, since diagnostics do not detect logic errors, the programmer must examine the output carefully for them.

When a module is tested, the actual output is compared with the expected output. When there is a discrepancy, the sequence of instructions must be traced to determine the problem. The process is facilitated by breaking the program shown into self-contained portions, each of which can be checked at certain key points. The idea is to compare module values against desk-calculated values to isolate the module.

c) System Testing

The last high-order testing step falls outside the boundary of Software Engineering and into the broader context of computer System Engineering. Software, once validated, must be combined with other system element (e.g., hardware, people, and databases). System testing verifies that all elements mesh properly and that overall system function/performance is achieved.

Ultimately, software is incorporated with other system elements (e.g., new hardware and information) and a series of system integration and validation tests are conducted. These tests fall outside the scope of the software engineering process and are not conducted solely by the software developer. However, steps taken during software design and testing can greatly improve the probability of successful integration in the larger system.

A classic system-testing problem is "finger pointing." This occurs when an error is uncovered, and each system element developer blames the other for the problem. Rather than indulging in such nonsense, the software engineer should anticipate potential interfacing problems and:

- Design error-handling paths that test all information coming from other elements of the system.
- Conduct a series of tests that simulate bad data or other potential errors at the software interface.
- Record the results of tests to use as "evidence" if finger pointing does occur.
- Participate in planning and design of system tests to ensure that software is adequately tested.

System testing is actually a series of different tests whose primary purpose is to fully exercise the computer-based system. Although each test has a different purpose, all work to verify that all system elements have been properly integrated and perform allocated functions. In the sections that follow, we discuss the types of system tests that are worth while for software-based system.

d) Recovery Testing

Recovery testing is a system test that forces the software to fail in a variety of ways and verifies that recovery is properly performed. If recovery is automatic (performed by the system itself), re-initialization, check pointing mechanisms, data recovery, and restart are each evaluated for correctness. If recovery requires human intervention, the mean time to repair is evaluated to determine whether it is within acceptable limits.

e) Security Testing

Security testing attempts to verify that protection mechanisms built into a system will in fact protect it from improper penetration. The system's security must, of course, be tested for invulnerability from frontal attack - but must also be tested for invulnerability from flank or rear attack.

During security testing, the tester plays the role(s) of the individual who desires to penetrate the system. Anything goes! The tester may attempt to acquire passwords through external clerical means, may attack the system with custom software designed to break down any defenses that have been constructed; may overwhelm the system, thereby denying service to others; may purposely cause system errors, hoping to penetrate during recovery; may browse through insecure data, hoping to find the key to system entry; and so on.

Given enough time and resources, good security testing will ultimately penetrate a system. The role of the system designer is to make penetration cost greater than the value of the information that will be obtained.

f) Stress Testing

Stress testing executes a system in a manner that demands resources in abnormal quantity, frequency, or volume. For example: Special tests may be designed that generate 10 interrupts per second, when one or two is the average rate. Input data rates may be increased by an order of magnitude to determine how input functions will respond?

Test cases that require maximum memory or other resources may be executed. Test cases that may cause thrashing in a Virtual Operating System may be designed. Test cases that may cause excessive hunting for disk resident data may be created. Essentially, the tester attempts to break the program.

g) Performance Testing

Performance tests are often coupled with stress testing and often require both hardware and software instrumentation. That is, it is often necessary to measure resource utilization (e.g., processor cycles) in an exacting fashion. External instrumentation can monitor execution intervals, log events (e.g., interrupts) as they occur, and sample machine states on a regular basis. By instrumenting a system, the tester can uncover situations that lead to degradation and possible system failure.

h) Alpfa / Beta Testing

It is virtually impossible for a software developer to foresee how the user will really use a system. Instructions for use may be misinterpreted: strange combinations of data may be regularly used; and output that seemed clear to the tester may be unintelligible to a user in the field.

When computer software is built for one customer, a series of acceptance tests are conducted to enable the customer to validate all requirements. Conducted by the end user rather than the system developer, an acceptance test can range from an informal "test drive" to a planned and systematically executed series of tests. In fact, acceptance testing can be conducted over a period of weeks or months, thereby uncovering cumulative errors that might degrade the system over time.

If software is developed as a product to be used by many customers; it is impractical to perform formal acceptance tests with each one. Most software product builders use a process called alpha and beta testing to uncover errors that only the end user seems able to find. A customer conducts the alpha test at the developer's site. The software is used in natural setting with the developer "looking over the shoulder" of the user and recording errors and usage problems. Alpha tests are conducted in controlled environment. The beta test is conducted at one or more customer sites by the end user(s) of the software. Unlike alpha testing, the developer is generally not present. Therefore, the beta test is a "live" application of the software in an environment that cannot be controlled by the developer. The customer records all problems (real or imagined) that are encountered during beta testing and reports these to the developer at regular intervals.

As a result of problems reported during beta test, the software developer makes modifications and then prepares for release of the software product to the entire customer base.

i) **White Box Testing**

White-Box Testing sometimes called Glass-Box testing is a test case design method that checks the control structure of the procedural design to derive test cases. Using White-Box Testing methods, the software engineer can derive test cases that

- (1) Guarantee that all independent paths within a module have been exercised at least once;
- (2) Exercise all logical decisions on their true and false sides;
- (3) Execute all loops at their boundaries and within their operational bounds; and
- (4) Exercise internal data structures to assure their validity.

A reasonable question might be posed at this juncture: "why spend time and energy worrying about (and testing) logical minutiae when we might better expend effort ensuring that program requirements have been met?" Stated another way, why don't we spend all of our energies on black-box tests? The answer lies in nature of software defects.

- Logic errors and incorrect assumptions are inversely proportional to the probability that a program path will be executed. Errors tend to creep into our work when we design and implement function, conditions, or control that are out of the mainstream.

- Everyday processing tends to be well understood (and well scrutinized), while "special case" processing tends to fall into the cracks.
- We often believe that a logical path is not likely to be executed when, in fact, it may be executed on regular basis. The logical flow of a program is sometimes counterintuitive, meaning that our unconscious assumptions about flow of control and data may lead us to make design errors that are uncovered only once path testing commences.
- Typographical errors are random. When a program is translated into programming language source code, it is likely that some typing errors will occur. Many will be uncovered by syntax checking mechanisms, but others will go undetected until testing begins. It is as likely that type will exist on an obscure logical path as on a mainstream path.

Each of these reasons provides an argument for conducting white-box tests. Black-Box Testing, no matter how thorough, may miss the kinds of errors noted above. As Beiger has stated: "Bugs lurk in corners and congregate at boundaries to uncover them" White-box testing is far more likely

j) Black Box Testing

Black-Box Testing focuses on the functional requirements of the software. That is, Black-Box Testing enables the software engineer to derive sets of input conditions that will fully exercise all functional requirements for a program. Black-Box Testing is not an alternative to white-box techniques. Rather, it is a complementary approach that is likely to uncover a different class of errors than white-box methods.

Black-Box Testing attempts to find errors in the following categories:

- (1) Incorrect or missing functions,
- (2) Interface errors,
- (3) Errors in data structures or external data base access,
- (4) Performance errors, and
- (5) Initialization and termination errors.

Unlike White-Box Testing, which is performed early in the testing process, Black-Box Testing tends to be applied during later stages of testing. Because black box testing purposely disregards control structure, attention is focused on the information domain. Tests are designed to answer the following questions:

- How is functional validity tested?
- What classes of input will make good test cases?
- Is the system particularly sensitive to certain input values?
- How are the boundaries of a data class isolated?
- What data rates and data volume can the system tolerate?

- What effect will specific combinations of data have on system operation?
- By applying black-box techniques, we derive a set of test cases that satisfy the following criteria:
 - (1) Test cases that reduce, by a count that is greater than one, the number of additional test cases that must be designed to achieve reasonable testing, and
 - (2) Test cases that tell us something about the presence or absence of classes of errors, rather than errors associated only with the specific test at hand.


17. Implementation of The Project

All the important aspect of a systems analyst's job is to make sure that the new design is implemented to established standards. The term implementation has different meanings, ranging from the conversion of basic application to a complete replacement of a computer system. The procedure, however, is virtually the same. Implementation is used here to maintain the process of converting a new or a revised system design into an operational one. Conversion is one aspect of implementation. The other aspects are the post implementation review and software maintenance.

There are three types of implementation:

- Implementation of a computer system to replace a manual system. The problems encountered are converting files, training users, creating accurate files, and verifying printouts for integrity.
- Implementation of a new computer system to replace an existing one. This is usually a difficult conversion. If not properly planned, there can be many problems. Some large computer systems have taken as long as a year to convert.
- Implementation of a modified application to replace an existing one, using the same computer. This type of conversion is relatively easy to handle, provided there are no major changes in the files.

Gantt Chart




GANNT CHART FOR DELIPICK DISTRIBUTION

Gannt chart for “Delipick Distibution”

Pert Chart

A = Prepare Site
B = Review Specification
C = Install Equipments
D = Test Hardware
E = Training
F = Write Programs
G = Test Programs
H = Test Software
I = Convert Systems (If Any)
J = Implement Follow-up
K = Accept

Pert chart for “DELIPICK DISTRIBUTION”



18.

Limitation Of The Project

- Needs microsoft windows 2007 or higher operating system or ide netbeans.
- Needs java and derby drivers to be installed on the system.
- Ram should be 2 gb or above for better run of the project.

19.

Future Scope Of The Project

In this project further,

- I will try to add a feature in that you users can make payment online. In that, make payment transaction can easily for courier consignment pickup/delivery booking using net banking and Debit/credit Card online.
- I will also try to make it accessible for blind persons its user interaction page will be redeveloped in such a way that is audio clip include web pages.

-: Bibliography:-

Books References: -

- Project Management Body of Knowledge” Book by Project Management Institute”.
- Eric Ries “The Lean Startup by “2007
- The art of project management” Book by Scott Beckon”.

WEBSITE REFFRED FOR MAKING OF THE PROJECT ARE:-

- <http://WWW.woopid.com>
- <http://tubetutorial.com>
- <http://www.cbtCafe>
- <http://showmevideo.com>

Conclusion:

These were great days of my life because I was doing such a type of project which I have thought in my dreams and when I have decided to this project my soul encouraged me too because I have thought that if I make such a platform for all people it will be task of great spirituality, and really this encouraged me too.

I am very very thankful to my project guide who helped me a lot in all the trouble time related to this project.

I also learnt the rarer concept of time management during the project session which I will never forget, and really creating such a real time application is very soulful for me.