

MASTER PROMPT: BAB AL Khibrah PREMIUM INDUSTRIAL WEBSITE

You are a senior UI/UX designer, industrial brand strategist, B2B conversion specialist, data researcher and full-stack frontend engineer.

Your task is to research, design and build a production-quality, Awwwards-inspired industrial B2B website for:

Bab Al Khibrah Trading LLC

Location: Sharjah, United Arab Emirates

Existing website: <http://babalkhibrah.com/>

Use the following website only as a business-positioning reference, not as a design or content template:

<https://www.saadsteelsupplies.com/>

The new website must feel premium, technical, reliable and modern. It must clearly communicate that Bab Al Khibrah is an engineering steel and alloy stockist, supplier, cut-to-size processor and industrial sourcing partner.

Do not create a generic construction-company website.

Do not copy text, layouts, branding, photographs or proprietary content from competitor websites.

1. PRIMARY BUSINESS GOAL

Build a website that helps industrial buyers quickly:

1. Understand what materials the company supplies.
2. Find suitable steel grades and material forms.
3. Understand the company's cutting and sourcing capabilities.
4. Verify quality, testing and delivery support.
5. Submit a detailed Request for Quotation.
6. Upload drawings, specifications, PDFs or spreadsheets.
7. Contact the sales team through WhatsApp, phone or email.

The website must function as a:

- Digital product catalogue
- Industrial capability presentation
- Material discovery interface
- RFQ lead-generation system
- Technical trust-building platform
- UAE and GCC sales asset

This is not an e-commerce website. Do not add prices, cart or checkout unless explicitly requested later.

2. RESEARCH AND DATA COLLECTION PHASE

Before creating the final website, study publicly available information from these seed websites:

- <http://babalkhibrah.com/>
- <https://www.saadsteelsupplies.com/>
- <https://www.supremesteel.ae/>
- <https://niftyalloys.com/>
- <https://www.alloysteeltrading.com/>
- <https://www.pmetals.ae/>
- <https://alnoorsteel.com/>

Research other relevant UAE and GCC engineering-steel suppliers when useful.

Extract and compare:

Company Information

- Year established
- Location
- Service regions
- Warehouse capabilities
- Machinery
- Delivery support
- Industries served
- Company positioning
- Certifications
- Inspection support
- Downloadable catalogues
- Contact methods

Product Information

- Material families
- Grades
- Equivalent grades
- Available forms
- Conditions of supply
- Applications
- Cutting options
- Technical specifications
- Testing documentation
- Material certificates
- Stock or sourcing capabilities

Website and UX Information

- Navigation patterns
- Product category organisation
- Product detail structure
- Service page structure
- RFQ fields
- Trust-building sections
- Technical tables
- Download options
- Mobile experience
- Calls to action
- SEO structure
- Industrial visual styles

Research rules

- Use only publicly accessible information.
- Respect robots.txt, website terms and reasonable crawling limits.
- Do not bypass authentication or security controls.
- Do not collect private or personal information.
- Do not copy competitor wording.
- Summarise and restructure researched information.
- Preserve a source URL for every researched factual claim.
- Mark uncertain information as unverified.
- Never invent certificates, stock quantities, projects, customers or operational numbers.
- Competitor claims must not be presented as Bab Al Khibrah facts.
- Bab Al Khibrah facts must come from its website or client-provided information.
- Create placeholders for facts that require client confirmation.

Create a structured research file:

```
{
  "companyFacts": [],
  "productCategories": [],
  "materialGrades": [],
  "materialForms": [],
  "services": [],
  "industries": [],
  "qualitySignals": [],
  "competitorPatterns": [],
  "sourceUrls": [],
  "clientConfirmationRequired": []
}
```

3. INITIAL BAB AL Khibrah PRODUCT DATA

Use the following as the initial information architecture. Verify it against the existing company website before final publication.

Medium Carbon Steels

- C45
- EN8
- CK45

High-Tensile and Alloy Steels

- EN19
- 42CrMo4
- AISI 4140
- EN24
- AISI 4340

Possible supply conditions:

- Quenched and tempered
- Annealed

Tool and Die Steels

- 1.2379
- D2
- 1.2311
- 1.2312
- P20

Stainless Steels

- 304L
- 316L

Aluminium Alloys

- 7075
- 7075-T6
- 7075-T651
- 2024

Hard-Chrome Products

- Hard-chrome-plated cylindrical rods
- C45E
- CK45

Special Requirements

- Special metal sourcing
- Special sizes
- Special sections
- International supplier coordination

Available or Processable Forms

Confirm with the client before publishing exact availability:

- Round bars
- Plates
- Pipes
- Rods
- Blocks
- Cut pieces
- Other requested sections

Services

- Bandsaw cutting
- Cut-to-size processing
- Round-bar cutting
- Pipe cutting
- Plate cutting
- Oxy-fuel cutting
- Special material sourcing
- Third-party inspection coordination
- Laboratory testing coordination
- Pickup preparation
- UAE delivery
- Export logistics coordination

Industries Served

- Machine shops
 - Tool and die manufacturers
 - Hydraulic-equipment repair workshops
 - Machinery spare-parts manufacturers
 - Steel fabricators
 - Automotive industries
 - Marine industries
 - Transport industries
 - Heavy-engineering industries
-

4. WEBSITE POSITIONING

The positioning must communicate:

Engineering steels and alloys, sourced and processed for precision-driven industries.

Supporting positioning:

From specialised grades to cut-to-size delivery, Bab Al Khibrah helps machine shops, manufacturers and industrial teams secure the correct material for demanding applications.

Avoid generic claims such as:

- Best quality
- Number-one company
- World-class service
- Leading supplier

Only use such claims when supported by evidence.

Prefer specific proof such as:

- Available grades
 - Cutting capabilities
 - Delivery coverage
 - Inspection support
 - Equipment
 - Response process
 - Industries served
 - Years of operation
-

5. VISUAL DESIGN DIRECTION

Create an Awwwards-inspired but practical B2B industrial experience.

Design concept

Precision in Motion

The visual language should combine:

- Raw industrial strength
- Machining precision
- Technical clarity
- Premium Gulf-region business confidence
- Modern engineering aesthetics

Colour palette

Primary:

- Carbon Black: #0B0D0F
- Graphite: #171B1F
- Steel Grey: #66717C
- Off White: #F2F3F1

Accent:

- Molten Orange: #FF6A1A

Optional secondary accent:

- Technical Blue: #2F7EF7

Use only one dominant accent colour at a time.

Typography

Use a strong condensed display font for headings and a clean sans-serif font for body text.

Suggested combinations:

- Archivo Black + Inter
- Barlow Condensed + Manrope
- Space Grotesk + Inter

Headings must feel engineered, bold and precise.

Visual details

- Large editorial typography
- Strong grid alignment
- Steel textures used sparingly
- Technical line drawings
- Material-grade labels
- Measurement markings
- Subtle grain
- High-contrast imagery
- Macro photographs of cut steel surfaces
- Sawing, machining and warehouse photography
- Thin animated technical lines
- Controlled metallic reflections
- Minimal glass effects
- Smooth scroll transitions
- Cinematic section reveals

Do not use excessive:

- Glassmorphism
 - Neon gradients
 - Rounded SaaS cards
 - Cartoon illustrations
 - Random construction workers
 - Sparks in every image
 - Generic skyscraper stock photographs
 - Unnecessary 3D objects
 - Autoplay audio
 - Heavy animations that reduce usability
-

6. WEBSITE NAVIGATION

Create the following main navigation:

1. Home
2. About
3. Materials
4. Processing
5. Industries
6. Quality
7. Resources
8. Contact

Primary header CTA:

Request a Quote

Secondary quick actions:

- WhatsApp
- Call
- Email
- Download Catalogue

Use a sticky header that changes from transparent to solid when scrolling.

On mobile, keep Request a Quote and WhatsApp easy to access.

7. HOME PAGE STRUCTURE

Section 1: Cinematic Hero

Use a full-screen video or image sequence showing:

- Round bars
- Bandsaw cutting
- Plate cutting
- Warehouse handling
- Close-up metal surfaces
- Loading and delivery

Suggested headline:

Engineering Metals. Cut With Precision. Delivered With Confidence.

Supporting text:

Engineering steels, tool steels, stainless steel and aluminium supplied and processed for machine shops, manufacturers and heavy industries across the UAE.

Primary CTA:

Request Material Quote

Secondary CTA:

Explore Materials

Include compact proof labels:

- Cut to Size
- Special Grades
- UAE Delivery
- Inspection Support

Animation:

- Headline enters line by line.
- Technical coordinate lines animate subtly.
- Material-grade names move slowly in the background.
- Do not create distracting continuous motion.

Section 2: Interactive Material Ecosystem

Create a premium interactive bubble graph or force-directed material map.

Central node:

Bab Al Khibrah

First-level bubbles:

- Carbon Steel
- Alloy Steel
- Tool Steel
- Stainless Steel
- Aluminium
- Hard Chrome Rods
- Special Metals

Second-level nodes:

Carbon Steel

- C45
- EN8
- CK45

Alloy Steel

- EN19
- 42CrMo4
- 4140
- EN24
- 4340

Tool Steel

- D2
- 1.2379
- P20
- 1.2311
- 1.2312

Stainless Steel

- 304L
- 316L

Aluminium

- 7075
- 7075-T6
- 2024

Hard Chrome

- C45E

- CK45
- Chrome-plated rods

Third-level relationships:

- Available forms
- Conditions
- Applications
- Industries
- Processing methods

Bubble graph behaviour

- Bubble size represents the number of related grades, forms or applications.
- Never use bubble size to suggest sales volume or stock volume without real data.
- Bubble colour represents material family.
- Hovering displays grade name and short summary.
- Clicking opens a side panel.
- Side panel shows forms, conditions, applications and RFQ button.
- Users can filter by material, form, application or industry.
- Users can search grade names.
- Related nodes highlight while unrelated nodes fade.
- Include a static accessible fallback list.
- On mobile, replace complex physics with a swipeable category explorer.
- Respect reduced-motion preferences.
- Keep the graph performant.

Suggested implementation:

- D3.js force simulation
- React Force Graph
- SVG or Canvas rendering
- Avoid heavy WebGL unless performance is tested

The graph must help buyers understand the catalogue. It must not exist merely as decoration.

Section 3: Product Category Explorer

Create large editorial product cards.

Each card must include:

- Material family
- Popular grades
- Available forms
- Main applications
- View material button
- Request quote shortcut

Cards:

- Medium Carbon Steel
- High-Tensile Alloy Steel
- Tool and Die Steel
- Stainless Steel
- Aluminium Alloy
- Hard-Chrome Rods
- Special Materials

Use real material imagery or high-quality technical renders.

Section 4: Processing Capabilities

Create an immersive horizontal or pinned-scroll section.

Services:

- Bandsaw Cutting
- Oxy-Fuel Cutting
- Round-Bar Cutting
- Pipe Cutting
- Plate Cutting
- Custom Cut-to-Size
- Special Material Sourcing
- Inspection and Testing Support

For each capability show:

- Service name
- Short explanation
- Supported materials
- Supported forms
- Machine image
- Maximum dimension placeholder
- Tolerance placeholder
- Lead-time placeholder
- Request quote CTA

Mark technical machine limitations as:

Client confirmation required

Do not fabricate machine capacity.

Section 5: Why Bab Al Khibrah

Use real operational strengths.

Suggested points:

- Specialised engineering grades
- Cut-to-size processing
- Responsive material sourcing
- Same-day pickup where confirmed
- UAE-wide delivery
- Inspection support
- Experienced industrial team
- Support for urgent requirements

Use factual, concise language.

Do not write long corporate paragraphs.

Section 6: Industries

Create an interactive industry matrix:

- Machine Shops
- Tool and Die Manufacturing
- Hydraulic Equipment
- Spare Parts Manufacturing
- Automotive
- Marine
- Fabrication
- Transport
- Heavy Engineering

Each industry item must show:

- Typical requirements
- Relevant material families
- Example applications
- Relevant processing services
- Request quote CTA

Example:

Hydraulic Equipment

Materials:

- Hard-chrome rods
- C45E
- Alloy-steel bars

Applications:

- Hydraulic-cylinder rods

- Shafts
- Repair components
- Machined parts

Do not present examples as confirmed customers or projects.

Section 7: Process

Create a clear four-step procurement flow:

1. Share Grade and Dimensions
2. Confirm Stock or Sourcing
3. Cut and Inspect
4. Pickup or Delivery

Add a fifth optional step:

1. Receive Certificates and Documentation

Use motion to connect the steps like a production line.

Section 8: Facility and Equipment

Use actual client images when available.

Possible subjects:

- Warehouse
- Five-ton overhead crane
- Forklift
- Bandsaw machine
- Oxy-fuel cutting equipment
- Portable cutting machine
- Pickup vehicles
- Material racks
- Loading process
- Inspection process

Create placeholders when real images are unavailable.

Do not substitute fake AI factory photographs in the final production website without client approval.

Section 9: Quality and Documentation

Include:

- Material identification

- Dimensional verification
- Mill Test Certificate availability
- Third-party inspection
- Laboratory testing
- Heat-number traceability, only if confirmed
- Packaging and dispatch checks
- Supplier documentation

CTA:

Discuss Quality Requirements

Never display certification logos unless the client supplies valid certificates.

Section 10: RFQ Conversion Section

Create a strong quote section with headline:

Tell Us the Grade, Size and Quantity. We'll Handle the Rest.

Include:

- Request a Quote button
- WhatsApp button
- Phone button
- Upload drawing option
- Response-time placeholder

Do not promise a response time until confirmed by the client.

8. MATERIALS PAGE

Create a searchable and filterable catalogue.

Filters

- Material family
- Grade
- Equivalent grade
- Form
- Supply condition
- Application
- Industry
- Processing method

Product card information

- Grade
- Alternative grade names
- Material family
- Forms
- Conditions
- Typical applications
- Availability status placeholder
- View details
- Request quote

Do not show live-stock labels unless connected to an actual inventory system.

9. INDIVIDUAL MATERIAL PAGE

Each grade page must follow a consistent structure.

Example:

EN19 / 42CrMo4 / AISI 4140

Include:

1. Material overview
2. Equivalent grades
3. Conditions of supply
4. Available forms
5. Typical applications
6. Chemical composition table
7. Mechanical-property table
8. Heat-treatment overview
9. Machinability notes
10. Cutting services
11. Inspection and certificate options
12. Related grades
13. Download datasheet
14. Request quote

Technical values must come from reliable standards, manufacturer datasheets or client-provided documents.

Cite technical sources internally.

Do not invent chemical or mechanical values.

Add a disclaimer that final specifications must be confirmed against the requested standard and material certificate.

10. PROCESSING PAGE

Create a main processing overview and individual service pages.

Pages:

- Bandsaw Cutting
- Oxy-Fuel Cutting
- Bar Cutting
- Plate Cutting
- Pipe Cutting
- Cut-to-Size Processing
- Special Sourcing
- Inspection and Testing
- Delivery and Logistics

Every service page should include:

- What the service does
- Suitable materials
- Suitable forms
- Equipment
- Size range
- Tolerance
- Finish
- Typical applications
- Process steps
- Quality checks
- Gallery
- FAQ
- RFQ CTA

Unknown specifications must display as placeholders in the CMS, not as fabricated numbers.

11. ABOUT PAGE

Sections:

- Company introduction
- Founded in Sharjah
- Engineering-steel specialisation
- Company journey
- Infrastructure
- Equipment
- Team expertise
- Mission
- Values

- Supply regions
- Supplier relationships
- Quality commitment
- Downloadable company profile

Avoid excessive vision-and-mission filler.

Use a visual company timeline if the client supplies milestones.

12. QUALITY PAGE

Create a serious industrial quality page.

Sections:

- Material verification
- Dimensional inspection
- Documentation
- Third-party inspection
- Laboratory-test coordination
- Mill Test Certificates
- Material traceability
- Storage and handling
- Packing
- Dispatch checks
- Quality-related RFQ fields

Only show confirmed practices.

13. RESOURCES PAGE

Include:

- Company catalogue
- Product datasheets
- Grade-equivalence guide
- Material-selection articles
- Processing guides
- FAQs
- Certificates
- Technical downloads
- Blog or knowledge centre

Example article ideas:

- EN19 vs EN24
- D2 vs P20 tool steel

- 304L vs 316L stainless steel
- Selecting aluminium 7075
- What information to include in a steel RFQ
- Understanding annealed and quenched-and-tempered conditions
- How cut-to-size steel reduces machining waste

All technical content must be reviewed before publication.

14. CONTACT AND RFQ PAGE

Build two separate forms.

General Contact Form

- Name
- Company
- Email
- Phone
- Subject
- Message

Detailed RFQ Form

- Name
- Company name
- Email
- Phone
- WhatsApp number
- Country
- Delivery location
- Material family
- Grade
- Equivalent grade
- Form
- Diameter
- Thickness
- Width
- Length
- Quantity
- Unit
- Supply condition
- Cutting requirement
- Tolerance
- Certificate requirement
- Inspection requirement
- Required delivery date
- Additional notes
- File upload

Accepted uploads:

- PDF
- DWG
- DXF
- STEP
- XLSX
- CSV
- JPG
- PNG

Validate file types and sizes securely.

After submission:

- Display confirmation
- Send notification email
- Store enquiry securely
- Generate reference number
- Offer WhatsApp continuation
- Send customer acknowledgement
- Prevent spam
- Log submission source

15. OPTIONAL CAREERS PAGE

Do not create a careers section merely because competitors have one.

Create it only when the client confirms that they want recruitment functionality.

Possible structure:

- Working at Bab Al Khibrah
- Current openings
- Department
- Location
- Employment type
- Job details
- CV upload
- General application

Do not scrape and republish competitor job listings.

16. MOTION AND INTERACTIONS

Use premium but restrained motion.

Recommended:

- Smooth section reveals
- Masked image transitions
- Horizontal material ticker
- Animated technical lines
- Scroll-linked process timeline
- Magnetic CTA effect on desktop
- Number counters
- Material bubble graph
- Cursor labels over technical images
- Image parallax at low intensity
- Page transitions
- Hover previews for grades

Do not compromise:

- Readability
- Mobile usability
- Accessibility
- Performance
- Form completion

Disable or reduce advanced motion on low-powered devices.

17. RESPONSIVE EXPERIENCE

Create dedicated behaviour for:

- Large desktop
- Laptop
- Tablet
- Mobile

Mobile requirements:

- Fast-loading hero
 - No heavy background video by default
 - Simplified bubble explorer
 - Sticky Request Quote button
 - Sticky WhatsApp shortcut
 - Large tap targets
 - Collapsible technical tables
 - Shorter animations
 - Easy file upload
 - No horizontal overflow
-

18. TECHNICAL STACK

Preferred stack:

- Next.js with App Router
- React
- TypeScript
- Tailwind CSS
- Motion or GSAP for controlled animations
- D3.js or a lightweight force-graph library
- CMS-ready data architecture
- Server-side form processing
- Secure file storage
- Email integration
- Analytics
- Schema markup
- Sitemap generation

Use reusable components and structured content.

Suggested structure:

```
/app
/components
/components/navigation
/components/materials
/components/graph
/components/forms
/components/motion
/components/sections
/data
/lib
/public
/types
```

Store initial catalogue data in structured JSON or TypeScript objects.

Design the system so that it can later connect to:

- Supabase
- Sanity
- Strapi
- Contentful
- Headless WordPress
- ERP or inventory API

19. PERFORMANCE REQUIREMENTS

Target:

- Lighthouse Performance: 90+
- Accessibility: 95+
- Best Practices: 95+
- SEO: 95+

Requirements:

- Optimised images
- Responsive image sizes
- Lazy-loading
- Font optimisation
- Code splitting
- Minimal JavaScript
- Lightweight animations
- Reduced-motion support
- No layout shifts
- Mobile-first loading
- Static fallback for the bubble graph
- Deferred loading of non-critical 3D or graph code

Do not load a massive video or WebGL scene before the primary content.

20. ACCESSIBILITY

Ensure:

- Keyboard navigation
 - Visible focus states
 - Semantic HTML
 - Proper heading order
 - Form labels
 - Error announcements
 - Colour contrast
 - Alt text
 - Reduced-motion support
 - Accessible tables
 - Accessible modal and side panel
 - Bubble-graph list alternative
 - Screen-reader-friendly RFQ form
-

21. SEO AND STRUCTURED DATA

Create:

- Unique title and description for each page
- Product schema where suitable
- Organization schema
- LocalBusiness schema
- Breadcrumb schema
- FAQ schema
- Sitemap
- Robots file
- Open Graph metadata
- Canonical URLs
- UAE and GCC location content
- Clean internal linking

Possible SEO page themes:

- Engineering steel supplier in Sharjah
- Alloy steel supplier UAE
- EN19 steel supplier UAE
- EN24 round bar supplier UAE
- D2 tool steel supplier UAE
- P20 tool steel supplier UAE
- 7075 aluminium supplier UAE
- Hard-chrome rod supplier UAE
- Steel cut-to-size Sharjah
- Bandsaw steel cutting UAE

Do not keyword-stuff.

22. CONTENT RULES

Writing style:

- Professional
- Precise
- Direct
- Technical but understandable
- Buyer-focused
- Confident without exaggeration

Avoid:

- Empty superlatives
- Repeated paragraphs
- AI-sounding filler
- "We are passionate"

- “Your one-stop solution” repeated everywhere
- Fake testimonials
- Fake project claims
- Fake client logos
- Unsupported environmental claims
- Unsupported global-supplier claims

Every page must answer:

1. What is supplied?
2. Who is it for?
3. What specifications are available?
4. What processing is offered?
5. What proof supports the company?
6. How does the buyer request a quote?

23. DATA VALIDATION STATUS

Every data field must have one of these statuses:

CONFIRMED
PUBLIC-SOURCE
CLIENT-REVIEW-REQUIRED
UNVERIFIED
PLACEHOLDER

Before production release, generate a client-review report listing:

- Missing machinery specifications
- Missing size ranges
- Missing cutting tolerances
- Missing product forms
- Missing certifications
- Missing warehouse photographs
- Missing staff photographs
- Missing catalogue files
- Missing delivery regions
- Missing response commitments
- Missing legal policies
- Missing company-registration details

24. REQUIRED DELIVERABLES

Produce:

1. Competitor research summary

2. Verified content inventory
 3. Sitemap
 4. User journeys
 5. Homepage wireframe
 6. Design system
 7. Desktop homepage
 8. Mobile homepage
 9. Materials catalogue
 10. Interactive bubble graph
 11. Material detail template
 12. Processing service template
 13. Industry template
 14. Quality page
 15. RFQ form
 16. Contact page
 17. Resource centre
 18. Responsive navigation
 19. Footer
 20. SEO metadata
 21. Structured data
 22. Accessibility review
 23. Performance review
 24. Client-confirmation checklist
 25. Production-ready code
-

25. FINAL QUALITY CHECK

Before declaring the project complete, verify:

- The website does not resemble a generic template.
- The UI feels premium and industrial.
- The site is easy for procurement teams to use.
- The bubble graph provides actual catalogue value.
- All product relationships are accurate.
- Competitor wording has not been copied.
- No unsupported facts are published.
- Every major section has a clear CTA.
- The RFQ form works.
- File uploads are secure.
- Mobile performance is strong.
- Animation does not block content.
- The final site clearly differentiates Bab Al Khibrah from broad structural-steel suppliers.
- The final result is more technically useful than the Saad Steel Supplies website while maintaining an equally strong sense of scale and trust.

Begin by producing:

1. Research findings
2. Confirmed versus unconfirmed data

3. Sitemap
4. Homepage content hierarchy
5. Bubble-graph data model
6. Design direction
7. Then implement the website