

# LTE – The UMTS Long Term Evolution

## From Theory to Practice

**Stefania Sesia**

*ST-NXP Wireless/ETSI, France*

**Issam Toufik**

*ST-NXP Wireless, France*

**Matthew Baker**

*Philips Research, UK*



A John Wiley and Sons, Ltd, Publication

# Contents

<b>Editors' Biographies</b>	<b>xvii</b>
<b>List of Contributors</b>	<b>xix</b>
<b>Foreword</b>	<b>xxi</b>
<b>Preface</b>	<b>xxiii</b>
<b>Acknowledgements</b>	<b>xxvii</b>
<b>List of Acronyms</b>	<b>xxix</b>

<b>1 Introduction and Background</b>	<b>1</b>
<i>Thomas Sälzer and Matthew Baker</i>	
1.1 The Context for the Long Term Evolution of UMTS . . . . .	1
1.1.1 Historical Context . . . . .	1
1.1.2 LTE in the Mobile Radio Landscape . . . . .	2
1.1.3 The Standardization Process in 3GPP . . . . .	5
1.2 Requirements and Targets for the Long Term Evolution . . . . .	7
1.2.1 System Performance Requirements . . . . .	7
1.2.2 Deployment Cost and Interoperability . . . . .	12
1.3 Technologies for the Long Term Evolution . . . . .	14
1.3.1 Multicarrier Technology . . . . .	14
1.3.2 Multiple Antenna Technology . . . . .	16
1.3.3 Packet-Switched Radio Interface . . . . .	17
1.3.4 User Equipment Capabilities . . . . .	18
1.4 From Theory to Practice . . . . .	18
References . . . . .	20

<b>Part I Network Architecture and Protocols</b>	<b>21</b>
--	-----------

<b>2 Network Architecture</b>	<b>23</b>
<i>Sudeep Palat and Philippe Godin</i>	
2.1 Introduction . . . . .	23

2.2	Overall Architectural Overview . . . . .	24
2.2.1	The Core Network . . . . .	24
2.2.2	The Access Network . . . . .	27
2.2.3	Roaming Architecture . . . . .	29
2.2.4	Inter-Working with other Networks . . . . .	30
2.3	Protocol Architecture . . . . .	30
2.3.1	User Plane . . . . .	30
2.3.2	Control Plane . . . . .	31
2.4	Quality of Service and EPS Bearers . . . . .	32
2.4.1	Bearer Establishment Procedure . . . . .	35
2.5	The E-UTRAN Network Interfaces: S1 Interface . . . . .	36
2.5.1	Protocol Structure Over S1 . . . . .	36
2.5.2	Initiation Over S1 . . . . .	38
2.5.3	Context Management Over S1 . . . . .	39
2.5.4	Bearer Management Over S1 . . . . .	39
2.5.5	Paging Over S1 . . . . .	40
2.5.6	Mobility Over S1 . . . . .	40
2.5.7	Load Management Over S1 . . . . .	42
2.6	The E-UTRAN Network Interfaces: X2 Interface . . . . .	43
2.6.1	Protocol Structure Over X2 . . . . .	43
2.6.2	Initiation Over X2 . . . . .	43
2.6.3	Mobility Over X2 . . . . .	45
2.6.4	Load and Interference Management Over X2 . . . . .	48
2.6.5	UE Historical Information Over X2 . . . . .	49
2.7	Summary . . . . .	49
	References . . . . .	50

### 3 Control Plane Protocols 51

*Himke van der Velde*

3.1	Introduction . . . . .	51
3.2	Radio Resource Control (RRC) . . . . .	52
3.2.1	Introduction . . . . .	52
3.2.2	System Information . . . . .	54
3.2.3	Connection Control within LTE . . . . .	57
3.2.4	Connected Mode Inter-RAT Mobility . . . . .	66
3.2.5	Measurements . . . . .	68
3.2.6	Other RRC Signalling Aspects . . . . .	70
3.3	PLMN and Cell Selection . . . . .	71
3.3.1	Introduction . . . . .	71
3.3.2	PLMN Selection . . . . .	71
3.3.3	Cell Selection . . . . .	72
3.3.4	Cell Reselection . . . . .	73
3.4	Paging . . . . .	77
3.5	Summary . . . . .	78
	References . . . . .	78

4 User Plane Protocols

79

Patrick Fischer, SeungJune Yi, SungDuck Chun and YoungDae Lee

4.1	Introduction to the User Plane Protocol Stack . . . . .	79
4.2	Packet Data Convergence Protocol . . . . .	80
4.2.1	Functions and Architecture . . . . .	80
4.2.2	Header Compression . . . . .	82
4.2.3	Security . . . . .	83
4.2.4	Handover . . . . .	84
4.2.5	Discard of Data Packets . . . . .	88
4.2.6	PDCP PDU Formats . . . . .	88
4.3	Radio Link Control (RLC) . . . . .	90
4.3.1	RLC Entities . . . . .	90
4.3.2	RLC PDU Formats . . . . .	96
4.4	Medium Access Control (MAC) . . . . .	99
4.4.1	MAC Architecture . . . . .	99
4.4.2	MAC Functions . . . . .	104
4.5	Summary of the User Plane Protocols . . . . .	110
	References . . . . .	110

Part II Physical Layer for Downlink

111

5 Orthogonal Frequency Division Multiple Access (OFDMA)

113

Andrea Ancora, Issam Toufik, Andreas Bury and Dirk Slock

5.1	Introduction . . . . .	113
5.1.1	History of OFDM Development . . . . .	114
5.2	OFDM . . . . .	115
5.2.1	Orthogonal Multiplexing Principle . . . . .	115
5.2.2	Peak-to-Average Power Ratio and Sensitivity to Nonlinearity . . . . .	121
5.2.3	Sensitivity to Carrier Frequency Offset and Time-Varying Channels . . . . .	123
5.2.4	Timing Offset and Cyclic Prefix Dimensioning . . . . .	125
5.3	OFDMA . . . . .	128
5.3.1	Parameter Dimensioning . . . . .	129
5.3.2	Physical Layer Parameters for LTE . . . . .	130
5.4	Conclusion . . . . .	132
	References . . . . .	133

6 Introduction to Downlink Physical Layer Design

135

Matthew Baker

6.1	Introduction . . . . .	135
6.2	Transmission Resource Structure . . . . .	135
6.3	Signal Structure . . . . .	138
6.4	Introduction to Downlink Operation . . . . .	139
	References . . . . .	140

<b>7</b>	<b>Synchronization and Cell Search</b>	<b>141</b>
	<i>Fabrizio Tomatis and Stefania Sesia</i>	
7.1	Introduction . . . . .	141
7.2	Synchronization Sequences and Cell Search in LTE . . . . .	141
7.2.1	Zadoff–Chu Sequences . . . . .	145
7.2.2	Primary Synchronization Signal (PSS) Sequences . . . . .	147
7.2.3	Secondary Synchronization Signal (SSS) Sequences . . . . .	150
7.2.4	Cell Search Performance . . . . .	153
7.3	Coherent Versus Non-Coherent Detection . . . . .	155
7.3.1	Coherent Detection . . . . .	156
7.3.2	Non-Coherent Detection . . . . .	156
	References . . . . .	157
<b>8</b>	<b>Reference Signals and Channel Estimation</b>	<b>159</b>
	<i>Andrea Ancora and Stefania Sesia</i>	
8.1	Introduction to Channel Estimation and Reference Signals . . . . .	159
8.2	Design of Reference Signals in LTE . . . . .	161
8.2.1	Cell-Specific Reference Signals . . . . .	161
8.2.2	UE-Specific Reference Signals . . . . .	163
8.3	RS-Aided Channel Modelling and Estimation . . . . .	165
8.3.1	Time-Frequency Domain Correlation: The WSSUS Channel Model . . . . .	166
8.3.2	Spatial Domain Correlation: The Kronecker Model . . . . .	168
8.4	Frequency Domain Channel Estimation . . . . .	169
8.4.1	Channel Estimation by Interpolation . . . . .	170
8.4.2	General Approach to Linear Channel Estimation . . . . .	171
8.4.3	Performance Comparison . . . . .	173
8.5	Time-Domain Channel Estimation . . . . .	174
8.5.1	Finite and Infinite Length MMSE . . . . .	174
8.5.2	Normalized Least-Mean-Square . . . . .	176
8.6	Spatial Domain Channel Estimation . . . . .	177
8.7	Advanced Techniques . . . . .	178
	References . . . . .	179
<b>9</b>	<b>Downlink Physical Data and Control Channels</b>	<b>181</b>
	<i>Matthew Baker and Tim Moulsley</i>	
9.1	Introduction . . . . .	181
9.2	Downlink Data-Transporting Channels . . . . .	181
9.2.1	Physical Broadcast Channel (PBCH) . . . . .	181
9.2.2	Physical Downlink Shared Channel (PDSCH) . . . . .	184
9.2.3	Physical Multicast Channel (PMCH) . . . . .	188
9.3	Downlink Control Channels . . . . .	189
9.3.1	Requirements for Control Channel Design . . . . .	189
9.3.2	Control Channel Structure and Contents . . . . .	191
9.3.3	Control Channel Operation . . . . .	200
9.3.4	Scheduling Process from a Control Channel Viewpoint . . . . .	205
	References . . . . .	206

<b>10 Channel Coding and Link Adaptation</b>	<b>207</b>
<i>Brian Classon, Ajit Nimbalkar, Stefania Sesia and Issam Toufik</i>	
10.1 Introduction . . . . .	207
10.2 Link Adaptation and Feedback Computation . . . . .	208
10.2.1 CQI Feedback in LTE . . . . .	211
10.3 Channel Coding . . . . .	214
10.3.1 Theoretical Aspects of Channel Coding . . . . .	214
10.3.2 Channel Coding for Data Channels in LTE . . . . .	225
10.3.3 Coding for Control Channels in LTE . . . . .	237
10.4 Concluding Remarks . . . . .	238
References . . . . .	239
 <b>11 Multiple Antenna Techniques</b>	 <b>243</b>
<i>David Gesbert, Cornelius van Rensburg, Filippo Tosato and Florian Kaltenberger</i>	
11.1 Fundamentals of Multiple Antenna Theory . . . . .	243
11.1.1 Overview . . . . .	243
11.1.2 MIMO Signal Model . . . . .	246
11.1.3 Single-User MIMO Techniques . . . . .	247
11.1.4 Multi-User Techniques . . . . .	252
11.2 MIMO Schemes in LTE . . . . .	256
11.2.1 Practical Considerations . . . . .	256
11.2.2 Single-User Schemes . . . . .	258
11.2.3 Multi-User Schemes . . . . .	267
11.2.4 Physical-Layer MIMO Performance . . . . .	276
11.3 Concluding Remarks . . . . .	281
References . . . . .	282
 <b>12 Multi-User Scheduling and Interference Coordination</b>	 <b>285</b>
<i>Issam Toufik and Raymond Knopp</i>	
12.1 Introduction . . . . .	285
12.2 General Considerations for Resource Allocation Strategies . . . . .	286
12.3 Scheduling Algorithms . . . . .	289
12.3.1 Ergodic Capacity . . . . .	290
12.3.2 Delay-Limited Capacity . . . . .	291
12.3.3 Performance of Scheduling Strategies . . . . .	292
12.4 Considerations for Resource Scheduling in LTE . . . . .	293
12.5 Interference Coordination and Frequency Reuse . . . . .	294
12.6 Concluding Remarks . . . . .	299
References . . . . .	299
 <b>13 Radio Resource Management</b>	 <b>301</b>
<i>Francesc Boixadera</i>	
13.1 Introduction . . . . .	301
13.2 Overview of UE Mobility Activities . . . . .	302

13.3	Cell Search . . . . .	303
13.3.1	LTE Cell Search . . . . .	303
13.3.2	UMTS Cell Search . . . . .	304
13.3.3	GSM Cell Search . . . . .	305
13.4	Measurements when Camped on LTE . . . . .	307
13.4.1	LTE Measurements . . . . .	308
13.4.2	UMTS FDD Measurements . . . . .	309
13.4.3	UMTS TDD Measurements . . . . .	310
13.4.4	GSM Measurements . . . . .	310
13.4.5	CDMA2000 Measurements . . . . .	310
13.5	LTE Mobility in RRC_IDLE – Neighbour Cell Monitoring and Cell Reselection . . . . .	311
13.5.1	Priority-Based Cell Reselection . . . . .	311
13.5.2	Measurements in Idle Mode . . . . .	312
13.6	LTE Mobility in RRC_CONNECTED – Handover . . . . .	312
13.6.1	Monitoring Gap Pattern Characteristics . . . . .	313
13.6.2	Measurement Reporting . . . . .	316
13.6.3	Handover to LTE . . . . .	317
13.6.4	Handover to UMTS . . . . .	319
13.6.5	Handover to GSM . . . . .	319
13.7	Concluding Remarks . . . . .	320
	References . . . . .	320
<b>14</b>	<b>Broadcast Operation</b>	<b>323</b>
	<i>Olivier Hus and Matthew Baker</i>	
14.1	Introduction . . . . .	323
14.2	Broadcast Modes . . . . .	324
14.2.1	Broadcast and Multicast . . . . .	324
14.2.2	UMTS Release 6 MBMS Service and Delivery System . . . . .	325
14.3	MBMS in LTE . . . . .	327
14.3.1	Single Frequency Network for MBMS . . . . .	327
14.3.2	MBMS Deployment . . . . .	330
14.3.3	MBMS Architecture and Protocols . . . . .	334
14.4	UE Capabilities for MBMS Reception . . . . .	338
14.4.1	Dual Receiver Capability . . . . .	339
14.4.2	Support of Emergency Services . . . . .	339
14.5	Comparison of Mobile Broadcast Modes . . . . .	339
14.5.1	Delivery by Cellular Networks . . . . .	339
14.5.2	Delivery by Broadcast Networks . . . . .	340
14.5.3	Services and Applications . . . . .	340
	References . . . . .	341

## Part III Physical Layer for Uplink 343

### 15 Uplink Physical Layer Design 345

*Robert Love and Vijay Nangia*

15.1	Introduction . . . . .	345
15.2	SC-FDMA Principles . . . . .	346
15.2.1	SC-FDMA Transmission Structure . . . . .	346
15.2.2	Time-Domain Signal Generation . . . . .	346
15.2.3	Frequency-Domain Signal Generation (DFT-S-OFDM) . . . . .	348
15.3	SC-FDMA Design in LTE . . . . .	349
15.3.1	Transmit Processing for LTE . . . . .	350
15.3.2	SC-FDMA Parameters for LTE . . . . .	351
15.3.3	d.c. Subcarrier in SC-FDMA . . . . .	352
15.3.4	Pulse Shaping . . . . .	353
15.4	Summary . . . . .	357
	References . . . . .	357

### 16 Uplink Reference Signals 359

*Robert Love and Vijay Nangia*

16.1	Introduction . . . . .	359
16.2	RS Signal Sequence Generation . . . . .	360
16.2.1	Base RS Sequences and Sequence Grouping . . . . .	361
16.2.2	Orthogonal RS via Cyclic Time-Shifts of a Base Sequence . . . . .	362
16.3	Sequence-Group Hopping and Planning . . . . .	364
16.3.1	Sequence-Group Hopping . . . . .	364
16.3.2	Sequence-Group Planning . . . . .	365
16.4	Cyclic Shift Hopping . . . . .	366
16.5	Demodulation Reference Signals (DM RS) . . . . .	367
16.5.1	RS Symbol Duration . . . . .	367
16.6	Uplink Sounding Reference Signals (SRS) . . . . .	370
16.6.1	SRS Subframe Configuration and Position . . . . .	370
16.6.2	Duration and Periodicity of SRS Transmissions . . . . .	371
16.6.3	SRS Symbol Structure . . . . .	371
16.7	Summary . . . . .	373
	References . . . . .	374

### 17 Uplink Physical Channel Structure 377

*Robert Love and Vijay Nangia*

17.1	Introduction . . . . .	377
17.2	Uplink Shared Data Channel Structure . . . . .	378
17.2.1	Scheduling Supported in LTE SC-FDMA Uplink . . . . .	379
17.3	Uplink Control Channel Design . . . . .	381
17.3.1	Physical Uplink Control Channel (PUCCH) Structure . . . . .	382
17.3.2	Channel Quality Indicator Transmission on PUCCH (Format 2) . . . . .	386
17.3.3	Multiplexing of CQI and HARQ ACK/NACK from a UE on PUCCH . . . . .	388



17.3.4 HARQ ACK/NACK Transmission on PUCCH (Format 1a/1b) . . . . .	390
17.3.5 Multiplexing of CQI and HARQ ACK/NACK in the Same PUCCH RB (Mixed PUCCH RB) . . . . .	396
17.3.6 Scheduling Request (SR) Transmission on PUCCH (Format 1) . . . . .	397
17.4 Multiplexing of Control Signalling and UL-SCH Data on PUSCH . . . . .	398
17.5 Multiple-Antenna Techniques . . . . .	400
17.5.1 Closed-Loop Switched Antenna Diversity . . . . .	400
17.5.2 Multi-User ‘Virtual’ MIMO or SDMA . . . . .	402
17.6 Summary . . . . .	402
References . . . . .	402
<b>18 Uplink Capacity and Coverage</b>	<b>405</b>
<i>Robert Love and Vijay Nangia</i>	
18.1 Introduction . . . . .	405
18.2 Uplink Capacity . . . . .	405
18.2.1 Factors Affecting Uplink Capacity . . . . .	406
18.2.2 LTE Uplink Capacity Evaluation . . . . .	413
18.3 LTE Uplink Coverage and Link Budget . . . . .	415
18.4 Summary . . . . .	419
References . . . . .	419
<b>19 Random Access</b>	<b>421</b>
<i>Pierre Bertrand and Jing Jiang</i>	
19.1 Introduction . . . . .	421
19.2 Random Access Usage and Requirements in LTE . . . . .	421
19.3 Random Access Procedure . . . . .	422
19.3.1 Contention-Based Random Access Procedure . . . . .	423
19.3.2 Contention-Free Random Access Procedure . . . . .	426
19.4 Physical Random Access Channel Design . . . . .	426
19.4.1 Multiplexing of PRACH with PUSCH and PUCCH . . . . .	427
19.4.2 The PRACH Structure . . . . .	427
19.4.3 Preamble Sequence Theory and Design . . . . .	434
19.5 PRACH Implementation . . . . .	447
19.5.1 UE Transmitter . . . . .	447
19.5.2 eNodeB PRACH Receiver . . . . .	449
19.6 Time Division Duplex (TDD) PRACH . . . . .	454
19.6.1 Preamble Format 4 . . . . .	455
19.7 Concluding Remarks . . . . .	456
References . . . . .	456
<b>20 Uplink Transmission Procedures</b>	<b>459</b>
<i>Matthew Baker</i>	
20.1 Introduction . . . . .	459

20.2 Uplink Timing Control . . . . .	459
20.2.1 Overview . . . . .	459
20.2.2 Timing Advance Procedure . . . . .	460
20.3 Power Control . . . . .	463
20.3.1 Overview . . . . .	463
20.3.2 Detailed Power Control Behaviour . . . . .	464
20.3.3 UE Power Headroom Reporting . . . . .	470
20.3.4 Summary of Uplink Power Control Strategies . . . . .	471
References . . . . .	471

## **Part IV Practical Deployment Aspects 473**

### **21 The Radio Propagation Environment 475**

*Juha Ylitalo and Tommi Jämsä*

21.1 Introduction . . . . .	475
21.2 SISO and SIMO Channel Models . . . . .	476
21.2.1 ITU Channel Model . . . . .	477
21.2.2 3GPP Channel Model . . . . .	478
21.2.3 Extended ITU Models . . . . .	478
21.3 MIMO Channel . . . . .	479
21.3.1 Effect of Spatial Correlation . . . . .	480
21.3.2 SCM Channel Model . . . . .	481
21.3.3 SCM-Extension Channel Model . . . . .	484
21.3.4 WINNER Model . . . . .	486
21.3.5 LTE Evaluation Model . . . . .	487
21.3.6 Comparison of MIMO Channel Models . . . . .	490
21.3.7 Extended ITU Models with Spatial Correlation . . . . .	492
21.4 ITU Channel Models for IMT-Advanced . . . . .	494
21.5 MIMO Channel Emulation . . . . .	494
21.5.1 Performance and Conformance Testing . . . . .	495
21.5.2 LTE Channel Models for Conformance Testing . . . . .	495
21.5.3 Requirements for a Channel Emulator . . . . .	496
21.5.4 MIMO Conformance Testing . . . . .	496
21.6 Concluding Remarks . . . . .	497
References . . . . .	498

### **22 Radio Frequency Aspects 501**

*Tony Sayers, Adrian Payne, Stefania Sesia, Robert Love, Vijay Nangia and  
Gunnar Nitsche*

22.1 Introduction . . . . .	501
22.2 Frequency Bands and Arrangements . . . . .	503
22.3 Transmitter RF Requirements . . . . .	505
22.3.1 Requirements for the Intended Transmissions . . . . .	505
22.3.2 Requirements for Unwanted Emissions . . . . .	508

22.3.3	Power Amplifier Considerations . . . . .	512
22.3.4	Summary of Transmitter RF Requirements . . . . .	517
22.4	Receiver RF Requirements . . . . .	517
22.4.1	Receiver General Requirements . . . . .	517
22.4.2	Transmit Signal Leakage . . . . .	518
22.4.3	Maximum Input Level . . . . .	519
22.4.4	Small Signal Requirements . . . . .	520
22.4.5	Selectivity and Blocking Specifications . . . . .	524
22.4.6	Spurious Emissions . . . . .	532
22.4.7	Intermodulation Requirements . . . . .	532
22.4.8	Dynamic Range . . . . .	535
22.4.9	Summary of Receiver Requirements . . . . .	536
22.5	RF Impairments . . . . .	537
22.5.1	Transmitter RF Impairments . . . . .	537
22.5.2	Model of the Main RF Impairments . . . . .	541
22.6	Conclusion . . . . .	547
	References . . . . .	548
<b>23</b>	<b>Paired and Unpaired Spectrum</b>	<b>551</b>
	<i>Nicholas Anderson</i>	
23.1	Introduction . . . . .	551
23.2	Duplex Modes . . . . .	552
23.3	Interference Issues in Unpaired Spectrum . . . . .	553
23.3.1	Adjacent Carrier Interference Scenarios . . . . .	555
23.3.2	Summary of Interference Scenarios . . . . .	564
23.4	Half-Duplex System Design Aspects . . . . .	565
23.4.1	Accommodation of Transmit/Receive Switching . . . . .	566
23.4.2	Coexistence between Dissimilar Systems . . . . .	568
23.4.3	HARQ and Control Signalling Aspects . . . . .	570
23.4.4	Half-Duplex FDD (HD-FDD) Physical Layer Operation . . . . .	572
23.5	Reciprocity . . . . .	573
23.5.1	Conditions for Reciprocity . . . . .	575
23.5.2	Applications of Reciprocity . . . . .	579
23.5.3	Summary of Reciprocity Considerations . . . . .	582
	References . . . . .	583
<b>Part V</b>	<b>Conclusions</b>	<b>585</b>
<b>24</b>	<b>Beyond LTE</b>	<b>587</b>
	<i>François Courau, Matthew Baker, Stefania Sesia and Issam Toufik</i>	
<b>Index</b>		<b>591</b>