

Tasks

New scan

New live task



Filter

Search

1. Live passive crawl from Proxy (all traffic)



Add links. Add item itself, same domain and URLs in suite scope.

Capturing ☒

Time to level up? Catch more bugs with Burp Suite Pro

Find out more



1. Live passive crawl from Proxy (all traffic)



Summary

Items added to site map

[View site map](#)

Host	Meth...	URL	Status ...	MIME type
------	---------	-----	------------	-----------



No items to show

Items found in the crawl will display here.

Task configuration

Tasktype: Live passive crawl

Scope: Proxy (all traffic)

Configuration: Add links. Add item itse scope.

Capturing ☒

Task progress

Site map items added: 0

Responses processed: 0

Responses queued: 0

Task log

Event log (1) All issues

Memory: 114.2MB of 980.0MB

Disabled

Kali Linux [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Burp Suite Community Edition v2026.2.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover

Intercept HTTP history WebSockets history Match and replace Proxy settings

Interception on Forward Drop Request to https://www.google.com:443 [142.251.152.119] Open browser

Time	Type	Direction	Method	URL	Status code	Length
21:26:00...	HTTP	→ Request	GET	https://www.google.com/warmup.html		
21:26:237...	HTTP	→ Request	GET	https://www.google.com/warmup.html		
21:26:397...	HTTP	→ Request	GET	https://www.google.com/search?q=paris&oq=paris&gs_lcrp=EgZjaHJwbWUyBggAEEUYOdIBCDg4NDJqMGoxqAIAsAIB&sourceid=chrome&i...		
21:27:237...	HTTP	→ Request	GET	https://www.google.com/warmup.html		

Request

Pretty Raw Hex

```
1 GET /warmup.html HTTP/2
2 Host: www.google.com
3 Sec-Ch-Ua: "Chromium";v="145", "Not:A-Brand";v="99"
4 Sec-Ch-Ua-Mobile: ?0
5 Sec-Ch-Ua-Platform: "Linux"
6 Accept-Language: en-GB,en;q=0.9
7 Upgrade-Insecure-Requests: 1
8 User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36
9 Sec-Purpose: prefetch;prerender
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 X-Client-Data: CI2PywE=
12 Sec-Fetch-Site: none
13 Sec-Fetch-Mode: navigate
```

Inspector

Request attributes 2

Request query parameters 0

Request body parameters 0

Request cookies 0

Request headers 19

Event log (1) All issues

Memory: 151.4MB of 980.0MB Disabled

Kali Linux [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

Applications

DashboardTargetProxyIntruderRepeaterViewHelp

InterceptHTTP historyWebSockets historyMatch and replaceProxy settings

Burp Suite Community Edition v2026.2.3 - Temporary Project

InterceptionForwardDrop

Request to https://www.google.com:443 [142.251.153.119]

Open

Time	Type	Direction	Method	URL
21:26:00...	HTTP	→ Request	GET	https://www.google.com/warmup.html
21:26:237...	HTTP	→ Request	GET	https://www.google.com/warmup.html
21:26:397...	HTTP	→ Request	GET	https://www.google.com/search?q=paris&oq=paris&gs_lcrp=EgZjaHJvbWUyBggAEEUYOdIBCDg4NDJqMGoxqAIAAsAIB&sourceid=chrome&i...
21:27:237...	HTTP	→ Request	GET	https://www.google.com/warmup.html

Request

PrettyRawHex

1GET /search?q=paris&oq=paris&gs_lcrp=EgZjaHJvbWUyBggAEEUYOdIBCDg4NDJqMGoxqAIAAsAIB&sourceid=chrome&ie=UTF-8 HTTP/2

2Host: www.google.com

3Sec-Ch-Ua: "Chromium";v="145", "Not:A-Brand";v="99"

4Sec-Ch-Ua-Mobile: ?0

5Sec-Ch-Ua-Platform: "Linux"

6Accept-Language: en-GB,en;q=0.9

7Upgrade-Insecure-Requests: 1

8User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36

9Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

10X-Client-Data: CI2PywE=

11Sec-Fetch-Site: none

12Sec-Fetch-Mode: navigate

Inspector

Request attributes

Request query parameters

Request body parameters

Request cookies

Request headers

Event log (1)

All issues

Memory: 158.7MB of 980.0MB

hp

9:29 PM

6/7/2026

Time	Type	Direction	Method	URL
21:26:00 ...	HTTP	→ Request	GET	https://www.google.com/warmup.html
21:26:23 7...	HTTP	→ Request	GET	https://www.google.com/warmup.html
21:26:39 7...	HTTP	→ Request	GET	https://www.google.com/search?q=paris&oq=paris&gs_lcrp=EgZjaHJvbWUyBggAEEUYOdIBCDg4NDJqMGoxqAIAsAIB&sourceid=chrome&i...
21:27:23 7...	HTTP	→ Request	GET	https://www.google.com/warmup.html

Request

Pretty Raw Hex

```
1 GET /search?q=newyork&oq=newyork&gs_lcrp=EgZjaHJvbWUyBggAEEUYOdIBCDg4NDJqMGoxqAIAsAIB&sourceid=chrome&ie=UTF-8 HTTP/2
2 Host: www.google.com
3 Sec-Ch-Ua: "Chromium";v="145", "Not:A-Brand";v="99"
4 Sec-Ch-Ua-Mobile: ?0
5 Sec-Ch-Ua-Platform: "Linux"
6 Accept-Language: en-GB,en;q=0.9
7 Upgrade-Insecure-Requests: 1
8 User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/145.0.0.0 Safari/537.36
9 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
10 X-Client-Data: CI2PywE=
11 Sec-Fetch-Site: none
12 Sec-Fetch-Mode: navigate
```

Search: paris 2 matches Selection: 20 (0x14)

Inspector

Selection

Selected text

q=newyork&oq=newyork

Decoded from: URL encoding

q=newyork&oq=newyork


Cancel

Request attributes

Request query parameters

Request body parameters

New York City in New York State



Weather

Sun	Mon	Tue
☀️ 28°	☀️ 23°	☀️ 24°

Google Weather

Get there

✈️ ₹90,743+
15h 59m from New Delhi

Things to know



-  **Places to stay**
Hotels in New York
-  **Where to eat**
Restaurants in New York

About

New York City comprises 5 boroughs sitting where the Hudson River meets the Atlantic Ocean. At its core is Manhattan, a densely populated borough that's among the world's major commercial,

#

Burpsuite



★ GET - the action is safe
- data being sent is short and non-sensitive

★ POST - used when you are sending sensitive data (like passwords)
- the action changes something on the server.