

No.	Time	Source	Destination	Protocol	Length	Info
38	79.035988258	10.0.2.15	192.168.29.1	DNS	70	Standard query 0x3ed0 A google.com
39	79.056576988	192.168.29.1	10.0.2.15	DNS	86	Standard query response 0x3ed0 A google.com A 142.250.193.142
40	79.057930801	10.0.2.15	192.168.29.1	DNS	70	Standard query 0x0df3 AAAA google.com
41	79.080044657	192.168.29.1	10.0.2.15	DNS	98	Standard query response 0x0df3 AAAA google.com AAAA 2404:6800:4007:02f::200e

Frame 38: Packet, 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface eth0, id 0

Ethernet II, Src: PCSSystemtec_cd:48:e2 (08:00:27:cd:48:e2), Dst: 52:54:00:12:35:00 (52:54:00:12:35:00)

Internet Protocol Version 4, Src: 10.0.2.15, Dst: 192.168.29.1


User Datagram Protocol, Src Port: 36292, Dst Port: 53

Domain Name System (query)

```
0000 52 54 00 12 35 00 08 00 27 cd 48 e2 08 00 45 00 RT-5... 'H...E-
0010 00 38 45 bd 00 00 40 11 4b 40 0a 00 02 0f c0 a8 -8E...@- K@-....
0020 1d 01 8d c4 00 35 00 24 e9 ed 3e d0 01 00 00 01 .....5$ ..>.....
0030 00 00 00 00 00 00 06 67 6f 6f 67 6c 65 03 63 6f .....g oogle.co
0040 6d 00 00 01 00 01 m.....
```


No.	Time	Source	Destination	Protocol	Length	Info
8	44.206540376	10.0.2.3	10.0.2.15	FTP	86	Response: 220 (vsFTPd 2.3.4)
10	68.109296552	10.0.2.15	10.0.2.3	FTP	81	Request: USER msfadmin
12	68.128278210	10.0.2.3	10.0.2.15	FTP	100	Response: 331 Please specify the password.
16	74.706694593	10.0.2.15	10.0.2.3	FTP	81	Request: PASS msfadmin
17	74.717308885	10.0.2.3	10.0.2.15	FTP	89	Response: 230 Login successful.
19	74.720175428	10.0.2.15	10.0.2.3	FTP	72	Request: SYST
20	74.741084415	10.0.2.3	10.0.2.15	FTP	85	Response: 215 UNIX Type: L8
21	74.741573471	10.0.2.15	10.0.2.3	FTP	72	Request: FEAT
22	74.762712611	10.0.2.3	10.0.2.15	FTP	81	Response: 211-Features:
23	74.762713143	10.0.2.3	10.0.2.15	FTP	73	Response: EPRT
25	74.765985752	10.0.2.3	10.0.2.15	FTP	131	Response: EPSV

Frame 8: Packet, 86 bytes on wire (688 bits), 86 bytes captured (688 bits) on interface eth0, id 0
Ethernet II, Src: PCSSystemtec_02:fe:e5 (08:00:27:02:fe:e5), Dst: PCSSystemtec_cd:48:e2 (08:00:27:cd:48:e2)
Internet Protocol Version 4, Src: 10.0.2.3, Dst: 10.0.2.15
Transmission Control Protocol, Src Port: 21, Dst Port: 40748, Seq: 1, Ack: 1, Len: 20
File Transfer Protocol (FTP)
[Current working directory:]



Warning: Never expose this VM to an untrusted network!

Contact: [msfdev\[at\]metasploit.com](mailto:msfdev[at]metasploit.com)

Login with msfadmin/msfadmin to get started

- [Twiki](#)
- [phpMyAdmin](#)
- [Mutillidae](#)
- [DVWA](#)
- [WebDAV](#)

- Hypertext Transfer Protocol: Protocol

Packets: 754 · Displayed: 6 (0.8%)

Profile: Default



Q Search



ENG
IN



12:40 PM 6/15/2026 



- Home
- Instructions
- Setup
- Brute Force
- Command Execution
- CSRF
- File Inclusion
- SQL Injection
- SQL Injection (Blind)
- Upload
- XSS reflected
- XSS stored
- DVWA Security
- PHP Info
- About
- Logout

Welcome to Damn Vulnerable Web App!

Damn Vulnerable Web App (DVWA) is a PHP/MySQL web application that is damn vulnerable. Its main goals are to be an aid for security professionals to test their skills and tools in a legal environment, help web developers better understand the processes of securing web applications and aid teachers/students to teach/learn web application security in a class room environment.

WARNING!

Damn Vulnerable Web App is damn vulnerable! Do not upload it to your hosting provider's public html folder or any internet facing web server as it will be compromised. We recommend downloading and installing [XAMPP](#) onto a local machine inside your LAN which is used solely for testing.

Disclaimer

We do not take responsibility for the way in which any one uses this application. We have made the purposes of the application clear and it should not be used maliciously. We have given warnings and taken measures to prevent users from installing DVWA on to live web servers. If your web server is compromised via an installation of DVWA it is not our responsibility it is the responsibility of the person/s who uploaded and installed it.

General Instructions

The help button allows you to view hits/tips for each vulnerability and for each security level on their respective page.

You have logged in as 'admin'

Username: admin
Security Level: high
PHPIDS: disabled

http://10.0.2.3/dvwa/

Hypertext Transfer Protocol: Protocol

Packets: 838 - Displayed: 26 (3.1%)

Profile: Default

Kali Linux (Virtual Machine) Console Window

File Machine View Input Devices Help

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
693	216.658368603	10.0.2.15	34.107.221.82	HTTP	364	GET /success.txt?ip=4 HTTP/1.1
695	216.674892219	34.107.221.82	10.0.2.15	HTTP	270	HTTP/1.1 200 OK (text/plain)
726	234.913042334	10.0.2.15	10.0.2.3	HTTP	394	GET / HTTP/1.1
734	235.785820835	10.0.2.3	10.0.2.15	HTTP	71	HTTP/1.1 200 OK (text/html)
736	235.955856496	10.0.2.15	10.0.2.3	HTTP	405	GET /favicon.ico HTTP/1.1
738	236.012623788	10.0.2.3	10.0.2.15	HTTP	576	HTTP/1.1 404 Not Found (text/html)
758	261.801427170	10.0.2.15	10.0.2.3	HTTP	426	GET /dvwa/ HTTP/1.1
760	262.071158297	10.0.2.3	10.0.2.15	HTTP	549	HTTP/1.1 302 Found
762	262.084332625	10.0.2.15	10.0.2.3	HTTP	502	GET /dvwa/login.php HTTP/1.1
764	262.304214606	10.0.2.3	10.0.2.15	HTTP	1702	HTTP/1.1 200 OK (text/html)
766	262.444473929	10.0.2.15	10.0.2.3	HTTP	447	GET /dvwa/dvwa/css/login.css HTTP/1.1
768	262.454782465	10.0.2.3	10.0.2.15	HTTP	969	HTTP/1.1 200 OK (text/css)
769	262.467416897	10.0.2.15	10.0.2.3	HTTP	509	GET /dvwa/dvwa/images/login_logo.png HTTP/1.1
774	262.528030685	10.0.2.3	10.0.2.15	HTTP	3104	HTTP/1.1 200 OK (PNG)
806	294.169000149	10.0.2.15	10.0.2.3	HTTP	655	POST /dvwa/login.php HTTP/1.1 (application/x-www-form-urlencoded)
808	294.241996764	10.0.2.3	10.0.2.15	HTTP	458	HTTP/1.1 302 Found
810	294.290920335	10.0.2.15	10.0.2.3	HTTP	516	GET /dvwa/index.php HTTP/1.1
814	294.349448905	10.0.2.3	10.0.2.15	HTTP	654	HTTP/1.1 200 OK (text/html)
817	294.492102279	10.0.2.15	10.0.2.3	HTTP	446	GET /dvwa/dvwa/css/main.css HTTP/1.1

Frame 693: Packet, 364 bytes on wire (2912 bits), 364 bytes captured (2912 bits) on interface eth0, id 0
Ethernet II, Src: PCSystemtec_c0:48:e2 (08:00:27:cd:48:e2), Dst: 52:54:00:12:35:00 (52:54:00:12:35:00)
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 34.107.221.82
Transmission Control Protocol, Src Port: 36168, Dst Port: 80, Seq: 1, Ack: 1, Len: 310
Hypertext Transfer Protocol

52 54 00 12 35 00 08 00 27 cd 48 e2 08 00 45 00 RT 5 ' H E
01 5e de e4 40 00 40 06 4e e9 0a 00 02 0f 22 6b ^ @ @ N "k
dd 52 8d 48 00 50 53 e3 c0 b0 05 53 48 02 50 18 R H PS SH P
fa f0 0d 1d 00 00 47 45 54 20 2f 73 75 63 63 65 GE T /succe
73 73 2e 74 78 74 3f 69 70 76 34 20 48 54 54 50 ss.txt?i pv4 HTTP
2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 64 65 74 65 /1.1 Ho st: dete
63 74 70 6f 72 74 61 6c 2e 66 69 72 65 66 6f 78 ctportal .firefox
2e 63 6f 6d 0d 0a 55 73 65 72 2d 41 67 65 6e 74 .com Us er-Agent
3a 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 58 : Mozill a/5.0 (X
31 31 3b 20 4c 69 6e 75 78 20 78 38 36 5f 36 34 11; Linu x x86_64
3b 20 72 76 3a 31 34 30 2e 30 29 20 47 65 63 6b ; rv:140 .0) Geck
6f 2f 32 30 31 30 30 31 30 31 20 46 69 72 65 66 o/201001 01 Firef
6f 78 2f 31 34 30 2e 30 0d 0a 41 63 63 65 70 74 ox/140.0 Accept
3a 20 2a 2f 2a 0d 0a 41 63 63 65 70 74 2d 4c 61 : '/' A ccept-La
6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e nguage: en-US,en
3b 71 3d 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 ;q=0.5 Accept-E
6e 63 6f 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 ncoding: gzip, d
65 66 6c 61 74 65 0d 0a 43 6f 6e 6e 65 63 74 69 eflate Connecti
6f 6e 3a 20 6b 65 65 70 2d 61 6c 69 76 65 0d 0a on: keep -alive
50 72 69 6f 72 69 74 79 3a 20 75 3d 34 0d 0a 50 Priority : u=4 P
72 61 67 6d 61 3a 20 6e 6f 2d 63 61 63 68 65 0d ragma: n o-cache


Hypertext Transfer Protocol: Protocol

Packets: 880 - Displayed: 26 (3.0%)

Profile: Default

ENG IN

12:41 PM 6/15/2026



tcp.stream eq 21

No.	Time	Source
803	294.163264062	10.0.2.15
804	294.168701952	10.0.2.3
805	294.168796249	10.0.2.15
806	294.169000149	10.0.2.15
807	294.170907385	10.0.2.3
808	294.241996764	10.0.2.3
809	294.242843056	10.0.2.15
810	294.290920335	10.0.2.15
811	294.330618912	10.0.2.3
812	294.330668822	10.0.2.15
813	294.349448354	10.0.2.3
814	294.349448985	10.0.2.3
815	294.349491508	10.0.2.15
816	294.349756575	10.0.2.15
817	294.492102279	10.0.2.15
824	294.532563612	10.0.2.3
826	294.532811498	10.0.2.15
827	294.534128485	10.0.2.3
828	294.534162256	10.0.2.15

Frame 806: Packet, 655 bytes on
Ethernet II, Src: PCSystemtec_c
Internet Protocol Version 4, Src
Transmission Control Protocol, S
Hypertext Transfer Protocol
HTML Form URL Encoded: applicati

Wireshark - Follow TCP Stream (tcp.stream eq 21) - eth0

POST /dvwa/login.php HTTP/1.1
Host: 10.0.2.3
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Content-Type: application/x-www-form-urlencoded
Content-Length: 44
Origin: http://10.0.2.3
Connection: keep-alive
Referer: http://10.0.2.3/dvwa/login.php
Cookie: security=high; PHPSESSID=b680351af1d4ac46842f179267e198c4
Upgrade-Insecure-Requests: 1
Priority: u=0, i

username=admin&password=password&Login=Login

HTTP/1.1 302 Found

Date: Mon, 15 Jun 2026 07:01:12 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Expires: Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma: no-cache
Location: index.php
Content-Length: 0
Keep-Alive: timeout=15, max=100
Connection: Keep-Alive
Content-Type: text/html

GET /dvwa/index.php HTTP/1.1

Host: 10.0.2.3
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:140.0) Gecko/20100101 Firefox/140.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Referer: http://10.0.2.3/dvwa/login.php
Connection: keep-alive
Cookie: security=high; PHPSESSID=b680351af1d4ac46842f179267e198c4
Upgrade-Insecure-Requests: 1
Priority: u=0, i

3 pkts, 6 pkts, 5 turns.

Entire conversation (10 kB)

Show as ASCII

No delta times

Stream 21

Find:

Case sensitive

Find Next

Help

Filter Out This Stream

Print

Save as...

Back

Close

wireshark_eth0PM5DQ3.pcapng

Profile: Default



Search



ENG IN Right Ctrl

12:43 PM

6/15/2026

*eth0

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
806	294.169000149	10.0.2.15	10.0.2.3	HTTP	655	POST /dvwa/login.php HTTP/1.1 (application/x-www-form-urlencoded)

Frame 806: Packet, 655 bytes on wire (5240 bits), 655 bytes captured (5240 bits) on interface eth0, id 0
Ethernet II, Src: PCSSystemtec_cd:48:e2 (08:00:27:cd:48:e2), Dst: PCSSystemtec_02:fe:e5 (08:00:27:02:fe:e5)
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 10.0.2.3
Transmission Control Protocol, Src Port: 33310, Dst Port: 80, Seq: 1, Ack: 1, Len: 589
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded

Offset	Hex	ASCII
0000	08 00 27 02 fe e5 08 00	H..E..
0010	02 81 be a7 40 00 40 06	...@..a.....
0020	02 03 82 1e 00 50 2b 3e	...P+> ,B@...
0030	00 7e 1a 85 00 00 01 01	...3..?...
0040	08 89 50 4f 53 54 20 2f	..POST / dvwa/log
0050	69 6e 2e 70 68 70 20 48	in.php H TTP/1.1
0060	0a 48 6f 73 74 3a 20 31	Host: 1 0.0.2.3
0070	0a 55 73 65 72 2d 41 67	User-Agent: Moz
0080	69 6c 6c 61 2f 35 2e 30	illa/5.0 (X11; L
0090	69 6e 75 78 20 78 38 36	inux x86 _64; rv:
00a0	31 34 30 2e 30 29 20 47	140.0) Gecko/201
00b0	30 30 31 30 31 20 46 69	00101 Firefox/14
00c0	30 2e 30 0d 0a 41 63 63	0.0 Acc ept: tex
00d0	74 2f 68 74 6d 6c 2c 61	t/html,a pplicati
00e0	6f 6e 2f 78 68 74 6d 6c	on/xhtml+xml,app
00f0	6c 69 63 61 74 69 6f 6e	lication /xml;q=0
0100	2e 39 2c 2a 2f 2a 3b 71	.9,*/*;q =0.8 Ac
0110	63 65 70 74 2d 4c 61 6e	cept-Lan guage: e
0120	6e 2d 55 53 2c 65 6e 3b	n-US,en;q=0.5 A
0130	63 63 65 70 74 2d 45 6e	cept-En coding:
0140	67 7a 69 70 2c 20 64 65	gzip, deflate

Bytes 335-383: Content-Type (http.content_type)

Packets: 1092 - Displayed: 1 (0.1%) - Dropped: 0 (0.0%)

Profile: Default

Capturing from eth0

Wireshark - Conversations - eth0

Conversation Settings

- Name resolution
- Absolute start time
- Display raw data
- ✓ Limit to display filter

Copy

Follow Stream...

Graph...

I/O Graphs

Protocol

- Bluetooth
- BPv7
- DCCP
- DNP 3.0
- ✓ Ethernet
- FC
- FDDI
- IEEE 802.11
- IEEE 802.15.4
- ILNP
- ✓ IPv4
- ✓ IPv6
- IPX
- JXTA
- LTP
- MPTCP
- NCP
- openSAFETY

Filter list for specific type

Ethernet · 1	IPv4 · 2	IPv6	TCP · 4	UDP												
Address A	Address B	Packets	Bytes	Stream ID	Total Packets	Percent Filtered	Packets A → B	Bytes A → B	Packets B → A	Bytes B → A	Rel Start	Duration	Bits/s A → B	Bits/s B → A		
10.0.2.15	142.250.207.170	2	148 bytes	7	64	3.13%	2	148 bytes	0	0 bytes	56.235073168	1.420996	833 bits/s	0 bits/s		
10.0.2.15	151.101.105.91	2	148 bytes	2	86	2.33%	2	148 bytes	0	0 bytes	18.532076041	235.187468	5 bits/s	0 bits/s		

Close

Help



Search

ENG
IN3:36 PM
6/15/2026

(navya@kali)~

\$ sudo hping3 -S -c 5 -p 80 192.168.1.100

[sudo] password for navya:

HPING 192.168.1.100 (eth0 192.168.1.100): S set, 40 headers + 0 data bytes

— 192.168.1.100 hping statistic —

5 packets transmitted, 0 packets received, 100% packet loss

round-trip min/avg/max = 0.0/0.0/0.0 ms

(navya@kali)~

\$

No.	Time	Source	Destination	Protocol	Length	Info
47	79.685220757	:::1	:::1	TCP	94	60220 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
49	88.425703531	127.0.0.1	127.0.0.1	TCP	74	52236 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
51	88.425771246	:::1	:::1	TCP	94	56760 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
53	88.881660476	127.0.0.1	127.0.0.1	TCP	74	52246 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
55	88.881772534	:::1	:::1	TCP	94	56762 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
57	89.557139614	127.0.0.1	127.0.0.1	TCP	74	52262 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
59	89.557204475	:::1	:::1	TCP	94	56766 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
69	104.079850599	127.0.0.1	127.0.0.1	TCP	74	36930 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
71	104.079949257	:::1	:::1	TCP	94	55518 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
73	112.774949772	127.0.0.1	127.0.0.1	TCP	74	32964 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
75	112.775056822	:::1	:::1	TCP	94	33250 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
77	116.141140323	127.0.0.1	127.0.0.1	TCP	74	32976 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
79	116.141204644	:::1	:::1	TCP	94	33256 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
81	116.698868612	127.0.0.1	127.0.0.1	TCP	74	32990 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
83	116.698937960	:::1	:::1	TCP	94	33272 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
85	121.090262663	127.0.0.1	127.0.0.1	TCP	74	33000 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
87	121.090329217	:::1	:::1	TCP	94	33282 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6
89	123.022037813	127.0.0.1	127.0.0.1	TCP	74	41244 → 4101 [SYN] Seq=0 Win=65495 Len=0 MSS=6
91	123.022124425	:::1	:::1	TCP	94	39102 → 4101 [SYN] Seq=0 Win=65476 Len=0 MSS=6

Frame 1: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface 0
Ethernet II, Src: 00:00:00:00:00:00 (00:00:00:00:00:00), Dst: 00:00:00:00:00:00
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
Transmission Control Protocol, Src Port: 48960, Dst Port: 4101

Capturing from eth0

tcp.flags.syn == 1 && tcp.flags.ack == 0

No.	Time	Source	Destination	Protocol	Length	Info
21	89.318942681	230.212.188.191	192.168.1.100	TCP	54	2912 → 80 [SYN] Seq=0 Win=512 Len=0
22	89.329816187	124.254.127.21	192.168.1.100	TCP	54	2913 → 80 [SYN] Seq=0 Win=512 Len=0
23	89.330623027	34.122.150.187	192.168.1.100	TCP	54	2914 → 80 [SYN] Seq=0 Win=512 Len=0
24	89.331033695	95.136.104.129	192.168.1.100	TCP	54	2915 → 80 [SYN] Seq=0 Win=512 Len=0
25	89.331564812	180.17.12.66	192.168.1.100	TCP	54	2916 → 80 [SYN] Seq=0 Win=512 Len=0
26	89.331718051	177.159.136.180	192.168.1.100	TCP	54	2917 → 80 [SYN] Seq=0 Win=512 Len=0
27	89.331908358	175.121.180.169	192.168.1.100	TCP	54	2918 → 80 [SYN] Seq=0 Win=512 Len=0
28	89.331981745	28.55.113.149	192.168.1.100	TCP	54	2919 → 80 [SYN] Seq=0 Win=512 Len=0
29	89.332082778	24.236.149.138	192.168.1.100	TCP	54	2920 → 80 [SYN] Seq=0 Win=512 Len=0
30	89.332153648	71.58.159.204	192.168.1.100	TCP	54	2921 → 80 [SYN] Seq=0 Win=512 Len=0
31	89.332257849	232.72.175.157	192.168.1.100	TCP	54	2922 → 80 [SYN] Seq=0 Win=512 Len=0
32	89.332605425	107.160.122.8	192.168.1.100	TCP	54	2923 → 80 [SYN] Seq=0 Win=512 Len=0
33	89.332802689	142.93.137.222	192.168.1.100	TCP	54	2924 → 80 [SYN] Seq=0 Win=512 Len=0
34	89.332881970	141.124.159.200	192.168.1.100	TCP	54	2925 → 80 [SYN] Seq=0 Win=512 Len=0
35	89.333100375	252.5.175.201	192.168.1.100	TCP	54	2926 → 80 [SYN] Seq=0 Win=512 Len=0
36	89.333414711	241.121.124.163	192.168.1.100	TCP	54	2927 → 80 [SYN] Seq=0 Win=512 Len=0
37	89.333566305	175.232.237.231	192.168.1.100	TCP	54	2928 → 80 [SYN] Seq=0 Win=512 Len=0
38	89.333638589	116.12.163.138	192.168.1.100	TCP	54	2929 → 80 [SYN] Seq=0 Win=512 Len=0
39	89.334868276	169.150.129.62	192.168.1.100	TCP	54	2930 → 80 [SYN] Seq=0 Win=512 Len=0
40	89.334987653	162.179.112.179	192.168.1.100	TCP	54	2931 → 80 [SYN] Seq=0 Win=512 Len=0

Frame 21: Packet, 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface eth0, id 0
 Ethernet II, Src: PCSystemtec_cd:48:e2 (08:00:27:cd:48:e2), Dst: 52:54:00:12:35:00 (52:54:00:12:35:00)
 Internet Protocol Version 4, Src: 230.212.188.191, Dst: 192.168.1.100
 Transmission Control Protocol, Src Port: 2912, Dst Port: 80, Seq: 0, Len: 0

52 54 00 12 35 00 08 00 27 cd 48 e2 08 00 45 00 RT 5 H E
 00 28 7e 18 00 00 40 06 97 17 e6 d4 bc bf c0 a8 (~ @
 01 64 0b 60 00 50 55 15 28 54 16 8a b6 37 50 02 d ` PU (T 7P
 02 00 f2 66 00 00 f

No.	Time	Source
125523	160.759857202	250.228.141.202
125524	160.760001980	204.138.59.252
125525	160.760104526	159.66.115.101
125526	160.760213960	49.150.52.194
125527	160.760650098	222.65.169.104
125528	160.760765816	176.112.173.71
125529	160.760945027	177.201.234.49
125530	160.761052957	66.248.12.101
125531	160.761156987	231.112.55.150
125532	160.761255374	93.133.254.220
125533	160.761536881	61.150.160.49
125534	160.762624315	106.131.245.69
125535	160.762761215	8.12.111.122
125536	160.764080126	4.172.252.160
125537	160.764212685	35.179.245.3
125538	160.764309677	45.166.106.212
125539	160.765040279	159.180.161.103
125556	176.162337306	10.0.2.15
125578	201.022109070	10.0.2.15

Frame 21: Packet, 54 bytes on wire (432 bits)
Ethernet II, Src: PCSystemtec_cd:48:e2:20, Dst: 08:00:27:00:00:00
Internet Protocol Version 4, Src: 230.230.230.230, Dst: 192.168.1.100
Transmission Control Protocol, Src Port: 54454, Dst Port: 80

Conversation Settings

Name resolution

Absolute start time

Display raw data

Limit to display filter

Copy

Follow Stream...

Graph...

I/O Graphs

Protocol

Bluetooth

BPV7

DCCP

DNP 3.0

Ethernet

FC

FDDI

IEEE 802.11

IEEE 802.15.4

ILNP

Filter list for specific type

Ethernet · 1

Address A

IPv4 · 70565

Address B

IPv6

Packets

TCP · 70574

Bytes

UDP

Stream ID

Total Packets

Percent Filtered

Packets A → B

Address A	Address B	Packets	Bytes	Stream ID	Total Packets	Percent Filtered	Packets A → B
3.3.13.180	192.168.1.100	1	54 bytes	56430	1	100.00%	1
3.3.35.34	192.168.1.100	1	54 bytes	20219	1	100.00%	1
3.3.71.42	192.168.1.100	1	54 bytes	35530	1	100.00%	1
3.3.110.107	192.168.1.100	1	54 bytes	14707	1	100.00%	1
3.3.129.194	192.168.1.100	1	54 bytes	46839	1	100.00%	1
3.3.239.106	192.168.1.100	1	54 bytes	46029	1	100.00%	1
3.4.24.239	192.168.1.100	1	54 bytes	29152	1	100.00%	1
3.4.45.255	192.168.1.100	1	54 bytes	48779	1	100.00%	1
3.4.87.249	192.168.1.100	1	54 bytes	38910	1	100.00%	1
3.4.127.172	192.168.1.100	1	54 bytes	44063	1	100.00%	1
3.5.3.95	192.168.1.100	1	54 bytes	10889	1	100.00%	1
3.5.19.158	192.168.1.100	1	54 bytes	20317	1	100.00%	1
3.5.156.90	192.168.1.100	1	54 bytes	42449	1	100.00%	1
3.5.159.5	192.168.1.100	1	54 bytes	8926	1	100.00%	1
3.5.175.112	192.168.1.100	1	54 bytes	59409	1	100.00%	1
3.8.45.173	192.168.1.100	1	54 bytes	22783	1	100.00%	1
3.8.52.84	192.168.1.100	1	54 bytes	59707	1	100.00%	1
3.8.75.164	192.168.1.100	1	54 bytes	28769	1	100.00%	1
3.8.93.121	192.168.1.100	1	54 bytes	45900	1	100.00%	1
3.8.131.188	192.168.1.100	1	54 bytes	12341	1	100.00%	1
3.8.156.252	192.168.1.100	1	54 bytes	10039	1	100.00%	1
3.8.161.53	192.168.1.100	1	54 bytes	18355	1	100.00%	1
3.8.175.106	192.168.1.100	1	54 bytes	65454	1	100.00%	1
3.8.176.101	192.168.1.100	1	54 bytes	29806	1	100.00%	1
3.8.176.217	192.168.1.100	1	54 bytes	58694	1	100.00%	1
3.8.222.209	192.168.1.100	1	54 bytes	43662	1	100.00%	1
3.9.3.126	192.168.1.100	1	54 bytes	28976	1	100.00%	1
3.9.10.112	192.168.1.100	1	54 bytes	50499	1	100.00%	1
3.9.154.28	192.168.1.100	1	54 bytes	6493	1	100.00%	1

Loading

Close

Help

wireshark_eth0PULYQ3.pcapng

Recalculating statistics on all packets

Packets: 125613 - Displayed: 125491 (99.9%)


Profile: Default



Search

ENG
IN6:23 PM
6/15/2026

Wireshark - I/O Graphs - eth0



No packets in interval (206s).

Enabled	Avg over Time	Graph Name	Display Filter	Color	Style	Y Axis	Y Field	SMA Period	Y Axis Factor
☒		All Packets			Line	Packets		None	1
☒		TCP Errors	tcp.analysis...		Bar	Packets		None	1
☒		Filtered pac...	tcp.flags.sy...		Line	Packets		None	1

+ - [] ^ v []

Mouse drags zooms

Interval 1 sec

Automatic update

Reset

Save As... Copy Copy from Close Help