



Scan your site now

☐ Hide results ☒ Follow redirects

Grand Totals

A+	8,785,839
A	41,021,195
B	19,258,804
C	18,718,363
D	52,614,027
E	9,642,659
F	166,586,858
R	61,206,768
Total	377,834,513

Recent Scans

atavi.com	F
voxdenta.com	C
www.o-p-s.com.au	A
www.cydexa.com	A
notarus.pp.ua	F
stagingmobileatten...	D
halegroup.uk	F
sunwin10.cx	B
infinity.webvio.in	A+

Hall of Fame

infinitytravels.co...	A
www.o-p-s.com.au	A
www.cydexa.com	A
infinity.webvio.in	A+
www.everpergo.com...	A
digital.nbpfun...	A+
marketingcafe.de	A
aliasdbtest.azurew...	A
cbx2.yesuat.bank.i...	A

Hall of Shame

atavi.com	F
notarus.pp.ua	F
halegroup.uk	F
tallerdepersonaliz...	F
www.parigimoutongk...	F
missav-123.top	F
tikxxx.cv	F
dog69.ru	F
cs16-go.ru	F



Scan your site now

example.com

Scan

☐ Hide results ☒ Follow redirects

Grand Totals

A+	8,785,839
A	41,021,195
B	19,258,804
C	18,718,363
D	52,614,027
E	9,642,659
F	166,586,858
R	61,206,768
Total	377,834,513

Recent Scans

atavi.com	F
voxdenta.com	C
www.o-p-s.com.au	A
www.cydexa.com	A
notarus.pp.ua	F
stagingmobileatten...	D
halegroup.uk	F
sunwin10.cx	B
infinity.webvio.in	A+

Hall of Fame

infinitytravels.co...	A
www.o-p-s.com.au	A
www.cydexa.com	A
infinity.webvio.in	A+
www.everpergo.com....	A
digital.nbpfunds.c...	A+
marketingcafe.de	A
aliasdbtest.azurew...	A
cbx2.yesuat.bank.i...	A

Hall of Shame

atavi.com	F
notarus.pp.ua	F
halegroup.uk	F
tallerdepersonaliz...	F
www.parigimoutongk...	F
missav-123.top	F
tikxxx.cv	F
dog69.ru	F
cs16-go.ru	F

Scan your site now

example.com

Scan

☐ Hide results ☒ Follow redirects

Security Report Summary



Site: <http://example.com/> - (Scan again over [https](#))

IP Address: 104.20.23.154

Report Time: 29 Jun 2026 05:35:26 UTC

Headers:

✗ Content-Security-Policy ✗ X-Frame-Options ✗ X-Content-Type-Options ✗ Referrer-Policy
✗ Permissions-Policy

Warning: Grade capped at A, please see warnings below.

Advanced:

Ouch, you should work on your security posture immediately:

Start Now

Missing Headers

Content-Security-Policy

[Content Security Policy](#) is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.

X-Frame-Options

[X-Frame-Options](#) tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "X-Frame-Options: SAMEORIGIN".

Permissions-Policy

Warning: Grade capped at A, please see warnings below.

Advanced: Ouch, you should work on your security posture immediately: [Start Now](#)

Missing Headers

Content-Security-Policy	Content Security Policy is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.
X-Frame-Options	X-Frame-Options tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "X-Frame-Options: SAMEORIGIN".
X-Content-Type-Options	X-Content-Type-Options stops a browser from trying to MIME-sniff the content type and forces it to stick with the declared content-type. The only valid value for this header is "X-Content-Type-Options: nosniff".
Referrer-Policy	Referrer Policy is a new header that allows a site to control how much information the browser includes with navigations away from a document and should be set by all sites.
Permissions-Policy	Permissions Policy is a new header that allows a site to control which features and APIs can be used in the browser.

Warnings

Site is using HTTP This site was served over HTTP and did not redirect to HTTPS.

Raw Headers

Missing Headers

Content-Security-Policy	Content Security Policy is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.
X-Frame-Options	X-Frame-Options tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "X-Frame-Options: SAMEORIGIN".
X-Content-Type-Options	X-Content-Type-Options stops a browser from trying to MIME-sniff the content type and forces it to stick with the declared content-type. The only valid value for this header is "X-Content-Type-Options: nosniff".
Referrer-Policy	Referrer Policy is a new header that allows a site to control how much information the browser includes with navigations away from a document and should be set by all sites.
Permissions-Policy	Permissions Policy is a new header that allows a site to control which features and APIs can be used in the browser.

Warnings

Site is using HTTP	This site was served over HTTP and did not redirect to HTTPS.
--------------------	---

Raw Headers

HTTP/1.1	200 OK
Date	Mon, 29 Jun 2026 05:35:26 GMT
Content-Type	text/html
Transfer-Encoding	chunked
Connection	keep-alive
Server	cloudflare

navya@kali: ~

Session Actions Edit View Help

```
(navya@kali)-[~]  
$ curl -I http://192.168.56.106/dvwa/login.php  
HTTP/1.1 200 OK  
Date: Mon, 29 Jun 2026 06:47:24 GMT  
Server: Apache/2.2.8 (Ubuntu) DAV/2  
X-Powered-By: PHP/5.2.4-2ubuntu5.10  
Pragma: no-cache  
Cache-Control: no-cache, must-revalidate  
Expires: Tue, 23 Jun 2009 12:00:00 GMT  
Set-Cookie: PHPSESSID=82ff804bf0bf0030872f3bb398ea34f7; path=/; expires=Mon, 29 Jun 2026 06:47:24 GMT  
Set-Cookie: security=high; path=/; expires=Mon, 29 Jun 2026 06:47:24 GMT  
X-Frame-Options: SAMEORIGIN  
X-Content-Type-Options: nosniff  
Referrer-Policy: strict-origin-when-cross-origin  
Content-Type: text/html; charset=utf-8
```

```
(navya@kali)-[~]  
$  
with the Ubuntu system are free software;  
the distribution terms for each program are described in the  
individual files in /usr/share/doc/*/*copyright.
```

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

For more information about Ubuntu, please visit:

<http://help.ubuntu.com/>

Bye, wall

Last login: Mon Jun 29 02:27:13 2026

navya@kali:~\$ sudo nano /etc/apache2/ports.conf

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

Module loaded for httpd

```
(navya@kali)~  
$ ssh msfadmin@192.168.56.106  
Unable to negotiate with 192.168.56.106 port 22: no matching host key type found. Their offer: ssh-rsa,ssh-dss
```

```
(navya@kali)~  
$ ssh -o HostKeyAlgorithms=+ssh-rsa -o PubkeyAcceptedKeyTypes=+ssh-rsa msfadmin@192.168.56.106  
The authenticity of host '192.168.56.106 (192.168.56.106)' can't be established.  
RSA key fingerprint is: SHA256:BQHm5EoHX9Gci0LuVscegPXLQ0suPs+E9d/rrJB84rk  
This key is not known by any other names.  
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes  
Warning: Permanently added '192.168.56.106' (RSA) to the list of known hosts.  
** WARNING: connection is not using a post-quantum key exchange algorithm.  
** This session may be vulnerable to "store now, decrypt later" attacks.  
** The server may need to be upgraded. See https://openssh.com/pq.html  
msfadmin@192.168.56.106's password:  
Linux metasploitable 2.6.24-16-server #1 SMP Thu Apr 10 13:58:00 UTC 2008 i686
```

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

No mail.

Last login: Mon Jun 29 02:27:13 2026

msfadmin@metasploitable:~\$ sudo a2enmod headers

[sudo] password for msfadmin:

Module headers installed; run /etc/init.d/apache2 force-reload to enable.

msfadmin@metasploitable:~\$ sudo nano /etc/apache2/httpd.conf

Error opening terminal: xterm-256color.

msfadmin@metasploitable:~\$ export TERM=xterm

msfadmin@metasploitable:~\$ sudo nano /etc/apache2/httpd.conf

msfadmin@metasploitable:~\$ sudo apache2ctl configtest

Syntax OK

msfadmin@metasploitable:~\$ sudo /etc/init.d/apache2 restart

* Restarting web server apache2

msfadmin@metasploitable:~\$

[OK]

navya@kali: ~

Session Actions Edit View Help

```
(navya@kali)-[~]
$ curl -I http://192.168.56.106/dvwa/login.php
HTTP/1.1 200 OK
Date: Mon, 29 Jun 2026 06:47:24 GMT
Server: Apache/2.2.8 (Ubuntu) DAV/2
X-Powered-By: PHP/5.2.4-2ubuntu5.10
Pragma: no-cache
Cache-Control: no-cache, must-revalidate
Expires: Tue, 23 Jun 2009 12:00:00 GMT
Set-Cookie: PHPSESSID=82ff804bf0bf0030872f3bb398ea34f7; path=/; htt
Set-Cookie: security=high
X-Frame-Options: SAMEORIGIN
X-Content-Type-Options: nosniff
Referer-Policy: strict-origin-when-cross-origin
Content-Type: text/html; charset=utf-8
```

```
(navya@kali)-[~]
$
```

with the Ubuntu system are free software;
their distribution terms for each program are described in the
individual files in `/usr/share/doc/*/*copyright`.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

to access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

Bye, wall

Last login: Mon Jun 29 02:27:13 2026

```
wsfudm@kali:~$ sudo nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```

```
# nano /etc/apache2/ports.conf
```



```
(navya@kali)-[~]  
$ curl -I http://192.168.56.106/dvwa/login.php  
HTTP/1.1 200 OK  
Date: Mon, 29 Jun 2026 06:47:24 GMT  
Server: Apache/2.2.8 (Ubuntu) DAV/2  
X-Powered-By: PHP/5.2.4-2ubuntu5.10  
Pragma: no-cache  
Cache-Control: no-cache, must-revalidate  
Expires: Tue, 23 Jun 2009 12:00:00 GMT  
Set-Cookie: PHPSESSID=82ff804bf0bf0030872f3bb398ea34f7; path=/  
Set-Cookie: security=high  
X-Frame-Options: SAMEORIGIN  
X-Content-Type-Options: nosniff  
Referrer-Policy: strict-origin-when-cross-origin //www.ssh.com/pg.html  
Content-Type: text/html; charset=utf-8
```

```
(navya@kali)-[~]  
$
```

with the Ubuntu system are free software;
their distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

For more information about Ubuntu or to access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>

Bye, wall

Last login: Mon Jun 29 02:27:13 2026

navya@kali:~\$ sudo nano /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

Module loaded: /etc/apache2/ports.conf

```
<IfModule mod_headers.c>
  Header set X-Frame-Options "SAMEORIGIN"
  Header set X-Content-Type-Options "nosniff"
  Header set Referrer-Policy "strict-origin-when-cross-origin"
</IfModule>
```

```
Expires: Tue, 23 Jun 2009 12:00:00 GMT
Set-Cookie: PHPSESSID=62f70048f00f0018072f300300ea14f71; path=/
Set-Cookie: security=high
X-Frame-Options: SAMEORIGIN
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Content-Type: text/html; charset=utf-8
```

```
~$ curl http://127.0.0.1/
```

```
~$
```

```
^G Get Help
^X Exit
```

```
^O WriteOut
^J Justify
```

```
^R Read File
^W Where Is
```

```
^V Prev Page
^N Next Page
```

```
^K Cut Text
^U UnCut Text
```

```
^C Cur Pos
^T To Spell
```