






MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
FROM PARTS P
JOIN CATALOG C ON P.PID = C.PID
JOIN SUPPLIERS S ON C.SID = S.SID
WHERE C.COST = (
SELECT MIN(C2.COST)
FROM CATALOG C2
WHERE C2.PID = P.PID
);
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PID PNAME SNAME COST
20001 Book Acme Widget 10
20002 Pen Acme Widget 10
20003 Pencil Acme Widget 30
20004 Mobile Acme Widget 10
20005 Charger Acme Widget 10
20001 Book Johns 10
20003 Pencil Vimal 30
Result 26
Read Only
SQL Additions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
29 20:24:15 SELECT P.PID, P.PNAME, S.SNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID... 6 row(s) returned 0.000 sec / 0.000 sec
30 20:24:29 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.016 sec / 0.000 sec
31 20:24:52 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
32 20:25:07 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.015 sec / 0.000 sec
Query Completed
ENG IN
20:25 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
JOIN PARTS P ON C.PID = P.PID
WHERE P.COLOR = 'Red'
);
SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE
FROM SUPPLIERS S
LEFT JOIN CATALOG C ON S.SID = C.SID
GROUP BY S.SID, S.SNAME
SELECT P.PID, P.PNAME, S.SNAME, C.COST
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
SID SNAME TOTAL_VALUE
10001 Acme Widget 70
10002 Johns 30
10003 Vimal 30
10004 Reliance 40
Result 25
Read Only
SQL Additions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
29 20:24:15 SELECT P.PID, P.PNAME, S.SNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID... 6 row(s) returned 0.000 sec / 0.000 sec
30 20:24:29 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.016 sec / 0.000 sec
31 20:24:52 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN
20:24 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
SELECT S.SID, S.SNAME
FROM SUPPLIERS S
WHERE S.SID NOT IN (
SELECT C.SID
FROM CATALOG C
JOIN PARTS P ON C.PID = P.PID
WHERE P.COLOR = 'Red'
);
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
SID SNAME
10003 Vimal
10004 Reliance
SUPPLIERS 24
Apply
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
29 20:24:15 SELECT P.PID, P.PNAME, S.SNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID... 6 row(s) returned 0.000 sec / 0.000 sec
30 20:24:29 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.016 sec / 0.000 sec
Query Completed
ENG IN
20:24 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
FROM PARTS P
JOIN CAT
JOIN SUP
WHERE C.COST = (
SELECT MAX(C2.COST)
FROM
CATALOG C2
WHERE C2.PID = P.PID
);
Execute the statement under the keyboard cursor
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PID PNAME SNAME
20001 Book Acme Widget
20004 Mobile Acme Widget
20005 Charger Acme Widget
20001 Book Johns
20002 Pen Johns
20003 Pencil Reliance
Result 23
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
29 20:24:15 SELECT P.PID, P.PNAME, S.SNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID... 6 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN
20:24 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
SELECT DISTINCT C.SID
FROM CATALOG C
WHERE C.COST > (
SELECT AVG(C2.COST)
FROM CATALOG C2
WHERE C2.PID = C.PID
);
SELECT P.PID, P.PNAME, S.SNAME
FROM PARTS P
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PNAME
Mobile
Charger
Result 22
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN
20:23
12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
JOIN SUPPLIERS S ON C.SID = S.SID
WHERE S.SNAME = 'Acme Widget'
AND P.PID NOT IN (
SELECT C2.PID
FROM CATALOG C2
JOIN SUPPLIERS S2 ON C2.SID = S2.SID
WHERE S2.SNAME <> 'Acme Widget'
);
SELECT DISTINCT C.SID
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PNAME
Mobile
Charger
Result 22
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
27 20:22:30 SELECT S.SNAME FROM SUPPLIERS S WHERE NOT EXISTS (SELECT P.PID FRO... 2 row(s) returned 0.000 sec / 0.000 sec
28 20:23:47 SELECT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID JOIN SUPPLIER... 2 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN
20:23
12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
SELECT S.SNAME
FROM SUPPLIERS S
JOIN CATALOG C ON S.SID = C.SID
GROUP BY S.SID, S.SNAME
HAVING COUNT(DISTINCT C.PID) >= ALL (
SELECT COUNT(*)
FROM PARTS
);
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
SNAME
Acme Widget
Result 20
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
26 20:22:18 SELECT S.SNAME FROM SUPPLIERS S JOIN CATALOG C ON S.SID = C.SID GROUP BY ... 1 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN
20:22 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Navigator
MANAGEMENT
INSTANCE
PERFORMANCE
Query 1
Don't Limit
SELECT * FROM CATALOG;
SELECT DISTINCT P.PNAME
FROM PARTS P
JOIN CATALOG C ON P.PID = C.PID;
SELECT S.SNAME
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
PNAME
Book
Pen
Pencil
Mobile
Charger
Result 19
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
25 20:21:58 SELECT DISTINCT P.PNAME FROM PARTS P JOIN CATALOG C ON P.PID = C.PID 5 row(s) returned 0.016 sec / 0.000 sec
Query Completed
ENG IN
20:22 12-11-2026



MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
51
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
SID PID COST
10001 20001 10
10001 20002 10
10001 20003 30
10001 20004 10
10001 20005 10
10002 20001 10
10002 20002 20
10003 20003 30
SUPPLIERS 16 PARTS 17 CATALOG 18
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Output
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN 20:21 12-11-2026


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
51
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
PID PNAME COLOR
20001 Book Red
20002 Pen Red
20003 Pencil Green
20004 Mobile Green
20005 Charger Black
SUPPLIERS 16 PARTS 17 CATALOG 18
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Output
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN 20:21 12-11-2026


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
SID SNAME CITY
10001 Acme Widget Bangalore
10002 Johns Kolkata
10003 Vimal Mumbai
10004 Reliance Delhi
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN 20:20 12-11-2026


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
SID SNAME CITY
10001 Acme Widget Bangalore
10002 Johns Kolkata
10003 Vimal Mumbai
10004 Reliance Delhi
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
ENG IN 20:19 12-11-2026


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
SID SNAME CITY
10001 Acme Widget Bangalore
10002 Johns Kolkata
10003 Vimal Mumbai
10004 Reliance Delhi
No object selected
Output
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
20:19
12-11-2026


MySQL Workbench
Mysql@127.0.0.1:3306
File Edit View Query Database Server Tools Scripting Help
Query 1
48 SELECT * FROM SUPPLIERS;
49 SELECT * FROM PARTS;
50 SELECT * FROM CATALOG;
52 SELECT DISTINCT P.PNAME
53 FROM PARTS P
54 JOIN CATALOG C ON P.PID = C.PID;
SID SNAME CITY
10001 Acme Widget Bangalore
10002 Johns Kolkata
10003 Vimal Mumbai
10004 Reliance Delhi
No object selected
Output
Action Output
19 20:14:23 SELECT S.SID, S.SNAME FROM SUPPLIERS S WHERE S.SID NOT IN (SELECT C.SID ... 2 row(s) returned 0.000 sec / 0.000 sec
20 20:14:23 SELECT S.SID, S.SNAME, COALESCE(SUM(C.COST), 0) AS TOTAL_VALUE FROM SUPPL... 4 row(s) returned 0.000 sec / 0.000 sec
21 20:14:23 SELECT P.PID, P.PNAME, S.SNAME, C.COST FROM PARTS P JOIN CATALOG C ON P.PI... 7 row(s) returned 0.000 sec / 0.000 sec
22 20:14:54 SELECT * FROM SUPPLIERS 4 row(s) returned 0.000 sec / 0.000 sec
23 20:14:54 SELECT * FROM PARTS 5 row(s) returned 0.000 sec / 0.000 sec
24 20:14:54 SELECT * FROM CATALOG 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
20:19
12-11-2026