

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Language Translator</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f4f4f4;
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
    }

    .container {
      background: white;
      padding: 25px;
      border-radius: 10px;
      width: 500px;
      box-shadow: 0 0 10px rgba(0,0,0,0.2);
    }

    h2 {
      text-align: center;
    }

    textarea {
      width: 100%;
      height: 120px;
      padding: 10px;
      margin-bottom: 15px;
    }

    select, button {
      width: 100%;
      padding: 10px;
      margin-bottom: 10px;
    }

    #output {
      background: #eee;
      padding: 10px;
      min-height: 80px;
      border-radius: 5px;
    }

    .btn-copy {
      background: green;
      color: white;
      border: none;
      cursor: pointer;
    }

    .btn-translate {
      background: blue;
      color: white;
      border: none;
      cursor: pointer;
    }
  </style>
</head>
<body>

<div class="container">
```

```

<h2>Language Translator</h2>

<textarea id="inputText" placeholder="Enter text"></textarea>

<select id="sourceLang">
  <option value="en">English</option>
  <option value="hi">Hindi</option>
  <option value="te">Telugu</option>
  <option value="fr">French</option>
</select>

<select id="targetLang">
  <option value="hi">Hindi</option>
  <option value="en">English</option>
  <option value="te">Telugu</option>
  <option value="fr">French</option>
</select>

<button class="btn-translate" onclick="translateText()" >
  Translate
</button>

<h3>Translated Text:</h3>
<div id="output"></div>

<button class="btn-copy" onclick="copyText()" >
  Copy Translation
</button>
</div>

<script>
async function translateText() {

  const text = document.getElementById("inputText").value;
  const source = document.getElementById("sourceLang").value;
  const target = document.getElementById("targetLang").value;

  const url = "https://google-translatel.p.rapidapi.com/language/translate/v2";

  const options = {
    method: "POST",
    headers: {
      "content-type": "application/x-www-form-urlencoded",
      "Accept-Encoding": "application/gzip",
      "X-RapidAPI-Key": "YOUR_RAPIDAPI_KEY",
      "X-RapidAPI-Host": "google-translatel.p.rapidapi.com"
    },
    body: new URLSearchParams({
      q: text,
      source: source,
      target: target
    })
  };

  try {
    const response = await fetch(url, options);
    const result = await response.json();

    document.getElementById("output").innerText =
      result.data.translations[0].translatedText;

  } catch (error) {
    console.error(error);
    document.getElementById("output").innerText =
      "Translation failed!";
  }
}

```

```
}

function copyText() {
  const text = document.getElementById("output").innerText;
  navigator.clipboard.writeText(text);
  alert("Copied Successfully!");
}
</script>

</body>
</html>
```