

dbse transactions SQL File 3*

SQLAdditions

Automatic context help i manually get help for th toggle at

```
103 • UPDATE employees
104   SET salary = 40000
105   WHERE emp_id = 101;
106 • UPDATE employees
107   SET salary = 60000
108   WHERE emp_id = 101;
109 • SELECT * FROM employees;
110 • SELECT * FROM employee_audit;
```

Result Grid

	audit_id	emp_id	emp_name	action_type	action_time
▶	1	106	Arjun	INSERT	2026-08-09 18:42:21
	2	106	Arjun	DELETE	2026-08-09 18:45:45
	3	108	Meena	INSERT	2026-08-09 18:52:10
	4	101	Rahul	UPDATE	2026-08-09 18:53:00
	5	101	Rahul	UPDATE	2026-08-09 19:03:09

employee_audit 5

Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message
✖	17 18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✔	18 18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected
✔	19 18:53:00	UPDATE employees SET salary = 40000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✔	20 19:03:09	UPDATE employees SET salary = 60000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✔	21 19:03:55	SELECT * FROM employee_audit LIMIT 0, 1000	5 row(s) returned

dbse transactions SQL File 3* x

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use manually get help for the current caret toggle automatic help.

Output

Action Output

#	Time	Action	Message
1	18:33:14	USE trigger_db	Error Code: 1049. Unknown database 'trigger_db'
2	18:33:19	CREATE DATABASE trigger_db	1 row(s) affected
3	18:33:20	USE trigger_db	0 row(s) affected
4	18:33:34	CREATE TABLE employees(emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, salary DECIMAL(10,2))	0 row(s) affected
5	18:39:07	INSERT INTO employees VALUES (101, 'Rahul', 1, 50000), (102, 'Priya', 1, 45000), (103, 'Kiran', 2, 55000), (104, 'Anu', 2, 48000), (105, 'Vikram', 3, 60000)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0

dbse transactions SQL File 3*

```

7      salary DECIMAL(10,2)
8  );
9  • INSERT INTO employees
10 VALUES
11 (101, 'Rahul', 1, 50000),
12 (102, 'Priya', 1, 45000),
13 (103, 'Kiran', 2, 55000),
14 (104, 'Anu', 2, 48000),
15 (105, 'Vikram', 3, 60000);
16 • CREATE TABLE employee_audit(
17     audit_id INT AUTO_INCREMENT PRIMARY KEY,
18     emp_id INT,
19     emp_name VARCHAR(50),
20     action_type VARCHAR(20),
21     action_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP
22 );

```

SQLAdditions

Automatic context help is displayed. You can manually get help for the current statement by clicking the help icon or by toggling automatic context help on/off.

Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 2	18:33:19	CREATE DATABASE trigger_db	1 row(s) affected
✓ 3	18:33:20	USE trigger_db	0 row(s) affected
✓ 4	18:33:34	CREATE TABLE employees(emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected
✓ 5	18:39:07	INSERT INTO employees VALUES (101, 'Rahul', 1, 50000), (102, 'Priya', 1, 45000), (103, 'Kir...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
✓ 6	18:39:36	CREATE TABLE employee_audit(audit_id INT AUTO_INCREMENT PRIMARY KEY, e...	0 row(s) affected

dbse transactions SQL File 3*

```

20     action_type VARCHAR(20),
21     action_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP
22 );
23 DELIMITER $$
24
25 • CREATE TRIGGER after_employee_insert
26 AFTER INSERT ON employees
27 FOR EACH ROW
28 BEGIN
29     INSERT INTO employee_audit
30     (emp_id, emp_name, action_type)
31     VALUES
32     (NEW.emp_id, NEW.emp_name, 'INSERT');
33 END $$
34
35 DELIMITER ;

```

SQLAdditions

Automatic context help is displayed. You can manually get help for the current statement by clicking the help icon or by toggling automatic context help on/off.

Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 3	18:33:20	USE trigger_db	0 row(s) affected
✓ 4	18:33:34	CREATE TABLE employees(emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected
✓ 5	18:39:07	INSERT INTO employees VALUES (101, 'Rahul', 1, 50000), (102, 'Priya', 1, 45000), (103, 'Kir...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
✓ 6	18:39:36	CREATE TABLE employee_audit(audit_id INT AUTO_INCREMENT PRIMARY KEY, e...	0 row(s) affected
✓ 7	18:41:14	CREATE TRIGGER after_employee_insert AFTER INSERT ON employees FOR EACH ROW...	0 row(s) affected

dbse transactions

SQL File 3*

Limit to 1000 rows

```
36 • INSERT INTO employees
37   VALUES (106, 'Arjun', 1, 52000);
38 • SELECT * FROM employee_audit;
39   DELIMITER $$
40
41 • CREATE TRIGGER after_employee_delete
42   AFTER DELETE ON employees
43   FOR EACH ROW
44   BEGIN
45       INSERT INTO employee_audit
46         (emp_id, emp_name, action_type)
47         VALUES
48         (OLD.emp_id, OLD.emp_name, 'DELETE');
49   END $$
50
51   DELIMITER ;
```

SQLAdditions

Automatic context help
manually get help for
toggle

Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 6	18:39:36	CREATE TABLE employee_audit(audit_id INT AUTO_INCREMENT PRIMARY KEY, e...	0 row(s) affected
✓ 7	18:41:14	CREATE TRIGGER after_employee_insert AFTER INSERT ON employees FOR EACH RO...	0 row(s) affected
✓ 8	18:42:21	INSERT INTO employees VALUES (106, 'Arjun', 1, 52000)	1 row(s) affected
✓ 9	18:42:48	SELECT * FROM employee_audit LIMIT 0, 1000	1 row(s) returned
✓ 10	18:44:58	CREATE TRIGGER after_employee_delete AFTER DELETE ON employees FOR EACH RO...	0 row(s) affected

Automatic co
manually ge

Context Help Snippets

Output

Action Output

#	Time	Action	Message
7	18:41:14	CREATE TRIGGER after_employee_insert AFTER INSERT ON employees FOR EACH RO...	0 row(s) affected
8	18:42:21	INSERT INTO employees VALUES (106, 'Arjun', 1, 52000)	1 row(s) affected
9	18:42:48	SELECT * FROM employee_audit LIMIT 0, 1000	1 row(s) returned
10	18:44:58	CREATE TRIGGER after_employee_delete AFTER DELETE ON employees FOR EACH RO...	0 row(s) affected
11	18:45:45	DELETE FROM employees WHERE emp_id = 106	1 row(s) affected

Q Search

dbse transactions

SQL File 3*

Limit to 1000 rows

SQLAdditions

VALUES
(OLD.emp_id, OLD.emp_name, 'DELETE');
END \$\$

DELIMITER ;
DELETE FROM employees
WHERE emp_id = 106;
SELECT * FROM employee_audit;

Automatic context help is disabled manually get help for the current toggle automatically

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell

Result Grid

	audit_id	emp_id	emp_name	action_type	action_time
▶	1	106	Arjun	INSERT	2026-08-09 18:42:21
	2	106	Arjun	DELETE	2026-08-09 18:45:45
*	NULL	NULL	NULL	NULL	NULL

employee_audit 2

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message
✓ 8	18:42:21	INSERT INTO employees VALUES (106, 'Arjun', 1, 52000)	1 row(s) affected
✓ 9	18:42:48	SELECT * FROM employee_audit LIMIT 0, 1000	1 row(s) returned
✓ 10	18:44:58	CREATE TRIGGER after_employee_delete AFTER DELETE ON employees FOR EACH ROW	0 row(s) affected
✓ 11	18:45:45	DELETE FROM employees WHERE emp_id = 106	1 row(s) affected
✓ 12	18:46:06	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned

SQL File 3

Limit to 1000 rows

SQL Additions

52 • DELETE FROM employees

53 WHERE emp_id = 106;

54 • SELECT * FROM employee_audit;

55 DELIMITER \$\$

56

57 • CREATE TRIGGER after_employee_update

58 AFTER UPDATE ON employees

59 FOR EACH ROW

60 BEGIN

61 INSERT INTO employee_audit

62 (emp_id, emp_name, action_type)

63 VALUES

64 (NEW.emp_id, NEW.emp_name, 'UPDATE');

65 END \$\$

66

67 DELIMITER ;

Autom
manua

Context Help

Output

Action Output

#	Time	Action	Message
✓ 9	18:42:48	SELECT * FROM employee_audit LIMIT 0, 1000	1 row(s) returned
✓ 10	18:44:58	CREATE TRIGGER after_employee_delete AFTER DELETE ON employees FOR EACH RO...	0 row(s) affected
✓ 11	18:45:45	DELETE FROM employees WHERE emp_id = 106	1 row(s) affected
✓ 12	18:46:06	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 13	18:46:24	CREATE TRIGGER after_employee_update AFTER UPDATE ON employees FOR EACH R...	0 row(s) affected

dbse transactions

SQL File 3*

SQLAdditions

Limit to 1000 rows

Automatic cont
manually get h

```
64      (NEW.emp_id, NEW.emp_name, 'UPDATE');
65  END $$
66
67  DELIMITER ;
68 • UPDATE employees
69   SET salary = 60000
70   WHERE emp_id = 101;
71 • SELECT * FROM employee_audit;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell

Result Grid

	audit_id	emp_id	emp_name	action_type	action_time
	1	106	Arjun	INSERT	2026-08-09 18:42:21
	2	106	Arjun	DELETE	2026-08-09 18:45:45
*	NULL	NULL	NULL	NULL	NULL

employee_audit 3

Apply

Revert

Context Help

Snippets

Output

Action Output

#	Time	Action	Message
✓ 10	18:44:58	CREATE TRIGGER after_employee_delete AFTER DELETE ON employees FOR EACH RO...	0 row(s) affected
✓ 11	18:45:45	DELETE FROM employees WHERE emp_id = 106	1 row(s) affected
✓ 12	18:46:06	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 13	18:46:24	CREATE TRIGGER after_employee_update AFTER UPDATE ON employees FOR EACH R...	0 row(s) affected
✓ 14	18:48:04	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned

dbse transactionsSQL File 3* x

Limit to 1000 rows

SQLAdditions

Automatic
manually g

```
70 WHERE emp_id = 101;
71 • SELECT * FROM employee_audit;
72 • SELECT * FROM employee_audit;
73 DELIMITER $$
74
75 • CREATE TRIGGER check_salary
76 BEFORE INSERT ON employees
77 FOR EACH ROW
78 BEGIN
79     IF NEW.salary < 20000 THEN
80         SIGNAL SQLSTATE '45000'
81         SET MESSAGE_TEXT = 'Salary cannot be less than 20000';
82     END IF;
83 END $$
84
85 DELIMITER ;
```

Context Help Snippi

Output

Action Output

#	Time	Action	Message
✓ 12	18:46:06	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 13	18:46:24	CREATE TRIGGER after_employee_update AFTER UPDATE ON employees FOR EACH R...	0 row(s) affected
✓ 14	18:48:04	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 15	18:49:40	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEGI...	0 row(s) affected

dbse transactions
SQL File 3*
Limit to 1000 rows

72 • SELECT * FROM employee_audit;
73 DELIMITER \$\$
74
75 • CREATE TRIGGER check_salary
76 BEFORE INSERT ON employees
77 FOR EACH ROW
78 BEGIN
79 IF NEW.salary < 20000 THEN
80 SIGNAL SQLSTATE '45000'
81 SET MESSAGE_TEXT = 'Salary cannot be less than 20000';
82 END IF;
83 END \$\$
84
85 DELIMITER ;
86 • INSERT INTO employees
87 VALUES (107, 'Ravi', 1, 15000);

SQLAdditions
Automatic context help is di
manually get help for the c
toggle autor

Context Help Snippets

Output
Action Output

#	Time	Action	Message
✓ 13	18:46:24	CREATE TRIGGER after_employee_update AFTER UPDATE ON employees FOR EACH R...	0 row(s) affected
✓ 14	18:48:04	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 15	18:49:40	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEGI...	0 row(s) affected
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000

dbse transactions
SQL File 3*
Limit to 1000 rows

74
75 • CREATE TRIGGER check_salary
76 BEFORE INSERT ON employees
77 FOR EACH ROW
78 BEGIN
79 IF NEW.salary < 20000 THEN
80 SIGNAL SQLSTATE '45000'
81 SET MESSAGE_TEXT = 'Salary cannot be less than 20000';
82 END IF;
83 END \$\$
84
85 DELIMITER ;
86 • INSERT INTO employees
87 VALUES (107, 'Ravi', 1, 15000);
88 • INSERT INTO employees
89 VALUES (108, 'Meena', 1, 30000);

SQLAdditions
Automatic context help is di
manually get help for the c
toggle autor

Context Help Snippets

Output
Action Output

#	Time	Action	Message
✓ 14	18:48:04	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 15	18:49:40	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEGI...	0 row(s) affected
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✓ 18	18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected

dbse transactions SQL File 3*

Limit to 1000 rows

```
87 VALUES (107, 'Ravi', 1, 15000);
88 • INSERT INTO employees
89 VALUES (108, 'Meena', 1, 30000);
90 DELIMITER $$
91
92 • CREATE TRIGGER prevent_salary_reduction
93 BEFORE UPDATE ON employees
94 FOR EACH ROW
95 BEGIN
96 IF NEW.salary < OLD.salary THEN
97 SIGNAL SQLSTATE '45000'
98 SET MESSAGE_TEXT = 'Salary reduction is not allowed';
99 END IF;
100 END $$
101
102 DELIMITER ;
```

SQLAdditions

Automatic context help is disabled. You can manually get help for the current statement by toggling the automatic context help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 14	18:48:04	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 15	18:49:40	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEGIN...	0 row(s) affected
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✓ 18	18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected

dbse transactions SQL File 3*

Limit to 1000 rows

```
90 DELIMITER $$
91
92 • CREATE TRIGGER prevent_salary_reduction
93 BEFORE UPDATE ON employees
94 FOR EACH ROW
95 BEGIN
96 IF NEW.salary < OLD.salary THEN
97 SIGNAL SQLSTATE '45000'
98 SET MESSAGE_TEXT = 'Salary reduction is not allowed';
99 END IF;
100 END $$
101
102 DELIMITER ;
103 • UPDATE employees
104 SET salary = 40000
105 WHERE emp_id = 101;
```

SQLAdditions

Automatic context help is disabled. You can manually get help for the current statement by toggling the automatic context help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message
✓ 15	18:49:40	SELECT * FROM employee_audit LIMIT 0, 1000	2 row(s) returned
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEGIN...	0 row(s) affected
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✓ 18	18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected
✓ 19	18:53:00	UPDATE employees SET salary = 40000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

dbse transactions
SQL File 3*
Limit to 1000 rows

Automatic context help is manually get help for the toggle auto

```

93 BEFORE UPDATE ON employees
94 FOR EACH ROW
95 BEGIN
96     IF NEW.salary < OLD.salary THEN
97         SIGNAL SQLSTATE '45000'
98         SET MESSAGE_TEXT = 'Salary reduction is not allowed';
99     END IF;
100 END $$
101
102 DELIMITER ;
103 • UPDATE employees
104 SET salary = 40000
105 WHERE emp_id = 101;
106 • UPDATE employees
107 SET salary = 60000
108 WHERE emp_id = 101;

```

Context Help
Snippets

Output
Action Output

#	Time	Action	Message
✓ 16	18:51:00	CREATE TRIGGER check_salary BEFORE INSERT ON employees FOR EACH ROW BEG...	0 row(s) affected
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✓ 18	18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected
✓ 19	18:53:00	UPDATE employees SET salary = 40000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 20	19:03:09	UPDATE employees SET salary = 60000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

dbse transactions
SQL File 3*
Limit to 1000 rows

Automatic context help i manually get help for th toggle at

```

103 • UPDATE employees
104 SET salary = 40000
105 WHERE emp_id = 101;
106 • UPDATE employees
107 SET salary = 60000
108 WHERE emp_id = 101;
109 • SELECT * FROM employees;
110 • SELECT * FROM employee_audit;

```

Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell
Result Grid

	audit_id	emp_id	emp_name	action_type	action_time
▶	1	106	Arjun	INSERT	2026-08-09 18:42:21
	2	106	Arjun	DELETE	2026-08-09 18:45:45
	3	108	Meena	INSERT	2026-08-09 18:52:10
	4	101	Rahul	UPDATE	2026-08-09 18:53:00
	5	101	Rahul	UPDATE	2026-08-09 19:03:09

employee_audit 5
Apply
Revert
Context Help
Snippets

Output
Action Output

#	Time	Action	Message
✗ 17	18:51:33	INSERT INTO employees VALUES (107, 'Ravi', 1, 15000)	Error Code: 1644. Salary cannot be less than 20000
✓ 18	18:52:10	INSERT INTO employees VALUES (108, 'Meena', 1, 30000)	1 row(s) affected
✓ 19	18:53:00	UPDATE employees SET salary = 40000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 20	19:03:09	UPDATE employees SET salary = 60000 WHERE emp_id = 101	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 21	19:03:55	SELECT * FROM employee_audit LIMIT 0, 1000	5 row(s) returned