



DBMS Lab: SQL Joins and Transactions

Part A: Create Tables



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
1 CREATE DATABASE dbms_lab;
2 USE dbms_lab;
3 CREATE TABLE roles (
4     role_id INT PRIMARY KEY,
5     role_name VARCHAR(50)
6 );
7 CREATE TABLE users (
8     user_id INT PRIMARY KEY,
9     name VARCHAR(50),
10    email VARCHAR(50),
11    role_id INT
12 );
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	10:05:56	USE dbms_lab	0 row(s) affected	0.000 sec
2	10:07:33	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DEC...	0 row(s) affected	0.047 sec
3	10:07:37	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DEC...	Error Code: 1050. Table 'accounts' already exists	0.016 sec
4	10:07:52	CREATE TABLE roles (role_id INT PRIMARY KEY, role_name VARCHAR(50))	0 row(s) affected	0.032 sec
5	10:08:17	CREATE TABLE users (user_id INT PRIMARY KEY, name VARCHAR(50), email VARCHAR(50), role_id...	0 row(s) affected	0.031 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:08 08-08-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
1 CREATE DATABASE dbms_lab;
2 USE dbms_lab;
3 CREATE TABLE roles (
4     role_id INT PRIMARY KEY,
5     role_name VARCHAR(50)
6 );
7 CREATE TABLE users (
8     user_id INT PRIMARY KEY,
9     name VARCHAR(50),
10    email VARCHAR(50),
11    role_id INT
12 );
13 CREATE TABLE deapartments (
14     dept_id INT PRIMARY KEY,
15     dept_name VARCHAR(50)
16 );
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	10:07:52	CREATE TABLE roles (role_id INT PRIMARY KEY, role_name VARCHAR(50))	0 row(s) affected	0.032 sec
5	10:08:17	CREATE TABLE users (user_id INT PRIMARY KEY, name VARCHAR(50), email VARCHAR(50), role...	0 row(s) affected	0.031 sec
6	10:08:50	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
7	10:08:57	CREATE DATABASE dbms_lab	Error Code: 1007. Can't create database 'dbms_lab': database exists	0.000 sec
8	10:08:59	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
9	10:09:06	CREATE TABLE deapartments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected	0.094 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:09 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
4 role_id INT PRIMARY KEY,
5 role_name VARCHAR(50)
6 );
7 CREATE TABLE users (
8 user_id INT PRIMARY KEY,
9 name VARCHAR(50),
10 email VARCHAR(50),
11 role_id INT
12 );
13 CREATE TABLE deapartments (
14 dept_id INT PRIMARY KEY,
15 dept_name VARCHAR(50)
16 );
17 CREATE TABLE employees (
18 emp_id INT PRIMARY KEY,
19 emp_name VARCHAR(50),
20 dept_id INT,
21 manager_id INT,
22 salary DECIMAL(10,2)
23 );
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	10:08:50	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
7	10:08:57	CREATE DATABASE dbms_lab	Error Code: 1007. Can't create database 'dbms_lab'; database exists	0.000 sec
8	10:08:59	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
9	10:09:06	CREATE TABLE deapartments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected	0.094 sec
10	10:09:49	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, m...	Error Code: 1050. Table 'employees' already exists	0.000 sec
11	10:09:54	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, ...	0 row(s) affected	0.046 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:09 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
10 email VARCHAR(50),
11 role_id INT
12 );
13 CREATE TABLE deapartments (
14 dept_id INT PRIMARY KEY,
15 dept_name VARCHAR(50)
16 );
17 CREATE TABLE employees (
18 emp_id INT PRIMARY KEY,
19 emp_name VARCHAR(50),
20 dept_id INT,
21 manager_id INT,
22 salary DECIMAL(10,2)
23 );
24 CREATE TABLE customers (
25 customer_id INT PRIMARY KEY,
26 customer_name VARCHAR(50),
27 city VARCHAR(50)
28 );
29
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	10:08:59	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	Error Code: 1050. Table 'departments' already exists	0.000 sec
9	10:09:06	CREATE TABLE deapartments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected	0.094 sec
10	10:09:49	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, m...	Error Code: 1050. Table 'employees' already exists	0.000 sec
11	10:09:54	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, ...	0 row(s) affected	0.046 sec
12	10:10:14	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VA...	Error Code: 1050. Table 'customers' already exists	0.000 sec
13	10:10:18	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city V...	0 row(s) affected	0.031 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:10 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
15 dept_name VARCHAR(50)
16 };
17 CREATE TABLE employees (
18 emp_id INT PRIMARY KEY,
19 emp_name VARCHAR(50),
20 dept_id INT,
21 manager_id INT,
22 salary DECIMAL(10,2)
23 );
24 CREATE TABLE customers (
25 customer_id INT PRIMARY KEY,
26 customer_name VARCHAR(50),
27 city VARCHAR(50)
28 );
29 CREATE TABLE orders (
30 order_id INT PRIMARY KEY,
31 customer_id INT,
32 order_date DATE,
33 total_amount DECIMAL(10,2)
34 );
35
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	10:09:06	CREATE TABLE departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected	0.094 sec
10	10:09:49	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, manager_id INT, salary DECIMAL(10,2))	Error Code: 1050. Table 'employees' already exists	0.000 sec
11	10:09:54	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, manager_id INT, salary DECIMAL(10,2))	0 row(s) affected	0.046 sec
12	10:10:14	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VARCHAR(50))	Error Code: 1050. Table 'customers' already exists	0.000 sec
13	10:10:18	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VARCHAR(50))	0 row(s) affected	0.031 sec
14	10:10:45	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DATE, total_amount DECIMAL(10,2))	0 row(s) affected	0.047 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:10 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
20 dept_id INT,
21 manager_id INT,
22 salary DECIMAL(10,2)
23 };
24 CREATE TABLE customers (
25 customer_id INT PRIMARY KEY,
26 customer_name VARCHAR(50),
27 city VARCHAR(50)
28 );
29 CREATE TABLE orders (
30 order_id INT PRIMARY KEY,
31 customer_id INT,
32 order_date DATE,
33 total_amount DECIMAL(10,2)
34 );
35 CREATE TABLE accounts (
36 account_no INT PRIMARY KEY,
37 holder_name VARCHAR(50),
38 balance DECIMAL(10,2)
39 );
40
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	10:09:54	CREATE TABLE employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), dept_id INT, manager_id INT, salary DECIMAL(10,2))	0 row(s) affected	0.046 sec
12	10:10:14	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VARCHAR(50))	Error Code: 1050. Table 'customers' already exists	0.000 sec
13	10:10:18	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VARCHAR(50))	0 row(s) affected	0.031 sec
14	10:10:45	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DATE, total_amount DECIMAL(10,2))	0 row(s) affected	0.047 sec
15	10:11:08	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DECIMAL(10,2))	Error Code: 1050. Table 'accounts' already exists	0.000 sec
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DECIMAL(10,2))	0 row(s) affected	0.032 sec

Object Info Session

25°C Mostly cloudy

Q Search

ENG IN

10:11 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```

25 customer_id INT PRIMARY KEY,
26 customer_name VARCHAR(50),
27 city VARCHAR(50)
28 );
29 CREATE TABLE orders (
30 order_id INT PRIMARY KEY,
31 customer_id INT,
32 order_date DATE,
33 total_amount DECIMAL(10,2)
34 );
35 CREATE TABLE accounts (
36 account_no INT PRIMARY KEY,
37 holder_name VARCHAR(50),
38 balance DECIMAL(10,2)
39 );
40 INSERT INTO roles VALUES
41 (1, 'Admin'),
42 (2, 'Manager'),
43 (3, 'Employee'),
44 (4, 'HR');

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	10:10:14	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city VA...	Error Code: 1050. Table 'customers' already exists	0.000 sec
13	10:10:18	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city V...	0 row(s) affected	0.031 sec
14	10:10:45	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DATE, total_am...	0 row(s) affected	0.047 sec
15	10:11:08	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DE...	Error Code: 1050. Table 'accounts' already exists	0.000 sec
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance D...	0 row(s) affected	0.032 sec
17	10:23:39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec

Object Info Session

27°C Mostly cloudy

10:23 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```

30 order_id INT PRIMARY KEY,
31 customer_id INT,
32 order_date DATE,
33 total_amount DECIMAL(10,2)
34 );
35 CREATE TABLE accounts (
36 account_no INT PRIMARY KEY,
37 holder_name VARCHAR(50),
38 balance DECIMAL(10,2)
39 );
40 INSERT INTO roles VALUES
41 (1, 'Admin'),
42 (2, 'Manager'),
43 (3, 'Employee'),
44 (4, 'HR')
45 INSERT INTO users VALUES
46 (101, 'Rahul', 'rahul@gmail.com', 1),
47 (102, 'Priya', 'priya@gmail.com', 2),
48 (103, 'Arun', 'arun@gmail.com', 3),
49 (104, 'Sneha', 'sneha@gmail.com', NULL);

```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	10:10:18	CREATE TABLE customers (customer_id INT PRIMARY KEY, customer_name VARCHAR(50), city V...	0 row(s) affected	0.031 sec
14	10:10:45	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DATE, total_am...	0 row(s) affected	0.047 sec
15	10:11:08	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DE...	Error Code: 1050. Table 'accounts' already exists	0.000 sec
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance D...	0 row(s) affected	0.032 sec
17	10:23:39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
18	10:24:14	INSERT INTO users VALUES (101, 'Rahul', 'rahul@gmail.com', 1), (102, 'Priya', 'priya@gmail.com', 2), (103, 'Aru...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec

Object Info Session

27°C Mostly cloudy

10:24 08-08-2026

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
35 CREATE TABLE accounts (
36   account_no INT PRIMARY KEY,
37   holder_name VARCHAR(50),
38   balance DECIMAL(10,2)
39 );
40
41 INSERT INTO roles VALUES
42 (1, 'Admin'),
43 (2, 'Manager'),
44 (3, 'Employee'),
45 (4, 'HR');
46
47 INSERT INTO users VALUES
48 (101, 'Rahul', 'rahul@gmail.com', 1),
49 (102, 'Priya', 'priya@gmail.com', 2),
50 (103, 'Arun', 'arun@gmail.com', 3),
51 (104, 'Sneha', 'sneha@gmail.com', NULL);
52
53 INSERT INTO departments VALUES
54 (10, 'CSE'),
55 (20, 'ECE'),
56 (30, 'EEE'),
57 (40, 'MECH');
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

#	Time	Action	Message	Duration / Fetch
14	10:10:45	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DATE, total_am...	0 row(s) affected	0.047 sec
15	10:11:08	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DE...	Error Code: 1050 Table 'accounts' already exists	0.000 sec
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance D...	0 row(s) affected	0.032 sec
17	10:23:39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
18	10:24:14	INSERT INTO users VALUES (101, 'Rahul', 'rahul@gmail.com', 1), (102, 'Priya', 'priya@gmail.com', 2), (103, 'Aru...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
19	10:25:36	INSERT INTO departments VALUES (10, 'CSE'), (20, 'ECE'), (30, 'EEE'), (40, 'MECH')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec

Object Info Session

27°C Mostly cloudy

Q Search

ENG IN

10:25 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
41 (1, 'Admin'),
42 (2, 'Manager'),
43 (3, 'Employee'),
44 (4, 'HR');
45 • INSERT INTO users VALUES
46 (101, 'Rahul', 'rahul@gmail.com', 1),
47 (102, 'Priya', 'priya@gmail.com', 2),
48 (103, 'Arun', 'arun@gmail.com', 3),
49 (104, 'Sneha', 'sneha@gmail.com', NULL);
50 • INSERT INTO departments VALUES
51 (10, 'CSE'),
52 (20, 'ECE'),
53 (30, 'EEE'),
54 (40, 'MECH');
55 • INSERT INTO employees VALUES
56 (1, 'Ravi', 10, NULL, 80000),
57 (2, 'Anil', 10, 1, 60000),
58 (3, 'Suresh', 20, 1, 55000),
59 (4, 'Kiran', 30, 1, 45000),
60 (5, 'Vijay', 10, 2, 52000);
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	10:11:08	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance DE...	Error Code: 1050. Table 'accounts' already exists	0.000 sec
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance D...	0 row(s) affected	0.032 sec
17	10:23:39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
18	10:24:14	INSERT INTO users VALUES (101, 'Rahul', 'rahul@gmail.com', 1), (102, 'Priya', 'priya@gmail.com', 2), (103, 'Aru...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
19	10:25:36	INSERT INTO departments VALUES (10, 'CSE'), (20, 'ECE'), (30, 'EEE'), (40, 'MECH')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
20	10:26:15	INSERT INTO employees VALUES (1, 'Ravi', 10, NULL, 80000), (2, 'Ani', 10, 1, 60000), (3, 'Suresh', 20, 1, 55...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
46 (101, 'Rahul', 'rahul@gmail.com', 1),
47 (102, 'Priya', 'priya@gmail.com', 2),
48 (103, 'Arun', 'arun@gmail.com', 3),
49 (104, 'Sneha', 'sneha@gmail.com', NULL);
50 • INSERT INTO departments VALUES
51 (10, 'CSE'),
52 (20, 'ECE'),
53 (30, 'EEE'),
54 (40, 'MECH');
55 • INSERT INTO employees VALUES
56 (1, 'Ravi', 10, NULL, 80000),
57 (2, 'Anil', 10, 1, 60000),
58 (3, 'Suresh', 20, 1, 55000),
59 (4, 'Kiran', 30, 1, 45000),
60 (5, 'Vijay', 10, 2, 52000);
61 • INSERT INTO customers VALUES
62 (1, 'John', 'Hyderabad'),
63 (2, 'Priya', 'Vijayawada'),
64 (3, 'Rahul', 'Chennai'),
65 (4, 'Sneha', 'Bangalore');
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	10:11:13	CREATE TABLE accounts (account_no INT PRIMARY KEY, holder_name VARCHAR(50), balance D...	0 row(s) affected	0.032 sec
17	10:23:39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
18	10:24:14	INSERT INTO users VALUES (101, 'Rahul', 'rahul@gmail.com', 1), (102, 'Priya', 'priya@gmail.com', 2), (103, 'Aru...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
19	10:25:36	INSERT INTO departments VALUES (10, 'CSE'), (20, 'ECE'), (30, 'EEE'), (40, 'MECH')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
20	10:26:15	INSERT INTO employees VALUES (1, 'Ravi', 10, NULL, 80000), (2, 'Ani', 10, 1, 60000), (3, 'Suresh', 20, 1, 55...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
21	10:28:08	INSERT INTO customers VALUES (1, 'John', 'Hyderabad'), (2, 'Priya', 'Vijayawada'), (3, 'Rahul', 'Chenna'), (4, ...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3

```
51 (10, 'CSE'),
52 (20, 'ECE'),
53 (30, 'EEE'),
54 (40, 'MECH');
55 INSERT INTO employees VALUES
56 (1, 'Ravi', 10, NULL, 80000),
57 (2, 'Anil', 10, 1, 60000),
58 (3, 'Suresh', 20, 1, 55000),
59 (4, 'Kiran', 30, 1, 45000),
60 (5, 'Vijay', 10, 2, 52000);
61 INSERT INTO customers VALUES
62 (1, 'John', 'Hyderabad'),
63 (2, 'Priya', 'Vijayawada'),
64 (3, 'Rahul', 'Chennai'),
65 (4, 'Sneha', 'Bangalore');
66 INSERT INTO orders VALUES
67 (101, 1, '2026-08-01', 5000),
68 (102, 2, '2026-08-02', 7000),
69 (103, 1, '2026-08-03', 3000),
70 (104, 3, '2026-08-04', 9000);
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
17	10.23.39	INSERT INTO roles VALUES (1, 'Admin'), (2, 'Manager'), (3, 'Employee'), (4, 'HR')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
18	10.24.14	INSERT INTO users VALUES (101, 'Rahul', 'rahul@gmail.com'), (102, 'Priya', 'priya@gmail.com'), (103, 'Anu', 'anu@gmail.com'), (104, 'Sneha', 'sneha@gmail.com')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
19	10.25.36	INSERT INTO departments VALUES (10, 'CSE'), (20, 'ECE'), (30, 'EEE'), (40, 'MECH')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
20	10.26.15	INSERT INTO employees VALUES (1, 'Ravi', 10, NULL, 80000), (2, 'Anil', 10, 1, 60000), (3, 'Suresh', 20, 1, 55000), (4, 'Kiran', 30, 1, 45000), (5, 'Vijay', 10, 2, 52000)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
21	10.28.08	INSERT INTO customers VALUES (1, 'John', 'Hyderabad'), (2, 'Priya', 'Vijayawada'), (3, 'Rahul', 'Chennai'), (4, 'Sneha', 'Bangalore')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
22	10.29.52	INSERT INTO orders VALUES (101, 1, '2026-08-01', 5000), (102, 2, '2026-08-02', 7000), (103, 1, '2026-08-03', 3000), (104, 3, '2026-08-04', 9000)	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec

Object Info Session

27°C Mostly cloudy

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

```
71 INSERT INTO accounts VALUES
72 (101, 'Ravi', 20000),
73 (102, 'Anil', 30000),
74 (103, 'Suresh', 15000);
75 SELECT e.emp_name, d.dept_name
76 FROM employees e
77 INNER JOIN departments d
78 ON e.dept_id = d.dept_id;
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

emp_name	dept_name
Ravi	CSE
Anil	CSE
Suresh	ECE

Output

Action Output

#	Time	Action	Message	Duration / Fetch
19	10.25.36	INSERT INTO departments VALUES (10, 'CSE'), (20, 'ECE'), (30, 'EEE'), (40, 'MECH')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.000 sec
20	10.26.15	INSERT INTO employees VALUES (1, 'Ravi', 10, NULL, 80000), (2, 'Anil', 10, 1, 60000), (3, 'Suresh', 20, 1, 55000), (4, 'Kiran', 30, 1, 45000), (5, 'Vijay', 10, 2, 52000)	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
21	10.28.08	INSERT INTO customers VALUES (1, 'John', 'Hyderabad'), (2, 'Priya', 'Vijayawada'), (3, 'Rahul', 'Chennai'), (4, 'Sneha', 'Bangalore')	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
22	10.29.52	INSERT INTO orders VALUES (101, 1, '2026-08-01', 5000), (102, 2, '2026-08-02', 7000), (103, 1, '2026-08-03', 3000), (104, 3, '2026-08-04', 9000)	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
23	10.30.50	INSERT INTO accounts VALUES (101, 'Ravi', 20000), (102, 'Anil', 30000), (103, 'Suresh', 15000)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
24	10.33.25	SELECT e.emp_name, d.dept_name FROM employees e INNER JOIN departments d ON e.dept_id = d.dept_id	0 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

```

75 SELECT e.emp_name, d.dept_name
76 FROM employees e
77 INNER JOIN departments d
78 ON e.dept_id = d.dept_id;
79 SELECT u.name, u.email, r.role_name
80 FROM users u
81 LEFT JOIN roles r
82 ON u.role_id = r.role_id;

```

Result Grid

name	email	role_name
Rahul	rahul@gmail.com	Admin
Priya	priya@gmail.com	Manager
Arun	arun@gmail.com	Employee
Sneha	sneha@gmail.com	

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	10:26:15	INSERT INTO employees VALUES (1, 'Ravi', 10, NULL, 80000), (2, 'Anil', 10, 1, 60000), (3, 'Suresh', 20, 1, 5...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
21	10:28:08	INSERT INTO customers VALUES (1, 'John', 'Hyderabad'), (2, 'Priya', 'Vijayawada'), (3, 'Rahul', 'Chennai'), (4, ...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
22	10:29:52	INSERT INTO orders VALUES (101, 1, '2026-08-01', 5000), (102, 2, '2026-08-02', 7000), (103, 1, '2026-08-03'...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
23	10:30:50	INSERT INTO accounts VALUES (101, 'Ravi', 20000), (102, 'Anil', 30000), (103, 'Suresh', 15000)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
24	10:33:25	SELECT e.emp_name, d.dept_name FROM employees e INNER JOIN departments d ON e.dept_id = d.dept...	0 row(s) returned	0.016 sec / 0.000 sec
25	10:33:57	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Q Search

ENG IN

10:34 08-08-2026

3Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

```

79 SELECT u.name, u.email, r.role_name
80 FROM users u
81 LEFT JOIN roles r
82 ON u.role_id = r.role_id;
83 SELECT u.name, r.role_name
84 FROM users u
85 RIGHT JOIN roles r
86 ON u.role_id = r.role_id;

```

Result Grid

name	role_name
Rahul	Admin
Priya	Manager
Arun	Employee
HR	

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 3

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	10:28:08	INSERT INTO customers VALUES (1, 'John', 'Hyderabad'), (2, 'Priya', 'Vijayawada'), (3, 'Rahul', 'Chennai'), (4, ...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
22	10:29:52	INSERT INTO orders VALUES (101, 1, '2026-08-01', 5000), (102, 2, '2026-08-02', 7000), (103, 1, '2026-08-03'...	4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0	0.015 sec
23	10:30:50	INSERT INTO accounts VALUES (101, 'Ravi', 20000), (102, 'Anil', 30000), (103, 'Suresh', 15000)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
24	10:33:25	SELECT e.emp_name, d.dept_name FROM employees e INNER JOIN departments d ON e.dept_id = d.dept...	0 row(s) returned	0.016 sec / 0.000 sec
25	10:33:57	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
26	10:34:45	SELECT u.name, r.role_name FROM users u RIGHT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Q Search

ENG IN

10:34 08-08-2026

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

Limit to 1000 rows

SQL

```
101 ON u.role_id = r.role_id
102
103 UNION
104
105 SELECT u.name, u.email, r.role_name
106 FROM users u
107 RIGHT JOIN roles r
108 ON u.role_id = r.role_id;
```

Result Grid

	name	email	role_name
1	Rahul	rahul@gmail.com	Admin
2	Pritya	pritya@gmail.com	Manager
3	Arun	arun@gmail.com	Employee
4	Sneha	sneha@gmail.com	HR

Result 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	10:30:50	INSERT INTO accounts VALUES (101, 'Ravi', 20000), (102, 'Anil', 30000), (103, 'Suresh', 15000)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
24	10:33:25	SELECT e.emp_name, d.dept_name FROM employees e INNER JOIN departments d ON e.dept_id = d.dept...	0 row(s) returned	0.016 sec / 0.000 sec
25	10:33:57	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
26	10:34:45	SELECT u.name, r.role_name FROM users u RIGHT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
27	10:35:36	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id UNION SELE...	5 row(s) returned	0.015 sec / 0.000 sec
28	10:36:45	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id UNION SELE...	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Q Search

ENG IN

10:36 08-08-2026

5Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

Limit to 1000 rows

SQL

```
107 RIGHT JOIN roles r
108 ON u.role_id = r.role_id;
109 • SELECT
110     e.emp_name AS Employee,
111     m.emp_name AS Manager
112 FROM employees e
113 LEFT JOIN employees m
114 ON e.manager_id = m.emp_id;
```

Result Grid

	Employee	Manager
--	----------	---------

Result 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	10:33:25	SELECT e.emp_name, d.dept_name FROM employees e INNER JOIN departments d ON e.dept_id = d.dept...	0 row(s) returned	0.016 sec / 0.000 sec
25	10:33:57	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
26	10:34:45	SELECT u.name, r.role_name FROM users u RIGHT JOIN roles r ON u.role_id = r.role_id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
27	10:35:36	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id UNION SELE...	5 row(s) returned	0.015 sec / 0.000 sec
28	10:36:45	SELECT u.name, u.email, r.role_name FROM users u LEFT JOIN roles r ON u.role_id = r.role_id UNION SELE...	5 row(s) returned	0.000 sec / 0.000 sec
29	10:38:50	SELECT e.emp_name AS Employee, m.emp_name AS Manager FROM employees e LEFT JOIN employe...	0 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

Q Search

ENG IN

10:38 08-08-2026

6Q

8Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas Information

No object selected

Query 1 SQL File 3 SQL File 4

Limit to 1000 rows

```

128 FROM employees e
129 JOIN departments d
130 ON e.dept_id = d.dept_id
131 GROUP BY d.dept_name;
132 SELECT
133     e.emp_name,
134     e.salary,
135     d.dept_name
136 FROM employees e
137 JOIN departments d
138 ON e.dept_id = d.dept_id
139 WHERE e.salary > 50000
140 AND d.dept_name = 'CSE';

```

Result Grid

emp_name	salary	dept_name
Ravi	80000.00	CSE
Anil	60000.00	CSE
Vijay	52000.00	CSE

Result 9

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	10:40:25	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec
33	10:40:51	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec
34	10:46:01	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec
35	10:47:04	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec / 0.000 sec
36	10:50:42	SELECT	d.dept_name, COUNT(*) AS EmployeeCount, AVG(e.salary) AS AverageSalary, MAX(e.sala...	0.000 sec / 0.000 sec
37	10:51:18	SELECT	e.emp_name, e.salary, d.dept_name FROM employees e JOIN departments d ON e.dept_id ...	0.000 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

9Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas Information

No object selected

Query 1 SQL File 3 SQL File 4

Limit to 1000 rows

```

136 FROM employees e
137 JOIN departments d
138 ON e.dept_id = d.dept_id
139 WHERE e.salary > 50000
140 AND d.dept_name = 'CSE';
141 SELECT
142     c.customer_name,
143     SUM(o.total_amount) AS TotalPurchase
144 FROM customers c
145 JOIN orders o
146 ON c.customer_id = o.customer_id
147 GROUP BY c.customer_name
148 ORDER BY TotalPurchase DESC;

```

Result Grid

customer_name	TotalPurchase
Rahul	9000.00
John	8000.00
Priya	7000.00

Result 10

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	10:40:51	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec
34	10:46:01	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec
35	10:47:04	SELECT	o.orders_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	0.000 sec / 0.000 sec
36	10:50:42	SELECT	d.dept_name, COUNT(*) AS EmployeeCount, AVG(e.salary) AS AverageSalary, MAX(e.sala...	0.000 sec / 0.000 sec
37	10:51:18	SELECT	e.emp_name, e.salary, d.dept_name FROM employees e JOIN departments d ON e.dept_id ...	0.000 sec / 0.000 sec
38	10:51:45	SELECT	c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orders o ...	0.016 sec / 0.000 sec

Object Info Session

27°C Mostly cloudy

PART-B

11Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

```
135 d.dept_name
136 FROM employees e
137 JOIN deapartments d
138 ON e.dept_id = d.dept_id
139 WHERE e.salary > 50000
140 AND d.dept_name = 'CSE';
141 •
142 SELECT
143     c.customer_name,
144     SUM(o.total_amount) AS TotalPurchase
145 FROM cuastomers c
146 JOIN orrders o
147 ON c.customer_id = o.customer_id
148 GROUP BY c.customer_name
149 ORDER BY TotalPurchase DESC;
150 •
151 START TRANSACTION;
152 •
153 INSERT INTO accounts
154 VALUES (104, 'Anil', 25000);
155 •
156 COMMIT;
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
34 10:46:01	SELECT o.order_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	Error Code: 1054. Unknown column 'o.order_id' in field list	0.000 sec
35 10:47:04	SELECT o.order_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o ...	4 row(s) returned	0.000 sec / 0.000 sec
36 10:50:42	SELECT d.dept_name, COUNT(*) AS EmployeeCount, AVG(e.salary) AS AverageSalary, MAX(e.sala...	3 row(s) returned	0.000 sec / 0.000 sec
37 10:51:18	SELECT e.emp_name, e.salary, d.dept_name FROM employees e JOIN deapartments d ON e.dept_id ...	3 row(s) returned	0.000 sec / 0.000 sec
38 10:51:45	SELECT c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orrders o ...	3 row(s) returned	0.016 sec / 0.000 sec
39 10:52:58	COMMIT	0 row(s) affected	0.000 sec

Object Info Session

27°C Mostly cloudy

Free Upgrade

10:53 08-08-2026

12Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

```
141 •
142 SELECT
143     c.customer_name,
144     SUM(o.total_amount) AS TotalPurchase
145 FROM cuastomers c
146 JOIN orrders o
147 ON c.customer_id = o.customer_id
148 GROUP BY c.customer_name
149 ORDER BY TotalPurchase DESC;
150 •
151 START TRANSACTION;
152 •
153 INSERT INTO accounts
154 VALUES (104, 'Anil', 25000);
155 •
156 COMMIT;
157 •
158 INSERT INTO accounts
159 VALUES (105, 'Ravi', 10000);
160 •
161 ROLLBACK;
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
35 10:47:04	SELECT o.order_id, c.customer_name, c.city, o.total_amount FROM customers c JOIN orders o O...	4 row(s) returned	0.000 sec / 0.000 sec
36 10:50:42	SELECT d.dept_name, COUNT(*) AS EmployeeCount, AVG(e.salary) AS AverageSalary, MAX(e.sala...	3 row(s) returned	0.000 sec / 0.000 sec
37 10:51:18	SELECT e.emp_name, e.salary, d.dept_name FROM employees e JOIN deapartments d ON e.dept_id ...	3 row(s) returned	0.000 sec / 0.000 sec
38 10:51:45	SELECT c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orrders o ...	3 row(s) returned	0.016 sec / 0.000 sec
39 10:52:58	COMMIT	0 row(s) affected	0.000 sec
40 10:53:41	ROLLBACK	0 row(s) affected	0.000 sec

Object Info Session

27°C Mostly cloudy

Free Upgrade

10:53 08-08-2026

13Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

VALUES (104, 'Anil', 25000);

COMMIT;

START TRANSACTION;

INSERT INTO accounts

VALUES (105, 'Ravi', 10000);

ROLLBACK;

START TRANSACTION;

UPDATE accounts

SET balance = balance - 5000

WHERE account_no = 101;

UPDATE accounts

SET balance = balance + 5000

WHERE account_no = 102;

COMMIT;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	10:50:42	SELECT d_dept_name, COUNT(*) AS EmployeeCount, AVG(e.salary) AS AverageSalary, MAX(e.sala...	3 row(s) returned	0.000 sec / 0.000 sec
37	10:51:18	SELECT e.emp_name, e.salary, d_dept_name FROM employees e JOIN departments d ON e.dept_id...	3 row(s) returned	0.000 sec / 0.000 sec
38	10:51:45	SELECT c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orders o...	3 row(s) returned	0.016 sec / 0.000 sec
39	10:52:58	COMMIT	0 row(s) affected	0.000 sec
40	10:53:41	ROLLBACK	0 row(s) affected	0.000 sec
41	10:54:13	COMMIT	0 row(s) affected	0.000 sec

Object Info Session

27°C Mostly cloudy

Free Upgrade

Search

ENG IN

10:54 08-08-2026

14Q

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

SET balance = balance - 3000

WHERE account_no = 101;

UPDATE accounts

SET balance = balance + 3000

WHERE account_no = 999;

ROLLBACK;

START TRANSACTION;

UPDATE accounts

SET balance = balance - 3000

WHERE account_no = 101;

UPDATE accounts

SET balance = balance + 3000

WHERE account_no = 999;

ROLLBACK;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	10:51:10	SELECT e.emp_name, e.salary, d_dept_name FROM employees e JOIN departments d ON e.dept_id...	3 row(s) returned	0.000 sec / 0.000 sec
38	10:51:45	SELECT c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orders o...	3 row(s) returned	0.016 sec / 0.000 sec
39	10:52:58	COMMIT	0 row(s) affected	0.000 sec
40	10:53:41	ROLLBACK	0 row(s) affected	0.000 sec
41	10:54:13	COMMIT	0 row(s) affected	0.000 sec
42	10:55:38	ROLLBACK	0 row(s) affected	0.000 sec

Object Info Session

27°C Mostly cloudy

Free Upgrade

Search

ENG IN

10:56 08-08-2026

15Q

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Query 1 SQL File 3 SQL File 4

Limit to 1000 rows

```
201 • UPDATE accounts
202 SET balance = balance + 3000
203 WHERE account_no = 999;
204
205 • ROLLBACK;
206 • START TRANSACTION;
207
208 • UPDATE accounts
209 SET balance = balance + 2000
210 WHERE account_no = 101;
211
212 • SAVEPOINT s1;
213
214 • UPDATE accounts
215 SET balance = balance - 1000
216 WHERE account_no = 101;
217
218 • ROLLBACK TO s1;
219
220 • COMMIT;
```

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
38	10:51:45	SELECT	c.customer_name, SUM(o.total_amount) AS TotalPurchase FROM customers c JOIN orders o ...	3 row(s) returned 0.016 sec / 0.000 sec
39	10:52:58	COMMIT	0 row(s) affected	0.000 sec
40	10:53:41	ROLLBACK	0 row(s) affected	0.000 sec
41	10:54:13	COMMIT	0 row(s) affected	0.000 sec
42	10:55:38	ROLLBACK	0 row(s) affected	0.000 sec
43	10:58:10	COMMIT	0 row(s) affected	0.000 sec

Object Info Session

27°C Mostly cloudy

Search Free Upgrade

ENG IN

10:58 08-08-2026