






4:57 PM
task1
/storage/emulate...
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main() {
int age;
double pay;
char section;
cout << "Enter age, pay and section: ";
cin >> age >> pay >> section;
cout << "Age: " << age << endl;
cout << "Pay: " << pay << endl;
cout << "Section: " << section << endl;
return 0;
}
{
}
:
;
"


4:57 PM
118 B/s
49
TAB
Enter age, pay and section:
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English


4:59 PM
Vo LTE
18.6 K/s
48
new*
task1
newfile.cxx
newfile.cxx
newfile.cxx
endl;
cout << "6 + 12 * 2 - 8 = " << 6 + 12 * 2 - 8 << endl;
cout << "4 + 8 * 2 = " << 4 + 8 * 2 << endl;
cout << "6 + 17 % 3 - 2 = " << 6 + 17 % 3 - 2 << endl;
cout << "2 + 22 * (9 - 7) = " << 2 + 22 * (9 - 7) << endl;
cout << "(8 + 7) * 2 = " << (8 + 7) * 2 << endl;
cout << "(16 + 7) % 2 - 1 = " << (16 + 7) % 2 - 1 << endl;
cout << "12 / (10 - 6) = " << 12 / (10 - 6) << endl;
cout << "(19 - 3) * (2 + 2) / 4 = " << (19 - 3) * (2 + 2) / 4 << endl;
return 0;
}
{ } : ; "


5:00 PM
TAB
28 / 4 - 2 = 5
6 + 12 * 2 - 8 = 22
4 + 8 * 2 = 20
6 + 17 % 3 - 2 = 6
2 + 22 * (9 - 7) = 46
(8 + 7) * 2 = 30
(16 + 7) % 2 - 1 = 0
12 / (10 - 6) = 3
(19 - 3) * (2 + 2) / 4 = 16
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English


5:05 PM
TAB
units (int) = 10
mass (float) = 5.5
mass * units = 55
weight (double) = 55
Explanation: units int se float bana, result float bana, phi
r weight mein ja kar
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English



5:08 PM
task 4
/storage/emulate...
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main() {
int a, b = 2;
float c = 4.2;
a = b * c;
cout << "b * c = " << b * c << endl;
cout << "Value stored in a (int) = " << a << endl;
cout << "Answer is 8, because .4 is truncated." << endl;
return 0;
}
{ } : ; "
English


5:08 PM
TAB

```
b * c = 8.4
Value stored in a (int) = 8
Answer is 8, because .4 is truncated.


[Program finished]
```

Screenshot has been saved to Pictures/Screenshot


5:13 PM
Vo LTE
6.9 K/s
47
task 6
/storage/emulate...
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
#include <cstdlib>
#include <ctime>
using namespace std;
int main() {
// Random number generator ko start karo
srand(time(0));
int num1 = rand() % 900 + 100; // 100 se 999 tak 3-digit number
int num2 = rand() % 900 + 100;
int sum = num1 + num2;
// Student ke liye Question dikhao
cout << "Math Tutor Program" << endl;
cout << "----------";
}
}
:
;
"
'
#


5:13 PM
TAB
Math Tutor Program

[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
?123
English


5:17 PM
pro 1
/storage/emulate...
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main()
{
int number1, number2;
float quotient;
cout << "Enter two numbers and I will divide\n";
cout << "the first by the second for you. \n";
cin >> number1 >> number2;
quotient = static_cast<float>(number1) / number2;
cout << quotient;
return 0;
}
Tab
{
}
:
;

Date:

Task 6

```
#include<iostream>
using namespace std;
int main()
{
int number1, number2;
float quotient
cin >>number1>>
number2;
quotient = static_cast
<float>(number)
cout<<quotient
return 0;
}
```

Output

Enter two numbers
and I will divide
the first by
the second for you.

5:05 PM
Vo LTE 37.2 K/s 48

task 3
/storage/emulate...

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
using namespace std;

int main() {
    int units = 10;
    float mass = 5.5f;
    double weight;

    weight = mass * units;

    cout << "units (int) = " << units << endl;
    cout << "mass (float) = " << mass << endl;
    cout << "mass * units = " << mass * units << endl;
    cout << "weight (double) = " << weight << endl;

    cout << "\nExplanation: units int se float bana, result float bana, phir weight mein ja kar";
    return 0;
}
```

{ } : ; "

Day: TASKS

```
#include <iostream>
using namespace std;
int main()
    int qty=100;
    int salesReps=6;
    double unitsEach;
// Type cast se pehle
(galat answer - (aaya ga)
unitsEach=qty/salesReps;
cout<<"without type cast: "<<unitsEach
<<endl;

// Type cast ke baad (sabi answer
_16.66..) unitsEach = static-cast
<doubles(qty) cout<<"with type
cast: "<<unitsEach<<endl;
return 0;
}
```

Output:

Day: Date:

Task 4

```
#include <iostream>
using namespace std;
int main()
{
  int a, b = 2;
  float c = 4-2;
  a = b*c
  cout<< "b*c =" <<b*c<<endl;
  cout<< "value stored in a(int) =" <<a<<endl;
  cout<< "Answer is 8, because 4
  is truncated." <<endl;
  return 0;
}
```

Output:

```
b*c = 8.4
value stored in a(int) = 8
```

Day

Task3

```
#include<iostream>
using namespace std;
int main()
{
int units=10;
float mass=5.5f;
double weight;
weight = mass* units;
cout<<"units(int)="<<units<<endl;
cout<<"mass(float)="<<mass<<endl;
cout<<"mass*units="<<mass* units<<endl;
cout<<"weight(double)="<<weight<<endl;
cout<<"\nExplanation: units int se
float bana, result float bana,
phir weight mein ja kar double
bana"<<endl;
return 0;
}
```

Output

```
units(int)=10
mass(float)=5.5
mass* units=55
weight
```

Day:

Assignment
Lab 3

Task1

```
#include<iostream>
using namespace std;
int main()
{
int age;
double Pay;
char section;
cout<<"Enter age, Pay and section:";
cin >> age >> pay >> section;
cout<<"Age:"<<age<<endl;
Cout<<"Pay:"<<pay<<endl;
Cout<<"section:"<<section<<endl;
return 0;
}
```

output:

Enter age, pay, section

Task2

```
#include<iostream
using namespace
int main()
{
cout<<"28/4
cout<<"6+1
cout<<"4+8
cout<<"6+
cout<<"(8
cout<<"2
cout<<"(
cout<<"
cout<<"
*(2+2)
return 0;
}
```

output: